
GuitarTap

Tap Tone Analysis Report

May 3, 2026
11:49 AM

Measurement Name: Cordoba Protege 5 Tap UMIK-1 Mac Python
Type: Classical Guitar
Frequency Range: 75 Hz – 350 Hz
Microphone: Umik-1 Gain: 18dB · calibrated (7108913)

Frequency Spectrum



Detected Peaks

Frequency	Magnitude	Note	Mode
92.7 Hz	-60.3 dB	–	Air (Helmholtz)

191.4 Hz	-47.8 dB	–	Top
203.2 Hz	-53.5 dB	–	Back
334.3 Hz	-59.8 dB	–	Dipole

Analysis Results

Tap Tone Ratio Ideal

2.07 : 1

Top / Air

Ideal: 1.9 – 2.1


GuitarTap

Comparison Report

2026-05-03 18:50

Comparison: Cordoba Protege 5 Tap UMIK-1 Mac Python
Spectra: 11 spectra compared
Frequency Range: 75 Hz – 350 Hz

Frequency Spectrum



Peak Mode Comparison

Spectrum	Air	Top	Back
Tap 1	92.8 Hz	191.7 Hz	238.9 Hz
Tap 2	92.7 Hz	191.6 Hz	203.4 Hz
Tap 3	92.7 Hz	191.3 Hz	208.1 Hz
Tap 4	92.7 Hz	191.0 Hz	241.2 Hz

Tap 5	92.9 Hz	191.4 Hz	203.0 Hz
Tap 6	92.7 Hz	191.4 Hz	203.2 Hz
Tap 7	92.7 Hz	191.3 Hz	239.9 Hz
Tap 8	92.7 Hz	191.5 Hz	203.3 Hz
Tap 9	92.6 Hz	191.5 Hz	203.4 Hz
Tap 10	92.7 Hz	191.4 Hz	203.4 Hz
Averaged	92.7 Hz	191.4 Hz	203.2 Hz