
GuitarTap

Tap Tone Analysis Report

May 3, 2026
11:17 AM

Measurement Name: Cordoba Protege 5 tap UMIK-1 PC Python
Type: Generic Guitar
Frequency Range: 75 Hz – 350 Hz
Microphone: Microphone (Umik-1 Gain: 18dB) · calibrated (7108913)

Frequency Spectrum



Detected Peaks

Frequency	Magnitude	Note	Mode
100.8 Hz	-33.1 dB	–	Air (Helmholtz)

214.2 Hz	-21.5 dB	–	Top
261.2 Hz	-28.2 dB	–	Back

Analysis Results

Tap Tone Ratio — Above Target

2.12 : 1

Top / Air

Ideal: 1.9 – 2.1


GuitarTap

Comparison Report

2026-05-03 18:17

Comparison: Cordoba Protege 5 tap UMIK-1 PC Python
Spectra: 6 spectra compared
Frequency Range: 75 Hz – 350 Hz

Frequency Spectrum



Peak Mode Comparison

Spectrum	Air	Top	Back
Tap 1	100.8 Hz	214.3 Hz	239.3 Hz
Tap 2	100.8 Hz	213.4 Hz	261.5 Hz
Tap 3	100.1 Hz	214.1 Hz	260.8 Hz
Tap 4	100.9 Hz	214.2 Hz	261.9 Hz

Tap 5	101.0 Hz	215.0 Hz	236.6 Hz
Averaged	100.8 Hz	214.2 Hz	261.2 Hz