
GuitarTap

Tap Tone Analysis Report

May 3, 2026
11:34 AM

Measurement Name: Cordoba Protege 5 Tap UMIK-1 PC Python
Type: Generic Guitar
Frequency Range: 75 Hz – 350 Hz
Microphone: Microphone Array (2- Intel® Smart Sound Technology for Digital Microphones) · uncalibrated

Frequency Spectrum



Detected Peaks

Frequency	Magnitude	Note	Mode
100.9 Hz	-35.2 dB	–	Air (Helmholtz)

214.1 Hz	-22.1 dB	–	Top
239.7 Hz	-32.1 dB	–	Back
310.8 Hz	-37.1 dB	–	Dipole

Analysis Results

Tap Tone Ratio Above Target

2.12 : 1

Top / Air

Ideal: 1.9 – 2.1


GuitarTap

Comparison Report

2026-05-03 18:34

Comparison: Cordoba Protege 5 Tap UMIK-1 PC Python
Spectra: 11 spectra compared
Frequency Range: 75 Hz – 350 Hz

Frequency Spectrum



Peak Mode Comparison

Spectrum	Air	Top	Back
Tap 1	101.0 Hz	214.1 Hz	239.4 Hz
Tap 2	100.9 Hz	214.9 Hz	239.5 Hz
Tap 3	100.9 Hz	214.4 Hz	239.4 Hz
Tap 4	100.8 Hz	213.8 Hz	239.8 Hz

Tap 5	101.0 Hz	214.6 Hz	239.5 Hz
Tap 6	100.9 Hz	214.5 Hz	239.3 Hz
Tap 7	100.9 Hz	214.6 Hz	239.6 Hz
Tap 8	101.0 Hz	214.7 Hz	239.3 Hz
Tap 9	101.2 Hz	212.3 Hz	239.9 Hz
Tap 10	100.9 Hz	214.5 Hz	239.4 Hz
Averaged	100.9 Hz	214.1 Hz	239.7 Hz