

PT PRIMUS SANUS COOKING OIL INDUSTRIAL

ADDRESS: JL. PONDOK UNGU, PEJUANG, MEDANSATRIA, KOTA BEKASI, JAWA BARAT
KOTA BEKASI, JAWA BARAT

NPWP: 01.122.269.2-407.000

PHONE: 62-21-88976680

TO : YANTAI ZKPACKING CO. LTD
ADDRESS : NO. 1 TONGHUANG ROAD ZHIFU DISTRICT
YANTAI CITY 264000
PHONE : 8613905356927
EMAIL : jiang@zkpacking.com

Purchase Order

DELIVERY DATE : 30.04.2026
PO NO : 1012013721
PO DATE : 11.12.2025
PURCH. GRP : P08

APPROVED

NO.	DESCRIPTION	QUANTITY	UNIT	PRICE /UNIT	TOTAL PRICE
001	MACH, UNPACKING LN-12 SPEED 12PC/MIN RAGE 80PC CARTON, PRESS-6BAR, CARTON DIM. 250-450X200-400X150-350MM (910.015.026, Dlv.Date :30.04.2026) PR. No# 1010011279/02 - PRO2 - MOAN WBS : E-IDPS-25-012.01.C.Z.005 REALIZATION: CASE ERECTING	1,000	UN	10.870,0000 /UN	10.870,00
002	MACH, BAG MAKING ZDJ-600 AUTOMATION MOC-SUS, BAG WIDTH 200-600MM, LTH 100-1000 MM, SPEED 10PC/MIN, POWER 8KW 380VAC 50HZ DIM. 3450X2900X2400MM (910.015.022, Dlv.Date :30.04.2026) PR. No# 1010011279/03 - PRO2 - MOAN WBS : E-IDPS=25-012.01.C.Z.006 REALIZATION: BAG MAKER INSERTER - ZDJ - 600 1. Bag making width: 200~600mm (including M edge) 2. Bag making length: 100~1000mm 3. Bag making and bagging speed#8-10pieces/min 4. Unwinding diameter: maximum Ø500mm 5. Bag making types: 45° inclined bottom, straight bottom sealing 6. Bag making positioning accuracy: ±1mm 7. Number of heat sealing knives: four sets of 45° inclined bottom sealing and one set of straight bottom sealing 8. Number of Temperature Controls: Six Channels 9. Temperature control setting range: normal temperature~200 # 10. Whole machine power: 10KW 11. Whole machine weight: approximately 1000kg 12. Material: 304 stainless steel 13. Carton range: minimum 300 (length L) x 200 (width W) x100 (height D) mm Maximum 800 (L in length) x 500 (W in width) x650 (D in height) mm (with the top cover standing uprig	1,000	UN	71.440,0000 /UN	71.440,00
003	MACH, FILING GZJ-4C CAP 5-30KG, SPEED 400- 500PC/HR @ 15KG), ACC 0.2%, PRESSURE 7BAR (910.015.029, Dlv.Date :30.04.2026)	1,000	UN	31.480,0000 /UN	31.480,00

PT PRIMUS SANUS COOKING OIL INDUSTRIAL

ADDRESS: JL. PONDOK UNGU, PEJUANG, MEDANSATRIA, KOTA BEKASI, JAWA BARAT

KOTA BEKASI, JAWA BARAT

NPWP: 01.122.269.2-407.000

PHONE: 62-21-88976680

TO : YANTAI ZKPACKING CO. LTD
ADDRESS : NO. 1 TONGHUANG ROAD ZHIFU DISTRICT
YANTAI CITY 264000
PHONE : 8613905356927
EMAIL : jiang@zkpacking.com

Purchase Order

DELIVERY DATE : 30.04.2026
PO NO : 1012013721
PO DATE : 11.12.2025
PURCH. GRP : P08

APPROVED

NO.	DESCRIPTION	QUANTITY	UNIT	PRICE /UNIT	TOTAL PRICE
	PR. No# 1010011279/04 - PRO2 - MOAN WBS : E-IDPS-25-012.01.C.Z.007 REALIZATION: FOUR HEAD ALTERNATING FILLING MACHINE - GZJ-4C * Filling weight: 5-30kg * Production capacity: (According to the designed cycle time, the double-head filling machine has a capacity of 5 cases per minute, the four-head filling machine 10 cases per minute, and the six-head filling machine 15 cases per minute.) 400-600 cases (or barrels) per hour (15 kg per case, subject to the viscosity of the medium). * Weighing error: 0.2% * Liquid inlet pressure: #0.6MPa * Air source working pressure: common air pressure 0.6Mpa * Power supply: AC380V±10% * Whole machine power approximately: 5kw * Lane=Merging Conveyor Belt.It merges the cartons (that have completed filling) from two lanes into lane. * Rear Carton Arrangement Conveyor Belt.It conveys the cartons transported by the lane-merging conveyer belt to the next workstation at a constant speed. * Carton range# minimum 300 (length L) x 200 (width W) x200 (height D) mm. Maximum 420 (L in length) 320 (W in width) x500(D in height) mm (with the top cover standing upright)"				
004	MACH,BAG SEALER AUTO 600MM (WDT), S 10PC/MIN,SEAL WIDTH 3-10MM C/O LIFTING, STRAIGHTENING,MOLDING,MOVING,SEAL,TRANS- MISSION PARTS { 910.015.023, Div.Date :30.04.2026 } PR. No# 1010011279/05 - PRO2 - MOAN WBS : E-IDPS-25-012.01.C.Z.008 REALIZATION: CASE CLOSER	1,000	UN	70.180,0000 /UN	70.180,00
005	MACH,FOLDING/SEALING LN-50 SPEED 18 PRESS-5BAR,CARTON DIM.200-600X150-500X 150-500MM { 910.015.027, Div.Date :30.04.2026 } PR. No# 1010011279/06 - PRO2 - MOAN WBS : E-IDPS-25-012.01.C.Z.009	1,000	UN	3.220,0000 /UN	3.220,00

PT PRIMUS SANUS COOKING OIL INDUSTRIAL

ADDRESS: JL. PONDOK UNGU, PEJUANG, MEDANSATRIA, KOTA BEKASI, JAWA BARAT

KOTA BEKASI, JAWA BARAT

NPWP: 01.122.269.2-407.000

PHONE: 62-21-88976680

TO : YANTAI ZKPACKING CO. LTD
ADDRESS : NO. 1 TONGHUANG ROAD ZHIFU DISTRICT
YANTAI CITY 264000
PHONE : 8613905356927
EMAIL : jiang@zkpacking.com

Purchase Order

DELIVERY DATE : 30.04.2026
PO NO : 1012013721
PO DATE : 11.12.2025
PURCH. GRP : P08

APPROVED

NO.	DESCRIPTION	QUANTITY	UNIT	PRICE /UNIT	TOTAL PRICE
-----	-------------	----------	------	-------------	-------------

REALIZATION:

BAG SEALING MACHINE - LDFK-1000

1. Sealing Speed 8-10pieces/min
2. Sealing Width It can seal one line or two lines according to the customer's requirements
3. Sealing Length #900mm
4. Sealing Method Instant Heating
5. Voltage 380V
6. Air Supply Pressure 0.5-0.8Mpa
7. Total Power 10KW
8. equipment height The height of the equipment conveyor line is 700±50mm
9. Carton range minimum 300 (length L) x 200 (width W) x 100 (height D) mm
Maximum 650 (L in length) x 410 (W in width) x 650 (D in height) mm (with the top cover standing upright)"

006	WEIGHER,CHECK 30KGX20G W/LOADCELL,SENSOR	1,000	UN	8.620,0000 /UN	8.620,00
-----	--	-------	----	----------------	----------

INDICATOR,EJECTOR/REJECT STATION,CONVEYOR,TOUCH SCREEN,FREQ INVERTER,BUZZER,ALARM,TRAY COLLECTOR,HMI-PANEL,MOC-SUS-304,FEED DIM 400X300X300MM,SPEED 10/MIN
(910.015.030, Dlv.Date :30.04.2026)
PR. No# 1010011279/07 - PRO2 - MOAN
WBS : E-IDPS-25-012.01.C.Z.010

REALIZATION:

WEIGHT INSPECTION - CZ-30

Weighing Range Within 30kg

weighing accuracy ±20g

Conveyor size (for reference only, adjusted according to customer size) Buffer section: length: 800mm; width: 600mm;

Weighing section: length: 900mm, width: 600mm;

Excluded segment: length: 1000mm, width: 600mm;

display resolution 5g

Sorting speed 100 bags/hour with adjustable speed

Ground clearance height of conveyor belt 700±50mm(Need to confirm)

conveying direction Facing the operation interface, from left to right(Need to confirm)

supply voltage 220V

operation temperature 0°C -40°C

PT PRIMUS SANUS COOKING OIL INDUSTRIAL

ADDRESS: JL. PONDOK UNGU, PEJUANG, MEDANSATRIA, KOTA BEKASI, JAWA BARAT

KOTA BEKASI, JAWA BARAT

NPWP: 01.122.269.2-407.000

PHONE: 62-21-88976680


TO : YANTAI ZKPACKING CO. LTD
ADDRESS : NO. 1 TONGHUANG ROAD ZHIFU DISTRICT
YANTAI CITY 264000
PHONE : 8613905356927
EMAIL : jiang@zkpacking.com

Purchase Order

DELIVERY DATE : 30.04.2026
PO NO : 1012013721
PO DATE : 11.12.2025
PURCH. GRP : P08

APPROVED

NO.	DESCRIPTION	QUANTITY	UNIT	PRICE /UNIT	TOTAL PRICE
	humidity 90% Relative humidity (without condensation) The material of the scale body is 304Stainless steel made square tube Elimination method Push rod exclusion				
007	CONVEYORS, LINE FOR AUTO FILLING MACH C/O (910.999.001, Dlv.Date : 30.04.2026) PR. No# 1010011279/08 - PRO2 - MOAN WBS : E-IDPS-25-012.01.C.Z.011	1,000	LOT	19.330,0000 /LOT	19.330,00
				TOTAL	US\$ 215.140,00
				FREIGHT COST	US\$ 1.200,00
				GRAND TOTAL	US\$ 216.340,00


EXECUTED/CHECKED BY


APPROVED BY

RECEIVED BY

PAYMENT TERM : IO - immediately due net invoice receipt

PLANT LOCATION : KARAWANG

PLEASE TAKE A NOTE

- SHIPMENT BY USING FORWARDING AGENT IS NOT ALLOWED & RECOMMENDED. IF THERE ARE ANY CHARGE INCURED BY YOUR FORWARDING COMPANY IN INDONESIA, IT WILL BE BORN BY SHIPPER /SUPPLIER.
- SHIPMENT BY WOODEN CASE MUST PROVIDE ISPM (INTERNATIONAL STANDARD for PHYTOANITARY MEASURES) CERTIFICATE AND DISPLAY THE IPPC MARKING AS SPECIFIED IN ANNEX 22 OF THE ISPM NO. 15
- SHIPPER NAME IN AWB/BL MUST BE THE SAME AS SHIPPER NAME IN INVOICE AND SELLER IN PO. IF DELIVERY

PT PRIMUS SANUS COOKING OIL INDUSTRIAL

ADDRESS: JL. PONDOK UNGU, PEJUANG, MEDANSATRIA, KOTA BEKASI, JAWA BARAT

KOTA BEKASI, JAWA BARAT

NPWP: 01.122.269.2-407.000

PHONE: 62-21-88976680

TO : YANTAI ZKPACKING CO. LTD
ADDRESS : NO. 1 TONGHUANG ROAD ZHIFU DISTRICT
YANTAI CITY 264000
PHONE : 8613905356927
EMAIL : jiang@zkpacking.com

Purchase Order

DELIVERY DATE : 30.04.2026
PO NO : 1012013721
PO DATE : 11.12.2025
PURCH. GRP : P08

APPROVED

NO.	DESCRIPTION	QUANTITY	UNIT	PRICE /UNIT	TOTAL PRICE
-----	-------------	----------	------	-------------	-------------

IS MADE BY 3RD PARTY, THEN IN SHIPPER AWB/BL MUST BE WRITTEN 3RD PARTY Q.Q. SHIPPER NAME
(AS PER PO).

4. THE BUYER/WE RESERVE THE RIGHT TO REJECT THE GOODS IF THE SPECIFICATION DOES NOT COMPLY TO THE SPECIFICATION AS OFFERED BY THE SELLER/YOU AND ALL THE TRANSPORT COSTS TO RETURN THE REJECTED GOODS SHALL BE BORNE BY THE SELLER/YOU
5. PLS KINDLY INDICATE OUR PO NO ON YOUR INVOICE; PACKING LIST (SURAT PENGANTAR BARANG); FAKTUR PAJAK (ONLY FOR INDONESIA'S COMPANY).
6. SUPPLIER SHALL PAY THE BANK CHARGES (INCLUDES BUT NOT LIMITED TO TRANSFER FEE AND FOREIGN EXCHANGE FEE).
7. SUPPLIER MUST PROVIDE DRAFT SHIPPING DOCUMENTS FOR CHECKING PRIOR TO SHIPMENT. UNDER VALUE DECLARATION IN INVOICE IS PROHIBITED.
8. SUPPLIER OBLIGES TO PROVIDE ORIGINAL SHIPPING DOCUMENTS VIA EXPRESS COURIER TO CONSIGNEE'S APPOINTED ADDRESS.
9. FOR FULL CONTAINER SHIPMENT, SUPPLIER OBLIGES TO PROVIDE PHOTOS OF CONTAINER'S CONDITION PRIOR AND LOADING PROCESS. CONTAINER'S FREETIME MUST BE AT LEAST 14 DAYS.