

DXP Catalyst

Functional Requirements Spec

Site Replatform Planning — v1.0

Stack

CMS	Sanity (free tier)
Frontend	Next.js (App Router)
Hosting	Vercel Pro (\$20/month)
AI layer	ai12z (conversational assistant widget)
CRM / Forms	HubSpot
Newsletter	Beehiiv — DXP Catalyst Update (single publication)

1. HubSpot Integration

1a. Global Tracking

- HubSpot tracking script loaded globally in app/layout.tsx
- Uses next/script with strategy='afterInteractive'
- Portal ID stored in environment variable NEXT_PUBLIC_HUBSPOT_PORTAL_ID
- Covers all pages automatically

1b. Contact Form

- Page: /contact
- HubSpot embed form rendered via HubSpot embed script
- Form ID stored in Sanity contactPage.hubspotFormId (editable without code change)
- Portal ID from environment variable
- On submission: HubSpot handles confirmation (no custom redirect at launch)
- Fallback if script fails to load: display email address and phone number as plain text

1c. Meeting Scheduler

- Page: /book
- HubSpot meetings embed widget (full scheduler)
- Meeting URL stored in Sanity bookingPage.hubspotMeetingUrl (editable without code change)
- HubSpot is already connected to M365/Teams calendar — no changes to that integration, the embed surfaces live availability automatically
- On booking: HubSpot sends Teams meeting link to invitee (existing behavior, carried over)
- Fallback if embed fails: display direct link to HubSpot meetings URL as plain text

1d. Script Loading

- All HubSpot scripts use next/script to avoid blocking page render
 - Contact form and scheduler embeds load after page is interactive
-

2. Beehiiv Newsletter Feed

Publication

- Single source: DXP Catalyst Update
- Beehiiv public subdomain URL stored in Sanity insightsPage.beehiivSubdomainUrl (editable without code change)

Fetch Approach

- Fetched at build time in Next.js via ISR with revalidate: 3600 (refresh every hour)
- No API key required — public posts only
- Parsed from public subdomain HTML: title, publish date, excerpt, post URL

Behavior

- Posts sorted by publish date descending
- Each card shows: title, publish date, excerpt, link to full post on Beehiiv
- Clicking a card opens the full post on Beehiiv in a new tab
- Sanity-authored insightPost documents merged into the same feed, also sorted by date

Error and Empty States

- If Beehiiv fetch fails at build time: render static fallback card with direct link to the newsletter subdomain
- If no posts exist: show a short message and newsletter signup CTA

Newsletter Signup

- Appears on Homepage (strip section) and Insights page (inline CTA)
 - Single link to DXP Catalyst Update Beehiiv signup page
 - URL stored in Sanity (editable without code change)
 - No embedded form — CTA button linking to Beehiiv hosted signup
-

3. ai12z Widget

Placement

- Global — appears on all pages
- Floating widget, bottom right (standard ai12z placement)
- Loaded via ai12z web component script in app/layout.tsx

- API key stored in environment variable NEXT_PUBLIC_AI12Z_API_KEY

Content Indexing

- ai12z connector configured to index from Sanity
- Sanity webhook fires on content publish, notifying ai12z to re-sync
- Webhook secret stored in environment variable SANITY_WEBHOOK_SECRET
- Content scope: all public Sanity documents (service pages, about, insight posts)
- Beehiiv posts: included if ai12z connector supports URL-based ingestion, otherwise limited to Sanity-authored content at launch

Styling

- Widget styled using ai12z built-in customization to match site brand colors
- No custom development beyond embed script and connector configuration

4. Navigation

Desktop

- Top nav links: Home, About, Services (dropdown), Insights, Contact
- Services dropdown: two items — DXP Advisory and HubSpot and Salesforce Advisory
- 'Book a Consultation' rendered as a CTA button in the nav header (distinct from nav links)
- Logo links to Homepage

Mobile

- Hamburger menu
- Services expand inline (accordion)
- 'Book a Consultation' CTA button visible within the mobile menu

States

- Active page link highlighted
- Parent nav item highlighted when on a child page
- Nav CTA label and URL editable via Sanity siteSettings

5. Global Site Settings

Sanity document type: siteSettings (singleton)

```
siteName: string

logoLight: image
```

```
logoDark: image

phone: string

email: string

linkedInUrl: url

navCtaLabel: string

navCtaUrl: string

footerTagline: string
```

6. SEO and Metadata

- Each page type includes seo fields: metaTitle and metaDescription
- If seo.metaTitle is empty, fall back to page title + ' | DXP Catalyst'
- Open Graph tags generated for all pages
- robots.txt and sitemap.xml auto-generated by Next.js
- Canonical URLs set per page
- No-index applied to /studio (Sanity Studio route)

7. Performance

- Target: Lighthouse score 90+ on mobile
- All images served via Next.js Image component (automatic WebP, lazy loading)
- Fonts loaded via next/font (no layout shift)
- No animation libraries at launch (current site uses Slider Revolution — remove entirely)
- Third-party scripts (HubSpot, ai12z) use strategy='afterInteractive' or strategy='lazyOnload' to avoid blocking LCP

8. Redirects

- All redirects from old WordPress URLs configured in next.config.js as permanent (308) redirects
- Full redirect map is in the page inventory document

9. Testimonials

- Stored as testimonial documents in Sanity
- Fields: quote, attribution (name, title, company), tag (dxp / crm / general)
- Displayed on Homepage and relevant service pages

- Filtered by tag on service pages (dxp tag on DXP Advisory page, crm tag on HubSpot and Salesforce Advisory page)
 - Design: clean blockquote style, quote text and attribution only — no photos, no star ratings
-

10. Analytics

- Vercel Analytics enabled (included with Vercel Pro — Core Web Vitals, page views)
 - HubSpot tracking handles contact attribution and form conversion tracking
 - No additional analytics tool at launch
-

11. Environment Variables

All sensitive values stored as Vercel environment variables, never committed to the repo.

Variable	Purpose
NEXT_PUBLIC_HUBSPOT_PORTAL_ID	HubSpot portal ID for all embeds
NEXT_PUBLIC_HUBSPOT_CONTACT_FORM_ID	Contact page form ID
NEXT_PUBLIC_AI12Z_API_KEY	ai12z widget key
SANITY_PROJECT_ID	Sanity project identifier
SANITY_DATASET	Sanity dataset name (e.g. 'production')
SANITY_API_TOKEN	Sanity read token for server-side fetches
SANITY_WEBHOOK_SECRET	Webhook secret for ai12z content sync

12. Deployment

- GitHub repo is the source of truth
 - Vercel connected to GitHub — auto-deploys on push to main
 - Preview deployments generated automatically for all branches
 - Sanity Studio deployed at dxpcatalyst.com/studio (embedded via next-sanity)
 - DNS cutover from WP Engine to Vercel at go-live: update A record or CNAME to Vercel
-

13. Out of Scope at Launch

- Blog commenting
- Site search (ai12z widget covers discovery)
- Multi-language
- Gated content

- E-commerce or payments
- CMS-driven navigation structure (nav hardcoded in Next.js, labels from siteSettings)
- Dark mode