

DX OSE Document Constitution

Version 2.0 — Final

Field	Value
Document Title	DX OSE Document Constitution
Version	2.0 Final
Status	Ratified — Chapters 1–29
Classification	Internal — Governance
Platform	DX OSE Enterprise ERP Platform
Supersedes	DX OSE Document Constitution v1.0
Effective Upon	Governance Ratification

Document Control

Field	Value
Title	DX OSE Constitution
Version	2.0 Final
Status	Ratified — Chapters 1–29
Platform	DX OSE Enterprise ERP Platform
Classification	Internal — Governance
Supersedes	DX OSE Document Constitution v1.0

Revision History

Version	Date	Summary
1.0	2026	Original 34-policy workbook
2.0	2026	Chapter-based governance; Master Review Log ratification

Table of Contents

DX OSE Document Constitution	1
Version 2.0 — Final	1
Document Control.....	2
Revision History	2
Table of Contents.....	3
Part 0 — Authority	11
Chapter 1 — Authority & Hierarchy.....	11
1.1 Purpose	11
1.2 Normative Stack.....	11
1.3 Deleted / Reserved — Four Tiers Removed.....	11
1.4 Scope	11
1.5 Mandatory Language	12
Part I — Governance Constitution	13
Chapter 2 — Document Lifecycle	13
2.1 Purpose	13
2.2 Common User-Facing States	13
2.3 Status Mapping	13
2.4 Business Effects.....	14
2.5 Editability	14
2.6 Deletion.....	14
2.7 Resubmission	15
2.8 Lifecycle Visibility	15
2.9 Lifecycle Termination Model	15
2.10 Out of Scope.....	15
Chapter 3 — Workflow & Actions.....	16
3.1 Purpose	16
3.2 Creator Actions	16
3.3 Reviewer Actions.....	16
3.4 Send Back vs Reject.....	16
3.5 Primary Action.....	16
3.6 Button Order	16
3.7 Separation of Concerns	16
3.8 Out of Scope.....	16
Chapter 4 — Operation Permissions.....	17
4.1 Purpose	17
4.2 Standard Operations	17

4.3 Rules.....	17
4.4 Out of Scope.....	17
Chapter 5 — Posting	18
5.1 Purpose	18
5.2 Posting Rules	18
5.3 Approve vs Post.....	18
5.4 Out of Scope.....	18
Chapter 6 — Period Management.....	19
6.1 Purpose	19
6.2 Period Model.....	19
6.3 Document Dates	19
6.4 Period States	19
6.5 Posting Rules.....	19
6.6 Period Close	19
6.7 User Experience	19
6.8 Reopen Closed Period	19
6.9 Out of Scope.....	20
Chapter 7 — Draft & Document State Protection	21
7.1 Two Independent Concerns	21
7.2 Draft Philosophy.....	21
7.3 Draft Levels	21
7.4 Draft Ownership Governance	21
7.5 Draft Lock Governance.....	21
7.6 Draft Lifecycle	21
7.7 Auto-Save Governance	21
7.8 Recovery Governance	21
7.9 Draft Registry & Retention.....	21
7.10 Document State Protection Scope.....	21
7.11 Link to Document Numbering.....	21
7.12 Offline.....	22
7.13 Out of Scope.....	22
Chapter 8 — Concurrency.....	23
8.1 Purpose	23
8.2 Concurrency Version	23
8.3 Scope.....	23
8.4 Draft Stage	23
8.5 After Submit	23
8.6 Protected Mutations	23

8.7 Posting Protection.....	23
8.8 Conflict Resolution	23
8.9 Relationship with Chapter 7.....	23
8.10 Audit Integration.....	23
8.11 Out of Scope.....	23
Part II — Document Identity	24
Chapter 9 — Document Numbering	24
9.1 Purpose	24
9.2 System Document Number	24
9.3 Rules.....	24
9.4 Out of Scope v2.0	24
Part III — Data Integrity	25
Chapter 10 — Stock & Quantity.....	25
10.1 Movement Classes	25
10.2 Rules.....	25
10.3 Out of Scope v2.0	25
Chapter 11 — Display Currency	26
11.1 Purpose	26
11.2 Scope.....	26
11.3 Display Only.....	26
11.4 Application Scope.....	26
11.5 Format & Precision.....	26
11.6 Immutability.....	26
11.7 Configuration	26
11.8 Out of Scope v2.0	26
Part IV — Document Composition.....	27
Chapter 12 — Document Header	27
12.1 Purpose	27
12.2 Standard Fields.....	27
12.3 Field Classification.....	27
12.4 Header Lock	27
12.5 Business Context	27
12.6 Header–Line Consistency.....	27
12.7 Extensibility	27
Chapter 13 — Document Lines	28
13.1 Purpose	28
13.2 Line Identity	28
13.3 Governed Aspects	28

13.4 Line Immutability	28
13.5 Automatic Recalculation	28
13.6 Header–Line Consistency	28
13.7 Calculated Totals	28
13.8 Duplicate Line Governance	28
13.9 Line Audit	28
13.10 Performance	28
Chapter 14 — Attachments	29
14.1 Purpose	29
14.2 Categories	29
14.3 Lifecycle	29
14.4 File Validation Policy	29
14.5 Security	29
14.6 Download Authorization	29
14.7 Attachment Lifecycle vs Entity	29
14.8 Filename Governance	29
14.9 Audit	29
14.10 Out of Scope	29
Chapter 15 — Notes & Comments	30
15.1 Types	30
15.2 Mandatory Comments	30
15.3 Immutability	30
15.4 System Notes	30
15.5 Timeline	30
15.6 Visibility & Print	30
Chapter 16 — Item Images	31
16.1 Purpose	31
16.2 Master Data Ownership	31
16.3 Rules	31
Part V — System Interaction Standards	32
Chapter 17 — Keyboard Navigation	32
17.1 Scope	32
17.2 Principles	32
17.3 Additional Rules	32
17.4 Out of Scope	32
Chapter 18 — Validation	33
18.1 Golden Rule	33
18.2 Rules	33

18.3 Out of Scope.....	33
Chapter 19 — Error Handling.....	34
19.1 Severity	34
19.2 Placement	34
19.3 User Messages	34
19.4 Recovery & Retry	34
19.5 Consistency	34
19.6 Logging	34
19.7 Accessibility.....	34
Chapter 20 — Notifications	35
20.1 Types	35
20.2 Principles	35
20.3 Priority.....	35
20.4 Expiration	35
20.5 Permission Awareness	35
20.6 Separation	35
Chapter 21 — Loading & Progress	36
21.1 Principles	36
21.2 Types	36
21.3 Timeout	36
21.4 Cancel & Progressive Loading	36
21.5 Out of Scope.....	36
Chapter 22 — Audit & Timeline	37
22.1 Required Audit Fields	37
22.2 Events.....	37
22.3 Timeline.....	37
22.4 Print.....	37
Part VI — Lookup & Search	38
Chapter 23 — Lookup Standard.....	38
23.1 Purpose	38
23.2 Profiles	38
23.3 Search.....	38
23.4 Interaction.....	38
23.5 States.....	38
23.6 Governance	38
23.7 Out of Scope v2.0	38
Part VII — Presentation Standards	39
Chapter 24 — Workspace & Responsive	39

24.1 Device Policy	39
24.2 Resolutions.....	39
24.3 Zoom	39
24.4 Rules.....	39
24.5 Browser & Display	39
24.6 Test Matrix	39
24.7 Relationship to UX Constitution.....	39
Chapter 25 — Document Layout	40
25.1 Purpose	40
25.2 Archetypes	40
25.3 Scroll Ownership	40
25.4 Sticky Regions.....	40
25.5 Empty States & Density.....	40
25.6 Section Collapse	40
25.7 Golden Reference	40
25.8 Out of Scope.....	40
Chapter 26 — Printing & Export	41
26.1 Principles	41
26.2 SSOT	41
26.3 Authorization	41
26.4 Sensitive Data.....	41
26.5 Draft Print.....	41
26.6 Audit.....	41
26.7 Language	41
Part VIII — Platform Principles.....	42
Chapter 27 — Performance	42
27.1 Principles	42
27.2 Targets.....	42
Chapter 28 — Accessibility	43
28.1 Principles	43
28.2 Screen Reader	43
28.3 Accessible Errors	43
28.4 Relationship to Chapter 17	43
28.5 Out of Scope v2.0	43
Part IX — Conformance	44
Chapter 29 — Constitution Compliance & Ratification	44
29.1 Purpose	44
29.2 Compliance Levels.....	44

29.3 Definition of Done..... 44

29.4 Exceptions & Waivers 44

29.5 Constitutional Review 44

29.6 Verification..... 44

29.7 Conformance Backlog 44

29.8 Ratification 44

Appendix A — Business Decision Records (BDR) Index 45

Appendix B — Open Governance Notes..... 46

Part 0 — Authority

Chapter 1 — Authority & Hierarchy

1.1 Purpose

This Constitution establishes the **governing principles, policies, standards, and mandatory rules** for the **DX OSE Enterprise ERP Platform**.

It defines **what** the platform must do from a governance perspective. It is technology-neutral and shall remain valid regardless of changes to frontend, backend, database, or integration technologies.

This Constitution is the **Single Source of Truth (SSOT)** for governance across the DX OSE ERP Platform. All subordinate governance, UX, workflow, access control, and implementation documents shall conform to this Constitution.

1.2 Normative Stack

When documents conflict, the higher-level document shall always prevail.

No subordinate document may override or contradict this Constitution.

Order	Document	Governs
1	DX OSE Constitution	Principles, policies, standards, and mandatory rules — SSOT
2	DX OSE UX Constitution	User experience, layout geometry, scroll ownership, visual rhythm
3	Business Decision Records (BDR)	Formal Product/Governance decisions that interpret or extend this Constitution without amending it
4	Workflow Contracts	Document cycles, internal states, transitions, and routing
5	Access Control Catalog (ACC)	Who may execute each operation or transition
6	Architecture & Implementation Guides	How governance is implemented — non-normative for governance

Governance Library

The official governance library shall maintain, at minimum:

- DX OSE Constitution
- DX OSE UX Constitution
- Business Decision Records (BDR)
- Workflow Contracts
- Access Control Catalog
- Architecture Guide
- Implementation Guide

1.3 Deleted / Reserved — Four Tiers Removed

Section 1.3 Four Tiers has been removed in its entirety per Master Review Log ratification. This section number is reserved and shall not be reassigned to other content without explicit governance decision.

1.4 Scope

This Constitution applies to **all current and future operational modules** of the DX OSE ERP Platform.

Unless explicitly stated otherwise:

- **Platform-wide chapters** apply to all DX OSE modules and shared user experiences.
- **Document-specific chapters** apply to operational documents and document entry workflows.

Out of scope for this Constitution:

- Technology stack
- Internal implementation details
- Database architecture
- Integration implementation details

Implementation detail belongs in **Architecture & Implementation Guides**.

1.5 Mandatory Language

Normative keywords shall be interpreted **exactly as defined in this chapter**.

Term	Meaning
Must / Shall	Mandatory requirement
Should	Strong recommendation; exception requires recorded approval in BDR or governance register
May	Optional
Must not	Prohibited
Will	Descriptive statement of expected behavior after requirements are met — not a requirement by itself

Guidance:

- Avoid using **Must** where **Should** is sufficient.
- Use **Must** only when a true obligation exists.

Part I — Governance Constitution

Chapter 2 — Document Lifecycle

2.1 Purpose

DX OSE shall provide **one consistent document lifecycle experience** across all operational modules.

Principle: The user experience is the contract. The implementation is an internal concern.

Modules may implement different internal workflows, provided that the user-facing lifecycle remains consistent across the platform.

Internal workflow implementation, workflow step names, and internal status codes **must never** be exposed to end users.

2.2 Common User-Facing States

Each user-facing lifecycle state shall represent **one consistent business meaning** across the entire DX OSE ERP Platform. No module may redefine these meanings.

No module may introduce additional user-facing lifecycle states unless they are first **ratified in this Constitution**.

State	Meaning
Draft	Editable; no official operational or financial effect
Submitted	Sent into review
In Review	In an approval chain
Approved	*Optional.* Used only when a document has a distinct business stage between final approval and posting
Posted	Official operational and financial effects applied
Rejected	Terminated; no resubmission of the same document
Returned	Sent back to creator for correction (Send Back)
Void	Formally cancelled before becoming part of the permanent business record
Closed	Operationally complete without Posted being the final state (e.g. custody returned, get-pass completed, loan ended)

Cancel and Void

- **Cancel** is an **action**.
- **Void** is the **lifecycle state** resulting from cancellation before the document enters the governed permanent record.
- A separate user-facing state named **Cancelled** shall not be introduced unless ratified in this Constitution (*see BDR-007*).

2.3 Status Mapping

Each module shall provide a consistent mapping between internal workflow states and standardized user-facing lifecycle states.

Internal workflow identifiers, status codes, enum names, workflow step names, and other implementation details **must never** be exposed to end users.

Identical business outcomes shall always resolve to the **same** standardized user-facing lifecycle state across the DX OSE platform.

2.4 Business Effects

2.4.1 Business Commit Point

Posting is the single business commit point for all operational and financial effects within the DX OSE ERP Platform.

No operational or financial effect shall be considered official before Posting unless this Constitution explicitly states otherwise.

2.4.2 Operational Reports

Operational reports represent **official business results**, including stock balance, inventory ledger, inventory movement history, inventory valuation, and financial inventory reports.

Rule: Operational reports shall derive operational and financial results **exclusively from Posted documents**.

2.4.3 Workflow Reports

Workflow reports represent **workflow progress and operational monitoring** (pending approvals, finance/GM queues, reviewer packs, SLA dashboards, draft monitoring).

Rule: Workflow reports may include Draft, Submitted, In Review, Returned, Rejected, Posted, and other lifecycle states according to business requirements.

2.4.4 Evidence Package

Evidence Package is not a reporting category.

It comprises document-level proof artifacts (PDF, print output, evidence export, timeline, audit trail, supporting attachments) for **one document**. It is governed under Document Composition and Audit chapters.

2.4.5 Reservation

Inventory reservation is governed by business policy. The default DX OSE behavior is **no reservation before Posting** unless explicitly defined by a ratified business policy.

2.5 Editability

Editability shall be governed **exclusively** by document lifecycle state, not by individual screen implementations.

State	Editable
Draft	Yes
Returned	Yes
Submitted	No
In Review	No
Posted	No
Rejected	No
Void / Cancelled	No
Closed	No

2.6 Deletion

Delete is permitted **only while the document is in Draft**.

Once a document leaves Draft, Delete **must not** be available. Business termination shall use governed lifecycle actions (Cancel, Reject, Void, Close, etc.).

Deletion permanently removes a document before it becomes part of the business record. Once a document enters the governed lifecycle, business termination actions shall replace deletion.

2.7 Resubmission

After **Return**: Edit → **Submit**. There shall be **no** separate action named **Re-submit**.

Submit always represents entering the workflow, whether for the first time or after Return.

After **Reject**, the same document **must not** re-enter workflow. A new document is required.

2.8 Lifecycle Visibility

Every document detail view shall present a unified timeline showing, as applicable: current state, workflow step, actor, date and time, mandatory reasons, workflow comments, system events, and duration (when applicable).

2.9 Lifecycle Termination Model

Action	Type	Resulting state
Cancel	Creator action	Void (per Ch. 2.2)
Reject	Reviewer workflow action	Rejected
Close	Lifecycle completion action	Closed

2.10 Out of Scope

Workflow engine implementation, state machine design, database schema, API contracts, technical implementation details — Architecture & Implementation Guides.

Chapter 3 — Workflow & Actions

3.1 Purpose

Users shall see only the actions they need for their role and document state.

Action behavior shall remain **consistent across all DX OSE modules** regardless of workflow implementation.

No module may invent alternative names for standard actions unless ratified in this Constitution.

3.2 Creator Actions

Save Draft, Submit, Cancel.

Cancel is an **action**, not a lifecycle state. Alternative labels with the same meaning (Abort, Discard, Cancel Document) **must not** be used.

3.3 Reviewer Actions

Approve, Send Back, Reject.

Reviewer actions shall be available **only while the document is actively assigned** to the current reviewer according to workflow definition and the permission model.

3.4 Send Back vs Reject

Attribute	Send Back	Reject
Ends document	No	Yes
Allows edit	Yes	No
Reason required	Yes	Yes
Next step	Edit → Submit	New document if operation repeats
Business transaction	Continues	Terminates

3.5 Primary Action

There shall be **only one primary action** for the current document state.

3.6 Button Order

Primary → Secondary → Neutral → Danger

3.7 Separation of Concerns

Layer	Determines
Workflow Contracts & ACC	Who; when; routing; next step
This Constitution	Meaning; behavior; terminology; confirmation rules; mandatory reasons; user expectations

3.8 Out of Scope

Icons, colors, visual styling, animations — DX OSE UX Constitution.

Chapter 4 — Operation Permissions

4.1 Purpose

Operation permissions govern **authorization only** and shall **never** replace workflow validation, lifecycle validation, or business rule enforcement.

The **Access Control Catalog (ACC)** is the **single source of truth** for permissions.

4.2 Standard Operations

View, Create, Edit, Delete, Submit, Approve, Reject, Send Back, Cancel, Post, Reopen, Close, Archive, Print, Export, Attach, View Audit.

Evidence Package is part of document representation, not an independent business operation, and **does not** require a separate permission in the current DX OSE release.

4.3 Rules

1. Permissions shall never bypass document lifecycle rules.
2. Permissions grant **eligibility**, not execution authority.
3. **Action Allowed** = Permission + Workflow + Lifecycle + Business Rules + Scope.
4. Modules shall not introduce alternative operation names for standardized operations.

4.4 Out of Scope

Permission key naming, role matrix maintenance, role hierarchy, permission inheritance, technical authorization implementation — ACC.

Chapter 5 — Posting

5.1 Purpose

Posting is the single irreversible business commit point for all operational and financial effects within the DX OSE Platform.

Posting is the **only** operation permitted to create official operational and financial business effects.

Documents become **business-immutable** after Posting except through formally governed reversal or adjustment procedures.

5.2 Posting Rules

Before Posting, the platform shall verify: user authority; valid workflow state; open inventory/financial period (Posting Date); full document revalidation; stock availability for outbound documents.

Rules:

1. **Final validation** — full revalidation immediately before Posting regardless of prior validation.
2. **Transaction boundary** — single transactional boundary; partial posting prohibited.
3. **Atomicity** — any failure leaves document and related business data completely unchanged.
4. **Idempotency** — repeating the same posting request shall never create additional effects.
5. **Posting trigger** — Posting is **automatically triggered** upon successful **final workflow approval** unless a document-specific governance policy defines otherwise. **Final Workflow Approval = business authorization for Posting**. No additional posting confirmation is required by default.

Posting behavior shall remain deterministic and repeat-safe throughout the platform.

5.3 Approve vs Post

Approval authorizes progression within workflow. Posting applies official operational and financial effects. Workflow Contracts define whether final approval leads directly to Posting or to an optional Approved stage.

5.4 Out of Scope

Reversal procedures, inventory recalculation, ledger repair, historical data correction — separate governance documents.

Chapter 6 — Period Management

6.1 Purpose

Period Management preserves inventory integrity, financial integrity, audit integrity, and reporting consistency. It governs when transactions may **officially** affect inventory and financial records.

6.2 Period Model

DX OSE formally recognizes **Inventory Period** and **Financial Period**. The current implementation may manage both using a shared calendar while allowing future separation.

6.3 Document Dates

Each document shall permanently maintain **Document Date**, **Posting Date**, and **Assigned Posting Period**.

- **Document Date** — actual business event date.
- **Posting Date** — official accounting and inventory recognition date.
- **Assigned Posting Period** — determined at Posting, permanently recorded.

Document Date and Posting Date are independent and **must never** be treated as interchangeable.

6.4 Period States

Open, Closing, Closed, Archived.

Closing — controlled validation phase before period may close.

6.5 Posting Rules

Posting permitted only when Posting Period is Open and all validations pass.

- Future posting restrictions apply to **Posting Date only**, not Document Date.
- Historical Document Date may be accepted if business policy allows and posting period is open.
- Posting into Closed period prohibited.
- Periods close **sequentially**; periods **must not overlap**.
- Period validation is **centralized**; modules shall not implement independent period logic.
- Assigned Posting Period is **immutable** after Posting.

6.6 Period Close

Period Close is a **governed business process**, not a simple validation failure.

Validation phase: centralized validation with progress indication when Close Period is initiated.

Resolution workspace when blocking conditions exist:

- **Tab 1 — Close Validation:** draft documents, pending workflow, approved-not-posted, validation failures, integrity issues; authorized resolution; then **Revalidate & Close**.
- **Tab 2 — Closed Periods:** history (period, closed by, closed at, notes, audit).

Principle: The platform shall provide governed period-close resolution whenever blocking conditions exist, rather than merely rejecting the request.

Integrates with Draft Governance (Chapter 7).

6.7 User Experience

Prevent invalid **Posting Dates** proactively where possible.

6.8 Reopen Closed Period

Governed by separate financial governance policy — intentionally deferred from this Constitution.

6.9 Out of Scope

Fiscal calendar configuration, accounting policies, year-end financial closing, financial reopening policies.

Chapter 7 — Draft & Document State Protection

7.1 Two Independent Concerns

Concern	Governs
Document State Protection	Dirty detection; warnings before navigation, refresh, close tab, back, session expiration with unsaved changes
Draft & Recovery	Persisting, restoring, governing drafts

These **must** remain separate policies.

7.2 Draft Philosophy

Every operational document shall begin as a **server-recognized draft** unless Workflow Contracts define otherwise.

7.3 Draft Levels

Temporary buffer (not official draft) → Server draft → Workflow document after Submit.

7.4 Draft Ownership Governance

The platform shall define: draft owner; access rights; ownership transfer (if permitted); handling of drafts for inactive or departed users.

7.5 Draft Lock Governance

Rules for opening the same draft from multiple sessions or devices shall align with Chapter 8 (Concurrency).

7.6 Draft Lifecycle

Internal draft lifecycle states (e.g. active, submitted, discarded, expired) may exist; not all need be user-visible.

7.7 Auto-Save Governance

Auto-save shall occur on **meaningful business events** (add/delete row, qty/price change, supplier/warehouse change, attachment, notes, before navigation). Not on fixed timers defined in this Constitution.

7.8 Recovery Governance

Recovered drafts shall not bypass current validation. Restored documents **must** be revalidated before continue or submit.

Recovery prompt: **Continue** or **Discard**. **Last saved** indicator should be visible.

7.9 Draft Registry & Retention

Draft registry required per document family. Default retention **30 days**. Expiration policy (delete, archive, expired state) shall be defined by platform policy.

7.10 Document State Protection Scope

Applies to: route navigation, browser refresh, browser/tab close, back navigation, session expiration with unsaved changes.

Successful Save Draft or Submit returns to clean state.

7.11 Link to Document Numbering

Upon successful creation of the first **Server Draft**, the **System Document Number** becomes permanently reserved per Chapter 9.

7.12 Offline

Not supported — cloud ERP.

7.13 Out of Scope

Storage technology, sync intervals, local cache design.

Chapter 8 — Concurrency

8.1 Purpose

Prevent silent overwrites when multiple users affect the **same document**.

8.2 Concurrency Version

Every editable document shall maintain a **Concurrency Version** for conflict detection. The Constitution does not mandate a specific technical mechanism.

8.3 Scope

Concurrency applies to the **entire governed document**, not isolated fields only.

8.4 Draft Stage

Concurrent edits **must** be detected. **Last write wins is prohibited**. Conflicting operation shall be rejected; user shall reload latest version.

8.5 After Submit

Document is read-only except via Return workflow.

8.6 Protected Mutations

Save Draft, Submit, Approve, Reject, Send Back, Cancel, Post — must not execute twice on the same version without detection.

8.7 Posting Protection

Posting **must not** execute except on the latest valid document version after concurrency verification.

8.8 Conflict Resolution

Reject conflicting update; do not overwrite another user's changes; require reload before retry.

The platform shall reject conflicting updates using the platform's concurrency mechanism (implementation: Architecture Guide).

8.9 Relationship with Chapter 7

Draft ownership and draft locking — Chapter 7. Conflict detection during operations — this chapter.

8.10 Audit Integration

Concurrency conflicts shall be recorded in audit when appropriate.

8.11 Out of Scope

Specific HTTP codes, database locking mechanisms.

Part II — Document Identity

Chapter 9 — Document Numbering

9.1 Purpose

One auditable numbering policy for all document types.

9.2 System Document Number

- Assigned by the platform **only**; users **must not** enter or edit.
- Assigned at **first Server Draft Save** (Chapter 7.11).
- Format: `{Type Prefix}-{Year}-{Sequence}` (e.g. GRN-2026-00001).
- External references (e.g. supplier invoice number) are **separate fields**.

9.3 Rules

1. **Uniqueness** — unique within governed numbering scope.
2. **Reservation** — upon first Server Draft, number permanently reserved.
3. **Deleted drafts** — number **never** released or recycled.
4. **Gap policy** — gaps acceptable; numbers **must not** be reused.
5. **Unified engine** — all creation channels (manual, import, integration, future) use same numbering governance.
6. **Prefix governance** — prefixes governed centrally; modules **must not** configure independently unless authorized.
7. **Failed allocation** — gaps from failed/rolled-back operations acceptable.
8. **Immutability** — once assigned, number immutable for entire lifecycle.
9. **Audit** — allocation traceable through platform audit mechanisms.
10. **Manual override** — **prohibited**.
11. **Annual reset** — per prefix per year (or fiscal year per platform policy).

9.4 Out of Scope v2.0

Branch or property prefixes embedded in document numbers.

Part III — Data Integrity

Chapter 10 — Stock & Quantity

10.1 Movement Classes

Class	Examples	Stock check at posting
Inbound	Goods receipt, opening balance, positive adjustment	Not required
Outbound	Transfer, breakage, lost, issue, get pass dispatch	Required

10.2 Rules

- Stock availability validated against **latest committed inventory state at Posting**.
- **Negative inventory prohibited** in DX OSE v2.0.
- Quantity **must** be greater than zero; zero-quantity lines **prohibited**.
- Quantity precision per platform settings; validation uses precise values.
- Stock validation against **source inventory location** defined by transaction.
- All calculations use **base unit**.
- **Batch-controlled and serial-controlled inventory — Out of Scope v2.0.**
- **No transaction** shall violate constitutional stock integrity rules.
- **Inventory movements generated exclusively by Posted transactions.**
- **Posted inventory movements shall never be edited**; corrections via new governed transactions.
- Inbound: no stock check. Outbound: authoritative on platform; client may warn only.

10.3 Out of Scope v2.0

Unit conversion within inventory movements; reservation (Chapter 2.4.5).

Chapter 11 — Display Currency

11.1 Purpose

Display formatting only — not accounting or conversion.

11.2 Scope

Property-level display currency.

11.3 Display Only

Changing display currency changes **symbol and format only**. It **must not** convert amounts, alter stored values, ledger, valuation, historical posted documents, or participate in financial calculations, inventory valuation, posting logic, taxation, or accounting transactions.

11.4 Application Scope

Display Currency shall apply consistently across all user interfaces, reports, dashboards, exported documents, and printed outputs unless explicitly governed otherwise.

Reports and PDF shall use property display currency as each channel is brought under this standard.

11.5 Format & Precision

Consistent presentation (e.g. SAR 150.00). Decimal places per currency rules (SAR/USD 2, JPY 0, KWD 3).

11.6 Immutability

Changing Property Display Currency **must not** modify historical posted documents or stored business data.

11.7 Configuration

Property settings — not inventory module settings.

11.8 Out of Scope v2.0

Exchange rates, multi-currency purchasing, multi-currency accounting.

Part IV — Document Composition

Chapter 12 — Document Header

12.1 Purpose

The document header represents the **business identity** of the document throughout its lifecycle.

12.2 Standard Fields

Fixed order where applicable: document number, status, workflow step, created by/date, property, department, warehouse, related party, period, display currency, total value, quick actions.

Optional fields omitted when not applicable; **positions must not shift arbitrarily**.

12.3 Field Classification

System fields (document number, status, created by/at, posted by/at, etc.) — **must not** be user-editable.

Business fields — subject to document rules and lifecycle.

Mandatory vs optional — per document type in Workflow Contracts / module policy.

12.4 Header Lock

Header fields shall become read-only once the document enters a non-editable lifecycle state unless explicitly governed otherwise.

12.5 Business Context

Changes to property, department, warehouse after lines exist or after workflow progress **must** require confirmation and shall follow document business rules (see BDR for line-clear policies).

12.6 Header–Line Consistency

Header information and document lines shall remain logically consistent throughout the lifecycle unless explicitly governed otherwise.

12.7 Extensibility

Modules may add header fields provided standard header order and positions are preserved.

Chapter 13 — Document Lines

13.1 Purpose

Unified grid behavior for all line-based documents.

13.2 Line Identity

Each line shall maintain a **unique internal identity** independent of display order or row number.

Display order is presentation only.

13.3 Governed Aspects

Column order, alignment, editable vs read-only, required columns, row validation, footer totals, add/delete, empty state, large datasets, keyboard navigation (Chapter 17).

13.4 Line Immutability

Posted document lines **shall be immutable**. Corrections via new governed business transactions.

13.5 Automatic Recalculation

Line values and calculated fields shall recalculate automatically per governed business rules when relevant data changes.

13.6 Header–Line Consistency

All lines shall remain consistent with governing business context in the header unless explicitly governed otherwise.

13.7 Calculated Totals

Document and line totals are system-calculated; **must not** be directly user-editable.

13.8 Duplicate Line Governance

Duplicate line behavior **shall be defined by each business document** according to functional requirements (not one global merge/prevent policy).

13.9 Line Audit

Significant line-level business changes shall be auditable per platform audit policy.

13.10 Performance

Large datasets shall not degrade usability (Chapter 27).

Chapter 14 — Attachments

14.1 Purpose

Consistent attachment experience via **unified platform attachment capability** (one behavior, module configuration only).

14.2 Categories

Invoice, evidence, supporting document, line photo, excel import, generated report, other — per module.

14.3 Lifecycle

State	Typical rights
Draft	Add, replace, delete
In review	View, download
Posted	Read-only

Posted attachments shall not be modified, replaced, or deleted.

Required attachments **must** block submit when missing.

14.4 File Validation Policy

Platform shall enforce allowed types, maximum size, and maximum count (values in platform policy, not this Constitution).

14.5 Security

Uploaded files shall comply with platform security validation policy.

14.6 Download Authorization

Download subject to same authorization as document view (and finer where required).

14.7 Attachment Lifecycle vs Entity

Attachment lifecycle follows linked entity (document or line).

14.8 Filename Governance

Original filename may display; platform defines internal storage identity — filenames **must not** serve as internal identifiers.

14.9 Audit

All attachment operations auditable.

14.10 Out of Scope

Preview UX details — UX Constitution.

Chapter 15 — Notes & Comments

15.1 Types

Workflow comment, internal note, system note, audit comment.

15.2 Mandatory Comments

Reject, Send Back, Cancel — reason required where defined.

15.3 Immutability

Workflow comments, system notes, and audit comments **shall become immutable** once recorded.

Internal notes visibility governed by **platform authorization model**.

15.4 System Notes

Generated **exclusively by the platform**; users **must not** manually create or modify.

15.5 Timeline

Notes and comments in **chronological order** within unified timeline (Chapter 22).

15.6 Visibility & Print

Per type policy; workflow comments in timeline; print inclusion per module policy.

Chapter 16 — Item Images

16.1 Purpose

Images support operational accuracy (especially count), not decoration.

16.2 Master Data Ownership

Item images are **Item Master data**; **must not** be created or modified through transactional documents.

16.3 Rules

- Single source: Item Master
- Thumbnails in operational screens where valuable
- **Standardized placeholder** when no image
- Bulk upload may be supported
- Count sheet export/import compatibility when images included
- Thumbnails in grids; not full resolution
- **Maximum 1 MB per image**
- Supported formats/dimensions per **platform media policy**
- Unified export behavior when image absent

Part V — System Interaction Standards

Chapter 17 — Keyboard Navigation

17.1 Scope

All modules and shared experiences: documents, master data, settings, reports, dialogs.

17.2 Principles

Keyboard-first; Enter → next field (not submit/post/delete); Enter at row end → next row or add row; Shift+Enter → previous; Enter in textarea → new line; Esc closes lookup/calendar/small overlay; Tab standard browser order; invalid field retains focus; after item pick → quantity.

17.3 Additional Rules

- Keyboard behavior **consistent across all modules**
- Focus **visually distinguishable**
- Skip disabled and hidden controls
- Dialogs assign initial focus to primary interactive element
- **Global shortcuts centrally governed** — modules **must not** introduce independent global shortcuts

17.4 Out of Scope

Global shortcut catalog (future amendment).

Chapter 18 — Validation

18.1 Golden Rule

One error type → one display channel.

Level	Channel
Field	Inline
Row	On row
Document	Summary banner
Confirmation	Dialog — not validation
Success	Chapter 20
System failure	Chapter 19

18.2 Rules

- Errors disappear when fixed; submit → focus first error
- Many errors: banner shows count; details at fields/rows
- All messages support localization
- Backend returns **codes**; platform presents translated text
- **Deterministic** — same input + conditions → same result
- Validation at data entry, workflow actions, posting per business rules
- **Client-side assists; server-side authoritative**
- Messages in logical order (header → lines → document)
- **Warnings informational unless governed; validation errors block operation**
- **Must not** duplicate same error across channels

18.3 Out of Scope

Individual message wording catalog.

Chapter 19 — Error Handling

19.1 Severity

Information, warning, validation error, blocking business error, system error.

19.2 Placement

Matches severity; no duplicate channels.

19.3 User Messages

Clear, actionable, **free of technical implementation details**.

Sensitive information (stack traces, SQL, internal IDs) **must never** be exposed to end users.

19.4 Recovery & Retry

Suggest next action; retry **only when safe and meaningful**.

19.5 Consistency

Equivalent conditions → consistent codes and experience.

Structured error codes and families are defined in the Architecture & Implementation Guide, not in this Constitution.

19.6 Logging

System errors logged per platform operational logging policy.

19.7 Accessibility

First error focusable and announced to assistive technology.

Chapter 20 — Notifications

20.1 Types

Success, information, warning, error, progress, reminder.

20.2 Principles

Unified dictionary; deduplication for **same event**; duration by severity; actionable links (open document, retry) where appropriate; **must not** rely on color alone.

20.3 Priority

Critical > Error > Warning > Success > Info.

20.4 Expiration

Transient notifications expire; critical items persist until user interaction where appropriate.

20.5 Permission Awareness

Must not notify user to open document they cannot access.

20.6 Separation

Notifications ≠ Validation ≠ Error Handling.

Chapter 21 — Loading & Progress

21.1 Principles

Loading scope matches operation; long operations show progress or status; action buttons disabled during action; **double submission prohibited**; sensible focus after completion.

21.2 Types

Skeleton (content), inline (buttons, lookups), progress (upload/import/export/print).

Must not block entire application for partial operations (aligned with UX Constitution).

21.3 Timeout

If loading exceeds reasonable duration, user shall be informed operation continues.

21.4 Cancel & Progressive Loading

Long operations **should** support cancel where safe; pages **should** render progressively.

21.5 Out of Scope

Exact timeout values — Architecture Guide.

Chapter 22 — Audit & Timeline

22.1 Required Audit Fields

Created, last modified, submitted, approved, rejected, posted — actor and timestamp where applicable.

22.2 Events

Every workflow action and significant attachment/line change **must** generate audit record.

22.3 Timeline

Single chronological timeline; **immutable audit records**; **UTC internally**, display per user time zone.

Timeline **filtering** permitted without altering records.

Concurrency conflicts recorded when appropriate (Chapter 8.10).

22.4 Print

Official print should include approval/audit summary where appropriate.

Part VI — Lookup & Search

Chapter 23 — Lookup Standard

23.1 Purpose

One lookup **behavior** for items, parties, locations, and references.

23.2 Profiles

Receiving, stock-based, catalog, issue — same UX; data scope differs.

23.3 Search

Code, name, barcode; ranking: exact code → exact barcode → prefix → contains; debounce before search; normalization (case/space insensitive).

23.4 Interaction

Keyboard ↑↓ Enter Esc Tab; close on select, outside click, field exit; one lookup open; focus to quantity after item pick in line entry.

23.5 States

Loading, no results, error+retry — unified messaging; **unified empty states**.

23.6 Governance

- **Permission filtering** — only authorized data
- **Tenant isolation** — no cross-tenant data
- Large results — paging or infinite scroll per platform policy
- Large catalogs — server-side search; loading entire catalogs prohibited

23.7 Out of Scope v2.0

Recent items, favorites.

Part VII — Presentation Standards

Chapter 24 — Workspace & Responsive

24.1 Device Policy

Desktop only for v2.0 operational data entry. Mobile/tablet entry out of scope unless future amendment.

24.2 Resolutions

Minimum 1366×768; reference design 1920×1080 @ 100%; supported 1440, 1600, 1920.

24.3 Zoom

80%–125%: **required** for release acceptance. 150%: **best effort** — not release gate.

24.4 Rules

No horizontal **page** scroll except inside grids; no clipped titles/overlapping buttons; create screens primary actions visible @ 1366/100%; dialogs fit viewport with internal scroll; tables scroll internally.

24.5 Browser & Display

Supported browsers per platform browser support matrix (Architecture Guide). High DPI (2K/4K) supported. Multi-monitor consistency.

24.6 Test Matrix

1366×768 @ 80/90/100/110/125%; 1440/1600/1920 @ 100% — Definition of Done (Chapter 29).

24.7 Relationship to UX Constitution

Geometry tokens — UX Constitution; this chapter — acceptance criteria.

Chapter 25 — Document Layout

25.1 Purpose

One **document page pattern** for create/edit; one for detail/workflow.

25.2 Archetypes

Create/Edit: masthead, alert band, body (header + lines), fixed action area.

Detail/Workflow: masthead, status, alert band, action bar, content, timeline.

Modules **must not** invent unrelated layouts. All modules **must** declare and follow one archetype.

25.3 Scroll Ownership

Primary scroll owner defined per archetype — must be consistent (details: UX Constitution + Architecture Guide).

25.4 Sticky Regions

Header, action bar, and primary actions **should** remain accessible per archetype without losing context.

25.5 Empty States & Density

Unified empty states; spacing/density per UX Constitution.

25.6 Section Collapse

Collapsible sections behave consistently across modules.

25.7 Golden Reference

Goods receipt create (after conformance) — create/edit reference; goods receipt detail — workflow reference.

25.8 Out of Scope

Exact pixel tokens — UX Constitution.

Chapter 26 — Printing & Export

26.1 Principles

Print and PDF export **must** match. Status watermarks (draft, posted, void, etc.). Header/footer with organization identity; page numbers and print metadata.

26.2 SSOT

Platform electronic record is authoritative; printed/exported copies are representations.

26.3 Authorization

Print and export subject to same permission model as view; **export authorization** explicit.

26.4 Sensitive Data

Sensitive data masked per authorization on export/print.

26.5 Draft Print

May be allowed with **unofficial** marking.

26.6 Audit

Print of sensitive documents **should** be logged.

26.7 Language

Arabic and English **should** be supported per property or user preference.

Part VIII — Platform Principles

Chapter 27 — Performance

27.1 Principles

Large lists — paging or virtual presentation; server-assisted search when warranted; debounce and cancel in-flight requests; heavy export/print asynchronous with user feedback.

27.2 Targets

Document entry responsive under normal hotel operations; exact metrics in QA acceptance criteria and Architecture Guide.

Chapter 28 — Accessibility

28.1 Principles

Interactive elements labeled; color not sole state indicator; contrast per agreed targets; accessibility in QA gates.

28.2 Screen Reader

Platform **shall** support screen reader compatibility for governed interactions.

28.3 Accessible Errors

Validation and error messages **shall** be accessible to assistive technology.

28.4 Relationship to Chapter 17

Keyboard/focus — Chapter 17; perception/assistive tech — this chapter.

28.5 Out of Scope v2.0

Full WCAG certification program — separate initiative.

Part IX — Conformance

Chapter 29 — Constitution Compliance & Ratification

29.1 Purpose

New and revised capabilities **must** declare applicable chapters and demonstrate compliance before release.

29.2 Compliance Levels

Fully Compliant | **Partially Compliant** (documented gaps + remediation plan) | **Non-Compliant** (not releasable without waiver).

29.3 Definition of Done

A screen/capability is compliant when all **mandatory** rules in applicable chapters are satisfied, including responsive test matrix where applicable.

29.4 Exceptions & Waivers

Exceptions require documented approval, scope, expiry, and registration. **Architecture Exception Governance** — waiver process formal; exceptions **must not** weaken audit, posting, or period rules.

29.5 Constitutional Review

New operational modules **must** undergo constitutional review before production approval.

29.6 Verification

QA validates against this Constitution and UX Constitution. Methods — Architecture Guide.

29.7 Conformance Backlog

Non-compliance tracked; backlog does not override Constitution.

29.8 Ratification

This Constitution v2.0 Final is **ratified** upon approval by Product & Governance and Enterprise Architecture.

Supersedes: DX OSE Document Constitution v1.0.

Subordinate: Architecture & Implementation Guides, BDR.

Appendix A — Business Decision Records (BDR) Index

ID	Title	Status
BDR-001	Reject terminates document; Return → edit → Submit; no Re-submit	Active
BDR-002	Draft-first for operational documents	Active
BDR-003	No automatic line merge; duplicate rules per document type	Active
BDR-004	Final Workflow Approval triggers Posting by default	Active
BDR-005	Evidence Package is not a separate permission	Active
BDR-006	Period Close uses Resolution Workspace	Active
BDR-007	Void vs Cancelled user-facing label	Under Review
BDR-008	Approved state optional — distinct stage before Posting only	Active
BDR-009	Item Business Rules (v1 ITM-1): duplicate messaging, supplier/warehouse change, base unit immutability after first movement	Active

Appendix B — Open Governance Notes

The following items remain **Under Review** and are explicitly excluded from normative SHALL/MUST requirements until ratified:

- **BDR-007 — Void vs Cancelled user-facing label — Under Review**

