

BIOF 520: Evolutionary Tools for Infectious Disease Analysis

Diana Lin^{1,2}

¹Canada's Michael Smith Genome Sciences Centre, BC Cancer, Vancouver, BC, Canada

²Bioinformatics Graduate Program, University of British Columbia, Vancouver, BC, Canada

The phylogenetic tree shows that there are sequences from 21 different countries, where most of the sequences are from Brazil, Senegal, Russia, and the Ivory Coast, as shown in [Figure 1](#). In most cases, the sequences from the same country tend to cluster together as part of the same clade or group, and the same occurs for sequences from the same continent. The unknown sequence from the patient aligned best with [AF372422.1](#), a sequence also of unknown origin, which will be referred to as [Strain X](#). This sequence is indicated in the phylogenetic tree in [Figure 2-3](#) with the grey text within the green box. It is in the same small clade as a sequence from Uganda, and in the same large clade with sequences from Nigeria, Gabon, Senegal, Burkina Faso, and the Ivory Coast. Through this phylogenetic analysis, it is not unreasonable to conclude that the source of this pathogen is from Africa, perhaps even more specifically from Uganda or its neighbouring countries. However, in this particular case, it is known that the patient had recently travelled to Brazil to attend a large sporting tournament, where he may have contracted the virus and passed it onto his family members. With this knowledge, it is even more reasonable to conclude that the patient's strain of Zika virus (Strain X), was transmitted from a fellow traveller from Africa (possibly from Uganda), who was attending the same sporting tournament. This is a valid assumption, as large sporting events, such as the FIFA World Cup or the Olympics, often attract athletes and spectators from all over the world. This type of analysis aids in tracking transmission across countries, and finding the source of such pathogens during outbreaks.

The concept of 'Original Antigenic Sin', the fact that immune systems favour immunological memory when exposed to a second similar antigen, may be important in predicting the outcome of a patient *previously* infected with Strain X. Upon *previous* infection with Strain X, the immune system makes *effective* antibodies for Antigen X. Upon *current* infection with Strain Y, a strain in the same clade as Strain X or a mutated version of Strain X, no new immune response is mounted due to the similarity in the antigens. No new antibodies are made for Antigen Y. The immune system is 'trapped' by its immune response to Antigen X, in response to Antigen Y, where it is using 'old' antibodies from Antigen X *ineffectively*, unable to produce newer, potentially more effective antibodies for Antigen Y. This leads to weakened immunity and increased vulnerability in the patient. Because of this concept, it should become more standard in healthcare to, at least, partially sequence (if not entirely sequence) each strain of virus that the patient has contracted, and keep a detailed record in an electronic health record. Without that knowledge in the patient history, the rationale behind the patient's worsening condition (i.e. previous infection with a similar strain) could be completely missed. Additionally, if previous infection with Strain X is taken into account, the clinician could take necessary precautions and potentially administer a more effective course of treatment (e.g. inducing antigen-specific "immune amnesia"), resulting in a better patient outcome.

FIGURES

Figure 1. A histogram of the number of sequences from each country, coloured by continent.




Figure 2. The phylogenetic tree of Zika virus envelope protein genes from various countries. The green box highlights the clade that contains the sequence most similar to Strain X, AF372422.1. Due to the large size of the tree and the low image resolution below, [PDF](#) and [PNG](#) files have also been provided.




Figure 3. The corresponding cladogram to the phylogenetic tree in Figure 1. The green box highlights the clade that contains the sequence most similar to Strain X, AF372422.1. Due to the large size of the tree and the low image resolution below, [PDF](#) and [PNG](#) files have also been provided.

