MATH103: Complex Analysis **Fall 2023**

Homework 1

David Yang

Chapter I (The Complex Plane and Elementary Functions) Problems.

Section I.3 (Stereographic Projection), I.3.4

Show that a rotation of the sphere of $180°$ about the X-axis corresponds under stereographic projection to the inversion $z \mapsto \frac{1}{z}$ of $\mathbb{C}$.

Solution. Let $P = (X, Y, Z)$ be a point on the unit sphere. After a a $180°$ rotation of the point P on the unit sphere about the X-axis, P is sent to the point $P' = (X, -Y, -Z)$.

Consider the result of P and P' under stereographic projection. By definition, stereographic projection sends P to the point

$$\frac{X}{1-Z} + \frac{Y}{1-Z}i$$

and the point P' to the point

$$\frac{X}{1-(-Z)} + \frac{-Y}{1-(-Z)}i = \frac{X}{1+Z} - \frac{Y}{1+Z}i$$

on the extended complex plane $\mathbb{C}^*$.

We claim that P' is the result of P under the inversion $z \mapsto \frac{1}{z}$ of $\mathbb{C}$; note that

$$\left(\frac{X}{1-Z} + \frac{Y}{1-Z}i\right)\left(\frac{X}{1+Z} - \frac{Y}{1+Z}i\right)$$

$$= \frac{X^2}{(1-Z)(1+Z)} - \frac{XY}{(1-Z)(1+Z)} + \frac{XY}{(1-Z)(1+Z)} - \frac{Y^2}{(1-Z)(1+Z)}i^2.$$

By using the identity $i^2 = -1$, canceling out terms, and simplifying, we find that this is

$$\frac{X^2}{(1-Z)(1+Z)} + \frac{Y^2}{(1-Z)(1+Z)} = \frac{X^2+Y^2}{1-Z^2}.$$

However, since $P = (X, Y, Z)$ is a point on the unit sphere, we know that $X^2 + Y^2 + Z^2 = 1$, so $1 - Z^2 = X^2 + Y^2$. Thus, we know that

$$\left(\frac{X}{1-Z} + \frac{Y}{1-Z}i\right)\left(\frac{X}{1+Z} - \frac{Y}{1+Z}i\right) = \frac{X^2+Y^2}{1-Z^2} = 1.$$

which tells us that the resulting points of P and P' under stereographic projection are complex inverses.

Thus, a rotation of the sphere of $180°$ about the X-axis corresponds under stereographic projection to the inversion $z \mapsto \frac{1}{z}$ of $\mathbb{C}$. ■

Section I.8 (Trigonometric and Hyperbolic Functions), I.8.5

Let S denote the two slits along the imaginary axis in the complex plane, one running from i to $+i\infty$, the other running from $-i$ to $-i\infty$.

a) **Show that $\frac{1+iz}{1-iz}$ lies on the negative real axis $(-\infty, 0]$ if and only if $z \in S$.**

Solution. We will begin by proving the forward direction and showing that if $\frac{1+iz}{1-iz}$ lies on the negative real axis $(-\infty, 0]$ then $z \in S$.

Let $\frac{1+iz}{1-iz}$ lie on the negative real axis, meaning that

$$\frac{1+iz}{1-iz} = r$$

for real $r \in (-\infty, 0]$. Multiplying both sides by $1 - iz$, we get that

$$1 + iz = r(1 - iz).$$

Moving the imaginary terms to one side and the real terms to the other, we get that

$$zi(1 + r) = r - 1$$

and solving for z gives us

$$z = \frac{1-r}{1+r}i.$$

Note that when $r = 0$, $z = i$, and as $r \to -1$ from 0, z runs from i to

$$\lim_{r \to -1^+} \frac{1-r}{1+r}i = i\infty$$

which is the right slit along the imaginary axis in the complex plane.

On the other hand, as $r \to -\infty$, we know that z approaches

$$\lim_{r \to -\infty} \frac{1-r}{1+r}i = -i$$

and as z approaches -1 from the right, z runs from $-i$ to

$$\lim_{r \to -1^-} \frac{1-r}{1+r}i = -i\infty$$

which is the left slit along the imaginary axis in the complex plane.

Thus, if $\frac{1+iz}{1-iz}$ lies on the negative real axis $(-\infty, 0]$ then $z \in S$.

To prove the reverse direction, we want to show that of $z \in S$, then $\frac{1+iz}{1-iz}$ lies on the negative real axis $(-\infty, 0]$.

By definition, if $z \in S$, then $z = ci$ for some $c \in \mathbb{R}$ satisfying $c \in (-\infty, -1) \cup [1, \infty)$. Plugging this value for z into $\frac{1+iz}{1-iz}$, we get that

$$\frac{1+iz}{1-iz} = \frac{1+i(ci)}{1-i(ci)} = \frac{1-c}{1+c}$$

Note that when $c = 1$, this expression evaluates to 0. On the other hand, the expression $\frac{1-c}{1+c}$ is positive if and only if both $1-c$ and $1+c$ are negative, or if both $1-c$ and $1+c$ are positive. Note that the former case cannot occur as if $1-c < 0$, then $c > 1$ which would make $1+c$ positive. Similarly, the latter case can only occur when $-1 < c < 1$, which violates the condition that $c \in (-\infty, -1) \cup [1, \infty)$.

Thus, if $z \in S$, then $\frac{1+iz}{1-iz}$ must lie on the negative real axis $(-\infty, 0]$.

Since we have proved both directions of the if and only if, we know that $\frac{1+iz}{1-iz}$ lies on the negative real axis $(-\infty, 0]$ if and only if $z \in S$. ■

b) **Show that the principal branch**

$$\mathrm{Tan}^{-1} z = \frac{1}{2i} \mathrm{Log}\left(\frac{1+iz}{1-iz}\right)$$

maps the slit plane $\mathbb{C} \setminus S$ one-to-one onto the vertical strip $\{|\mathrm{Re}\, w| < \frac{\pi}{2}\}$.

Solution. We will first show that this map is one-to-one. Let $a, b \in \mathbb{C} \setminus S$ and assume that $\mathrm{Tan}^{-1}(a) = \mathrm{Tan}^{-1}(b)$. We will show that $a = b$. If $\mathrm{Tan}^{-1}(a) = \mathrm{Tan}^{-1}(b)$, we know that

$$\frac{1}{2i} \mathrm{Log}\left(\frac{1+ia}{1-ia}\right) = \frac{1}{2i} \mathrm{Log}\left(\frac{1+ib}{1-ib}\right).$$

Multiplying both sides by $2i$ and applying the exponential function (which we can do since neither a and b are in S, so by part (a), $\frac{1+ia}{1-ia}$ and $\frac{1+ib}{1-ib}$ will not lie on the negative imaginary axis) to both sides, we get that

$$\frac{1+ia}{1-ia} = \frac{1+ib}{1-ib}.$$

Cross multiplying, we get that

$$(1+ia)(1-ib) = (1+ib)(1-ia).$$

Expanding and simplifying, we get that

$$(ab+1) + i(a-b) = (ab+1) + i(b-a).$$

Subtracting both sides by $ab+1$ and dividing by i, we get that $a - b = b - a$, meaning $a = b$. Thus, this map is one-to-one. Note that the principal logarithm of $z \in \mathbb{C} \setminus S$ has imaginary part $i\mathrm{Arg}\, z$. Since $-\pi < \mathrm{Arg}\, z < \pi$ (the latter inequality coming from the fact that $z \in \mathbb{C} \setminus S$), we know that

$$|\mathrm{Re}\, w| = |\mathrm{Re}(\mathrm{Tan}^{-1}(z))| = \left|\mathrm{Re}\left(\frac{1}{2i}\mathrm{Log}\left(\frac{1+iz}{1-iz}\right)\right)\right| < \frac{\pi}{2}.$$

Thus, we know that this map maps the slit plane one-to-one onto the vertical strip. ■