

RDER71H104K0K1C03B

" #" indicates a package specification code.
















< List of part numbers with package codes > RDER71H104K0K1C03B

Shape



Coating extension does not exceed the end of the lead bend. Lead Wire: Solver Coated Cooper Wire or Solder Chatted CP Wire: (in min)	
L size or outer diameter D (mm)	4.0 mm max.
W size	3.5 mm max.
T size	2.5 mm max.
Lead spacing F	5.0 ±0.8mm
Lead diameter d	0.5 ±0.05mm

Specifications

W1 size (max.)

Capacitance	0.10μF ±10%
Rated voltage	50Vdc
Temperature characteristics (complied standard)	X7 R(EIA)
Capacitance change rate	±15%
Temperature range of temperature characteristics	-55 to 125℃
Operating temperature range	-55 to 125℃

Notes

Alternative part meets LF(Lead Free), HF(Halogen Free)

References

Packaging	Specifications	Minimum quantity
В	Packing in bulk	500

1 of 1

Attention

- 1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.
- $2. This \ data{sheet has only typical specifications because there is no space for \ detailed \ specifications.}$

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

6.0 m m



muRata Murata Manufacturing Co., Ltd.

URL: http://www.murata.com/

Last updated: 2015/04/20