




GROUP 10


Dylan Smith




QUESTIONS SOUGHT TO ANSWER

- How do different organisms differ and converge on network structure and resource allotment for different functional modules of the metabolic network?
- Can the network structure of the metabolic network tell us anything interesting about metabolism?












Metabolic Networks

E. Coli metabolism

KEGG: Kyoto Encyclopedia of Genes and Genomes (http://www.genome.ad.jp/ kegg/kegg.html)






Organisms

- Escherichia coli ('eco')
- Bacillus subtilis ('bsu')
- Staphylococcus aureus ('sau')
- Mycobacterium tuberculosis ('mtu')
- Pseudomonas aeruginosa ('pae')
- Salmonella enterica ('sen')
- Helicobacter pylori ('hpy')
- Lactobacillus acidophilus ('lba')
- Streptococcus pneumoniae ('spn')
- Corynebacterium diphtheriae ('cdi')

Functional Modules


- Biosynthesis of secondary metabolites
- Microbial metabolism in diverse environments
- Carbon metabolism
- 2-Oxycarboxylic acid metabolism
- Fatty acid metabolism
- Biosynthesis of amino acids
- Nucleotide metabolism
- Biosynthesis of nucleotide sugars
- Biosynthesis of cofactors
- Degradation of aromatic compound






- Carbon metabolism
- 2-Oxocarboxylic acid metabolism
- Biosynthesis of nucleotide sugars
- Nucleotide metabolism
- Biosynthesis of amino acids
- Microbial metabolism in diverse environments
- Fatty acid metabolism
- Degradation of aromatic compounds
- Biosynthesis of secondary metabolites
- Biosynthesis of cofactors






- Carbon metabolism
- 2-Oxocarboxylic acid metabolism
- Biosynthesis of nucleotide sugars
- Nucleotide metabolism
- Biosynthesis of amino acids
- Microbial metabolism in diverse environments
- Fatty acid metabolism
- Degradation of aromatic compounds
- Biosynthesis of secondary metabolites
- Biosynthesis of cofactors



















THANK YOU

