3) (10 pts) ALG (Base Conversion)

Perform each of the requested base conversions (the base of each number is written as a subscript):

(a)  $(2 \text{ pts}) 347_{10} = 2342_5$ 

- 5 | 347
- 5 | 69 R 2
- 5 | 13 R 4
- 5 | 2 R 3

Grading: 1 pt for answer, 1 pt for process

(b) 
$$(2 \text{ pts}) 361_7 = \underline{190}_{10}$$

$$361_7 = 3 \times 7^2 + 6 \times 7^1 + 1 = 3 \times 49 + 42 + 1 = 147 + 42 + 1 = 190$$

Grading: 1 pt for answer, 1 pt for process

(c) 
$$(3 \text{ pts}) 3AD_{16} = \frac{001110101101}{2}$$

 $3AD_{16} = 0011\ 1010\ 1101_2$ , since 16 is a perfect power of 2, we can convert each hex character to exactly 4 bits. These conversions are common enough most CS students can be expected to have them memorized, so there's no need to show work except for writing the answer down.

Grading: Based on answer only, 1 pt for first 4 bits, 1 pt for next for bits, 1 pt for last four bits. All 4 bits have to be correct in the group to get the point. Give full credit for any valid process ( $16 \rightarrow 10 \rightarrow 2$  is harder but valid)

(d) 
$$(3 \text{ pts}) 247321_8 = 110323101_4$$

 $247321_8 = 010\ 100\ 111\ 011\ 010\ 001_2$  (As previously mentioned, we can convert to base 2 in this manner since 8 is a perfect power of 2).

Now, we can use similar thinking to convert from base 2 to base 4. Just remember to grab bits from the right to the left:

 $010\ 100\ 111\ 011\ 010\ 001_2 = 01\ 01\ 00\ 11\ 10\ 11\ 01\ 00\ 01_2 = 110323101_4$ 

Grading: 1 pt for intermediate step to base 2, 2 pts for final answer
Give full credit for any valid process (8 → 10 → 4 is harder but valid)
Note: Leading 0s are not necessary for full credit.