

1) (10 pts) DSN (Recursive Coding)

Model an area of land as a two dimensional grid of integers, where each integer represents the elevation of that portion of land. Water can only flow from a grid square of higher elevation to lower elevation in one of the four cardinal directions (north, south, east and west). Complete the **recursive** function below that takes in a 2D array of integers storing the elevation levels of each portion of land, another 2D array of integers (storing 0 or 1 in each entry) representing which grid squares have been flooded with water (1 for flooded, 0 for not flooded), as well as the current row and column value of a grid square that just flooded, and *marks the current* and *all subsequent squares* that will get flooded as a result of the water at the given location. Once a square is flooded it remains in that state. An inbounds function and DR,DC arrays are provided for convenience.

```
#define NUMROWS 10
#define NUMCOLS 12

const int DR[] = {-1,0,0,1};
const int DC[] = {0,-1,1,0};

int inbounds(int row, int col);

void floodfill(int grid[][NUMCOLS], int flooded[][NUMCOLS], int row, int col) {

    if ( _____ ) return;

    flooded[ _____ ][ _____ ] = _____ ;

    for (int i=0; i<4; i++) {

        int nextR = _____ ;

        int nextC = _____ ;

        if ( _____ )
            floodfill(grid, flooded, nextR, nextC);
    }
}

int inbounds(int row, int col) {
    return row >= 0 && row < NUMROWS && col >= 0 && col < NUMCOLS;
}
```