

Submission Worksheet

Submission Data

Course: IT202-007-F2025

Assignment: IT202 Milestone 1

Student: Dylan G. (dg599)

Status: Graded | **Worksheet Progress:** 100%

Potential Grade: 10.00/10.00 (100.00%)

Received Grade: 8.76/10.00 (87.60%)

Started: 11/25/2025 8:31:15 AM

Updated: 11/25/2025 8:31:15 AM

Grading Link: <https://learn.ethereallab.app/assignment/v3/IT202-007-F2025/it202-milestone-1/grading/dg599>

View Link: <https://learn.ethereallab.app/assignment/v3/IT202-007-F2025/it202-milestone-1/view/dg599>

Instructions

- Overview Link: <https://youtu.be/IDtqdaLwcVg>
- 1. Refer to Milestone1 of this doc:
<https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWVwfo/view>
- 2. Ensure you read all instructions and objectives before starting.
- 3. Ensure you've gone through each lesson related to this Milestone
- 4. Switch to the Milestone1 branch
 - 1. `git checkout Milestone1` (ensure proper starting branch)
 - 2. `git pull origin Milestone1` (ensure history is up to date)
- 5. Fill out the below worksheet
 - Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
 - Ensure proper styling is applied to each page
 - Ensure there are no visible technical errors; only user-friendly messages are allowed
- 6. Once finished, click "Submit and Export"
- 7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
 - 1. `git add .`
 - 2. `git commit -m "adding PDF"`
 - 3. `git push origin Milestone1`
 - 4. On Github merge the pull request from Milestone1 to dev
 - 5. On Github create a pull request from dev to prod and immediately merge. (This will trigger the prod deploy to make the heroku prod links work)
- 8. Upload the same PDF to Canvas
- 9. Sync Local
- 10. `git checkout dev`
- 11. `git pull origin dev`

Section #1: (2 pts.) Feature: User Will Be Able To Register A New Account

≡ Task #1 (0.67 pts.) - Validation

Progress: 100%

Details:

- Show the relevant code snippets for each validation layer
- Show the relevant demo of each validation layer
- Briefly explain how the validation steps work at each layer

≡ Task #1 (0.33 pts.) - HTML Form/Validation

Progress: 100%

Details:

- System should allow the user to correct the error without wiping/clearing the form (for the PHP side this includes sticky-form logic to keep the username/email address entries)

📁 Part 1:

Progress: 100%

Details:

- Show the code related to the register page's form (HTML validation)
- Show examples of each validation message (you may be able to capture this in one or few screenshots)

```
//register.php
<?php
<h3>Register</h3>
<form method="post" action="validate.php" enctype="multipart/form-data">
    <div>
        <label for="email">Email</label>
        <input type="text" id="email" name="email" required />
        <input type="text" value = "<?php echo $_POST['email']; ?>" />
    </div>
    <div>
        <label for="username">Username</label>
        <input type="text" name="username" required maxlength="30" />
        <input type="text" value = "<?php echo $_POST['username']; ?>" />
    </div>
    <div>
        <label for="pw">Password</label>
        <input type="password" id="pw" name="password" required minlength="8" />
    </div>
    <div>
        <label for="confirm">Confirm</label>
        <input type="password" name="confirm" required minlength="8" />
    </div>
    <input type="submit" value="Register" />
</form>
```

form validation

Register

Please include an '@' in the email address. '@' is missing an '@'.

Register

email html form

Register

Email: dylan@hi.com

Username:

Password: ! Please fill out this field.

Confirm:

Register

username html form

Register

Email: dylan@hi.com

Username: d ! Please lengthen this text to 5 characters or more (you are currently using 2 characters).

Password: **

Confirm:

password html form



Saved: 11/25/2025 8:30:52 AM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

By using the attributes of required, type, minlength, and max length it allowed for their to be validation with html. The required attribute made sure that the field was not empty. The minlength and maxlength made sure that the input int the feild was the right amount of characters. Then the type allowed for the input format to work automatically with the @ symbol for email.



Saved: 11/25/2025 8:30:52 AM

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the javascript with the custom validate it allowed for all the fields to be validated. The specific fields that were in the custom validation function where email, password, and username. The function made sure that the email was in proper format and had an @ symbol. For the username it made sure that it was the proper length. For password there was making sure the password was a certain length and then there was also making sure both passwords matched.



Saved: 11/10/2025 10:30:53 PM

Task #3 (0.33 pts.) - PHP Validation (steps before the DB call)

Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the code related to the register page's PHP validation
- Show examples of each validation message [username format, email format, password format, invalid password, password doesn't match confirm, username taken, email taken] (you may be able to capture this in one or few screenshots)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag and temporarily override the `validate()` function or use the provided helper script in the instructions
- Include the outputs related to username/email already in use

```

1 // ===== GET THE FORM =====
2
3 // ===== VALIDATE =====
4
5 // ===== VALIDATE =====
6
7 // ===== VALIDATE =====
8
9 // ===== VALIDATE =====
10
11 // ===== VALIDATE =====
12
13 // ===== VALIDATE =====
14
15 // ===== VALIDATE =====
16
17 // ===== VALIDATE =====
18
19 // ===== VALIDATE =====
20
21 // ===== VALIDATE =====
22
23 // ===== VALIDATE =====
24
25 // ===== VALIDATE =====
26
27 // ===== VALIDATE =====
28
29 // ===== VALIDATE =====
30
31 // ===== VALIDATE =====
32
33 // ===== VALIDATE =====
34
35 // ===== VALIDATE =====
36
37 // ===== VALIDATE =====
38
39 // ===== VALIDATE =====
40
41 // ===== VALIDATE =====
42
43 // ===== VALIDATE =====
44
45 // ===== VALIDATE =====
46
47 // ===== VALIDATE =====
48
49 // ===== VALIDATE =====
50
51 // ===== VALIDATE =====
52
53 // ===== VALIDATE =====
54
55 // ===== VALIDATE =====
56
57 // ===== VALIDATE =====
58
59 // ===== VALIDATE =====
60
61 // ===== VALIDATE =====
62
63 // ===== VALIDATE =====
64
65 // ===== VALIDATE =====
66
67 // ===== VALIDATE =====
68
69 // ===== VALIDATE =====
70
71 // ===== VALIDATE =====
72
73 // ===== VALIDATE =====
74
75 // ===== VALIDATE =====
76
77 // ===== VALIDATE =====
78
79 // ===== VALIDATE =====
80
81 // ===== VALIDATE =====
82
83 // ===== VALIDATE =====
84
85 // ===== VALIDATE =====
86
87 // ===== VALIDATE =====
88
89 // ===== VALIDATE =====
90
91 // ===== VALIDATE =====
92
93 // ===== VALIDATE =====
94
95 // ===== VALIDATE =====
96
97 // ===== VALIDATE =====
98
99 // ===== VALIDATE =====
100

```

php validation


[Logout](#) [Register](#)
*Edit the hideous css)

Email must not be empty.

Invalid email address.

Username must be lowercase, alphanumeric, and can only contain `_` or `-`.

Password must not be empty.



php validation



Saved: 11/10/2025 10:35:46 PM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the php we had functions of `is_valid_email()`, `is_valid_username()`, `is_valid_password()`, `is_valid_confirm()`. There was also a `sanitize` function for the email. And there was database functions. All of these functions allowed there to be proper validation and made sure it didn't rely on the client side.



Saved: 11/10/2025 10:35:46 PM

⇒ Task #2 (0 / 0.67 pts.) - Related URLs

Progress: 100%

Details:

- Include the direct link to this file from the Milestone branch (should end in .php)
- Include the heroku prod link to this file (Just grab the base prod url and manually enter the path to the file)
- Include the related pull request link for this feature

URL #1

[https://github.com/dylangarca/dg599-](https://github.com/dylangarca/dg599-IT2025-Milestone1/public_html/project/register.php)



URL

<https://github.com/dylangarc>



https://github.com/dylangarca/dg599-IT2025-Milestone1/public_html/project/register.php

URL #2



URL



<https://github.com/dylangarca/dg599-IT202-007/pull/20>

<https://github.com/dylangarc>

URL #3

<https://dg599-it202-007-prod-0134f160fb38.herokuapp.com/project/register.php>

<https://dg599-it202-007-prod>

Saved: 11/10/2025 10:38:06 PM

Task #3 (0 / 0.67 pts.) - Database - Users table

Progress: 100%

Details:

- Add a screenshot of the database view from vs code showing a valid registered user (preferably a recent one during evidence capturing)

	id int	email varchar(100)	password varchar(60)	created timestamp	modified timestamp	username varchar(30)
> 1		hi@mailwe.com	\$2y\$12\$sl9hMjDEd2omzR:	2025-10-15 15:13:01	2025-10-15 15:13:01	hi-2121bc765b30f8afc54cd
> 2		hi123@to.com	\$2y\$12\$vm8TVyAsH9bv2N4	2025-11-05 13:43:48	2025-11-05 13:43:48	hello
> 3		dylan@hi.com	\$2y\$12\$pyv4G238zKxsh2y6	2025-11-10 22:23:53	2025-11-10 22:23:53	dylanadmin

user table

Saved: 11/10/2025 6:07:52 PM

Section #2: (2 pts.) Feature: User Will Be Able To Login To Their Account

Progress: 100%

Task #1 (0.67 pts.) - Validation

Progress: 100%

Details:

- Show the relevant code snippets for each validation layer
- Show the relevant demo of each validation layer
- Briefly explain how the validation steps work at each layer

Task #1 (0.33 pts.) - HTML Form/Validation

Details:

- System should allow the user to correct the error without wiping/clearing the form (for the PHP side this includes sticky-form logic to keep the username/email address entries)

Part 1:

Progress: 100%

Details:

- Show the code related to the login page's form (HTML validation)
- Show examples of each validation message (you may be able to capture this in one or few screenshots)

```
<h3>Login</h3>
<form onsubmit="return validate(this)" method="POST">
  <div>
    <label for="email">Email or Username</label>
    <input id="email" type="text" name="email" required
      value = "<?php echo se($_POST, 'email', '', false); ?>" />
  </div>
  <div>
    <label for="pw">Password</label>
    <input type="password" id="pw" name="password" required minlength="8" />
  </div>
  <input type="submit" value="Login" />
</form>
<script>
```

html login form code

Login

Email or Username

Password

! Please fill out this field.

html login validate

Login

Email or Username

Password

! Please lengthen this text to 8 characters or more (you are currently using 1 character).

html login validate



Saved: 11/25/2025 8:31:15 AM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

≡ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the html i chose to use the attributes of required, type, minlength, and max length. These attributes allowed their to be validation within the html part. The required attribute made sure that the field was not empty. The minlength and maxlength made sure that the input int the feild was the right amount of characters. Then the type allowed for the input format to work automatically with the @ symbol for email.



Saved: 11/25/2025 8:31:15 AM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

≡ Task #2 (0.33 pts.) - JS Validation (validate() function)

Progress: 100%

📄 Part 1:

Progress: 100%

Details:

- Show the code related to the login page's validate() function
- Show examples of each validation message [username format, email format, password format] (you may be able to capture this in one or few screenshots)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag

```

18 <script>
19 function validate(form) {
20     // TODO: Implement JavaScript validation. You'll do this on your own towards the end of Milestone 1.
21     // Return true indicates, false for an error and true for success.
22
23     // TODO: Update the code with check whether the email or username is filled out or if the password is filled out or if it is at least 6 characters.
24
25     let isValid = true;
26
27     const email = form.email.value.trim();
28     const password = form.password.value;

```

```

40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

```

login js form code

The screenshot shows a login form on a dark green background. At the top, there are two yellow warning boxes: "Email or Username is required" and "Password is required". Below these, the form has two input fields: "Email or Username" and "Password", both of which are empty. A "Login" button is positioned below the "Password" field. The form is surrounded by a dark green border.

login js validate



Saved: 11/10/2025 10:48:18 PM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

≡ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the javascript I chose to do a function that allowed for all the fields to be validated and give warnings when the time was right. The specific fields that were in the custom validation function where email and password. The function made sure that there was an email in the input field. For password there was making sure the password field had characters in it and that it was the correct length.



Saved: 11/10/2025 10:48:18 PM

≡ Task #3 (0.33 pts.) - PHP Validation (steps before the DB call)

Progress: 100%

≡ Part 1:

Progress: 100%

Details:

- Show the code related to the login page's PHP validation
- Show examples of each validation message [username format, email format, password format, invalid password] (you may be able to capture this in one or few screenshots)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag and temporarily override the `validate()` function or use the provided helper script in the instructions
- Include the outputs related to user doesn't exist and php-side password mismatch

login php form code

```

[Login] [Register]
*hold the backspace key)
Username must be lowercase,
alphanumeric, and can only contain _ or
Password must not be empty
Password must be at least 8 characters long.

```

login php validate



Saved: 11/10/2025 10:54:36 PM

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the php I had a function that checked with the email vs username. So it checks if the email is valid, checks if the username is valid, and it also is detecting if the input has an @

 Saved: 11/10/2025 10:54:36 PM

Progress: 100%

 Saved: 11/10/2025 10:56:31 PM

Progress: 100%

```
2701-Bdc-a484f60c27f-fwd*188.35.104.131* dynaweb1 connect=>ms service=ms status=200 bytes=803 protocol=http.1 tls=true tls_version=unknown
2025-11-17T05:00:57.909903-00:00 app[web.1]: [11-Nov-2025 05:00:57 UTC] PHP Warning: Undefined variable $BASE_PATH in /app/partials/nav.php on line 16
2025-11-17T05:00:57.909903-00:00 app[web.1]: [11-Nov-2025 05:00:57 UTC] Session: array (
2025-11-17T05:00:57.909903-00:00 app[web.1]:     'user' =>
2025-11-17T05:00:57.909903-00:00 app[web.1]:     array (
2025-11-17T05:00:57.909903-00:00 app[web.1]:         'id' => 4,
2025-11-17T05:00:57.909903-00:00 app[web.1]:         'email' => 'h123@yo.com',
2025-11-17T05:00:57.909903-00:00 app[web.1]:         'username' => 'hitner',
2025-11-17T05:00:57.909903-00:00 app[web.1]:         'roles' =>
2025-11-17T05:00:57.909903-00:00 app[web.1]:         array (
```

2025-11-11T05:00:57.389108+00:00 app[web.1]: },
2025-11-11T05:00:57.389118+00:00 app[web.1]: },
2025-11-11T05:00:57.389119+00:00 app[web.1]: }
2025-11-11T05:00:57.389292+00:00 app[web.1]: 10.1.30.108 - - [11/Nov/2025:05:00:57 +0000] "GET /project/landing.php HTTP/1.1" 200 1892 "https://dg599-it2002-007-dev-Sof14255u534.herokuapp.com/project/login.php" "Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/141.0.0.0 Safari/537.36"

user session evidence



Saved: 11/11/2025 12:01:46 AM

Section #3: (1 pt.) Feature: User Will Be Able To Logout

Progress: 100%

Task #1 (1 pt.) - Evidence


Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the successful logout message
- Show the code snippet of the logout page



logout validate

```
1 <?php
2 //dg599 11/5
3 // require functions.php to pull in flash()
4 require(__DIR__ . "/../../lib/functions.php");
5 reset_session(); // clear session data and start a new session
6 flash("You have been logged out","success");
7 header("Location: $BASE_PATH/login.php"); // redirect back to login
```

logout code



Saved: 11/10/2025 11:00:51 PM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

Part 2:

Progress: 100%

Details:

- Include the pull request url for this feature

URL #1

https://github.com/dylangarca/dg599-IT2011007Milestone1/public_html/project/logout.php



URL

<https://github.com/dylangarca/dg>



Saved: 11/10/2025 11:00:51 PM

Part 3:

Progress: 100%

Details:

- Briefly explain how the logout process works and how the user is officially logged off

Your Response:

The way the logout process mainly works is the reset session function. the require lib allowed for proper calling of the flash function and the reset session. The flash function is giving the message that the user was logged out. Then the last line of code is a redirect and it is redirceting the user back to the login page when the logout was successful.



Saved: 11/10/2025 11:00:51 PM

Section #4: (2 pts.) Feature: Security Rules

Progress: 100%

Task #1 (0 / 1 pt.) - Database Tables

Progress: 100%

Details:

- From the vs code mysql tool, show both the Roles and UserRoles tal

	id	name	description	is_active	created	modified
	int	varchar(20)	varchar(100)	tinyint(1)	timestamp	timestamp
>	-1	Admin		1	2025-11-05 13:49:13	2025-11-05 13:49:13

datatable roles

	id	user_id	role_id	is_active	created	modified
	int	int	int	tinyint(1)	timestamp	timestamp
>	1	2	-1	1	2025-11-05 13:55:49	2025-11-05 13:55:49

datatables user roles



Saved: 11/10/2025 6:45:03 PM

Task #2 (1 pt.) - Demo Security Rules


Progress: 100%

Part 1:

Progress: 100%

Details:

- Show the message related to needing to be logged in (i.e., try to manually login)
- Show the message related to not having the proper permission/role (i.e., user is not an admin)
- Include a snippet of the login check function
- Include a snippet of the role check function



no permission validate

You must be logged in to view this page



Login

Email or Username

Password

Login

not logged in validate

```
1 // Import the functions you need from the SDKs you need
2 // Firebase
3 import { initializeApp } from "firebase/app";
4 // Firebase Authentication
5 import { getAuth } from "firebase/auth";
6 // Firebase Firestore
7 import { getFirestore } from "firebase/firestore";
8 // Firebase Storage
9 import { getStorage } from "firebase/storage";
10 // Firebase Functions
11 import { getFunctions } from "firebase/functions";
12 // Firebase Realtime Database
13 import { getDatabase } from "firebase/database";
14 // Firebase Remote Config
15 import { getRemoteConfig } from "firebase/remote-config";
16 // Firebase Crashlytics
17 import { getCrashlytics } from "firebase/crashlytics";
18 // Firebase Performance
19 import { getPerformance } from "firebase/performance";
20 // Firebase Analytics
21 import { getAnalytics } from "firebase/analytics";
22 // Firebase App Check
23 import { getAppCheck } from "firebase/appcheck";
24 // Firebase Dynamic Links
25 import { getDynamicLinks } from "firebase/dynamic-links";
26 // Firebase In-App Messaging
27 import { getInAppMessaging } from "firebase/in-app-messaging";
28 // Firebase ML Kit
29 import { getMLKitBarcodeScanner } from "firebase/ml-kit";
30 // Firebase ML Kit
31 import { getMLKitImageLabeling } from "firebase/ml-kit";
32 // Firebase ML Kit
33 import { getMLKitImageClassification } from "firebase/ml-kit";
34 // Firebase ML Kit
35 import { getMLKitImageCaptioning } from "firebase/ml-kit";
36 // Firebase ML Kit
37 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
38 // Firebase ML Kit
39 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
40 // Firebase ML Kit
41 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
42 // Firebase ML Kit
43 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
44 // Firebase ML Kit
45 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
46 // Firebase ML Kit
47 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
48 // Firebase ML Kit
49 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
50 // Firebase ML Kit
51 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
52 // Firebase ML Kit
53 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
54 // Firebase ML Kit
55 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
56 // Firebase ML Kit
57 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
58 // Firebase ML Kit
59 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
60 // Firebase ML Kit
61 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
62 // Firebase ML Kit
63 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
64 // Firebase ML Kit
65 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
66 // Firebase ML Kit
67 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
68 // Firebase ML Kit
69 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
70 // Firebase ML Kit
71 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
72 // Firebase ML Kit
73 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
74 // Firebase ML Kit
75 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
76 // Firebase ML Kit
77 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
78 // Firebase ML Kit
79 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
80 // Firebase ML Kit
81 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
82 // Firebase ML Kit
83 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
84 // Firebase ML Kit
85 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
86 // Firebase ML Kit
87 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
88 // Firebase ML Kit
89 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
90 // Firebase ML Kit
91 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
92 // Firebase ML Kit
93 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
94 // Firebase ML Kit
95 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
96 // Firebase ML Kit
97 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
98 // Firebase ML Kit
99 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
100 // Firebase ML Kit
101 import { getMLKitImageTextRecognition } from "firebase/ml-kit";
```



login and role check functions



Saved: 11/10/2025 11:12:27 PM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

Part 2:

Progress: 100%

Details:

- Include the pull request url for this feature

URL #1

<https://github.com/dylangarca/dg599-IT20240722>



TH

<https://github.com/dylangarca/dg>



Saved: 11/10/2025 11:12:27 PM

Part 3:

Progress: 100%

Details:

Briefly explain how the login check code works

- Briefly explain how the login check code works
- Briefly explain how the role check code works

Your Response:

For the login check it is checking the session to see if user data exists and if it does it returns true. Then if the user is not logged in it will give a warning message that says user must be logged in to view this page and will redirect the user to the login page. For the role check it is making sure that the user is logged in first then it make sure that the user in the session has the proper role. Then it is also checking the roles array and make sure that everything matches If everything matches than it will return true.



Saved: 11/10/2025 11:12:27 PM

Section #5: (2 pts.) Feature: User Profile

Progress: 100%

≡ Task #1 (1 pt.) - Validation

Progress: 100%

Details:

- Show the relevant code snippets for each validation layer
- Show the relevant demo of each validation layer
- Briefly explain how the validation steps work at each layer

≡ Task #1 (0.33 pts.) - HTML Form/Validation

Progress: 100%

Details:

- System should allow the user to correct the error without wiping/clearing the form (for the PHP side this includes sticky-form logic to keep the username/email address entries)

🖼️ Part 1:

Progress: 100%

Details:

- Show the code related to the profile page's form (HTML validation)
- Show examples of each validation message (you may be able to capture this in one or few screenshots)

```

</div>
<div class="fb-j">
  <input type="email" name="email" id="email" value="{?php se($email): ?}" />
</div>
<div class="fb-j">
  <label for="username">username</label>
  <input type="text" name="username" id="username" value="{?php se($username): ?}" />
</div>
<div class="fb-j">
  <input type="password" name="password" id="password" value="" />
</div>
<div class="fb-j">
  <input type="password" name="newpassword" id="np" />
</div>
<div class="fb-j">
  <input type="password" name="confirmpassword" id="comp" />
</div>
<input type="button" value="Update Profile" name="save" />
</div>

```

profile html form code

Profile

Email: dylan

Please include an '@' in the email address. 'dylan' is missing an '@'.

New Password:

Confirm Password:

Update Profile

profile html validate



Saved: 11/10/2025 11:17:25 PM

Feedback:

Registration didn't go through when I tried even allowed password as instructed by you.

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the html profile page we used attributes like type to automatically validate email format. With these two lines of code value="" and value="" it allowed for the email and username field to be prefilled. Then for the password we did not do that and had it those fields blank. The required attribute made sure that the field was not empty. Then the type allowed for the input format to work automatically with the @ symbol for email.



Saved: 11/10/2025 11:17:25 PM

⇒ Task #2 (0.33 pts.) - JS Validation (validate() function)

Progress: 100%

Details:

- Show the code related to the profile page's validate() function
- Show examples of each validation message [username format, email format, password format, password doesn't match confirm] (you may be able to capture this in one or few screenshots)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag

Email must not be empty.

Invalid email address.

Username must be lowercase, alphanumerical, and can only contain _ or -

Current Password

New Password

Confirm Password

Update Profile

profile.js validate

novalidate

Password must be at least 8 characters long.

Profile

Email: dylan@hi.com

Username: dylanadmin

Current Password

New Password

Confirm Password

Update Profile

profile.js validate

```

<script>
function validateForm() {
    // Get the form
    var form = document.getElementById("profileForm");

    // Get the email field
    var email = document.getElementById("email");

    // Get the username field
    var username = document.getElementById("username");

    // Get the current password field
    var currentPassword = document.getElementById("currentPassword");

    // Get the new password field
    var newPassword = document.getElementById("newPassword");

    // Get the confirm password field
    var confirmPassword = document.getElementById("confirmPassword");

    // Get the update profile button
    var updateProfile = document.getElementById("updateProfile");

    // Check if the email field is empty
    if (email.value == "") {
        alert("Email must not be empty.");
        return false;
    }

    // Check if the email field is a valid email address
    if (!validateEmail(email.value)) {
        alert("Invalid email address.");
        return false;
    }

    // Check if the username field is empty
    if (username.value == "") {
        alert("Username must be at least 8 characters long.");
        return false;
    }

    // Check if the username field is a valid username
    if (!validateUsername(username.value)) {
        alert("Username must be lowercase, alphanumerical, and can only contain _ or -");
        return false;
    }

    // Check if the current password field is empty
    if (currentPassword.value == "") {
        alert("Current password must be at least 8 characters long.");
        return false;
    }

    // Check if the new password field is empty
    if (newPassword.value == "") {
        alert("New password must be at least 8 characters long.");
        return false;
    }

    // Check if the confirm password field is empty
    if (confirmPassword.value == "") {
        alert("Confirm password must be at least 8 characters long.");
        return false;
    }

    // Check if the new password and confirm password match
    if (newPassword.value != confirmPassword.value) {
        alert("New password and confirm password must match.");
        return false;
    }

    // If all fields are valid, submit the form
    updateProfile.click();
}

// Add the event listener to the update profile button
document.getElementById("updateProfile").addEventListener("click", validateForm);

```

profile.js form code

Registration didn't go through when I tried even allowed password as instructed by you.

⇒ Part 2:

Progress: 100%

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the js code the validate function allowed for the email and username fields to be validated, then for the password fields there was a conditional and that was it would only validate if there was characters in the field, also for the passwords it would check for the length of the passwords and confirmed if they matched. Then it also had flash messages to give the user warnings about the feilds they were missing or did incorrect.



Saved: 11/10/2025 11:20:38 PM

≡ Task #3 (0.33 pts.) - PHP Validation (steps before the DB call)

Progress: 100%

📁 Part 1:

Progress: 100%

Details:

- Show the code related to the profile page's PHP validation
- Show examples of each validation message [username format, email format, password format, invalid password, password doesn't match confirm, username taken, email taken] (you may be able to capture this in one or few screenshots)
- Note: You may need to use dev tools to temporarily apply `novalidate` to the form tag and temporarily override the `validate()` function or use the provided helper script in the instructions

```

<?php
// ... (previous code) ...

// Validation functions
function validate_username($username) {
    if (empty($username)) {
        return "Username is required";
    }
    if (!preg_match("/^[a-zA-Z0-9_]{3,20}$/", $username)) {
        return "Username must be 3-20 characters long and contain only letters, numbers, and underscores";
    }
    return true;
}

function validate_email($email) {
    if (empty($email)) {
        return "Email is required";
    }
    if (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        return "Email must be a valid email address";
    }
    return true;
}

function validate_password($password) {
    if (empty($password)) {
        return "Password is required";
    }
    if (strlen($password) < 8) {
        return "Password must be at least 8 characters long";
    }
    if (!preg_match("/[A-Z]/", $password)) {
        return "Password must contain at least one uppercase letter";
    }
    if (!preg_match("/[a-z]/", $password)) {
        return "Password must contain at least one lowercase letter";
    }
    if (!preg_match("/[0-9]/", $password)) {
        return "Password must contain at least one number";
    }
    if (!preg_match("/[!@#$%^&*]{1}/", $password)) {
        return "Password must contain at least one special character";
    }
    return true;
}

function validate_confirm_password($password, $confirm_password) {
    if (empty($confirm_password)) {
        return "Confirm password is required";
    }
    if ($password != $confirm_password) {
        return "Passwords do not match";
    }
    return true;
}

// ... (validation logic) ...

// ... (form processing) ...

```

profile.php form code

Details:

- Briefly explain the validation step (i.e, what you chose, how they solve the requirement)

Your Response:

For the php it was split up in sections of email/username, password, and then security and database. So for the email/username it would validate username/email and check if they were valid. It would also check if there were any changes in the username/email fields. For the password it checks if the password fields are empty, then it also checks if the new passwords match and if they meet the requirements. Also if the passwords get changed it makes sure to create a new hash.



Saved: 11/10/2025 11:28:27 PM

Task #2 (0 / 1 pt.) - Related URLs

Progress: 100%

Details:

- Include the direct link to this file from the Milestone branch (should end in .php)
- Include the heroku prod link to this file (Just grab the base prod url and manually enter the path to the file)
- Include the related pull request link for this feature

URL #1https://github.com/dylangarca/dg599-IT202-007-Milestone1/public_html/project/profile.php

URL

<https://github.com/dylangarca>https://github.com/dylangarca/dg599-IT202-007-Milestone1/public_html/project/profile.php**URL #2**<https://github.com/dylangarca/dg599-IT202-007/pull/24>

URL

<https://github.com/dylangarca>**URL #3**<https://dg599-it202-007-prod-0134f160fb38.herokuapp.com/ct/profile.php>

URL

<https://dg599-it202-007-prod>

Saved: 11/10/2025 11:30:29 PM

Section #6: (1 pt.) Misc

Progress: 100%


Task #1 (0.33 pts.) - Github Details

Progress: 100%

Part 1:

Details:

From the Commits tab of the Pull Request screenshot the commit history

**commits part 1****commits part 2**

Saved: 11/10/2025 11:49:08 PM

Part 2:**Details:**

Include the link to the Pull Request (should end in `/pull/#`)

URL #1

<https://github.com/dylangarca/dg599-IT2023-0733>



URL

<https://github.com/dylangarca/dg>

**URL #2**

<https://github.com/dylangarca/dg599-IT2023-0734>



URL


<https://github.com/dylangarca/dg>



Saved: 11/10/2025 11:49:08 PM

Details:

- Visit the WakaTime.com Dashboard
- Click **Projects** and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



wakatime



wakatime

Saved: 11/10/2025 11:50:19 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0 / 0.33 pts.) - What did you learn?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I think I learned how much it actually takes for a webpage to have a full on login

and register page and to keep track of all the data. I also learned about validation and the flash messages as well.



Saved: 11/10/2025 11:56:37 PM

⇒ Task #2 (0 / 0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I would say the easiest part of this assignment would have to be putting everything in but it takes alot of time which is the only downside. The other part that was quite easy was the database roles in the matter of adding users to have a role.



Saved: 11/10/2025 11:55:35 PM

⇒ Task #3 (0 / 0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

I think the hardest part of this assignment was getting the validations to work because i messed up sometimes and forgot a semicolon and it would work but it would work in the wrong way instead of the right way. So for example i missed a semicolon in the beginning of one of the pages and php/js validation worked without having to do no validate. Which was frustrating trying to look at the code and find what was wrong but we got it done.



Saved: 11/10/2025 11:53:12 PM