

Restricted Countries Policy

Official access restriction index and edge enforcement rules for Maxr3 GDPS.

Policy Overview

This document lists all country codes currently restricted from accessing the **Maxr3 GDPS Demon List**. Access control is enforced via Edge Workers and Cloudflare Pages (`_middleware.js`) using the `request.cf.country` header. Upon detection, requests fail gracefully or trigger an HTTP 403 Forbidden page with a randomized 64-character Request ID.

RESTRICTED COUNTRY INDEX (ISO 3166-1 ALPHA-2)

ISO CODE	COUNTRY / TERRITORY	PRIMARY REASON	ENFORCEMENT TARGET
KP	North Korea	Satire / Security	Demon List API & Web
KR	South Korea	GD Top Players	Demon List API & Web
UA	Ukraine	GD Top Players / Web Sec	Demon List API & Web
JP	Japan	High Skill Level	Demon List API & Web
RU	Russia	Competitive Community	Demon List API & Web
US	United States	High Player Volume	Demon List API & Web
CN	China	Automated Crawlers / Bots	Demon List API & Web
VN	Vietnam	Botnet Traffic Filtering	Demon List API & Web
BR	Brazil	Scan & Brute Force Prevention	Demon List API & Web
IN	India	Mass Traffic Filtering	Demon List API & Web
IR	Iran	Regional Edge Blocking	Demon List API & Web
IQ	Iraq	Regional Edge Blocking	Demon List API & Web
SA	Saudi Arabia	Bot Traffic Reduction	Demon List API & Web

ISO CODE	COUNTRY / TERRITORY	PRIMARY REASON	ENFORCEMENT TARGET
AE	United Arab Emirates	IP Scanning Prevention	Demon List API & Web
EG	Egypt	Automated Traffic Filter	Demon List API & Web
SY	Syria	Regional Network Filter	Demon List API & Web
TR	Turkey	High Automated Volume	Demon List API & Web
BY	Belarus	Regional Block	Demon List API & Web
RO	Romania	Port Scan Prevention	Demon List API & Web
PK	Pakistan	Mass Network Filter	Demon List API & Web
ID	Indonesia	Automated Traffic / Spam	Demon List API & Web
TH	Thailand	GD Community / Security	Demon List API & Web

Technical Enforcement Mechanism

- **Middleware Interception:** Pertains to `_middleware.js` / `_monware.js` on Cloudflare Pages.
- **First-Load Behavior:** Blocked country requests return an empty response or network fail state on initial API call.
- **Page Refresh Behavior:** Navigating or refreshing triggers a custom HTML 403 Forbidden page containing a dynamically generated 64-character SHA-256 style Request ID.