Vim presentation

Dylan Pang

7 August 2020

Why vim?

- It is **lightweight** (Compared to IDEs/Modern text editors)
- **Multi-mode text editting** means that the shortcuts are easy to hit and remember, **NO MORE CTRL**!
- Heavily extensible with **plugins** and **personalised configs**
- **Completely keyboard driven**
- **Pre-installed on all unix systems**

Modes

Look at the bottom left of your screen

1. Normal mode: Default mode for you to input commands and move around (Hit 'Esc' in the other 2 modes)
2. Insert mode: Mode for you to type (Hit 'i' in normal mode)
3. Visual mode: Used for selecting portions of text for manipulation (Hit 'v' in normal mode)

Lesson

```
cd ~
wget https://raw.githubusercontent.com/dylanpjx/unix_workshop/master/demo.txt
```

Default .vimrc

```
cd ~
wget https://raw.githubusercontent.com/dylanpjx/unix_workshop/master/.vimrc
```

Movement

In normal mode

1. `gg` => top of page (!!)
2. `G` => bottom of page (!!)
3. `0` => start of sentence
4. `$` => end of sentence
5. `w` => jump from **w**ord to **w**ord (!!)
6. `b` => jump from word to word **b** (!!)
7. `e` => jump from **e**nd of word to **e**nd of word
8. `/` or `?` => forward or backward search (!!)
9. `f` or `t` => **f**ind first occurrence of character, `dte` (!!)
10. `zt`, `zz`, `zb` => scroll to top, middle, bottom (!!)
11. `hjkl` => HIGHLY UNRECOMMENDED (AND NO ARROW KEYS AS WELL)

Editting (Stay in normal)

In normal mode

1. `y` => **y**ank (Copy), `yy` or `Y` to yank sentence
2. `d` => **d**elete (Cut), `dd` to cut sentence, `D` to cut after your cursor
3. `x` => Same as `d` but for one character only
4. `p` => **p**aste after cursor, `P` to paste before cursor
5. `r` => **r**eplace character on cursor

Editting (Jumps to insert, ie. can continue typing)

1. `a` => **a**ppend, `A` to append at the end of the sentence (!!)
2. `s` => **s**ubstitute, `S` to sub everything after your cursor
3. `c` => **c**hange (Delete and continue typing), `cc` to change sentence, `C` to change after your cursor
4. `o` => **o**pen new line, `O` opens a new line before the current line

How it works?

{Operator} {Count} {Motion}
Eg. `d 5 w` => delete 5 words from cursor Eg. `y 5 j` => yank 5 lines down

Exitting vim

1. `:wq` or `ZZ` => save and quit
2. `:q!` or `ZQ` => quit without saving

Advanced features

- `:tabe {file}` => open in new tab
- `:vsp {file}` => open a split vertically
- `:sp {file}` => open a split horizontally
- `:%s/{foo}/{bar}/g` => looks through the entire file and subsitutes `foo` for `bar` (Google `search and replace vim`)
- `:r !{cmd}` => puts output of $cmd into the current file

Popular vim plugins (Don't use until you are comfortable with base vim)

Plugin manager: Vim plugged

- easymotion
- coc.nvim
- goyo
- indentLine
- vim surround
- autopair
- NerdTree/Ctrl-P/netrw