

Portfolio of
**ADVANCED
PROJECTS**

Silver



Ministerio
de Economía
República Argentina

Secretaría
de Minería

DISCLAIMER

The purpose of this Secretariat of Mining publication is to disseminate third-party information on the exploratory results of advanced projects and the country's geological mining potential.

The data has been compiled from various public sources available, including, but not limited to, websites of operating/controlling companies and their technical reports published under international standards, thus ensuring a level of reliability.

It is essential to advise that, in certain cases, the data recorded corresponds to estimates.

In this regard, the Secretariat of Mining assumes no responsibility for the accuracy or veracity of such information, as it exceeds its jurisdiction.

To obtain accurate and thorough information on the legal, social, or environmental status of the projects, the interested parties should consult directly with the competent local authorities. This recommendation is given because deposits are property of the Nation or the Provinces, according to their territorial jurisdiction (Articles 124 and 75, paragraph 12 of the National Constitution, and Article 7 and related articles of the National Mining Code).

Nothing about this publication or its updates could be interpreted as an acknowledgment or advance opinion of the Secretariat of Mining at any proceedings before it. The Secretariat of Mining decisions will be issued at the appropriate time and after following every stage of the corresponding administrative procedure.

Consequently, the public information generated by the institutional administrative mechanisms presented here has a technical and referential character, consisting of specific and relevant data for informational purposes. Its use will not be admitted at any proceedings, not even Registries and/or application in promotional schemes.

The Secretariat of Mining is not responsible for the improper use or misinterpretation of this information.





ADVANCED SILVER PROJECTS



RESOURCES**

4,346 Moz Ag

OPERATION

3

LA PROVIDENCIA
PUNA OPERATION
SAN JOSÉ



RESERVES**

522 Moz Ag

FEASIBILITY

1

DIABLILLOS



EXPLORATION BUDGET 2025

40,1 M USD***

PRELIMINARY ECONOMIC ASSESSMENTS (PEA)

2

EL QUEVAR
NAVIDAD

* Mt: millions of tons- Moz: million of ounces kt: thousands of tons- koz: thousand of ounces - M USD: Million of dollars.

** Dirección Nacional de Promoción y Economía Minera, 2026

*** S&P 2026



Ministerio
de Economía
República Argentina

Secretaría
de Minería



ADVANCED SILVER PROJECTS

ADVANCED EXPLORATION

3

CAÑADÓN DEL MORO
PINGÜINO
VIRGINIA

INITIAL EXPLORATION

17

CALTRUNA
CERRO BLANCO
CO. LA MINA
CUYA
DOS LAGUNAS
EL BAGUAL
EL FIERRO
EL MORRO
EL ROSILLO
ESCONDIDO
ESPERANZA
LA ESPERANZA
LAGUNA AMARILLA
MAQUINCHAO
TAMARISCOS
TERESITA
TORUEL

* Mt: millions of tons- Moz: million of ounces kt: thousands of tons- koz: thousand of ounces - M USD: Million of dollars.

** Dirección Nacional de Promoción y Economía Minera, 2025

*** S&P 2026



Ministerio
de Economía
República Argentina

Secretaría
de Minería

Puna Operation, Jujuy



Ag

La Providencia



23° 15' 41" S
66° 48' 2,9" W



TYPE OF DEPOSIT: Sulphidation Epithermal Style

By-product: Lead-copper-zinc



STATUS: Operation



CAPEX: 10 M USD




CONTROLLER / OPERATOR

Hanaq Group. / Hanaq Argentina S.A.



ÁREA: 1,600.18 ha



Location: The Providencia Project is located in the Puna region, between 4,000 and 4,500 meters above sea level, in the Susques Department, Province of Jujuy.

TECHNICAL AND ECONOMIC INFORMATION

Since production: 2025

Estimated LOM: 8 years

Productive capacity: 500 tpd

Estimated average annual production 2025: -

Mining Method: Open pit

Product to obtain: Silver and copper concentrate

PROJECT GEOLOGY

Regional Geology

The geological province of the Puna was described by Turner (1970). It forms the southern end of the Bolivian Altiplano and corresponds to a belt, morphologically between the “Cordillera Oriental” to the east and passing transitionally into the “Sierras Pampeanas Septentrionales” to the south. The Puna is characterized by an elevated plateau with an average altitude of 4,000 meters above sea level. The border between Argentina and Chile forms the western boundary, defined by volcanoes of the upper Cenozoic volcanic arc.

The basement is composed of marine sediments and low-grade metamorphic rocks, which are Ordovician in age and are highly deformed along the western margin. These sediments overlie a metamorphic basement, which is identified in the north by the presence of xenoliths brought to surface by Tertiary volcanics, while in the south these metamorphic rocks are found in outcrop.

The geological province of the Puna has been subdivided into two sectors (Alonso et al. 1984) according to their regional geological characteristics, namely the Puna Septentrional or Puna Jujena and the Puna Austral or Puna Salto catamarqueña. The oldest rocks outcropping in the Puna Jujena are Ordovician in age, while those in the Puna Saltocatarqueña are Proterozoic metamorphic rocks. The Calama-Olacapato-El Toro lineament forms the boundary between the two sub-provinces. Other differences are an Ordovician eruptive belt in the south and the development of lower Quaternary basaltic volcanism related to an extensional event.

Deposit Geology

The properties are located within a basin-and-range type terrane with north-trending linear blocks bounded by high angle reverse faults separating Tertiary-age strike-slip (pull-apart) basins, many of which have developed salt flats or salars. All lithologies in the vicinity of La Providencia have been altered to a varying degree both locally and on a property scale. Pervasive hematization has resulted in the red hue evident in the Dark Red Conglomerate and the Eocene sandstones.

Approaching the mineralized zones, carbonate content in the rocks becomes higher and, as mineralization increases, there is an increase in the abundance of sericite until, in the core of the higher grade zone, sericite appears to replace biotite and plagioclase. Calcite, on the other hand, appears depleted in the higher grade core zones.

COMPANY'S ANNOUNCEMENT

Jujuy: Providencia Mine Reactivated for Gold Production Date: May 13, 2021. [More information](#)

SOURCES CONSULTED

HANAQ Group. [Providencia Project](#)

[SEGEMAR](#)

Report Control Form. NI 43-101 Repor. Technical Report on the Providencia Silver Project, Jujuy province, Argentina.



Puna Operation, Jujuy



Ag

Puna Operation



22° 30' 13" S
66° 15' 39" W



TYPE OF DEPOSIT: Sulphidation Epithermal Style

By-product: Lead-copper-zinc




STATUS: Operation



CONTROLLER / OPERATOR
SSR Mining Inc. /
Mina Pirquitas S.A



ÁREA: 9,742 ha



Location: The Puna Operations are comprised of the Chinchillas mine and the Pirquitas property, which includes the Pirquitas processing facilities. The project is located in the Rinconada department, in the Jujuy province.

TECHNICAL AND ECONOMIC INFORMATION

Since production: 1997

Estimated LOM: 2 years

Productive capacity: 5,000 tpd processing capacity

Annual Production (2025): 9,814 KOz Ag | 45,881 KLb Pb | 4,120 KLb Zn

Mining Method: Open pit

Product to obtain: Silver, lead and zinc concentrate



Ministerio
de Economía
República Argentina

Secretaría
de Minería

PROJECT GEOLOGY

Regional Geology

The Chinchillas and Pirquitas deposits occur within the Bolivian tin-silver-zinc belt which occupies the back-arc portion of the central Andes and extends from southern Peru to northern Argentina.

Northwestern Argentina geology consists of three main geological belts, or terranes, that together trend north-northeast: the Sub-Andean Range (Sierras Subandinas), the Eastern Cordillera (Cordillera Oriental), and the Argentine Altiplano or Puna belt. The Pirquitas and Chinchillas deposits are located in the Puna belt and are hosted in the Ordovician Acoite Formation. The Acoite Formation is an interbedded sandstone, siltstone, and mudstone turbidite sequence deposited in a back-arc basin.

Deposit Geology

The Chinchillas deposit occurs within a 13 ± 1 Ma dacitic volcanic center and is the product of a phreatomagmatic diatreme. The deposit is controlled by an east-west trending regional scale fault where dilatation accommodated magma to intrude through the Acoite Formation.

Significant silver-lead-zinc mineralization occurs in four main areas at Chinchillas: the Silver Mantos and Basement Mantos zones in the west part of the caldera and the Socavon del Diablo and Socavon Basement/Melina zones in the east part. Mineralization is dominated by silver, with lesser amounts of lead and zinc. Mineralization occurs as disseminated sulfides, matrix infilling within the volcanic tuffs, and as matrix and fracture filling in breccias within the metasedimentary rocks.

The Pirquitas mine consists of exposures of the Acoite and Tiomayo formations. Folding plays an important role in vein formation and geometry; at the San Miguel pit, veins are intimately related to the San Miguel anticline, occurring proximal to the fold apex and most commonly striking perpendicular to the fold planes. West-northwest striking regional faults are also observed throughout the property. This structural fabric is interpreted to control the geometry and location of the Cortaderas breccia body. There are two types of mineralization at Pirquitas: (1) polymetallic veins with peripheral disseminated mineralization; and (2) mineralized hydrothermal breccia. Vein type is the dominant mineralization style and has been the main source of extracted ore.



RESOURCES AND RESERVES (2024)

RESOURCES	Grade			Metal Content		
	Ag (g/t)	Pb (%)	Zn (%)	Ag (kOz)	Pb (MLbs)	Zn (MLbs)
Measured	239.0	1.12	3.85	17,959	22.7	185
Indicated	147.22	0.94	2.02	17,985	46.9	156.1
Inferred	157.15	1.05	6.88	8,566	1.8	212.0

RESERVES	Grade			Metal Content		
	Ag (g/t)	Pb (%)	Zn (%)	Ag (kOz)	Pb (MLbs)	Zn (MLbs)
Proven	145.25	1.19	0.181	3,940	22.1	3.3
Probable	141.3	11.17	0.18	15,588	110.8	13.5

COMPANY'S ANNOUNCEMENT**SOURCES CONSULTED**SSR Mining Inc. [Puna Project](#)SSR Mining Inc. [Technical Report Summary on the Puna Operations, Argentina. February 2024](#)SSR Mining Inc. [Resources and Reserves 2024](#)

San José, Santa Cruz



Ag

San José



46° 41' S
70° 17' W



TYPE OF DEPOSIT: Low Sulphidation Epithermal Style



STATUS: Operation



CONTROLLER / OPERATOR
Hochschild Mining Plc (51%)
McEwen Mining Inc. (49%)
/ Minera Santa Cruz S.A.



ÁREA: 50,491 ha

Location: The San José project is located the Santa Cruz province. The mine is situated 350 kilometers southwest of Comodoro Rivadavia. In production since 2007.

TECHNICAL AND ECONOMIC INFORMATION

Since production: 2007

Estimated LOM: 3.5 years

Productive capacity: 1.650 tpd

Estimated average annual production 2025: 3,625 KOz Ag | 76.9 KOz Au

Mining Method: Underground

Product to obtain: Concentrate and doré

PROJECT GEOLOGY

Regional Geology

The San José mine is located in Deseado Massif of the Santa Cruz province. The massif consists of the Paleozoic metamorphic basement unconformably overlain by Middle to Upper Jurassic bimodal andesitic and rhyolitic volcanics and volcanoclastics. Cretaceous sediments and Tertiary to Quaternary basalt overlie the Jurassic volcanic.

Deposit Geology

The San José mine is located in the northwest corner of the Deseado Massif, where Jurassic bimodal volcanics host numerous quartz veins bearing gold and silver. Low sulphidation silver-gold and polymetallic mineralization accompanied Jurassic magmatism and deformation in the Deseado Massif.

The Jurassic rocks are divided into the Bajo Pobre Formation, predominantly of intermediate composition, and the felsic Bahía Laura Group. The Jurassic units are overlain by Cretaceous sedimentary rocks and Tertiary flood basalts. The Bajo Pobre Formation is the main host for gold and silver mineralization, where veins are typically developed in competent andesite flows at the Huevos Verdes, Frea and Kospi deposits on the San José Property and to a lesser extent in volcanoclastic units. The San José deposits are considered to be typical LS Ag-Au epithermal vein deposits.

The main structural trend of fault and vein systems is north-west to north-northwest. Less prominent are east-striking faults and veins and those north to northeast striking. Mineralization in the San José area occurs as low sulfidation epithermal quartz veins, breccias and stockwork systems accompanying normal-sinistral faults. The main structural trend of fault and vein systems on the property is northwest to north-northwest, together with less prominent east striking and north to northeast striking faults and veins.



RESOURCES AND RESERVES (2024)

RESOURCES	Grade		Metal Content	
	Ag (g/t)	Au (g/t)	Ag (kOz)	Au (kOz)
Measured	412	6.66	12,600	204.2
Indicated	269	5.53	6,100	125.7
Inferred	252	4.59	9,500	171.8

RESERVES	Grade		Metal Content	
	Ag (g/t)	Au (g/t)	Ag (kOz)	Au (kOz)
Proven	295	4.72	3,400	54.1
Probable	272	5.5	2,000	39.7

COMPANY'S ANNOUNCEMENT

At San Jose, located in Santa Cruz and operated jointly with Hochschild Mining, attributable production was 14,986 gold equivalent ounces (GEO), with cash costs of US\$2,196/oz and an AISC of US\$2,771/oz, affected by local inflation and the use of contractors. Date: November 6 2025
[More information](#)

Sources Consulted

McEwen Mining. [San Jose Project](#)

Hochschild. [San Jose Project](#)

McEwen Mining Inc. [Technical Report on the San José silver-gold mine Santa Cruz, Argentina. August 15, 2014.](#)

McEwen Mining Inc. [AU & AG production enhancing productivity developing large cu asset significant insider ownership. December 12, 2024](#)

Hochschild. [Resources and Reserves](#)

Diablillos, Salta y Catamarca



Ag

Diablillos



25° 18' 00" S
66° 50' 00" W



TYPE OF DEPOSIT: High Sulphidation Epithermal Style



STATUS: Feasibility



CAPEX: 620 M USD



CONTROLLER / OPERATOR
AbraSilver Resource Corp. /
Abra Plata Argentina S.A.



ÁREA: 7,919 ha

Location: The Diablillos property is located in the high Puna and Altiplano region of north-western Argentina. It is approximately 160 km southwest of the city of Salta and 375 km northwest of the city of Catamarca, along the border between the Provinces of Salta and Catamarca, Argentina.

TECHNICAL AND ECONOMIC INFORMATION

Since production: 2029

Estimated LOM: 28 years

Productive capacity: 9000 tpd

Estimated average annual production 2025: -

Mining Method: Open pit

Product to obtain: Concentrate and doré



Ministerio
de Economía
República Argentina

Secretaría
de Minería

PROJECT GEOLOGY

Regional geology

The project is located in the Postaccretionary Metalogenetic Belt associated with the Neogene magmatic arc, linked to NE-SO transtensional zones. It is characterized by a vulcanism that has not evolved much in the Miocene period. It includes corridors to the NE that control the magmatic and hydrothermal activity, where polymetallic mineralizations in the N (Farallón Negro) and porphyries with subtypes linked to the characteristics of magmatism such as Agua Rica and Alumbrera are located.

The dissected volcanoes of the upper Miocene in the Puna usually host areas with intermediate argillic alteration and silicification. In the highest levels of these systems, in their final episodes, golden manifestations such as Diablillos and Organullo were recognized.

Deposit Geology

In the vicinity of the project, the Diablillos-Cerro Galán fault zone is approximately 10 km wide. Magmatism and hydrothermal activity often occur at the intersection of the faults with shear structures, such as the Cerro Ratones line. Tertiary andesitic flows and flow breccias develop with intermediate tuffa and pelitic units, and subvolcanic porphyry rocks. Precambrian granitic and granodioritic rocks underlie most of the volcanic sequence. Drilling by Silver Standard Resources identified a highly permeable erosive discordance that would control hydrothermal fluids.

The recognized alteration contains silica clay-alunite-jarosite, indicative of strong acid leaching, which is related to the presence of gold in silica.



RESOURCES AND RESERVES (2024)

RESOURCES (2025)	Grade		Metal Content	
	Ag (g/t)	Au (g/t)	Ag (kOz)	Au (kOz)
M&I	59	0.51	198,643	1,715
Inferred	21	0.38	13,427	241

RESERVES (2024)	Grade		Metal Content	
	Ag (g/t)	Au (g/t)	Ag (kOz)	Au (kOz)
Proven	118	0.86	46,796	341
Probable	80	0.80	76,684	766

COMPANY'S ANNOUNCEMENT

AbraSilver Submits RIGI Application for the Diablillos Project. Date: November 21, 2025. [More information](#)

AbraSilver Commences Phase VI Drill Program at Diablillos and Reports Assay Results. Date: January 13, 2026. [More information](#)

Sources Consulted

AbraSilver Source Corp. [Diablillos Project](#)

AbraSilver Source Corp. [NI 43-101 Technical Report, Mineral Resource Estimate for the Diablillos Au-Ag Project, Salta & Catamarca Provinces, Argentina. Date: September 12, 2025.](#)



El Quevar, Salta



Ag

El Quevar



24° 20' 08" S
66° 46' 57" W



TYPE OF DEPOSIT: High Sulphidation Epithermal Style

By-product: Lead-copper-zinc



STATUS: PEA




CAPEX: 96.8 M USD



CONTROLLER / OPERATOR
Argenta Silver Corp. / SILEX
Argentina S.A.



ÁREA: 56,700 ha



Location: The project is located in the department of Los Andes, at 4,800 m.a.s.l., about 300 km NW of the city of Salta. It can be accessed from Salta city through RN 51 to the detour with RP 27, continuing for 30 km.

TECHNICAL AND ECONOMIC INFORMATION

Since production: 2029

Estimated LOM: 28 years

Productive capacity: 1200 tpd

Estimated average annual production 2025: -

Mining Method: Underground

Product to obtain: Silver concentrate



Ministerio
de Economía
República Argentina

Secretaría
de Minería

PROJECT GEOLOGY

Regional geology

The project is located at the eastern end of the Puna unit in Argentina. Dominated by tertiary rocks of the El Quevar volcanic complex, these Shoshone rocks result from a rift basin during the Cretaceous to the Paleocene. It is bounded by structural lines (120° heading) to the north (Calama-Olacapato-Toro) and another parallel to the south. An older, secondary lineament system of 25° heading is interpreted to be associated with folding of the basement rocks during the Palaeozoic. The El Quevar volcanic complex was formed from the Miocene to the early Quaternary in several events. The dominant product was ignimbritic flows covered by rhyolitic flows and followed by andesitic flows and dacitic intrusions (domes). The latter related to alteration and mineralization events. Erosion windows expose the intrusive and extensive areas of alteration. The southern window includes the mineralized areas of El Quevar. And to the North the Campo Viejo target.

Deposit Geology

The geology of the project is characterized by the presence of dacite domes associated with breccia complexes. These cover hematetic breccias and slope to the southwest. The ensemble is overprinted by argillic alteration and silicification controlled by E-W structures and later NE-SW faults. Along the earlier structures mineralization is associated with Vuggy Silica and Silico Pyrite alteration in brecciated rock (auto-breccia). In the Yaxtché deposit the mineralization is associated with intensely altered and structurally controlled zones within the older volcanic rocks. Silver-bearing sulfides are mostly in gap-filling veins and less frequently disseminated.



RESOURCES (2024)

RESOURCES	Grade Ag (g/t)	Metal Content Ag (kOz)
Indicated	482	45,300
Inferred	417	4,100

COMPANY'S ANNOUNCEMENT

The company has announced the discovery of a new exploration target, named Andrea, in its El Quevar project in Salta. Date: November 13, 2025. [More information](#)

The company has announced outstanding results from its inaugural drilling program at the El Quevar project in Salta, where the QVD-410 well yielded 533 g/t of silver over 20.20 meters, including an interception of 3,549 g/t over 1 meter. Date: July 27, 2025. [More information](#)

Sources Consulted

Argenta Silver Corp. [El Quevar Project](#)

Argenta Silver Corp. [NI 43-101 Technical Report on the Mineral Resource Estimate of the El Quevar Project Salta Province, Argentina. September 30, 2024](#)



Diablillos, Salta y Catamarca



Ag

Navidad



42° 24' 54" S
68° 49' 12" W



TYPE OF DEPOSIT: Intermediate Sulphidation Epithermal Style

By-product: Lead-copper



STATUS: PEA




CAPEX: 760 M USD



CONTROLLER / OPERATOR
Pan American Silver Corp. /
Minera Argenta S.A.



ÁREA: 10,000 ha



Location: The Navidad Project is located about 35 km from the town of Gastre, in the department of the same name, in the north of the province of Chubut.

TECHNICAL AND ECONOMIC INFORMATION

Since production: -

Estimated LOM: 17 years

Productive capacity: 15000 tpd

Estimated average annual production 2025: -

Mining Method: Open pit

Product to obtain: Silver concentrate



Ministerio
de Economía
República Argentina

Secretaría
de Minería

PROJECT GEOLOGY

Regional geology

The Navidad Project is located on the southwest edge of the Northern Patagonia Massif in southern Argentina. This boundary of the massif is coincident with the “Gastre Fault System”, a mega-structural feature believed to be the result of continental-scale northeast to southwest extension that produced through down-faulting a series of northwest to southeast trending half grabens and tectonic basins (von Gosen et. al. 2004). Granitoid rocks of the basement in northern Chubut Province belong to the Palaeozoic age Mail Choique and Lipetren formations. Locally these rocks were exposed at surface in windows through the overlying Mesozoic age volcanic and sedimentary rocks. At Navidad the Mesozoic sequence consists of the Lonco Trapial Formation and overlying Cañadón Asfalto Formation. The latter of these formations hosts the Navidad mineralisation.

Deposit geology

Navidad mineralisation is epithermal, as demonstrated by widespread open space-filling crustiform and cockade textures in the gangue minerals (carbonate, barite) and sulphide assemblages. The abundance of base metals, combined with carbonate-rich gangue, suggests that the deposit is intermediate, rather than low, sulphidation in style. Typical high sulphidation sulphides and gangue minerals are absent, but there is rare late stage kaolinite and minor hydrothermal alunite that implies late ingress of a hypogene acid fluid.



RESOURCES (2025)

RESOURCES	Grade			Metal Content		
	Ag (g/t)	Pb (%)	Cu (%)	Ag (kOz)	Pb (MLbs)	Cu (MLbs)
Measured	137	1.44	0.10	67,000	489	34
Indicated	126	0.79	0.04	565,000	2,434	123
Inferred	81	0.57	0.02	119,000	580	22

Sources Consulted

Pan American Silver Corp. [Navidad Project](#)

Pan American Silver. [Reports Mineral Reserves and Mineral Resources as at June 30, 2024](#)

Pan America Silver Corp. [Navidad Project, Chubut Province, Argentina: Preliminary Assessment. January 14, 2010](#)



AUTORIDADES

Presidente de la Nación

Lic. Javier Milei

Ministro de Economía

Lic. Luis Caputo

Secretario de Coordinación de Energía y Minería

Lic. Daniel González

Secretario de Minería

Dr. Luis Enrique Lucero

Subsecretario de Desarrollo Minero

Dr. Mario Ricardo Thiem

Director Nacional de Promoción y Economía Minera

Ing. Fernando Ciacera

Director de Economía Minera

Lic. Camilo Hereñú

Equipo de trabajo

Geol. Magaly Quintrein, Florencia Isusi



Ministerio
de Economía
República Argentina

Secretaría
de Minería



**Ministerio
de Economía**
República Argentina

**Secretaría
de Minería**