easysmith

We make things easy!

FULL PRODUCT CATALOGUE

Compact MEWPs, Laser Cleaning & Laser Welding Systems

Complete model reference — specifications, codes and indicative pricing

Made to Order · CE Certified · Delivered Nationwide

Prices are indicative, ex-VAT, correct as at 3 November 2026 — confirm current pricing when you enquire.

Make Things Easy

easysmith
We make things easy!

Contents

01 **Compact MEWPs**

11 categories, 43 models

02 **Laser Cleaners**

3 categories, 12 models

03 **Laser Welding Machines**

4 categories, 15 models

04 **Contact & Ordering**

How to get a quotation

easysmith

We make things easy!

SECTION

Compact MEWPs

Compact Mobile Elevating Work Platforms (MEWPs) for safe, efficient work at height — aluminium and steel mast lifts, scissor lifts and material handling equipment, all made to order and CE certified.



COMPACT MEWPS

Category Overview

Compact Mobile Elevating Work Platforms (MEWPs) for safe, efficient work at height — aluminium and steel mast lifts, scissor lifts and material handling equipment, all made to order and CE certified.

Code	Category	Models	Pricing
SMP1	Single Mast — Swing Outrigger	4	From ZAR 93 000
SMP2	Single Mast — Push-Around	6	From ZAR 130 100
SMD	Single Mast — Self-Propelled	2	From ZAR 217 700
DMP1	Double Mast — Swing Outrigger	4	From ZAR 125 000
DMP2	Double Mast — Push-Around	5	From ZAR 167 100
FMD	Forklift Mast — Wheeled	4	From ZAR 441 000
FMT	Forklift Mast — Tracked (Crawler)	2	From ZAR 488 800
TMD	Telescopic Mast — Wheeled	3	From ZAR 200 900
TMT	Telescopic Mast — Tracked (Crawler)	1	From ZAR 212 000
X	Scissor Lifts	5	From ZAR 102 600
ML	Material Lifts	7	From ZAR 84 700

COMPACT MEWPS

Single Mast — Swing Outrigger

SMP1 · From ZAR 93 000



Single mast with swing outriggers. 1 person, push-around.

APPLICATION Personnel Access

BEST SUITED FOR Light indoor maintenance, factories

POWER SOURCE AC (Mains Power)

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC)
SMP1-6	6m	150kg	1	0.60×0.55m	1.26m	1.96×1.7m	325kg
SMP1-8	8m	150kg	1	0.60×0.55m	1.34m	1.96×1.7m	378kg
SMP1-9	9m	150kg	1	0.60×0.55m	1.45m	1.96×1.7m	400kg
SMP1-10	10m	120kg	1	0.60×0.55m	1.45m	1.96×1.7m	430kg

COMPACT MEWPS

Single Mast — Push-Around

SMP2 · From ZAR 130 100



Advanced single mast lifts. AC/DC powered, outrigger-stabilised. Up to 12m platform height.

APPLICATION Personnel Access

BEST SUITED FOR High indoor access, schools, halls

POWER SOURCE AC Mains or DC Battery

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC/DC)
SMP2-5	4.7m	150kg	1	0.67×0.66m	1.26m	1.9×1.8m	330/380kg
SMP2-6	6.2m	150kg	1	0.67×0.66m	1.26m	1.9×1.8m	340/390kg
SMP2-8	7.8m	150kg	1	0.67×0.66m	1.30m	1.9×1.8m	380/430kg
SMP2-9	9.2m	150kg	1	0.67×0.66m	1.35m	2.1×2.0m	410/460kg
SMP2-10	10.4m	136kg	1	0.67×0.66m	1.40m	2.1×2.0m	430/480kg
SMP2-12	12m	120kg	1	0.67×0.66m	1.42m	2.4×2.2m	520/570kg

COMPACT MEWPS

Single Mast — Self-Propelled

SMD · From ZAR 217 700



Self-propelled single mast. Driven, can turn 360° on its own axis, indoor/outdoor.

APPLICATION Personnel Access

BEST SUITED FOR Indoor facilities, narrow-aisle warehouses

POWER SOURCE DC Battery (Drivable)

Model	Platform Height (indoor)	Platform Height (outdoor)	Capacity	Occ.	Overall Length	Overall Width	Weight
SMD-6	6m	4.8m	160kg	1	1.40m	0.78m	1160kg
SMD-8	7.5m	6m	125kg	1	1.40m	0.78m	1280kg

COMPACT MEWPS

Double Mast — Swing Outrigger

DMP1 · From ZAR 125 000



Double aluminium mast with swing outriggers. 200kg capacity, up to 12m platform height.

APPLICATION Personnel Access

BEST SUITED FOR Dual-operator work, indoor halls

POWER SOURCE AC (Mains Power)

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC)
DMP1-6	6m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	630kg
DMP1-8	8m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	680kg
DMP1-10	10m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	800kg
DMP1-12	12m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	830kg

COMPACT MEWPS

Double Mast — Push-Around

DMP2 · From ZAR 167 100



Advanced double mast push-around. 2-person platform, AC/DC powered, up to 16m platform height.

APPLICATION Personnel Access

BEST SUITED FOR Heavy dual-operator indoor installation

POWER SOURCE AC Mains or DC Battery

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC/DC)
DMP2-8	8m	250kg	2	1.45×0.7m	1.48m	2.1×1.7m	645/695kg
DMP2-10	10m	250kg	2	1.45×0.7m	1.48m	2.3×2.2m	715/765kg
DMP2-12	12m	200kg	2	1.45×0.7m	1.48m	2.5×2.4m	750/800kg
DMP2-14	14m	200kg	2	1.8×0.7m	1.88m	2.9×2.4m	892/942kg
DMP2-16	16m	150kg	1	1.8×0.7m	1.88m	2.9×2.4m	996/1046kg

COMPACT MEWPS

Forklift Mast — Wheeled

FMD · From ZAR 441 000



Heavy-duty self-propelled wheeled steel mast lifts with jib arm. Drivable at full height.

APPLICATION Personnel Access

BEST SUITED FOR Industrial warehousing, stock picking

POWER SOURCE Heavy Duty Battery (24V/48V)

Model	Platform Height	Horiz. Reach	Capacity	Occ.	Turret	Jib	Battery	Weight
FMD1-8J	8m	3.51m	200kg	2	356°	120°	24V/220Ah	2850kg
FMD-9J	9m	3.64m	200kg	2	356°	120°	24V/220Ah	3300kg
FMD-10J	10m	5.7m	200kg	2	340°	130°	48V/220Ah	5900kg
FMD-11J	10.65m	6.05m	200kg	2	352°	120°	48V/260Ah	4980kg

COMPACT MEWPS

Forklift Mast — Tracked (Crawler)

FMT · From ZAR 488 800



Tracked crawler forklift mast lifts with jib. For uneven terrain and construction sites.

APPLICATION Personnel Access

BEST SUITED FOR Construction sites, uneven soft ground

POWER SOURCE Heavy Duty Battery (48V)

Model	Platform Ht	Horiz. Reach	Capacity	Occ.	Turret	Jib	Track W	Battery	Weight
FMT-7J	7.2m	3.38m	220kg	2	220°	120°	250mm	48V/220Ah	3000kg
FMT-8J	8m	3.63m	200kg	2	220°	120°	250mm	48V/220Ah	3380kg

COMPACT MEWPS

Telescopic Mast — Wheeled

TMD · From ZAR 200 900



Self-propelled wheeled telescopic mast lifts. Compact, narrow-profile for tight indoor spaces.

APPLICATION Personnel Access

BEST SUITED FOR Compact indoor spaces, office corridors

POWER SOURCE DC Battery Pack (24V)

Model	Platform Height	Capacity	Occ.	Overall Width	Travel (stowed)	Battery	Weight
TMD1-4	4.8m	230kg	2	0.79m	N/A	2×12V/100Ah	980kg
TMD-6	6m	200kg	2	0.79m	N/A	2×12V/100Ah	1060kg
TMD-9J	9.2m	200kg	2	1.0m	4.5 km/h	24V/240Ah	2950kg

COMPACT MEWPS

Telescopic Mast – Tracked (Crawler)

TMT · From ZAR 212 000



Tracked crawler telescopic mast lift. Ultra-compact, can turn 360° on its own axis for restricted access.

APPLICATION Personnel Access

BEST SUITED FOR Indoor/outdoor construction, tight gates

POWER SOURCE DC Battery Pack (24V)

Model	Platform Height	Capacity	Occ.	Overall W	Overall Length	Track Width	Battery	Weight
TMT2-4	3.8m	200kg	2	0.79m	1.44m	150mm	2×12V/100Ah	740kg

COMPACT MEWPS

Scissor Lifts

X · From ZAR 102 600



Mini scissor lifts — self-propelled, push-around, and all-electric/oil-free variants.

APPLICATION Personnel Access

BEST SUITED FOR General indoor maintenance, flat slabs

POWER SOURCE DC Battery (Oil-Free Option)

Model	Type	Platform Height	Capacity	Occ.	Platform Dims	Overall Width	Gradeability	Weight
XD-3	Self-propelled	3m	240kg	1	1.15×0.6m	0.76m	25%	630kg
XD-4	Self-propelled	4m	240kg	1	1.15×0.6m	0.76m	25%	660kg
XD-3E	Self-prop. / Oil-free	3.4m	200kg	2	1.24×0.67m	0.8m	—	580kg
XP-3	Push-around	3m	240kg	1	1.15×0.6m	0.76m	—	482kg
XP-4	Push-around	3.9m	240kg	1	1.15×0.6m	0.76m	—	516kg

Material Lifts

ML · From ZAR 84 700



Heavy and light duty manual fork-style material lifts. Stabiliser-supported, no power required.

APPLICATION Material Lifting

BEST SUITED FOR Material loading, shipping, installation

POWER SOURCE Manual Winch (No Power)

Model	Duty	Lift Height (forks up)	Load @0.36m	Load @0.61m	Load @1.07m	Stab Width	Weight
MLP1-3	Light	3.3m	318kg	200kg	84kg	1.63m	125kg
MLP1-4	Light	4.4m	295kg	195kg	80kg	1.63m	138kg
MLP1-5	Light	5.5m	272kg	181kg	80kg	1.63m	156kg
MLP2-3	Heavy	3.49m	454kg	454kg	181kg	1.85m	118kg
MLP2-4	Heavy	4.98m	363kg	363kg	227kg	1.85m	151kg
MLP2-6	Heavy	6.46m	363kg	295kg	159kg	1.85m	184kg
MLP2-7	Heavy	7.94m	295kg	204kg	113kg	1.85m	204kg

easysmith

We make things easy!

SECTION

Laser Cleaners

High-performance laser cleaning systems for surface preparation, paint removal and industrial maintenance — with CE, FDA, ETL and SGS-aligned documentation support.



Category Overview

High-performance laser cleaning systems for surface preparation, paint removal and industrial maintenance — with CE, FDA, ETL and SGS-aligned documentation support.

Code	Category	Models	Pricing
LCC	Continuous-Wave Laser Cleaners	5	From ZAR 126 600
LCP	Pulsed Laser Cleaners	4	From ZAR 174 100
LCS	Automated Laser Cleaning Solutions	3	Price on Request

Pricing shown is indicative (from the lowest-priced model in each category) — see individual category pages for full model-by-model detail.

Continuous-Wave Laser Cleaners

LCC · From ZAR 126 600



Continuous-beam cleaning built for speed across larger surfaces — sheet metal, rust and coating removal at up to 300mm cleaning width.

APPLICATION Large-area, fast surface cleaning — heavy rust removal & thick coating/paint stripping

BEST SUITED FOR Sheet metal, robot production, automotive repair, ship maintenance

POWER SOURCE Single/Three-Phase 220–380V

Model	Power	Cooling	Cleaning Width	Weight	Typical Use
LCC-1200	1.2kW	Air-cooled	300mm	36kg	Sheet metal, robot production (pricing TBC)
LCC-1500	1.5kW	Water-cooled	300mm	190kg	Sheet metal, automotive repair, ship maintenance
LCC-2000	2.0kW	Water-cooled	300mm	190kg	Sheet metal, automotive repair, ship maintenance
LCC-3000	3.0kW	Water-cooled	300mm	235kg	Heavy-duty sheet metal & ship maintenance
LCC-6000	6.0kW	Water-cooled	200-500mm	235kg	High-throughput industrial line cleaning (pricing TBC)

Pulsed Laser Cleaners

LCP · From ZAR 174 100



Nanosecond-pulse cleaning with minimal heat-affected zone — precise rust, paint and oxide removal without damaging the substrate.

APPLICATION Precision surface prep — rust, paint & oxide removal with minimal heat damage to the substrate

BEST SUITED FOR Mold, automotive repair, ship maintenance, aircraft restoration

POWER SOURCE Single-Phase 220V

Model	Power	Cooling	Cleaning Width	Weight	Typical Use
LCP-200	0.2kW	Air-cooled	100mm	25kg	Spot rust/paint removal, mold cleaning
LCP-300	0.3kW	Air-cooled	100mm	25kg	Automotive manufacturing & repair
LCP-500	0.5kW	Air-cooled	120mm	30kg	Ship maintenance, aircraft restoration
LCP-1000	1.0kW	Water-cooled	120mm	220kg	Heavy-duty mold & production line cleaning

Automated Laser Cleaning Solutions

LCS · Price on Application

Engineered-to-order automated lines built around the SF-HC handheld laser head range, for conveyorised or robotic cleaning at production scale.

APPLICATION In-line, automated cleaning integrated into a production or conveyor system

BEST SUITED FOR Steel plate lines, tyre inner liner prep, LNG pressure vessel cleaning

POWER SOURCE 0.5–20kW (system-dependent)

System	Power Range	Cleaning Mode	Typical Applications
LCS-STEEL	1.5-20kW	Non-contact, conveyorised	Oxidation/rust/paint removal on steel plate, 800mm+ length
LCS-TYRE	0.5-1kW	Non-contact, MES-integrated	Tyre inner liner prep — raises frictional coefficient
LCS-VESSEL	0.5-1kW	Non-contact, robotic arms	LNG pressure vessel outer walls, seal heads, weld seams


easysmith

We make things easy!

SECTION

Laser Welding Machines

Handheld and robotic laser welding systems — from portable field repair to fully automated production cells — for automotive, rail, equipment manufacturing and shipbuilding.



Category Overview

Handheld and robotic laser welding systems — from portable field repair to fully automated production cells — for automotive, rail, equipment manufacturing and shipbuilding.

Code	Category	Models	Pricing
LWP	Portable Laser Welders	4	From ZAR 104 500
LWS	Standard Water-Cooled Welders	3	From ZAR 97 900
LWM	Professional Welders (Metal Gun)	3	From ZAR 118 700
LWR	Robotic & Automated Welding Solutions	5	Price on Application

Pricing shown is indicative (from the lowest-priced model in each category) — see individual category pages for full model-by-model detail.

Portable Laser Welders

LWP · From ZAR 104 500



Air-cooled, no chiller required — the lightest, quickest-to-deploy welders in the range.

APPLICATION Portable, on-site metal welding — quick setup with no chiller needed

BEST SUITED FOR Field repair, site work, light fabrication

POWER SOURCE Single-Phase 220V

Model	Power	Welding Thickness	Weight	Typical Use
LWP-3	0.8kW	CS/SS: 0.5-3mm	35kg	Light repair, thin-gauge fabrication
LWP-4	1.2kW	CS/SS: 0.5-3mm	40kg	General site & workshop repair
LWP-5	1.5kW	CS/SS: 0.5-4mm	50kg	Heavier portable fabrication work
LWP-6	1.5kW	CS/SS: 0.5-4mm	50kg	Heavier portable fabrication work

Standard Water-Cooled Welders

LWS · From ZAR 97 900



Water-cooled with a light plastic-rubber welding gun — sustained welding of steel, stainless and aluminium.

APPLICATION Workshop welding of carbon steel, stainless steel & aluminium

BEST SUITED FOR General fabrication, sheet metal, workshop production

POWER SOURCE Single/Three-Phase 220-380V

Model	Power	Welding Thickness	Weight	Typical Use
LWS-1500	1.5kW	CS/SS: 0.5-4mm / AL: 0.5-3mm	124kg	General fabrication & sheet metal
LWS-2000	2.0kW	CS/SS: 0.5-4mm / AL: 0.5-3mm	144kg	Workshop production welding
LWS-3000	3.0kW	CS/SS: 0.5-6mm / AL: 0.5-4mm	164kg	Heavier-gauge workshop welding

Professional Welders (Metal Gun)

LWM · From ZAR 118 700



Water-cooled with a heavier-duty 4-in-1 metal welding gun — the highest-spec handheld tier, built for continuous professional use.

APPLICATION Heavy-duty professional welding — higher-thickness carbon steel, stainless & aluminium work

BEST SUITED FOR Continuous production welding, thicker material, professional fabrication shops

POWER SOURCE Single/Three-Phase 220-380V

Model	Power	Welding Thickness	Weight	Typical Use
LWM-1500	1.5kW	CS/SS: 0.5-4mm / AL: 0.5-3mm	195kg	Professional fabrication shops
LWM-2000	2.0kW	CS/SS: 0.5-4mm / AL: 0.5-3mm	195kg	Continuous production welding
LWM-3000	3.0kW	CS/SS: 0.5-6mm / AL: 0.5-4mm	240kg	Heaviest-duty handheld welding

Robotic & Automated Welding Solutions

LWR · Price on Application

Robot-driven laser, arc, and laser-arc hybrid welding cells — from standard robotic arc welding to teaching-free, digital-twin-programmed production lines.

APPLICATION Automated, robot-driven welding integrated into a production line or fixed workcell

BEST SUITED FOR Auto parts, rail transit, equipment manufacturing, shipbuilding, bridge steel structures

POWER SOURCE Three-Phase 380V

System	Power / Capacity	Configuration	Typical Applications
LWR-HYBRID	12-20kW laser + arc	Robot + ground rail, dual heat source	Medium-thick sheet, one- or both-sides welding
LWR-RW	1.5-6kW	Standard or protective-chamber robot cell	Large-format automated laser welding
LWR-RMW	350A / 500A	Standard or protective-chamber robot cell	General-purpose robotic MIG/MAG arc welding
LWR-RMWTF	500A	Teaching-free, 7/8/9-axis, digital twin	No-programming robotic welding, multi-station
LWR-CMW	350A / 500A	Mobile trolley-mounted collaborative robot	On-site welding of large workpieces (ships, bridges)

easysmith
We make things easy!

CONTACT & ORDERING

Ready When You Are

Every model in this catalogue is made to order. Reference the Easysmith code when requesting a quotation – and try out the Selection Guide if you're uncertain.

- easysmith.co — browse the range & download this catalogue
- info@easysmith.co · +27 84 391 8732
- Response within 2 business days
- Delivered nationwide, across all 9 provinces
- CE certified · SANS/OHS compliant · ISO 9001:2015

Make Things Easy