easysmith

We make things easy!

PRODUCT BROCHURE

Compact MEWPs (Mobile Elevating Work Platforms)

Complete model reference — specifications, codes and indicative pricing

Made to Order · CE Certified · Delivered Nationwide

Prices are indicative, ex-VAT, correct as at 3 November 2026 — confirm current pricing when you enquire.

Make Things Easy

COMPACT MEWPS

Category Overview

Compact Mobile Elevating Work Platforms (MEWPs) for safe, efficient work at height — aluminium and steel mast lifts, scissor lifts and material handling equipment, all made to order and CE certified.

Code	Category	Models	Pricing
SMP1	Single Mast — Swing Outrigger	4	From ZAR 93 000
SMP2	Single Mast — Push-Around	6	From ZAR 130 100
SMD	Single Mast — Self-Propelled	2	From ZAR 217 700
DMP1	Double Mast — Swing Outrigger	4	From ZAR 125 000
DMP2	Double Mast — Push-Around	5	From ZAR 167 100
FMD	Forklift Mast — Wheeled	4	From ZAR 441 000
FMT	Forklift Mast — Tracked (Crawler)	2	From ZAR 488 800
TMD	Telescopic Mast — Wheeled	3	From ZAR 200 900
TMT	Telescopic Mast — Tracked (Crawler)	1	From ZAR 212 000
X	Scissor Lifts	5	From ZAR 102 600
ML	Material Lifts	7	From ZAR 84 700

COMPACT MEWPS

Single Mast — Swing Outrigger

SMP1 · From ZAR 93 000



Single mast with swing outriggers. 1 person, push-around.

APPLICATION Personnel Access

BEST SUITED FOR Light indoor maintenance, factories

POWER SOURCE AC (Mains Power)

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC)
SMP1-6	6m	150kg	1	0.60×0.55m	1.26m	1.96×1.7m	325kg
SMP1-8	8m	150kg	1	0.60×0.55m	1.34m	1.96×1.7m	378kg
SMP1-9	9m	150kg	1	0.60×0.55m	1.45m	1.96×1.7m	400kg
SMP1-10	10m	120kg	1	0.60×0.55m	1.45m	1.96×1.7m	430kg

COMPACT MEWPS

Single Mast — Push-Around

SMP2 · From ZAR 130 100



Advanced single mast lifts. AC/DC powered, outrigger-stabilised. Up to 12m platform height.

APPLICATION Personnel Access

BEST SUITED FOR High indoor access, schools, halls

POWER SOURCE AC Mains or DC Battery

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC/DC)
SMP2-5	4.7m	150kg	1	0.67×0.66m	1.26m	1.9×1.8m	330/380kg
SMP2-6	6.2m	150kg	1	0.67×0.66m	1.26m	1.9×1.8m	340/390kg
SMP2-8	7.8m	150kg	1	0.67×0.66m	1.30m	1.9×1.8m	380/430kg
SMP2-9	9.2m	150kg	1	0.67×0.66m	1.35m	2.1×2.0m	410/460kg
SMP2-10	10.4m	136kg	1	0.67×0.66m	1.40m	2.1×2.0m	430/480kg
SMP2-12	12m	120kg	1	0.67×0.66m	1.42m	2.4×2.2m	520/570kg

COMPACT MEWPS

Single Mast — Self-Propelled

SMD · From ZAR 217 700



Self-propelled single mast. Driven, can turn 360° on its own axis, indoor/outdoor.

APPLICATION Personnel Access

BEST SUITED FOR Indoor facilities, narrow-aisle warehouses

POWER SOURCE DC Battery (Drivable)

Model	Platform Height (indoor)	Platform Height (outdoor)	Capacity	Occ.	Overall Length	Overall Width	Weight
SMD-6	6m	4.8m	160kg	1	1.40m	0.78m	1160kg
SMD-8	7.5m	6m	125kg	1	1.40m	0.78m	1280kg

COMPACT MEWPS

Double Mast — Swing Outrigger

DMP1 · From ZAR 125 000



Double aluminium mast with swing outriggers. 200kg capacity, up to 12m platform height.

APPLICATION Personnel Access

BEST SUITED FOR Dual-operator work, indoor halls

POWER SOURCE AC (Mains Power)

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC)
DMP1-6	6m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	630kg
DMP1-8	8m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	680kg
DMP1-10	10m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	800kg
DMP1-12	12m	200kg	1	1.5×0.67m	1.70m	2.4×2.2m	830kg

COMPACT MEWPS

Double Mast — Push-Around

DMP2 · From ZAR 167 100



Advanced double mast push-around. 2-person platform, AC/DC powered, up to 16m platform height.

APPLICATION Personnel Access

BEST SUITED FOR Heavy dual-operator indoor installation

POWER SOURCE AC Mains or DC Battery

Model	Platform Height	Capacity	Occ.	Platform Dims	Overall Length	Outrigger	Weight (AC/DC)
DMP2-8	8m	250kg	2	1.45×0.7m	1.48m	2.1×1.7m	645/695kg
DMP2-10	10m	250kg	2	1.45×0.7m	1.48m	2.3×2.2m	715/765kg
DMP2-12	12m	200kg	2	1.45×0.7m	1.48m	2.5×2.4m	750/800kg
DMP2-14	14m	200kg	2	1.8×0.7m	1.88m	2.9×2.4m	892/942kg
DMP2-16	16m	150kg	1	1.8×0.7m	1.88m	2.9×2.4m	996/1046kg

COMPACT MEWPS

Forklift Mast — Wheeled

FMD · From ZAR 441 000



Heavy-duty self-propelled wheeled steel mast lifts with jib arm. Drivable at full height.

APPLICATION Personnel Access

BEST SUITED FOR Industrial warehousing, stock picking

POWER SOURCE Heavy Duty Battery (24V/48V)

Model	Platform Height	Horiz. Reach	Capacity	Occ.	Turret	Jib	Battery	Weight
FMD1-8J	8m	3.51m	200kg	2	356°	120°	24V/220Ah	2850kg
FMD-9J	9m	3.64m	200kg	2	356°	120°	24V/220Ah	3300kg
FMD-10J	10m	5.7m	200kg	2	340°	130°	48V/220Ah	5900kg
FMD-11J	10.65m	6.05m	200kg	2	352°	120°	48V/260Ah	4980kg

COMPACT MEWPS

Forklift Mast — Tracked (Crawler)

FMT · From ZAR 488 800



Tracked crawler forklift mast lifts with jib. For uneven terrain and construction sites.

APPLICATION Personnel Access

BEST SUITED FOR Construction sites, uneven soft ground

POWER SOURCE Heavy Duty Battery (48V)

Model	Platform Ht	Horiz. Reach	Capacity	Occ.	Turret	Jib	Track W	Battery	Weight
FMT-7J	7.2m	3.38m	220kg	2	220°	120°	250mm	48V/220Ah	3000kg
FMT-8J	8m	3.63m	200kg	2	220°	120°	250mm	48V/220Ah	3380kg

COMPACT MEWPS

Telescopic Mast – Wheeled

TMD · From ZAR 200 900



Self-propelled wheeled telescopic mast lifts. Compact, narrow-profile for tight indoor spaces.

APPLICATION Personnel Access

BEST SUITED FOR Compact indoor spaces, office corridors

POWER SOURCE DC Battery Pack (24V)

Model	Platform Height	Capacity	Occ.	Overall Width	Travel (stowed)	Battery	Weight
TMD1-4	4.8m	230kg	2	0.79m	N/A	2×12V/100Ah	980kg
TMD-6	6m	200kg	2	0.79m	N/A	2×12V/100Ah	1060kg
TMD-9J	9.2m	200kg	2	1.0m	4.5 km/h	24V/240Ah	2950kg

Telescopic Mast – Tracked (Crawler)

TMT · From ZAR 212 000



Tracked crawler telescopic mast lift. Ultra-compact, can turn 360° on its own axis for restricted access.

APPLICATION Personnel Access

BEST SUITED FOR Indoor/outdoor construction, tight gates

POWER SOURCE DC Battery Pack (24V)

Model	Platform Height	Capacity	Occ.	Overall W	Overall Length	Track Width	Battery	Weight
TMT2-4	3.8m	200kg	2	0.79m	1.44m	150mm	2×12V/100Ah	740kg

COMPACT MEWPS

Scissor Lifts

X · From ZAR 102 600



Mini scissor lifts — self-propelled, push-around, and all-electric/oil-free variants.

APPLICATION Personnel Access

BEST SUITED FOR General indoor maintenance, flat slabs

POWER SOURCE DC Battery (Oil-Free Option)

Model	Type	Platform Height	Capacity	Occ.	Platform Dims	Overall Width	Gradeability	Weight
XD-3	Self-propelled	3m	240kg	1	1.15×0.6m	0.76m	25%	630kg
XD-4	Self-propelled	4m	240kg	1	1.15×0.6m	0.76m	25%	660kg
XD-3E	Self-prop. / Oil-free	3.4m	200kg	2	1.24×0.67m	0.8m	—	580kg
XP-3	Push-around	3m	240kg	1	1.15×0.6m	0.76m	—	482kg
XP-4	Push-around	3.9m	240kg	1	1.15×0.6m	0.76m	—	516kg

Material Lifts

ML · From ZAR 84 700



Heavy and light duty manual fork-style material lifts. Stabiliser-supported, no power required.

APPLICATION Material Lifting

BEST SUITED FOR Material loading, shipping, installation

POWER SOURCE Manual Winch (No Power)

Model	Duty	Lift Height (forks up)	Load @0.36m	Load @0.61m	Load @1.07m	Stab Width	Weight
MLP1-3	Light	3.3m	318kg	200kg	84kg	1.63m	125kg
MLP1-4	Light	4.4m	295kg	195kg	80kg	1.63m	138kg
MLP1-5	Light	5.5m	272kg	181kg	80kg	1.63m	156kg
MLP2-3	Heavy	3.49m	454kg	454kg	181kg	1.85m	118kg
MLP2-4	Heavy	4.98m	363kg	363kg	227kg	1.85m	151kg
MLP2-6	Heavy	6.46m	363kg	295kg	159kg	1.85m	184kg
MLP2-7	Heavy	7.94m	295kg	204kg	113kg	1.85m	204kg

easysmith
We make things easy!

CONTACT & ORDERING

Ready When You Are

Every model in this catalogue is made to order. Reference the Easysmith code when requesting a quotation – and try out the Selection Guide if you're uncertain.

- easysmith.co — browse the range & download this catalogue
- info@easysmith.co · +27 84 391 8732
- Response within 2 business days
- Delivered nationwide, across all 9 provinces
- CE certified · SANS/OHS compliant · ISO 9001:2015

Make Things Easy