Coverage for library.py: 100%

200 statements 200 run 0 missing 0 excluded 0 partial

« prev ^ index » next coverage.py v7.6.8, created at 2024-12-01 18:01 +0100

```
1 """Library management system, a database of books
 2 each Book, in Library.txt:
 3 - Title (string)
 4 - Author (string)
 5 - Availability (string that is "true" or "false")
 6 - ISBN (string)
 7 - Edition (string)
 9 Representation we will use after reading Library.txt
10 Book (ISBN as key in dict):
11 - title (string)
12 - author (string)
13 - numAvailable (int)
14 - numUnavailable (int)
15 - edition (string)
16 """
17
18 class Library:
19
       def __init__(self, libraryFile):
20
           self.libraryFile = libraryFile
21
           self.books = self.readLibrary()
22
23
       def readLibrary(self):
24
            library = {}
25
           with open(self.libraryFile, 'r') as file:
26
                for line in file:
27
                    bookTitle, bookAuthor, availability, isbn, edition = line.strip().split(',')
28
                    bookIsAvailable = availability == "true"
29
                    if isbn in library:
30
                        if bookIsAvailable:
                            library[isbn]["numAvailable"] += 1
31
32
                        else:
33
                            library[isbn]["numUnavailable"] += 1
                    else:
34
35
                        library[isbn] = {
36
                            "title": bookTitle,
37
                            "author": bookAuthor,
38
                            "numAvailable": 1 if bookIsAvailable else 0,
39
                            "numUnavailable": 0 if bookIsAvailable else 1,
                            "edition": edition
40
41
42
            return library
43
       def updateLibrary(self):
44
45
           with open(self.libraryFile, 'w') as file:
                for isbn, book in self.books.items():
46
47
                    title = book["title"]
                    author = book["author"]
48
49
                    edition = book["edition"]
50
                    numAvail = book["numAvailable"]
                    numUnavail = book["numUnavailable"]
51
```

```
52
                     bookAvailable = f"{title},{author},true,{isbn},{edition}\n"
                     bookUnavailable = f"{title},{author},false,{isbn},{edition}\n"
 53
                     books = [bookAvailable] * numAvail + [bookUnavailable] * numUnavail
 54
 55
                     file.writelines(books)
 56
 57
        def addBook(self, author, title, isbn, edition, amount):
             responses = []
 58
 59
             amount = int(amount)
 60
             if isbn in self.books:
                 self.books[isbn]['numAvailable'] += amount
 61
 62
 63
                 self.books[isbn] = {
 64
                     "title": title,
                     "author": author,
 65
                     "numAvailable": amount,
 66
 67
                     "numUnavailable": 0,
 68
                     "edition": edition
 69
                 }
 70
             responses.append(f"Added new book {isbn}")
 71
             return responses
 72
 73
        def removeBook(self, isbn, amount):
 74
             responses = []
             amount = int(amount)
 75
 76
             if isbn in self.books:
 77
                 if amount <= self.books[isbn]['numAvailable']:</pre>
 78
                     self.books[isbn]['numAvailable'] -= amount
                     responses.append(f'Removed {amount} of book {isbn}')
 79
 80
                 else:
 81
                     responses.append('WARNING: Not enough books to remove')
 82
             else:
 83
                 responses.append('WARNING: Book not found')
 84
             return responses
 85
 86
        def borrowBook(self, isbn, amount):
 87
             responses = []
 88
             amount = int(amount)
 89
             if isbn in self.books:
                 if amount <= self.books[isbn]['numAvailable']:</pre>
 90
                     self.books[isbn]['numAvailable'] -= amount
 91
                     self.books[isbn]['numUnavailable'] += amount
 92
 93
                     responses.append(f'{amount} of book {isbn} borrowed')
 94
                 else:
 95
                     responses.append('WARNING: No available books')
 96
             else:
 97
                 responses.append("WARNING: No books found")
 98
             return responses
99
100
        def returnBook(self, isbn, amount):
101
             responses = []
102
             amount = int(amount)
             if isbn in self.books:
103
                 if amount <= self.books[isbn]['numUnavailable']:</pre>
104
105
                     self.books[isbn]['numUnavailable'] -= amount
106
                     self.books[isbn]['numAvailable'] += amount
107
                     responses.append(f'{amount} of book {isbn} returned')
108
```

```
109
                     responses.append('WARNING: Books already available')
110
             else:
                 responses.append("WARNING: No books found")
111
112
             return responses
113
114
        def searchBook(self, author, title):
             responses = []
115
116
             foundBooks = []
117
             for isbn in self.books:
                 book = self.books[isbn]
118
119
                 bookTitle = book['title']
                 bookAuthor = book['author']
120
                 if title.lower() == bookTitle.lower() and author.lower() == bookAuthor.lower():
121
                     edition = book["edition"]
122
                     numAvail = book["numAvailable"]
123
124
                     numUnavail = book["numUnavailable"]
125
                     bookAvailable = f"{bookTitle}, {bookAuthor}, Available, {isbn}, {edition}"
126
                     bookUnavailable = f"{bookTitle}, {bookAuthor}, Unavailable, {isbn}, {edition}
127
                     books = [bookAvailable] * numAvail + [bookUnavailable] * numUnavail
128
                     foundBooks += books
129
            if not foundBooks:
130
                 responses.append("WARNING: No books found")
131
132
                 responses = foundBooks
133
             return responses
134
        def searchBookTitle(self, title):
135
136
             responses = []
             foundBooks = []
137
             for isbn in self.books:
138
                 book = self.books[isbn]
139
140
                 bookTitle = book['title']
                 numAvail = book["numAvailable"]
141
142
                 if title.lower() in bookTitle.lower() and numAvail > 0:
143
144
                     author = book['author']
                     edition = book['edition']
145
146
                     bookAvailable = f"{bookTitle}, {author}, Available, {isbn}, {edition}"
                     books = [bookAvailable] * numAvail
147
148
                     foundBooks += books
149
            if not foundBooks:
                 responses.append("WARNING: No books found")
150
151
            else:
152
                 responses = foundBooks
153
             return responses
154
        def searchBookAuthor(self, author):
155
156
             responses = []
             foundBooks = []
157
             for isbn in self.books:
158
159
                 book = self.books[isbn]
                 bookAuthor = book['author']
160
                 numAvail = book['numAvailable']
161
162
163
                 if author.lower() == bookAuthor.lower() and numAvail > 0:
164
                     title = book['title']
165
                     edition = book['edition']
```

```
166
                     bookAvailable = f"{title}, {bookAuthor}, Available, {isbn}, {edition}"
                     books = [bookAvailable] * numAvail
167
168
                     foundBooks += books
169
            if not foundBooks:
170
                 responses.append("WARNING: No books found")
171
            else:
172
                 responses = foundBooks
173
             return responses
174
175
        def searchBookISBN(self, isbn):
176
             responses = []
177
             foundBooks = []
             if isbn in self.books:
178
                 book = self.books[isbn]
179
                 title = book['title']
180
181
                 author = book['author']
                 edition = book['edition']
182
183
                 numAvail = book['numAvailable']
                 bookAvailable = f"{title}, {author}, Available, {isbn}, {edition}"
184
                 books = [bookAvailable] * numAvail
185
186
                 foundBooks += books
187
             if not foundBooks:
188
                 responses.append("WARNING: No books found")
189
            else:
190
                 responses = foundBooks
191
             return responses
192
193
        def listAvailableBooks(self):
             responses = []
194
             availableBooks = []
195
             for isbn in self.books:
196
197
                 book = self.books[isbn]
                 numAvail = book['numAvailable']
198
199
                 if numAvail > 0:
                     title = book['title']
200
                     author = book['author']
201
                     edition = book['edition']
202
203
                     bookAvailable = f"{title}, {author}, Available, {isbn}, {edition}"
                     books = [bookAvailable] * numAvail
204
205
                     availableBooks += books
206
            if not availableBooks:
                 responses.append("WARNING: No books found")
207
208
            else:
209
                 responses = availableBooks
210
             return responses
211
        def listAvailableAuthors(self):
212
213
             responses = []
             availableAuthors = set()
214
             for isbn in self.books:
215
216
                 book = self.books[isbn]
                 numAvail = book['numAvailable']
217
218
                 if numAvail > 0:
219
                     availableAuthors.add(book['author'])
220
            if not availableAuthors:
221
                 responses.append("WARNING: No available authors found")
222
            else:
```

```
223
                 responses = list(availableAuthors)
224
             return responses
225
226
    def processCommands(library, inputFile):
        with open(inputFile, 'r') as file:
227
228
             for line in file:
229
                 command = line.strip()
230
                 responses = runCommand(library, command)
231
                 for response in responses:
232
                     print(response)
233
    def runCommand(library, inputCommand):
234
        command, *options = inputCommand.split('*')
235
236
        if command == 'AddBook':
237
             return library.addBook(options[0], options[1], options[2], options[3], options[4])
238
        elif command == 'RemoveBook':
239
             return library.removeBook(options[0], options[1])
240
        elif command == 'BorrowBook':
241
             return library.borrowBook(options[0], options[1])
242
        elif command == 'ReturnBook':
243
             return library.returnBook(options[0], options[1])
244
        elif command == 'SearchBook':
245
             return library.searchBook(options[0], options[1])
        elif command == 'SearchBookTitle':
246
             return library.searchBookTitle(options[0])
247
248
        elif command == 'SearchBookAuthor':
             return library.searchBookAuthor(options[0])
249
250
        elif command == 'SearchBookISBN':
251
             return library.searchBookISBN(options[0])
        elif command == 'ListAvailableBooks':
252
253
             return library.listAvailableBooks()
254
        elif command == 'ListAvailableAuthors':
255
             return library.listAvailableAuthors()
256
        return []
257
258 def main():
259
        library = Library('Library.txt')
260
        processCommands(library, 'input.txt')
261
        library.updateLibrary()
262
```

« prev ^ index » next coverage,py v7.6.8, created at 2024-12-01 18:01 +0100