



**GUJARAT TECHNOLOGICAL UNIVERSITY**

Chandkheda, Ahmedabad

Affiliated



**S. S. Agrawal Institute of Engineering  
& Technology**

An  
Internship report  
on

**“Food Ordering Website”**

Under the course of  
**SUMMER INTERNSHIP**  
(SUBJECT CODE:4330001) D.E. II,  
Semester – III  
(Diploma Computer Engineering)

Submitted by:

SR.	Enrollment No.	Name
1	224590307024	Nadar Nitesh Kumar Palraj

PROF. Faculty Name  
(Faculty Guide)

PROF. Brijesh Bhandari  
(Head Of The Department)

Academic year  
(2024-2025)

## **CERTIFICATE OF AUTHENTICITY**

**S. S. AGRAWAL INSTITUTE OF ENGINEERING & TECHNOLOGY, NAVSARI**



This is to certify that the “Internship Report” submitted by \_\_\_\_\_  
(Enrollment No. : \_\_\_\_\_) is work done by her and submitted during 2023-2024  
academic year, in partial fulfillment of the requirements of Diploma Engineering in Computer  
Engineer department.

---

Internal Examiner

---

External Examiner

---

Faculty Guide

---

Head Of Department

## CERTIFICATE OF INTERNSHIP

### **Tech-Fusion Technologies**

S-1/2 Dhir Complex,  
Eru-Abrama Road, Vijalpore, Navsari.

Email- [info@techfusiontechnologies.com](mailto:info@techfusiontechnologies.com)

Contact No - (+91) 9157564321



Date: 07/08/2024

### **TO WHOM IT MAY CONCERN**

This is to certify that, **Mr. Niteshkumar Palraj Nadar** student of **S.S. Agrawal Institute Of Engineering And Technology, Navsari**, has successfully completed his internship in the field of **Web Development** during the period of 27/06/2024 to 07/08/2024 at TechFusion Technologies.

During the period of his internship program with us, He had been exposed to different processes and was found sincere and hardworking.

Respectfully,

TechFusion Technologies

Authorized Signature  
(Neel Patel)



Mentor Signature  
(Meet Patel)

## **ACKNOWLEDGEMENT**

I am happy that I have successfully completed my internship but it would be incomplete without the names of the people who have helped me to achieve this milestone, I would like to extend my heartiest thanks with deep sense of gratitude and respect to all those who provide me imminence help and guidance during my internship.

I would like to express my deep sense of gratitude to **Dr. (Prof.) Dipesh Shukla, Principal, SSAIET, Navsari**, for his continuous effort in creating a competitive environment in our college and encouraging throughout this course.

I would like to express my sincere thanks to **Prof. Brijesh Bhandari, Head of the Department, SSAIET, Navsari** for his continues encouragement, motivation throughout the internship program.

A special thanks to my mentor during this internship program **Prof. \_\_\_\_\_**, **SSAIET, Navsari**, for overall directions, suggestions and encouragement.

I would also like thank the platform that helped me to do the online internship, (Company Name), for their support , availability, and insightful comments and for steering me to the right direction whenever I needed it .

I am grateful to thank all those who I had the pleasure to learn with for with for making this demanding time joyful yet efficient, and for taking the time to answer any of my questions.

Finally I must express my very profound gratitude to my parents for providing me with unfailing support and continuous encouragement throughout my years of study leading to this very moment and particularly for their sacrifices.

## **ABSTRACT**

This project is developed on a comprehensive **Food Ordering Website** for users to enhance their dining experience through a user-centered approach. The website offers an easy-to-use interface for browsing menus, placing personalized orders, and making safe payments. This, as a result, is able to bring simplicity to users in ordering while streamlining operations of food service providers. Key features developed in the website include tracking orders in real time, management of user accounts, and customer support. This system implements the latest technologies in web development to ensure the responsiveness and reliability of the service that could be considered to alleviate some pain points common for online ordering of food. The design of this website concentrates on ease of use, access, and scalability by building grounds for easy enhancement, adapting to emerging market needs.

## **LIST OF CONTENT**

<b>Sr. No.</b>	<b>Topic</b>	<b>Page No.</b>
1.	Company Profile	
2.	Project Overview	
3.	Outcomes	
4.	Conclusion	
5.	References	

# **Company Profile**



Company Name: TechFusion Technologies

Company Address: S-1/2 Dhir Complex Opposite Samarpan Sadhak Nivas, Eru-Abrama Rd, Vejalpore, Navsari, Gujarat 396445

Website URL: <https://techfusiontechnologies.com>

Company Type: Software Development.

About the Company: Tech-Fusion is a team of entrepreneurs and innovative thinkers who can visualize and give you an online identity with uniqueness and fineness. Tech-Fusion is an affordable web design company and is reputed as one of the fastest-growing IT companies in the state of Gujarat. Tech-Fusion web zone allows you to get everything done in one place all the way! Tech-Fusion aims to be India's best web hosting, web designing and development company.

# Project Overview

## ❖ App.py

```
from flask import
Flask,render_template,request,redirect,url_
or,flash,session
```

```
from flask_mysqlldb import MySQL
import os
```

```
app = Flask(__name__)
```

```
app.secret_key = "food application"
```

```
app.config['MYSQL_HOST'] = 'localhost'
```

```
app.config['MYSQL_USER'] = 'root'
```

```
app.config['MYSQL_PASSWORD'] = "
```

```
app.config['MYSQL_DB'] = 'food'
```

```
mysql = MySQL(app)
```

```
app.config["UPLOAD_FOLDER"] =
'static/assets/'
```

```
@app.route("/")
```

```
def index():
```

```
    cursor = mysql.connection.cursor()
```

```
    cursor.execute("select * from Product")
```

```
    data = cursor.fetchall()
```

```
    cursor.close()
```

```
    return
```

```
    render_template("index.html",data=list(data)
)
```

```
@app.route("/<cat>")
```

```
def category_vise(cat):
```

```
    cursor = mysql.connection.cursor()
```

```
    cursor.execute("select * from Product
WHERE category = %s",(cat,))
```

```
    data = cursor.fetchall()
```

```
    cursor.close()
```

```
    return
```

```
    render_template("index.html",data=list(data)
)
```

```
@app.route("/cart")
```

```
def cart():
```

```
    if "email" not in session:
```

```
        flash("Please, login first")
```

```
        return redirect(url_for("sign_in"))
```

```
    else:
```

```
        cursor = mysql.connection.cursor()
```

```
        cursor.execute("SELECT
cart.id,product.photo,product.name,product.
price,cart.quantity FROM cart JOIN product
ON cart.product_id = product.id WHERE
cart.user_id = %s",(session["id"],))
```

```
        data = cursor.fetchall()
```



```

        cursor.execute("SELECT
SUM(product.price *
cart.quantity),(COUNT(product_id) *
50),(SUM(product.price * cart.quantity) +
(COUNT(product_id) * 50)) FROM cart
JOIN product ON product.id =
cart.product_id WHERE user_id =
%s",(session["id"],))

        cart_det = cursor.fetchone()

        cursor.close()

        return
render_template("cart.html",data=data,card_
det=cart_det)

@app.route("/cart_delete/<int:id>/")
def cart_delete(id):

    cursor = mysql.connection.cursor()

    cursor.execute("DELETE FROM cart
WHERE id = %s",(id,))

    mysql.connection.commit()

    flash("Removed from cart")

    return redirect(url_for("cart"))

@app.route("/food/<int:id>/")
def food_info(id):

    if "email" not in session:

        flash("Please, login first")

        return redirect(url_for("sign_in"))

    else:

        cursor = mysql.connection.cursor()

        cursor.execute("SELECT * FROM
product WHERE id = %s",(id,))

```

```

        data = cursor.fetchone()

        return
render_template("foodinfo.html",data=data)

@app.route("/add_cart",methods=["GET","
POST"])

def add_cart():

    data = request.form

    cursor = mysql.connection.cursor()

    cursor.execute("INSERT INTO cart (
user_id, product_id, quantity) VALUES
(%s,%s,%s)",(session["id"],data["pid"],data[
"quantity"]))

    mysql.connection.commit()

    flash("Added to cart")

    return redirect(url_for("cart"))

@app.route("/cart_edit/<int:id>/")
def cart_edit(id):

    cursor = mysql.connection.cursor()

    cursor.execute("SELECT
cart.id,product.photo,product.name,product.
price,cart.quantity,product.description,produ
ct.category FROM cart JOIN product ON
cart.product_id = product.id WHERE
cart.user_id = %s AND cart.id =
%s",(session["id"],id))

    data = cursor.fetchone()

    return
render_template("editcart.html",data=data)

```

```
@app.route("/edit_cart",methods=["GET","POST"])
```

```
def edit_cart():
```

```
    data = request.form
```

```
    cursor = mysql.connection.cursor()
```

```
    cursor.execute("UPDATE cart SET  
quantity = %s WHERE id =  
%s",(data["quantity"],data["cid"]))
```

```
    mysql.connection.commit()
```

```
    flash("Cart Edited")
```

```
    return redirect(url_for("cart"))
```

```
@app.route("/checkout",methods=["GET","POST"])
```

```
def checkout():
```

```
    if request.method == "GET":
```

```
        cursor = mysql.connection.cursor()
```

```
        cursor.execute("SELECT  
SUM(product.price *  
cart.quantity),(COUNT(product_id) *  
50),(SUM(product.price * cart.quantity) +  
(COUNT(product_id) * 50)) FROM cart  
JOIN product ON product.id =  
cart.product_id WHERE user_id =  
%s",(session["id"],))
```

```
        cart_det = cursor.fetchone()
```

```
        if cart_det[0] == None :
```

```
            flash("Enable to checkout")
```

```
            return redirect(url_for("cart"))
```

```
        else:
```

```
            return
```

```
            render_template("checkout.html",cart_det=c  
art_det)
```

```
        else:
```

```
            data = request.form
```

```
            cursor = mysql.connection.cursor()
```

```
            cursor.execute("SELECT  
id,product_id,quantity,((SELECT price  
FROM product WHERE id = product_id) *  
(quantity)) FROM cart WHERE user_id =  
%s",(session["id"],))
```

```
            cartdatas = cursor.fetchall()
```

```
            for cartdata in cartdatas :
```

```
                insertquery = "INSERT INTO orders  
(user_id,product_id,quantity,price,address,ci  
ty,state,zip_code,country) VALUES  
(%s,%s,%s,%s,%s,%s,%s,%s,%s)"
```

```
            cursor.execute(insertquery,(session["id"],car  
tdata[1],cartdata[2],(cartdata[3] +  
50),data["address"],data["city"],data["state"]  
,data["zip"],data["country"]))
```

```
            cursor.execute("DELETE FROM  
cart WHERE id = %s ",(cartdata[0],))
```

```
            mysql.connection.commit()
```

```
            cursor.close()
```

```
            return redirect(url_for("orders"))
```

```
@app.route("/orders")
```

```
def orders():
```

```
    if "email" not in session:
```

```
        flash("Please, login first")
```

```
        return redirect(url_for("sign_in"))
```

```

else:

    cursor = mysql.connection.cursor()

    cursor.execute("SELECT (SELECT
photo FROM product WHERE id =
product_id),(SELECT name FROM product
WHERE id =
product_id),price,quantity,status FROM
orders WHERE user_id = %s ORDER BY
order_date DESC",(session["id"],))

    orderdata = cursor.fetchall()

    cursor.close()

    return
render_template("orders.html",orders=order
data)

@app.route("/sign_in",methods=["GET","P
OST"])

def sign_in():

    if request.method == "GET":

        return render_template("signin.html")

    else:

        data = request.form

        cursor = mysql.connection.cursor()

        cursor.execute("select
email,password,id from users WHERE
email = %s",(data["email"],))

        record = cursor.fetchone()

        cursor.close()

        if record :

            if data["email"] == record[0] and
data["password"] == record[1] :

                session["id"] = record[2]

```

```

        session["email"] = data["email"]

        session["password"] =
data["password"]

        return redirect(url_for("index"))

        elif data["email"] == record[0] and
data["password"] != record[1]:

            flash("Password Wrong")

            return redirect(url_for("sign_in"))

        else:

            flash("Unknown error")

            return redirect(url_for("sign_in"))

        elif
data["email"]=="admin@gmail.com" and
data["password"]=="admin@123":

            session["admin"] = data["email"]

            return
redirect(url_for("admin_home"))

        else:

            flash("Account not found")

            return redirect(url_for("sign_in"))

@app.route("/logout")

def logout():

    session.pop("email",None)

    session.pop("password",None)

    return redirect(url_for("sign_in"))

@app.route("/register",methods=["GET","P
OST"])

def register():

```

```

if request.method == "GET":
    return render_template("register.html")
else:
    data = request.form
    cursor = mysql.connection.cursor()
    query = "INSERT INTO Users (name,
email, phone, password) VALUES
(%s,%s,%s,%s)"

cursor.execute(query,(data["name"],data["e
mail"],data["phone"],data["password"]))

mysql.connection.commit()
cursor.close()

flash("Successfully Registered")
return redirect(url_for("sign_in"))

```

```

@app.route("/admin_home",methods=["GE
T","POST"])
def admin_home():
    if "admin" in session:
        if request.method == "GET":
            return
render_template("admin_home.html")
        else:
            data = request.form
            photo = request.files["photo"]

photo.save(os.path.join(app.config["UPLOA
D_FOLDER"],photo.filename))

            cursor = mysql.connection.cursor()

```

```

        cursor.execute("INSERT INTO
Product (name, photo, category, price,
description) VALUES
(%s,%s,%s,%s,%s);",(data["name"],photo.fi
lename,data["category"],data["price"],data["
desc"]))

        mysql.connection.commit()
        cursor.close()

        return
redirect(url_for("admin_items"))
    else:
        flash("Please, sign in as admin")
        return redirect(url_for("sign_in"))

@app.route("/admin_items")
def admin_items():
    if "admin" in session:
        cursor = mysql.connection.cursor()
        cursor.execute("select * from Product")
        data = cursor.fetchall()
        cursor.close()

        return
render_template("admin_items.html",data=li
st(data))
    else:
        flash("Please, sign in as admin")
        return redirect(url_for("sign_in"))

```

```

@app.route("/delete/<int:id>")
def delete(id):

```

```
cursor = mysql.connection.cursor()

cursor.execute("DELETE FROM Product
WHERE id = %s",(id,))

mysql.connection.commit()

cursor.close()

return redirect(url_for("admin_items"))
```

```
@app.route("/admin_orders")

def admin_orders():

    if "admin" in session:

        cursor = mysql.connection.cursor()

        cursor.execute("SELECT
orders.id,product.photo,product.name,orders
.quantity,orders.price,orders.address,orders.c
ity,.orders.zip_code,orders.state,orders.count
ry,(SELECT name FROM users WHERE id
= user_id),orders.status FROM orders JOIN
product WHERE orders.product_id =
product.id ORDER BY order_date DESC")

        data = cursor.fetchall()

        return
render_template("admin_orders.html",data=
data)

    else:
```

```
flash("Please, sign in as admin")

return redirect(url_for("sign_in"))
```

```
@app.route("/order_update/<int:id>",metho
ds=["GET","POST"])
```

```
def order_update(id):

    if request.method == "POST":

        data = request.form["status"]

        cursor = mysql.connection.cursor()

        cursor.execute("UPDATE orders SET
status = %s WHERE id = %s",(data,id))

        mysql.connection.commit()

        return
redirect(url_for("admin_orders"))
```

```
@app.route("/logout_admin")

def logout_admin():

    session.pop("admin",None)

    return redirect(url_for("sign_in"))
```

```
if __name__ == "__main__":

    app.run(debug=True,host='0.0.0.0')
```

## ❖ Admin\_home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Home | Food Website</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">
</head>
<body class="w-full h-screen flex flex-col">
  <div class="px-[2vw] py-[2vh] w-full flex
justify-between items-center border-b-[1px]
border-[#747474]">
    <div class="left-part">
      
```

```
    <p>Admin Panel</p>
  </div>
  <div class="logo flex items-center gap-
[2vw]">
    
    <a href="/logout_admin"></a>
  </div>
</div>
<main class="w-screen flex flex-1 justify-
between overflow-x-hidden">
  <aside class="h-[100%] w-[15vw]
border-r-[1px] border-[#747474] ps-3 pt-3
flex-col gap-3">
    <a href="/admin_home" class="flex
gap-2 items-center bg-orange-300 p-2">
      <i class="bi bi-plus-circle text-
[1.2rem]"></i>
      <p>Add items</p>
    </a>
    <a href="/admin_items" class="flex
gap-2 items-center p-2">
      <i class="bi bi-list-ul text-
[1.2rem]"></i>
      <p>List items</p>
    </a>
    <a href="/admin_orders" class="flex
gap-2 items-center p-2">
```

```

        <i class="bi bi-cart text-[1.2rem]"></i>

        <p>Orders</p>

    </a>

</aside>

<section class="flex-1 h-full w-full p-[3vw]">

    <form action="/admin_home"
class="flex flex-col gap-2"
enctype="multipart/form-data"
method="post">

        <p>Upload Image</p>

        <div id="uploadIcon" class="w-[150px] h-[100px] bg-slate-100 flex flex-col justify-center items-center">

            <i class="bi bi-cloud-upload text-[1.5rem]"></i>

            <p>Upload</p>

        </div>

        <input type="file" name="photo"
id="fileField" required class="hidden">

        <p>Product Name</p>

        <input type="text"
placeholder="Type here" name="name"
class="py-1 ps-2 border-[1px] border-[#747474] w-[30vw]" required>

        <p>Product Description</p>

        <textarea name="desc" class="p-2 h-[100px] resize-none border-[1px] border-[#747474] w-[30vw]" placeholder="Write content here" required></textarea>

        <div class="wrapper flex gap-3">

```

```

2">

        <p>Product Category</p>

        <select name="category"
class="p-2 border-[1px] border-[#747474] w-[12vw]" required>

            <option
value="Salad">Salad</option>

            <option
value="Rolls">Rolls</option>

            <option
value="Deserts">Deserts</option>

            <option
value="Sandwich">Sandwich</option>

            <option
value="Cake">Cake</option>

            <option value="Pure Veg">Pure Veg</option>

            <option
value="Pasta">Pasta</option>

            <option
value="Noodles">Noodles</option>

        </select>

    </div>

    <div class="lf flex-col flex gap-2">

        <p>Product Price</p>

        <input name="price"
class="p-2 border-[1px] border-[#747474] w-[12vw]" required placeholder="₹25">

    </div>

</div>

```

```
<button type="submit" class="flex
items-center gap-1 text-white px-3 py-2 mt-
2 bg-black w-max">
```

```
<i class="bi bi-plus"></i>
```

```
<p>ADD</p>
```

```
</button>
```

```
</form>
```

```
</section>
```

```
</main>
```

```
<script>
```

```
let uploadBtn =
document.getElementById("uploadIcon");
```

```
uploadBtn.addEventListener('click',()=>{
```

```
document.getElementById("fileField").click
()

```

```
})
```

```
</script>
```

```
</body>
```

```
</html>
```



## ❖ Admin\_items.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

  <title>Home | Food Website</title>

  <script
src="https://cdn.tailwindcss.com/"></script>

  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">

  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">

</head>

<body class="w-full h-screen flex flex-col">

  <div class="px-[2vw] py-[2vh] w-full flex
justify-between items-center border-b-[1px]
border-[#747474]">

    <div class="left-part">

      
```

```
    <p>Admin Panel</p>

  </div>

  <div class="logo flex items-center gap-
[2vw]">

    <a href="/logout_admin"></a>

  </div>

</div>

<main class="w-screen flex flex-1 justify-
between overflow-x-hidden">

  <aside class="h-[100%] w-[15vw]
border-r-[1px] border-[#747474] ps-3 pt-3
flex-col gap-3">

    <a href="/admin_home" class="flex
gap-2 items-center p-2">

      <i class="bi bi-plus-circle text-
[1.2rem]"></i>

      <p>Add items</p>

    </a>

    <a href="/admin_items" class="flex
gap-2 items-center p-2 bg-orange-300">

      <i class="bi bi-list-ul text-
[1.2rem]"></i>

      <p>List items</p>

    </a>

    <a href="/admin_orders" class="flex
gap-2 items-center p-2">
```

```

        <i class="bi bi-cart text-
[1.2rem]"></i>

        <p>Orders</p>

    </a>

</aside>

<section class="flex-1 h-full w-full p-
[3vw]">

    <h2 class="mb-3 text-xl font-
semibold">All Food List</h2>

    <div class="w-full border-[1px]
border-[#747474]">

        <div class="text-center flex
justify-around border-b-[1px] p-2 border-
[#747474]">

            <p>Image</p>

            <p>Name</p>

            <p>Category</p>

            <p>Price</p>

            <p>Action</p>

        </div>

        { % for id,name,url,cat,price,desc
in data % }

        <div class="p-3 flex justify-
around border-b-[1px] p-2 border-[#747474]
items-center">

```

```

        <p>{{name}}</p>

        <p>{{cat}}</p>

        <p>₹{{price}}</p>

        <p>

            <a href="/delete/{{id}}"
class="p-2 bg-red-300 rounded-md mr-
2"><i class="bi bi-x-lg"></i></a>

            <a href="" class="p-2 bg-
yellow-300 rounded-md"><i class="bi bi-
pencil-square"></i></a>

        </p>

    </div>

    {% endfor %}

</div>

</section>

</main>

</body>

</html>

```

## ❖ Admin\_orders.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Home | Food Website</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') } }"
">
</head>

<body class="w-full h-screen flex flex-col">
  <div class="px-[2vw] py-[2vh] w-full flex
justify-between items-center border-b-[1px]
border-[#747474]">
    <div class="left-part">
      
      <p>Admin Panel</p>
```

```
</div>
    <div class="logo flex items-center gap-
[2vw]">
      
      <a href="/logout_admin"></a>
    </div>
  </div>

  <main class="w-screen flex flex-1 justify-
between overflow-x-hidden">
    <aside class="h-[100%] w-[15vw]
border-r-[1px] border-[#747474] ps-3 pt-3
flex-col gap-3">
      <a href="/admin_home" class="flex
gap-2 items-center p-2">
        <i class="bi bi-plus-circle text-
[1.2rem]"></i>
        <p>Add items</p>
      </a>
      <a href="/admin_items" class="flex
gap-2 items-center p-2 bg-orange-300">
        <i class="bi bi-list-ul text-
[1.2rem]"></i>
        <p>List items</p>
      </a>
      <a href="/admin_orders" class="flex
gap-2 items-center p-2">
```

```

        <i class="bi bi-cart text-
[1.2rem]"></i>

        <p>Orders</p>

    </a>

</aside>

<section class="flex-1 h-full w-full p-
[3vw]">

    <h2 class="mb-3 text-xl font-
semibold">All Food List</h2>

    <div class="w-full border-[1px]
border-[#747474]">

        <div class="text-center flex
justify-around border-b-[1px] p-2 border-
[#747474]">

            <p>Image</p>

            <p>Name</p>

            <p>Category</p>

            <p>Price</p>

            <p>Action</p>

        </div>

        { % for id,name,url,cat,price,desc
in data % }

        <div class="p-3 flex justify-
around border-b-[1px] p-2 border-[#747474]
items-center">

```

```

        <p>{{name}}</p>

        <p>{{cat}}</p>

        <p>₹{{price}}</p>

        <p>

            <a href="/delete/{{id}}"
class="p-2 bg-red-300 rounded-md mr-
2"><i class="bi bi-x-lg"></i></a>

            <a href="" class="p-2 bg-
yellow-300 rounded-md"><i class="bi bi-
pencil-square"></i></a>

        </p>

    </div>

    {% endfor %}

</div>

</section>

</main>

</body>

</html>

```

## ❖ cart.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

  <title>Cart | Food Website</title>

  <script
src="https://cdn.tailwindcss.com/"></script>

  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">

  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">

</head>

<style>

  table th,

  td {

    padding: 10px 10px;

    border-bottom: 2px solid #ddd;

  }

</style>
```

```
<body class="overflow-x-hidden relative">

  {% with messages =
get_flashed_messages() %}

  {% if messages %}

    {% for message in messages %}

      <div class="message border-[1px]
shadow-2x shadow-slate-500 p-3 absolute
right-[3vw] top-[5vw] bg-white border-b-
[3px] border-[tomato]">

        <p>{{ message }} &nbsp;<i class="bi
bi-x-lg"></i></p>

      </div>

    {% endfor %}

  {% endif %}

  {% endwith %}

  <div class="app min-h-screen flex justify-
between flex-col z-50">

    <header class="py-[20px] w-full flex
justify-between items-center">

      <a href="/">

      </a>

      <ul class="navbar-menu flex gap-
[20px] text-[#49557e] text-[18px]">

        <li class="active">home</li>

        <li>menu</li>

        <li>mobile-app</li>
```

```

        <li>contact us</li>

    </ul>

    <div class="navbar-right flex items-center gap-[40px]">

        <a href="/cart" class="navbar-search-icon relative">

            <div
                class="dot absolute min-w-[10px] min-h-[10px] bg-[tomato] rounded-[5px] -top-[8px] -right-[8px]">

            </div>

        </a>

        { % if "email" not in session % }

        <a href="/sign_in"
            class="bg-transparent text-[16px] duration-300 text-[#49557e] border-[1px] hover:bg-[#fff4f2] border-[tomato] py-[10px] px-[30px] rounded-[50px] cursor-pointer">sign
            in</a>

        { % else % }

        <a href="/orders"><i class="bi bi-truck text-[2rem] text-[#49557e]"></i></a>

        <a href="/logout"></a>

        { % endif % }

```

```

    </div>

</header>

<div class="cart-info py-[2vh]">

    <h1 class="text-2xl font-bold text-center border-b-[1px] border-[#ddd] pb-4">Your Cart</h1>

    <table class="text-center w-full shadow-md">

        <thead>

            <tr>

                <th>Item</th>

                <th>Title</th>

                <th>Price</th>

                <th>Quantity</th>

                <th>Total</th>

                <th>Action</th>

            </tr>

        </thead>

        <tbody>

            { % if data | length > 0 % }

            { % for
id,photo,name,price,quantity in data % }

                <tr>

                    <td>

                    </td>

```

```

        <td>{{ name }}</td>
        <td>{{ price }} ₹</td>
        <td>{{ quantity }}</td>
        <td>{{ price * quantity }}
₹</td>

        <td>

        <a
href="/cart_delete/{{ id }}" class="p-2 bg-
red-300 rounded-md mr-2"><i class="bi bi-
x-lg"></i></a>

        <a
href="/cart_edit/{{ id }}" class="p-2 bg-
yellow-300 rounded-md"><i
class="bi bi-pencil-
square"></i></a>

        </td>
    </tr>
    {% endfor %}
    {% else %}

    <tr>

        <td colspan="6">

            Cart is empty.

        </td>

    </tr>
    {% endif %}
</tbody>
</table>

</div>

<div class="cart-pay flex justify-
between py-[3vh]">

```

```

        <div class="total w-[30vw] flex flex-
col gap-1">

        <h1 class="text-xl font-bold py-
3">Cart Total</h1>

        {% if cart_det[0] != None %}

        <div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">

            <span>SubTotal</span>

            <span>{{ cart_det[0] }}
₹</span>

        </div>

        <div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">

            <span>Delivery Fee</span>

            <span>{{ cart_det[1] }}
₹</span>

        </div>

        <div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">

            <span class="font-
semibold">Total</span>

            <span class="font-
semibold">{{ cart_det[2] }} ₹</span>

        </div>

        <a href="/checkout" class="bg-
[tomato] rounded-[5px] w-max my-2 px-6
py-2 text-white">Proceed to checkout</a>

        {% else %}

```

```
<div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">
```

```
<span>SubTotal</span>
```

```
<span>0 ₹</span>
```

```
</div>
```

```
<div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">
```

```
<span>Delivery Fee</span>
```

```
<span>0 ₹</span>
```

```
</div>
```

```
<div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">
```

```
<span class="font-
semibold">Total</span>
```

```
<span class="font-semibold">0
₹</span>
```

```
</div>
```

```
{ % endif % }
```

```
</div>
```

```
<div class="promo w-[30vw]">
```

```
<p class="mb-2">If you have a
promo code, Enter it here. </p>
```

```
<div class="inp w-full flex items-
center justify-between">
```

```
<input type="text"
placeholder="promo code"
```

```
class="flex-1 py-2 bg-slate-
100 placeholder:text-slate-500 px-2 shadow-
md">
```

```
<button class="bg-black px-6
py-2 text-white rounded-
[5px]">Submit</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<footer class="w-full h-max bg-slate-600
flex justify-center items-center text-white
flex-col">
```

```
<div class="footer-container flex
justify-between gap-[1vw] p-7">
```

```
<div class="footer-left flex-1 flex
flex-col gap-3">
```

```

```

```
<p class="text-justify w-
[90%]">Lorem ipsum dolor sit amet
consectetur, adipisicing elit. Similique iste
```

```
illum atque fugiat inventore
unde quod nemo. Nostrum, accusamus
cupiditate?</p>
```

```
<div class="social-icons flex gap-
3">
```

```

```

```

```

```

```

```
</div>
```

```
</div>
```



```
<div class="footer-center w-max pe-
[5vw]">

  <h2 class="text-lg mb-
2">COMPANY</h2>

  <ul>

    <li>Home</li>
    <li>About us</li>
    <li>Delivery</li>
    <li>Privacy policy</li>

  </ul>

</div>

<div class="footer-right w-max pe-
[5vw]">

  <h2 class="text-lg mb-2">GET IN
TOUCH</h2>

  <ul>

    <li>+91 1234567890</li>
    <li>info@tomato.com</li>

  </ul>

</div>

</div>

<div class="line w-full h-[2px] bg-
[fff]"></div>

<p class="capitalize my-
3">Copyright@2024 | All rights reserved for
educational Purpose</p>

</footer>

</div>
```

```
<script
src="https://cdn.jsdelivr.net/npm/gsap@3.12
.5/dist/gsap.min.js"></script>

<script>

  let tl = gsap.timeline()

  tl.from(".left",{
    width:"0",
    ease: "sine",
    duration: 1,
    transformOrigin: "right"
  })

  .from(".message",{
    right: '-600px',
    duration: 1,
    ease: "bounce"
  })

  .to(".message",{
    right: "-400px",
    duration:1,
    ease:"sine",
    delay:1
  })

</script>

</body>

</html>
```

## ❖ checkout.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

  <title>Checkout | Food Website</title>

  <script
src="https://cdn.tailwindcss.com/"></script>

  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">

  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">

</head>

<style>

  table th,
  td {

    padding: 10px 10px;

    border-bottom: 2px solid #ddd;

  }

</style>
```

```
<body class="overflow-x-hidden relative">

  <div class="app min-h-screen flex justify-
between flex-col z-50">

    <header class="py-[20px] w-full flex
justify-between items-center">

      <a href="/">

      </a>

      <ul class="navbar-menu flex gap-
[20px] text-[#49557e] text-[18px]">

        <li class="active">home</li>

        <li>menu</li>

        <li>mobile-app</li>

        <li>contact us</li>

      </ul>

      <div class="navbar-right flex items-
center gap-[40px]">

        <a href="/cart" class="navbar-
search-icon relative">

          <div
```

```

        class="dot absolute min-w-
[10px] min-h-[10px] bg-[tomato] rounded-
[5px] -top-[8px] -right-[8px]">

    </div>

</a>

{ % if "email" not in session % }

<a href="/sign_in"

        class="bg-transparent text-
[16px] duration-300 text-[#49557e] border-
[1px] hover:bg-[#fff4f2] border-[tomato]
py-[10px] px-[30px] rounded-[50px] cursor-
pointer">sign

        in</a>

{ % else % }

<a href="/orders"><i class="bi bi-
truck text-[2rem] text-[#49557e]"></i></a>

<a href="/logout"></a>

{ % endif % }

</div>

</header>

<form action="/checkout"
method="post" class="delivery-info w-full
flex justify-between pb-4">

    <div class="w-[40vw] flex flex-col
gap-2">

        <h1 class="text-xl font-bold py-
3">Delivery Information</h1>

        <textarea required
name="address" placeholder="Address"
class="w-full h-[150px] resize-none px-1
border-[#000] border-[1px] rounded-
md"></textarea>

```

```

    <div class="inp w-full flex justify-
between gap-2">

        <input required type="text"
class="py-2 w-1/2 px-1 border-[#000]
border-[1px] rounded-md"
placeholder="City" name="city">

        <input required type="text"
class="py-2 w-1/2 px-1 border-[#000]
border-[1px] rounded-md"
placeholder="State" name="state">

    </div>

    <div class="inp w-full flex justify-
between gap-2">

        <input required type="number"
class="py-2 w-1/2 px-1 border-[#000]
border-[1px] rounded-md" placeholder="Zip
code" name="zip">

        <input required type="text"
class="py-2 w-1/2 px-1 border-[#000]
border-[1px] rounded-md"
placeholder="Country" name="country">

    </div>

</div>

<div class="total w-[30vw] flex
flex-col gap-1">

    <h1 class="text-xl font-bold py-
3">Cart Total</h1>

    <div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">

        <span>SubTotal</span>

        <span>{{ cart_det[0] }}

₹</span>

    </div>

```

```
<div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">
```

```
<span>Delivery Fee</span>
```

```
<span>{{ cart_det[1] }}
₹</span>
```

```
</div>
```

```
<div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">
```

```
<span>Payment
Method</span>
```

```
<span>Cash on
Delivery</span>
```

```
</div>
```

```
<div class="w-full py-2 flex
items-center justify-between border-b-[1px]
border-[#ddd]">
```

```
<span class="font-
semibold">Total</span>
```

```
<span class="font-
semibold">{{ cart_det[2] }} ₹</span>
```

```
</div>
```

```
<input type="number"
name="price" value="{{ cart_det[2] }}"
hidden>
```

```
<button type="submit"
class="bg-[tomato] rounded-[5px] w-max
my-2 px-6 py-2 text-white">Proceed to
payment</button>
```

```
</div>
```

```
</form>
```

```
<footer class="w-full h-max bg-slate-600
flex justify-center items-center text-white
flex-col">
```

```
<div class="footer-container flex
justify-between gap-[1vw] p-7">
```

```
<div class="footer-left flex-1 flex
flex-col gap-3">
```

```

```

```
<p class="text-justify w-
[90%]">Lorem ipsum dolor sit amet
consectetur, adipisicing elit. Similique iste
```

```
illum atque fugiat inventore
unde quod nemo. Nostrum, accusamus
cupiditate?</p>
```

```
<div class="social-icons flex gap-
3">
```

```

```

```

```

```

```

```
</div>
```

```
</div>
```

```
<div class="footer-center w-max pe-
[5vw]">
```

```
<h2 class="text-lg mb-
2">COMPANY</h2>
```

```
<ul>
```

```
<li>Home</li>
```

```

    <li>About us</li>
    <li>Delivery</li>
    <li>Privacy policy</li>
  </ul>
</div>
<div class="footer-right w-max pe-
[5vw]">
  <h2 class="text-lg mb-2">GET IN
TOUCH</h2>
  <ul>
    <li>+91 1234567890</li>
    <li>info@tomato.com</li>
  </ul>
```

```

  </div>
</div>
<div class="line w-full h-[2px] bg-
[ #fff]"></div>
  <p class="capitalize my-
3">Copyright@2024 | All rights reserved for
educational Purpose</p>
</footer>
</div>
</body>

</html>
```

## ❖ editcart.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Edit Cart | Food Website</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">
</head>
<body>
<div class="app min-h-screen flex justify-
between flex-col z-50">
  <header class="py-[20px] w-full flex
justify-between items-center">
    <a href="/">
      
    </a>
```

```
    <ul class="navbar-menu flex gap-
[20px] text-[#49557e] text-[18px]">
      <li class="active">home</li>
      <li>menu</li>
      <li>mobile-app</li>
      <li>contact us</li>
    </ul>
    <div class="navbar-right flex items-
center gap-[40px]">
      
      <div class="navbar-search-icon
relative">
        
        <div class="dot absolute min-w-
[10px] min-h-[10px] bg-[tomato] rounded-
[5px] -top-[8px] -right-[8px]"></div>
      </div>
      { % if "email" not in session % }
      <a href="/sign_in" class="bg-
transparent text-[16px] duration-300 text-
[#49557e] border-[1px] hover:bg-[#fff4f2]
border-[tomato] py-[10px] px-[30px]
rounded-[50px] cursor-pointer">sign in</a>
      { % else % }
      <a href="/logout"></a>
```

```

        {% endif % }
    </div>
</header>
<div class="food_info my-3 flex justify-between">
    <div class="image-div w-[30vw] h-[30vw]">
        
    </div>
    <div class="info-div w-[40vw] flex gap-3 flex-col">
        <h1 class="text-2xl text-[tomato] font-bold">{{ data[2] }}</h1>
        <p class="text-slate-500 text-lg">{{ data[5] }}</p>
        <p class="text-md">Category : {{ data[6] }}</p>
        <p class="text-md">Price : {{ data[3] }} ₹</p>
        <form action="/edit_cart" method="post">
            <div class="inp flex items-center gap-3">
                <p>Quantity</p>
                <input required type="number" min="1" name="quantity" value="{{ data[4] }}" class="bg-slate-100 py-1 px-1 w-[60px] border-b-[1px] outline-0 border-[#000]">
            </div>

```

```

        <input type="text" name="cid" value="{{ data[0] }}" hidden>
        <button type="submit" class="bg-[tomato] text-white py-2 px-4 rounded-[5px] mt-4">Edit Cart</button>
    </form>
</div>
</div>
<div>
    <div class="w-full h-max bg-slate-600 flex justify-center items-center text-white flex-col">
        <div class="footer-container flex justify-between gap-[1vw] p-7">
            <div class="footer-left flex-1 flex flex-col gap-3">
                
                <p class="text-justify w-[90%]">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?</p>
                <div class="social-icons flex gap-3">
                    
                    
                    
                </div>

```

```

    </div>

    <div class="footer-center w-max pe-
[5vw]">

        <h2 class="text-lg mb-
2">COMPANY</h2>

        <ul>

            <li>Home</li>

            <li>About us</li>

            <li>Delivery</li>

            <li>Privacy policy</li>

        </ul>

    </div>

    <div class="footer-right w-max pe-
[5vw]">

        <h2 class="text-lg mb-2">GET IN
TOUCH</h2>

```

```

        <ul>

            <li>+91 1234567890</li>

            <li>info@tomato.com</li>

        </ul>

    </div>

</div>

<div class="line w-full h-[2px] bg-
[ #fff]"></div>

    <p class="capitalize my-
3">Copyright@2024 | All rights reserved for
educational Purpose</p>

    </footer>

</div>

</body>

</html>

```



## ❖ foodinfo.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Food info | Food Website</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">
</head>
<body>
<div class="app min-h-screen flex justify-
between flex-col z-50">
  <header class="py-[20px] w-full flex
justify-between items-center">
    <a href="/">
      
    </a>
```

```
    <ul class="navbar-menu flex gap-
[20px] text-[#49557e] text-[18px]">
      <li class="active">home</li>
      <li>menu</li>
      <li>mobile-app</li>
      <li>contact us</li>
    </ul>
    <div class="navbar-right flex items-
center gap-[40px]">
      
      <div class="navbar-search-icon
relative">
        
        <div class="dot absolute min-w-
[10px] min-h-[10px] bg-[tomato] rounded-
[5px] -top-[8px] -right-[8px]"></div>
      </div>
      { % if "email" not in session % }
      <a href="/sign_in" class="bg-
transparent text-[16px] duration-300 text-
[#49557e] border-[1px] hover:bg-[#fff4f2]
border-[tomato] py-[10px] px-[30px]
rounded-[50px] cursor-pointer">sign in</a>
      { % else % }
      <a href="/logout"></a>
```

```

        {% endif %}
    </div>
</header>
<div class="food_info my-3 flex justify-between">
    <div class="image-div w-[30vw] h-[30vw]">
        
    </div>
    <!-- id,name,url,cat,price,desc -->
    <div class="info-div w-[40vw] flex gap-3 flex-col">
        <h1 class="text-2xl text-[tomato] font-bold">{{ data[1] }}</h1>
        <p class="text-slate-500 text-lg">{{ data[5] }}</p>
        <p class="text-md">Category : {{ data[3] }}</p>
        <p class="text-md">Price : {{ data[4] }} ₹</p>
        <form action="/add_cart" method="post">
            <div class="inp flex items-center gap-3">
                <p>Quantity</p>
                <input required type="number" min="1" name="quantity" class="bg-slate-100 py-1 px-1 w-[60px] border-b-[1px] outline-0 border-[#000]">
            </div>

```

```

        <input type="text" name="pid" value="{{ data[0] }}" hidden>
        <button type="submit" class="bg-[tomato] text-white py-2 px-4 rounded-[5px] mt-4">Add To Cart</button>
    </form>
</div>
</div>
<div>
    <div class="w-full h-max bg-slate-600 flex justify-center items-center text-white flex-col">
        <div class="footer-container flex justify-between gap-[1vw] p-7">
            <div class="footer-left flex-1 flex flex-col gap-3">
                
                <p class="text-justify w-[90%]">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?</p>
                <div class="social-icons flex gap-3">
                    
                    
                    
                </div>
            </div>

```

```

    </div>

    <div class="footer-center w-max pe-
[5vw]">

        <h2 class="text-lg mb-
2">COMPANY</h2>

        <ul>

            <li>Home</li>

            <li>About us</li>

            <li>Delivery</li>

            <li>Privacy policy</li>

        </ul>

    </div>

    <div class="footer-right w-max pe-
[5vw]">

        <h2 class="text-lg mb-2">GET IN
TOUCH</h2>

```

```

        <ul>

            <li>+91 1234567890</li>

            <li>info@tomato.com</li>

        </ul>

    </div>

</div>

<div class="line w-full h-[2px] bg-
[ #fff]"></div>

    <p class="capitalize my-
3">Copyright@2024 | All rights reserved for
educational Purpose</p>

    </footer>

</div>

</body>

</html>

```

## ❖ index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Home | Food Website</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/
font-awesome/6.2.1/css/all.min.css" />
</head>
<body class="w-full relative">
  <section class="fixed bg-black/50 w-
screen hidden h-[100vh] z-99"></section>
  <div class="app min-h-screen z-50">
    <header class="py-[20px] w-full flex
justify-between items-center">
      
      <ul class="navbar-menu flex gap-
[20px] text-[#49557e] text-[18px]">
```

```
        <li class="active">home</li>
        <li>menu</li>
        <li>mobile-app</li>
        <li>contact us</li>
      </ul>
      <div class="navbar-right flex items-
center gap-[40px]">
        
        <a href="/cart" class="navbar-
search-icon relative">
          
          <div class="dot absolute min-
w-[10px] min-h-[10px] bg-[tomato]
rounded-[5px] -top-[8px] -right-
[8px]"></div>
        </a>
        { % if "email" not in session % }
        <a href="/sign_in" class="bg-
transparent text-[16px] duration-300 text-
[#49557e] border-[1px] hover:bg-[#fff4f2]
border-[tomato] py-[10px] px-[30px]
rounded-[50px] cursor-pointer">sign in</a>
        { % else % }
        <a href="/logout"></a>
        { % endif % }
```

```

    </div>

    </header>

    <div style="background-image:
url(/static/assets/header_img.png);"
class="header h-[34vw] my-[30px] mx-auto
bg-no-repeat bg-contain relative"
style="background-image:
url(assets/header_img.png);">

    <div class="header-contents
animate-fadeIn absolute flex flex-col items-
start gap-[1.5vw] max-w-[50%] bottom-
[10%] left-[6vw]">

    <h2 class="text-[#fff] text-
[max(4.5vw)] font-md">Order your
favourite food here</h2>

    <p class="text-white text-
[1vw]">Choose from a diverse menu
featuring a delectable array od dishes crafted
with the finest ingredients and culinary
expertise. Our mission is to satisfy your
cravings and elevate your dining experience,
one delicious meal at a time.</p>

    <button class="text-[#747474] font-
md px-[2.3vw] py-[1vw] bg-white rounded-
[50px] text-[1vw]">View menu</button>

    </div>

    </div>

    <div class="info flex flex-col gap-
[10px] mb-3">

    <h2 class="font-md text-
[2.3vw]">Explore our menu</h2>

    <p class="text-[#747474] w-
[60%]">Lorem ipsum dolor sit amet
consectetur adipisicing elit. Totam tempora,
neque expedita rerum pariatur ratione. Ab
obcaecati velit iste illum?</p>

```

```

    </div>

    <div class="dishes-menu my-3 py-3
z-50 flex justify-between gap-[25px] items-
center">

    <a href="/Salad" class="flex items-
center flex-col gap-[10px]">

    <div class="food-img">

    </div>

    <p class="text-
[#747474]">Salad</p>

    </a>

    <a href="/Rolls" class="flex items-
center flex-col gap-[10px]">

    <div class="food-img">

    </div>

    <p class="text-
[#747474]">Rolls</p>

    </a>

    <a href="/Deserts" class="flex items-
center flex-col gap-[10px]">

    <div class="food-img">

    </div>

    <p class="text-
[#747474]">Deserts</p>

    </a>

```

```
<a href="/Sandwich" class="flex
items-center flex-col gap-[10px]">
  <div class="food-img">
    
  </div>
  <p class="text-
[#747474]">Sandwich</p>
</a>

<a href="/Cake" class="flex items-
center flex-col gap-[10px]">
  <div class="food-img">
    
  </div>
  <p class="text-
[#747474]">Cake</p>
</a>

<a href="/Pure Veg" class="flex
items-center flex-col gap-[10px]">
  <div class="food-img">
    
  </div>
  <p class="text-[#747474]">Pure
Veg</p>
</a>

<a href="/Pasta" class="flex items-
center flex-col gap-[10px]">
  <div class="food-img">
    
```

```
</div>

<p class="text-
[#747474]">Pasta</p>
</a>

<a href="/Noodles" class="flex
items-center flex-col gap-[10px]">
  <div class="food-img">
    
  </div>
  <p class="text-
[#747474]">Noodles</p>
</a>
</div>

<div class="line w-full h-[2px] bg-
[#747474]"></div>

<div class="food-display my-3">
  <h2 class="text-[2.3vw] font-bold
my-3">Top dishes near you</h2>

  <div class="food-display-list grid
my-[30px] gap-[30px]" style="row-gap:
50px;grid-template-columns: repeat(auto-
fill,minmax(240px,1fr));">

    <!-- Food Item -->

    { % for id,name,url,cat,price,desc
in data % }

    <div class="food-item w-[100%]
m-auto rounded-[15px] shadow-md
duration-300 animate-fadeIn">

      <div class="food-item-image-
container w-full rounded-t-[15px]">
```

```

    </div>

    <div class="food-item-info m-
[20px]">

        <div class="food-item-name-
rating flex justify-between items-center mb-
[10px]">

            <p class="text-[20px] font-
semibold">{ { name } }</p>

        </div>

        <p class="text-[#676767]
text-[12px]">{ { desc } }</p>

        <div class="flex justify-
between items-center">

            <p class="text-[tomato]
text-[22px] font-semibold my-
[10px]">₹ { { price } }</p>

            <a href="/food/{ {id} }"
class="text-white bg-[tomato] w-[5vh] h-
[5vh] text-[15px] flex items-center justify-
center text-center rounded-full"><i
class="fa-solid fa-cart-shopping
cart"></i></a>

        </div>

    </div>

</div>

{ % endfor % }

<!-- Food Item over -->

</div>

```

```

</div>

    <footer class="w-full h-max bg-slate-
600 flex justify-center items-center text-
white flex-col">

        <div class="footer-container flex
justify-between gap-[1vw] p-7">

            <div class="footer-left flex-1 flex
flex-col gap-3">

                <p class="text-justify w-
[90%]">Lorem ipsum dolor sit amet
consectetur, adipisicing elit. Similique iste
illum atque fugiat inventore unde quod
nemo. Nostrum, accusamus cupiditate?</p>

                <div class="social-icons flex
gap-3">

                </div>

            </div>

            <div class="footer-center w-max
pe-[5vw]">

                <h2 class="text-lg mb-
2">COMPANY</h2>

                <ul>

```

```
        <li>Home</li>
        <li>About us</li>
        <li>Delivery</li>
        <li>Privacy policy</li>
    </ul>
</div>

<div class="footer-right w-max
pe-[5vw]">
    <h2 class="text-lg mb-2">GET
IN TOUCH</h2>
    <ul>
        <li>+91 1234567890</li>
        <li>info@tomato.com</li>
    </ul>
</div>
</div>

<div class="line w-full h-[2px] bg-
[#fff]"></div>
```

```
    <p class="capitalize my-
3">Copyright@2024 | All rights reserved for
educational Purpose</p>
</footer>
</div>

<script
src="https://cdn.jsdelivr.net/npm/gsap@3.12
.5/dist/gsap.min.js"></script>

<script>
    let tl = gsap.timeline()
    gsap.from(".dishes-menu a",{
        y: "-25px",
        opacity: 0,
        stagger: 0.2,
        ease: "sine"
    })
</script>
</body>
</html>
```



## ❖ orders.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Orders | Food Website</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css') }
}">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">
</head>
<body>
<div class="app min-h-screen flex justify-
between flex-col z-50">
  <header class="py-[20px] w-full flex
justify-between items-center">
    <a href="/">
      
    </a>
```

```
    <ul class="navbar-menu flex gap-
[20px] text-[#49557e] text-[18px]">
      <li class="active">home</li>
      <li>menu</li>
      <li>mobile-app</li>
      <li>contact us</li>
    </ul>
    <div class="navbar-right flex items-
center gap-[40px]">
      
      <a href="/cart" class="navbar-
search-icon relative">
        
        <div class="dot absolute min-w-
[10px] min-h-[10px] bg-[tomato] rounded-
[5px] -top-[8px] -right-[8px]">
        </div>
      </a>
      { % if "email" not in session % }
      <a href="/sign_in"
class="bg-transparent text-[16px]
duration-300 text-[#49557e] border-[1px]
hover:bg-[#fff4f2] border-[tomato] py-
[10px] px-[30px] rounded-[50px] cursor-
pointer">sign
      in</a>
```

```

    { % else % }

    <a href="/orders"><i class="bi bi-truck text-[2rem] text-[#49557e]"></i></a>

    <a href="/logout"></a>

    { % endif % }

</div>

</header>

<div class="orders">

    <h1 class="text-2xl font-bold text-center border-b-[1px] border-[#ddd] pb-4">My Orders</h1>

    { % if orders | length > 0 % }

    { % for photo,name,price,quantity,status in orders % }

    <div class="order flex p-3 border-[1px] mb-3 items-center justify-between border-[#747474]">

        <p>{ {name} }</p>

        <p>Price : { {price} } ₹</p>

        <p>Items : { {quantity} }</p>

        <p><span class="text-[tomato]">▪</span> { {status} }</p>

        <a href="/orders" class="py-2 px-4 bg-orange-200 rounded-[5px]">Track Order</a>

    </div>

    { % endfor % }

```

```

    { % else % }

    <h2 class="text-center text-xl">No Orders Placed</h2>

    { % endif % }

</div>

<footer class="w-full h-max bg-slate-600 flex justify-center items-center text-white flex-col">

    <div class="footer-container flex justify-between gap-[1vw] p-7">

        <div class="footer-left flex-1 flex flex-col gap-3">

            <p class="text-justify w-[90%]">Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?</p>

            <div class="social-icons flex gap-3">

            </div>

        </div>

        <div class="footer-center w-max pe-[5vw]">

```

```

    <h2 class="text-lg mb-2">COMPANY</h2>
    <ul>
      <li>Home</li>
      <li>About us</li>
      <li>Delivery</li>
      <li>Privacy policy</li>
    </ul>
  </div>
  <div class="footer-right w-max pe-5vw">
    <h2 class="text-lg mb-2">GET IN TOUCH</h2>
    <ul>
```

```

    <li>+91 1234567890</li>
    <li>info@tomato.com</li>
  </ul>
</div>
</div>
<div class="line w-full h-[2px] bg-[#fff]"></div>
  <p class="capitalize my-3">Copyright@2024 | All rights reserved for educational Purpose</p>
</footer>
</div>
</body>
</html>
```

## ❖ registers.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">
  <title>Register</title>
  <script
src="https://cdn.tailwindcss.com/"></script>
  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">
  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css')}
}">
</head>
<body class="w-full overflow-x-hidden
justify-center items-center flex h-screen
relative">
  <a href="/" class="logo absolute top-
[3vw] left-[3vw]">
    
  </a>
  <div class="app w-max shadow-2xl
shadow-slate-500 h-[90%] flex justify-
center">
```

```
    <div class="left bg-white w-[30vw] h-
full">
      
    </div>
    <div class="right flex flex-col p-[2vw]
gap-3 justify-center w-[30vw] h-full">
      <h2 class="text-3xl font-
bold">Register</h2>
      <p class="text-md font-semibold
text-[#747474]">Join our community which
is full of food lovers</p>
      <form action="/register"
method="post" class="flex-col flex gap-3">
        <div class="input-field border-
[1px] border-[#747474] w-full ps-[1vw]
rounded-md flex items-center gap-1">
          <i class="bi bi-person"></i>
          <input type="text"
placeholder="Full Name" name="name"
required class="p-3 outline-0 flex-1 border-
0">
        </div>
        <div class="input-field border-
[1px] border-[#747474] w-full ps-[1vw]
rounded-md flex items-center gap-1">
          <i class="bi bi-envelope"></i>
          <input type="email"
placeholder="abc@email.com"
name="email" required class="p-3 outline-0
flex-1 border-0">
        </div>
```

```

        <div class="input-field border-
[1px] border-[#747474] w-full ps-[1vw]
rounded-md flex items-center gap-1">

            <i class="bi bi-phone"></i>

            <input type="tel"
placeholder="+91 123456789"
name="phone" required class="p-3 outline-0
flex-1 border-0">

        </div>

        <div class="input-field border-
[1px] border-[#747474] w-full px-[1vw]
rounded-md flex items-center gap-1">

            <i class="bi bi-key"></i>

            <input type="password"
id="pass-input" placeholder="Password"
name="password" required class="p-3
outline-0 flex-1 border-0">

            <i class="bi bi-eye" id="eye-
btn"></i>

        </div>

        <button type="submit"
class="rounded-md text-lg bg-[tomato] text-
white px-3 py-2 w-full">Register</button>

        <p class="text-center">Already
Have an account ? <a href="/sign_in"
class="text-[blue]">Log in</a></p>

    </form>

</div>

</div>

<script
src="https://cdn.jsdelivr.net/npm/gsap@3.12
.5/dist/gsap.min.js"></script>

<script>

    gsap.from(".left",{

```

```

        width:"0",
        ease: "sine",
        opacity: 0.5,
        duration: 1,
        transformOrigin: "right"
    })

    let passField =
document.getElementById("pass-input")

    let eyeBtn =
document.getElementById("eye-btn")

    eyeBtn.addEventListener('click',() => {
        if (passField.type == "text") {
            passField.type = "password";
            eyeBtn.classList.add("bi-eye")
            eyeBtn.classList.remove("bi-eye-
slash")
        }else{
            passField.type = "text";
            eyeBtn.classList.add("bi-eye-
slash")
            eyeBtn.classList.remove("bi-eye")
        }
    })

</script>

</body>

</html>

```

## ❖ signin.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport"
content="width=device-width, initial-
scale=1.0">

  <title>Sign in</title>

  <script
src="https://cdn.tailwindcss.com/"></script>

  <link rel="shortcut icon"
href="/static/assets/favicon.png"
type="image/x-icon">

  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-
icons.min.css">

  <link rel="stylesheet"
href="{ { url_for('static',filename='style.css')}
}">

</head>

<body class="w-full overflow-x-hidden
justify-center items-center flex h-screen
relative">

  <a href="/" class="logo absolute top-
[3vw] left-[3vw]">

  </a>

  { % with messages =
get_flashed_messages() % }

  { % if messages % }
```

```
{ % for message in messages % }

  <div class="message border-[1px]
shadow-2x shadow-slate-500 p-3 absolute
right-[3vw] top-[3vw] border-b-[3px]
border-[tomato]">

    <p>{{ message }} &nbsp;<i class="bi
bi-x-lg"></i></p>

  </div>

  { % endfor % }

  { % endif % }

  { % endwith % }

  <div class="app w-max shadow-2xl
shadow-slate-500 h-[90%] flex justify-
center">

    <div class="right flex flex-col p-[2vw]
gap-3 justify-center w-[30vw] h-full">

      <h2 class="text-3xl font-bold">Log
In</h2>

      <p class="text-md font-semibold
text-[#747474]">Sign in quickly to access
more features</p>

      <form action="/sign_in"
method="post" class="flex-col flex gap-3">

        <div class="input-field border-
[1px] border-[#747474] w-full ps-[1vw]
rounded-md flex items-center gap-1">

          <i class="bi bi-envelope"></i>

          <input type="email"
placeholder="abc@email.com"
name="email" required class="p-3 outline-0
flex-1 border-0">

        </div>
```

```

    <div class="input-field border-
[1px] border-[#747474] w-full px-[1vw]
rounded-md flex items-center gap-1">

        <i class="bi bi-key"></i>

        <input type="password"
id="pass-input" placeholder="Password"
name="password" required class="p-3
outline-0 flex-1 border-0">

        <i class="bi bi-eye" id="eye-
btn"></i>

    </div>

    <button type="submit"
class="rounded-md text-lg bg-[tomato] text-
white px-3 py-2 w-full">Log in</button>

    <p class="text-center">Don't Have
an account ? <a href="/register" class="text-
[blue]">Go to Register</a></p>

</form>

</div>

<div class="left bg-white w-[30vw] h-
full">

</div>

</div>

<script
src="https://cdn.jsdelivr.net/npm/gsap@3.12
.5/dist/gsap.min.js"></script>

<script>

    let tl = gsap.timeline()

```

```

tl.from(".left",{
    width:"0",
    ease: "sine",
    duration: 1,
    transformOrigin: "right"
})

.from(".message",{
    right: '-600px',
    duration: 1,
    ease: "bounce"
})

.to(".message",{
    right: "-400px",
    duration:1,
    ease:"sine",
    delay:1
})

```

```

let passField =
document.getElementById("pass-input")

```

```

let eyeBtn =
document.getElementById("eye-btn")

```

```

eyeBtn.addEventListener('click',() => {
    if (passField.type == "text") {
        passField.type = "password";
        eyeBtn.classList.add("bi-eye")
        eyeBtn.classList.remove("bi-eye-
slash")
    }
})

```


<pre>}else{     passField.type = "text";     eyeBtn.classList.add("bi-eye- slash")     eyeBtn.classList.remove("bi-eye")</pre>	<pre>}     }) &lt;/script&gt; &lt;/body&gt; &lt;/html&gt;</pre>
--	---



# Website Preview

## ❖ Register Page

Tomato.



### Register

Join our community which is full of food lovers

[Register](#)

Already Have an account ? [Log in](#)

## ❖ Login Page


Tomato.

### Log In

Sign in quickly to access more features

[Log in](#)

Don't Have an account ? [Go to Register](#)



## ❖ Menu Page

Tomato.

[home](#) [menu](#) [mobile-app](#) [contact us](#)



# Order your favourite food here

Choose from a diverse menu featuring a delectable array of dishes crafted with the finest ingredients and culinary expertise. Our mission is to satisfy your cravings and elevate your dining experience, one delicious meal at a time.

[View menu](#)

## Explore our menu

Lorem ipsum dolor sit amet consectetur adipiscing elit. Totam tempora, neque expedita rerum pariatur ratione. Ab obsecrati velit iste illum?



Salad



Rolls



Deserts



Sandwich



Cake



Pure Veg



Pasta



Noodles

## Top dishes near you



### Asparagus Salad ★★★★★

A visually appealing dish featuring sliced asparagus arranged in a circular pattern, topped with a vibrant egg yolk.



### Mixed Green Salad ★★★★★

A fresh salad composed of various greens, topped with crispy elements and a light



### Radicchio and Walnut Salad ★★★★★

A colorful salad featuring radicchio leaves, walnuts, and greens, offering a mix of bitter



### Grilled Halloumi Salad ★★★★★

A hearty salad with grilled halloumi cheese, fresh vegetables, and herbs, providing a



### Spinach and Ricotta Lasagna ★★★★★

A comforting dish of lasagna filled with spinach and ricotta cheese, baked until golden and bubbly, ideal for a cozy meal.

₹140.00



### Chicken Kathi Roll ★★★★★

A flavorful wrap filled with spiced chicken, onions, and herbs, all rolled in a soft flatbread.

₹130.00



### Chicken Burrito ★★★★★

A hearty burrito stuffed with shredded chicken, vegetables, and sauces, wrapped in a warm tortilla.

₹180.00



### Cheesy Chicken Roll ★★★★★

A delicious roll filled with chicken and melted cheese, baked until golden and topped with sesame seeds.

₹200.00







### Raspberry Ice Cream

★★★★☆

A creamy and fruity ice cream infused with raspberry flavor, perfect for a refreshing treat.

₹90.00



### Mille-Feuille with Ice Cream

★★★★☆

A delicate pastry layered with cream and served with a scoop of ice cream, garnished with fruit.

₹170.00



### Strawberry Panna Cotta

★★★★☆

A creamy Italian dessert made with sweetened cream and topped with fresh strawberries.

₹70.00



### Ice Cream Sundae

★★★★☆

A classic dessert featuring scoops of ice cream served in a colorful sprinkles bowl, perfect for a sweet treat.

₹135.00



### Club Sandwich

★★★★☆

A layered sandwich with turkey, bacon, lettuce, and tomato, served with crispy potatoes on the side.

₹140.00



### BLT Sandwich

★★★★☆

A classic bacon, lettuce, and tomato sandwich, featuring layers of fresh ingredients on toasted bread.

₹150.00



### Veggie Sandwich

★★★★☆

A hearty sandwich filled with a variety of fresh vegetables and a creamy spread, served on whole grain bread.

₹95.00



### Banh Mi

★★★★☆

A Vietnamese sandwich featuring a crispy baguette filled with meats, pickled vegetables, and fresh herbs.

₹110.00



### Cupcake

★★★★☆

A small, sweet cake topped with colorful frosting and a cherry, perfect for celebrations.

₹115.00



### Strawberry Cheesecake

★★★★☆

A creamy cheesecake topped with a layer of strawberry jelly and fresh strawberries, served on a graham cracker crust.

₹160.00



### Vanilla Cake

★★★★☆

A classic vanilla cake frosted with whipped cream and adorned with fresh berries, ideal for any occasion.

₹300.00



### Mango Mousse Cake

★★★★☆

A light and airy mousse cake topped with a layer of mango puree and garnished with edible flowers.

₹160.00



### Macaroni and Cheese

★★★★☆

A creamy pasta dish made with macaroni and a rich cheese sauce, baked until golden and bubbly.

₹145.00



### Tomato Basil Pasta

★★★★☆

A vibrant dish of rotini pasta tossed with fresh tomatoes, basil, and a light sauce, perfect for a quick meal.

₹120.00



### Chicken Alfredo

★★★★☆

Fettuccine pasta coated in a creamy Alfredo sauce with tender pieces of chicken and garnished with herbs.

₹150.00



### Creamy Spinach Chicken Pasta

★★★★☆

A rich pasta dish featuring linguine, chicken, spinach, and sun-dried tomatoes in a creamy sauce.

₹130.00



### Stuffed Eggplant

★★★★☆

Roasted eggplant filled with a savory mixture of grains, nuts, and topped with yogurt and fresh herbs.

₹120.00



### Roasted Cauliflower Salad

★★★★☆

A vibrant salad featuring roasted cauliflower, chickpeas, pomegranate seeds, and fresh herbs, drizzled with a light dressing.

₹110.00



### Caesar Salad

★★★★☆

A classic salad with romaine lettuce, croutons, cherry tomatoes, and Parmesan cheese, dressed in Caesar dressing.

₹85.00



### Vegetable Rice Bowl

★★★★☆

A wholesome bowl of rice mixed with sautéed vegetables and served with soft-boiled eggs for added protein.

₹100.00





### Macaroni and Cheese

★★★★☆

A creamy pasta dish made with macaroni and a rich cheese sauce, baked until golden and bubbly.

₹145.00



### Tomato Basil Pasta

★★★★☆

A vibrant dish of rotini pasta tossed with fresh tomatoes, basil, and a light sauce, perfect for a quick meal.

₹120.00



### Chicken Alfredo

★★★★☆

Fettuccine pasta coated in a creamy Alfredo sauce with tender pieces of chicken and garnished with herbs.

₹150.00



### Creamy Spinach Chicken Pasta

★★★★☆

A rich pasta dish featuring linguine, chicken, spinach, and sun-dried tomatoes in a creamy sauce.

₹130.00




### Spaghetti with Ricotta and Greens

★★★★☆

A flavorful spaghetti dish topped with fresh greens, ricotta cheese, and a drizzle of olive oil, served with wine.

₹190.00



### Classic Spaghetti

★★★★☆

A simple yet delicious plate of spaghetti tossed in a rich tomato sauce, ready to be enjoyed.

₹210.00



### Seafood Pasta

★★★★☆

A flavorful dish of spaghetti tossed with shrimp, calamari, cherry tomatoes, and fresh herbs in a light sauce.

₹100.00



### Vietnamese Noodle Soup

★★★★☆

A comforting bowl of rice noodles in a savory broth, topped with meat, vegetables, and fresh herbs, served with a side of greens.

₹170.00



## Tomato.

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?



#### COMPANY

[Home](#)  
[About us](#)  
[Delivery](#)  
[Privacy policy](#)

#### GET IN TOUCH

+91 1234567890  
[info@tomato.com](mailto:info@tomato.com)

## ❖ Addcart page

Tomato.

[home](#) [menu](#) [mobile-app](#) [contact us](#)



### Chicken Kathi Roll

A flavorful wrap filled with spiced chicken, onions, and herbs, all rolled in a soft flatbread.

Category : Rolls

Price : 130.00₹

Quantity

Add To Cart

Tomato.

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?



COMPANY

[Home](#)  
[About us](#)  
[Delivery](#)  
[Privacy policy](#)

GET IN TOUCH

+91 1234567890  
[info@tomato.com](mailto:info@tomato.com)

Tomato.

[home](#) [menu](#) [mobile-app](#) [contact us](#)



### Your Cart

Item	Title	Price	Quantity	Total	Action
	Cheesy Chicken Roll	200.00 ₹	1	200.00 ₹	<a href="#">×</a> <a href="#">+</a>

#### Cart Total

SubTotal	200.00 ₹
Delivery Fee	50 ₹
<b>Total</b>	<b>250.00 ₹</b>

Proceed to checkout

If you have a promo code, Enter it here.

Submit

Tomato.

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?



COMPANY

[Home](#)  
[About us](#)  
[Delivery](#)

GET IN TOUCH

+91 1234567890  
[info@tomato.com](mailto:info@tomato.com)



## ❖ Payment page

Tomato.

[home](#) [menu](#) [mobile-app](#) [contact us](#)



### Delivery Information

Address

City

State

Zip code

Country

### Cart Total

SubTotal 200.00 ₹

Delivery Fee 50 ₹

Payment Method Cash on Delivery

Total 250.00 ₹

Proceed to payment

Tomato.

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?



### COMPANY

[Home](#)  
[About us](#)  
[Delivery](#)  
[Privacy policy](#)

### GET IN TOUCH

+91 1234567890  
[info@tomato.com](mailto:info@tomato.com)

Copyright@2024 | All Rights Reserved For Educational Purpose

## ❖ OrderTrack Page

Tomato.

[home](#) [menu](#) [mobile-app](#) [contact us](#)



### My Orders



Cheesy Chicken Roll

Price : 250.00 ₹

Items : 1

• Pending

Track Order

Tomato.

Lorem ipsum dolor sit amet consectetur, adipisicing elit. Similique iste illum atque fugiat inventore unde quod nemo. Nostrum, accusamus cupiditate?



### COMPANY

[Home](#)  
[About us](#)  
[Delivery](#)  
[Privacy policy](#)

### GET IN TOUCH

+91 1234567890  
[info@tomato.com](mailto:info@tomato.com)

Copyright@2024 | All Rights Reserved For Educational Purpose

[+ Add items](#)[List items](#)[Orders](#)

Upload Image



Upload

Product Name










Product Description






















Product Category

Product Price

[+ ADD](#)[+ Add items](#)[List items](#)[Orders](#)

## All Food List

Image	Name	Category	Price	Action
	Asparagus Salad	Salad	₹100.00	<a href="#">×</a> <a href="#">✎</a>
	Mixed Green Salad	Salad	₹140.00	<a href="#">×</a> <a href="#">✎</a>
	Radicchio and Walnut Salad	Salad	₹120.00	<a href="#">×</a> <a href="#">✎</a>
	Grilled Halloumi Salad	Salad	₹170.00	<a href="#">×</a> <a href="#">✎</a>
	Spinach and Ricotta Lasagna	Pasta	₹140.00	<a href="#">×</a> <a href="#">✎</a>
	Chicken Kathi Roll	Rolls	₹130.00	<a href="#">×</a> <a href="#">✎</a>
	Chicken Burrito	Rolls	₹180.00	<a href="#">×</a> <a href="#">✎</a>
	Cheesy Chicken Roll	Rolls	₹200.00	<a href="#">×</a> <a href="#">✎</a>
	Raspberry Ice Cream	Deserts	₹90.00	<a href="#">×</a> <a href="#">✎</a>

	Ice Cream Sundae	Deserts	₹135.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Club Sandwich	Sandwich	₹140.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	BLT Sandwich	Sandwich	₹150.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Veggie Sandwich	Sandwich	₹95.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Banh Mi	Sandwich	₹110.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Cupcake	Cake	₹115.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Strawberry Cheesecake	Cake	₹160.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Vanilla Cake	Cake	₹300.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Mango Mousse Cake	Cake	₹160.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Stuffed Eggplant	Pure Veg	₹140.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Roasted Cauliflower Salad	Pure Veg	₹80.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Caesar Salad	Salad	₹135.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Vegetable Rice Bowl	Pure Veg	₹180.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Macaroni and Cheese	Pasta	₹145.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Tomato Basil Pasta	Pasta	₹120.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Chicken Alfredo	Pasta	₹150.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Creamy Spinach Chicken Pasta	Pasta	₹130.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Spaghetti with Ricotta and Greens	Noodles	₹190.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Classic Spaghetti	Noodles	₹210.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Seafood Pasta	Noodles	₹100.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Vietnamese Noodle Soup	Noodles	₹170.00	<input type="checkbox"/>	<input checked="" type="checkbox"/>



# ❖ CustomerOrder Page

**Tomato.**  
Admin Panel



⊕ Add items

☰ List items

🛒 Orders

## Orders



Raspberry Ice Cream

Items : 1

Price : 140.00 ₹

Delivered



**nitesh nadar**

Vijalpore,navsari,navsari-396004,  
Gujarat,India



Cheesy Chicken Roll

Items : 1

Price : 250.00 ₹

Out for delivery



**nitesh nadar**

Garib Nawaz society Abrama valsad,Valsad-396001,  
Gujarat,India

## **Conclusion**

All in all, our project on the website for Food ordering website has successfully created an easy, user-friendly platform that increases the dining engagement. It provides intuitive navigation to the users, options of secured payments, and tracking of orders in real time, hence catering to a few of the main needs of the users while ensuring some of the main operational efficiencies. Through rigorous testing and user feedback, we have ensured a seamless experience for both customers and food providers. This will have to be continuously updated and improved with the introduction of new features as dictated by changing trends and consumer preferences. All in all, this project will satisfy the demand of today's market and position us for growth and further innovation in food service

## **References**

### **❖ HTML References**

w3schools : <https://w3schools.com/html/>

HTML Reference : <https://htmlreference.io/>

MDN : <https://developer.mozilla.org/en-US/docs/Learn/HTML>

### **❖ CSS References**

CSS References : <https://cssreference.io/>

W3schools : <https://www.w3schools.com/css/>

TailwindCSS Cheatsheet: <https://nerdcave.com/tailwind-cheat-sheet>

### **❖ JavaScript References**

W3schools : <https://www.w3schools.com/js/>

MDN : <https://developer.mozilla.org/en-US/docs/Web/JavaScript>

DevDocs : <https://devdocs.io/javascript/>

Geeksforgeeks : <https://www.geeksforgeeks.org/javascript/>

### **❖ MySQL References**

W3schools: <https://www.w3schools.com/MySQL/default.asp>

Javatpoint: <https://www.javatpoint.com/mysql-tutorial/>

Tutorialpoint: <https://www.tutorialspoint.com/mysql/index.htm>

### **❖ Flask References**

Tutorialpoint: <https://www.tutorialspoint.com/flask/index.htm>

Javatpoint: <https://www.javatpoint.com/flask-tutorial>