



- A. REFER TO SHEET T0.01 FOR ABBREVIATIONS, GENERAL NOTES, AND SYMBOL DEFINITIONS.
- B. REFER TO SHEET T0.02 FOR PRIMARY PATHWAY REQUIREMENTS AND DEFINITIONS.
- C. REFER TO SHEET T0.03 AND T0.04 FOR OUTLETS/DESIGNS SECONDARY PATHWAY AND CABLING REQUIREMENTS.
- D. SERVE OUTLETS/DESIGNS ON THIS SHEET FROM TELECOM ROOM AS NOTED.
- E. REFER TO ARCHITECTURAL PLANS FOR EXACT LOCATIONS OF OUTLETS/DESIGNS, WHERE SHOWN. OUTLET/DESIGNS ON THIS SHEET ARE SHOWN DIAGRAMMATICALLY.
- F. REFER TO SECURITY INSTALLATION SHEET FOR SECONDARY PATHWAY REQUIREMENTS, SYSTEM INTERFACES, AND COMPARTMENTATION.
- G. PATHWAYS SHOWN ARE DEDICATED FOR TECHNOLOGY CABLEING.
- H. INSTALL SECONDARY PATHWAYS ALONG THE MOST DIRECT ROUTES TO PRIMARY PATHWAYS OR SERVING ROOM.
- I. INSTALL HORIZONTAL CABLES ALONG THE MOST DIRECT PRIMARY PATHWAY ROUTE TO THE SERVING TELECOM ROOM.
- J. PROVIDE APPROVED PRESTRESS DUCTS AT PENETRATIONS THROUGH FIRE BARRIERS, SMOKE BARRIERS, AND SMOKE PARTITIONS TO MAINTAIN RATINGS.
- K. PROVIDE AN ALLOWANCE OF (2) CATEGORY A4 DROPS PER 1000 SQUARE FEET FOR WIRELESS ACCESS POINTS. DESIGN OF WIRELESS ACCESS POINTS TO BE COORDINATED WITH OWNERS' DESIGN.

| REV | DATE       | DESCRIPTION                    | DBI STAMP |
|-----|------------|--------------------------------|-----------|
|     | 09/17/2024 | 100% DESIGN/DEVELOPMENT        |           |
|     | 08/16/2024 | 25% CONSTRUCTION DOCUMENTS     |           |
|     | 10/16/2024 | 50% CONSTRUCTION DOCUMENTS     |           |
| 1   | 09/14/2025 | ADDENDUM 6 - ISSUED FOR PERMIT |           |
| 3   | 04/10/2026 | ISSUED FOR CONSTRUCTION        |           |
|     | 06/05/2026 | RFI-531                        |           |
|     | 09/30/2026 | DYNAMIC SECURITY PLANS         |           |

**ST. IGNATIUS COLLEGE PREPARATORY**

2001 37th Ave, San Francisco, CA 94116

SECTOR REFLECTED CEILING PLAN - LOWER LEVEL (NORTH)

1/8" = 1'-0"

T3.10B

