



REV	DATE	DESCRIPTION
1	08/14/2025	ADDITIONAL USES FOR PERMIT
1	09/25/2025	DYNAMIC SECURITY PLANS


ST. IGNATIUS COLLEGE PREPARATORY

2001, 37th Ave. San Francisco, CA 94116

DETAILS - SECURITY

NONE

T6.10




APPLIES TO: [SRF-MT] [CE-MT] [PEND-MT]

- NOTES:
1. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.
 2. REFER TO SCHEDULES FOR BACK BOX AND CONDUIT SIZE.
 3. ANCHOR BRACKET AND ARM PER MANUFACTURER'S SPECIFICATIONS.

4 CAM - CEILING-MT, SRF-MT, PENDANT

SCALE: NONE




APPLIES TO: [CE-MT] [FLUSH-MT] [CABLE IN CONDUIT-MT]

- NOTES:
1. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.
 2. REFER TO SCHEDULES FOR BACK BOX AND CONDUIT SIZE.

3 CAM - CEILING-MT, FLUSH-MT, CABLE IN CONDUIT

SCALE: NONE




APPLIES TO: [CE-MT] [FLUSH-MT] [FREE-RUN CABLING-MT]

- NOTES:
1. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.

2 CAM - CEILING-MT, FLUSH-MT, FREE-RUN CABLING

SCALE: NONE




APPLIES TO: [CE-MT]

- NOTES:
1. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.

1 FIXED CAM - CEILING-MT, FLUSH-MT, ELEVATOR

SCALE: NONE




APPLIES TO: [WALL-MT] [BRACKET-MT] [CORNER-MT]

- NOTES:
1. LOCATE ANCHOR BOXES AS CLOSE TO THE CAMERA AS POSSIBLE TO MINIMIZE LENGTH OF LIQUIDTIGHT FLEX.
 2. CONFIGURATION APPLIES TO MULTI-IMAGER CAMERAS.
 3. REFER TO ARCHITECTURAL DRAWINGS FOR WALL TYPE AND PENETRATION SEALING REQUIREMENTS.

8 CAM - WALL-MT, BRACKET-MT, CORNER

SCALE: NONE




APPLIES TO: [CABLE TRAY-MT]

- NOTES:
1. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.
 2. REFER TO SCHEDULES FOR BACK BOX AND CONDUIT SIZE.

7 CAM - CABLE TRAY-MT

SCALE: NONE




APPLIES TO: [WALL-MT] [SRF-MT] [INTERIOR-MT]

- NOTES:
1. TYPICAL INSTALLATION FOR INTERIOR AND EXTERIOR FRAMED WALLS, INSULATED OR NON-INSULATED.
 2. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.
 3. REFER TO SCHEDULES FOR BACK BOX AND CONDUIT SIZE.

6 CAM - WALL-MT, SRF-MT, INTERIOR

SCALE: NONE




APPLIES TO: [WALL-MT] [FLUSH-MT]

- NOTES:
1. TYPICAL INSTALLATION FOR INTERIOR AND EXTERIOR FRAMED WALLS, INSULATED OR NON-INSULATED.
 2. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.
 3. REFER TO SCHEDULES FOR BACK BOX AND CONDUIT SIZE.

5 CAM - WALL-MT, FLUSH-MT

SCALE: NONE



APPLIES TO: [WALL-MT] [BRACKET-MT] [CORNER-MT]

- NOTES:
1. TYPICAL INSTALLATION FOR EXTERIOR FRAMED WALLS, INSULATED OR NON-INSULATED.
 2. REFER TO PLANS FOR PRIMARY PATHWAYS AND DEVICE LAYOUTS.
 3. REFER TO SCHEDULES FOR BACK BOX AND CONDUIT SIZE.
 4. ANCHOR BRACKET AND ARM PER MANUFACTURER'S SPECIFICATIONS.

9 CAM - WALL-MT, BRACKET-MT

SCALE: NONE