

Information Systems and Data Modeling – IT1090



Assignment

Title: Boat Safari Trip Management System

Batch Number: 3.2

Group Number: MLB_03.02_10

Declaration:

We hold a copy of this assignment that we can produce if the original is lost or damaged.

We hereby certify that no part of this assignment has been copied from any other group's work or from any other source. No part of this assignment has been written / produced for our group by another person except where such collaboration has been authorized by the subject lecturer/tutor concerned.

Group Members:

IT22313348

Dasun Dias Amaranayaka

A small, dark, rectangular image showing a handwritten signature in blue ink.

signature

IT22330550

M M M Sabri

A small, dark, rectangular image showing a handwritten signature in blue ink.

signature

IT22324238

Malitha Parikalpa

A small, dark, rectangular image showing a handwritten signature in blue ink.

signature

IT22305596

Wathsalavi K H S

A small, dark, rectangular image showing a handwritten signature in blue ink.

signature

IT22317926

De Alwis H P G H S

A small, dark, rectangular image showing a handwritten signature in blue ink.

signature

Submitted on: 04/06/2023.

Contents

1. Hypothetical Scenario
2. Requirement Analysis Document
 - 2.1. Overview
 - 2.2. Functional Requirements
 - 2.3. Non-functional Requirements
3. Data Requirements
4. ER Model
5. Relational Schema
6. SQL Commands
 - 6.1. Creating Tables
 - 6.2. Insert Values into the Tables
7. Special Performance
8. Special Security Requirements

1. Hypothetical Scenario

A boat safari is a short trip in a relatively small boat taken for touristic reasons, typically starting, and ending in the same place, and normally of a duration of less than a day. It is filled with thrills and beautiful experiences.

The boat safari management system provides the facility to browse safari details for a guest. A guest can view packages and feedback. Once the guest registers to the system, making and cancelling reservations can be done. Registered customers can get safari details, add user feedback, search for discounts, make payments and choose a tour guide.

Sailor can return the boat, inform the lifeguard in case of emergency, check condition of the boat and check customer safety. A tour guide can inspect the customer details, mark the attendance, and lead the customers.

System admin has access to verify boat returning add safari content, manage user accounts, manage FAQ, update safari details, verify reservations and calculate discounts. The Manager can add payments, approve updated safari, grant discounts, and generate reports.

The boat safari management system will store all the essential data in the system database for future use. All details about boats, customers and employees will be stored and displayed to make decisions.

2. Requirements Analysis Document

2.1. Overview

The database is a structure of data that stores structured or meaningful and related data. Database is an essential component of a system. A database is used to store large volumes of data. It can create relationships among data. In databases, primary keys, and foreign keys support retrieval of data from several database tables.

This Boat-Safari Management System requires a database as there is a large volume of data to be stored. All the data related customers, Employees and boats will be stored in the database. In here, boat safari management system uses a database to give customers a better user experience. Also, the customers can use their stored data to make decisions. The database system also provides high security for collecting data. So that unauthorized people cannot access.

2.2. Functional Requirements

1. A guest can browse through the safari details without registering.
2. Register a guest to the system.
3. Registered customers can make reservations.
4. Registered customers can cancel reservations.
5. Registered customers should be able to get safari details.
6. Provide access to the registered customers to add feedback.
7. Registered customers can search for discounts.
8. Registered customers should be able to make payments with cash, PayPal, AMEX, Master, or VISA.
9. English or Multi-language speaking tour guide can be chosen by the registered customers.
10. Sailor can return the boat.
11. The sailor should be able to inform the lifeguard in case of emergency.
12. Sailor can check the condition of the boat and inform admin in case the condition is not good.
13. Sailor can check the customers' safety and provide extra safety materials if the customer is a child.
14. The tour guide can inspect the customer details and send a confirmation message.
15. The tour guide should be able to mark the attendance.
16. A tour guide can lead the customers.
17. Admin should verify boat returning.
18. Admin can add safari content such as photos, videos, safari related news, locations.
19. Accounts are managed by the admin.
20. Admin should manage FAQs.
21. Staff details are managed by the admin.
22. Admin verifies reservations and sends a verify confirmation message, validate payments.
23. Seasonal and package discounts are calculated by admin.
24. Manager adds payments and update accounts.

- 25. Manager approves updated safari.
- 26. Annual, monthly, and weekly are generated by manager.
- 27. Manager grants discounts.

2.3. Non-functional Requirements

1. Usability:

The system must be easy to use and understand. This can be viewed in many perspectives.

- Time it takes to execute.
- Tasks users can complete without assistance.
- How simple and straightforward the user interfaces are?

2. Security:

The system must be secure from unauthorized access. This also provides anti-virus and anti-malware protection.

3. Performance:

The system must be able to handle the required number of users without any degradation in performance.

4. Scalability:

The system must be able to scale up or down as needed.

5. Availability:

The system must be available when needed. A good system provides services 24/7.


3. Data Requirements

- Employee
 - Employee ID (E_ID)
 - Employee name (name)
 - NIC (NIC)
 - Contact Number (Contact_No)
 - Email (Email)
 - Employee address (E_address)
 - Employee gender (E_gender)
 - Salary (Salary)
 - Employee position (E_position)
- Boat
 - Boat ID (B_ID)
 - Boat Size (B_size)
 - Final boat returning date (Return_Date)
 - Final boat returning time (Return_Time)
- Language
 - Language (Language_Name)
 - Tour Guide ID (T_ID)
- Payment
 - Payment ID (P_ID)
 - Payment date (P_date)
 - Method (Method)
 - Payment amount (P_amount)
 - Package ID (Package_ID)
- Registered_Customer
 - Customer ID (C_ID)
 - First Name (F_name)
 - Last Name (L_name)
 - Customer nationality (C_nationality)
 - NIC (NIC)
 - Passport number (PassportNo)
 - Contact number (ContactNo)
 - Email (Email)
 - Customer Address (C_address)


- Customer Gender (C_gender)
- Payment ID (P_ID)
- Year of birth (Birth_year)
- Year of month (Birth_month)
- Year of day (Birth_day)
- Package
 - Package ID (Package_ID)
 - Package name (Package_name)
 - Package price (Package_price)
- Report
 - Report ID (R_ID)
 - Report Type (R_type)
 - Report submitted date (Submitted_date)
- Discount
 - Discount ID (D_ID)
 - Discount Type (Discount_Type)
 - Discount Price (Discount_price)
- Feedback
 - Feedback ID (Feedback_ID)
 - Customer ID (C_ID)
 - Description (Description)
- Reservation
 - Reservation ID (Reserve_ID)
 - Customer ID (C_ID)
 - Reservation date (Reserve_Date)
 - Reservation time (Reserve_Time)
- Sailor
 - Sailor ID (S_ID)
 - Sailor age (S_age)
 - Employee ID (E_ID)
- Tour Guide
 - Tour Guide ID (T_ID)

- Tour Guide Age (T_age)
 - Employee ID (E_ID)
- Safari_Detail
 - Safari ID (Safari_ID)
 - Safari Type (Safari_Type)
 - Date (Safari_Date)
 - Time (Safari_Time)
 - Package ID (Package_ID)
- ContactNo
 - Contact number (Contact_No)
 - Customer ID (C_ID)
 - Employee ID (E_ID)
- Email
 - Email (Email)
 - Customer ID (C_ID)
 - Employee ID (E_ID)
- Method
 - Method ID (M_ID)
 - Method Type (M_type)

4. ER Model



5. Relational Schema



6. SQL Commands

6.1. Creating Tables

```
1 -- Employee Table
2 CREATE TABLE Employee
3 (
4 E_ID CHAR(4) NOT NULL,
5 name VARCHAR(50) NOT NULL,
6 NIC CHAR(12) NOT NULL,
7 ContactNo CHAR(10) NOT NULL,
8 Email VARCHAR(30) NOT NULL,
9 E_address VARCHAR(50) NOT NULL,
10 E_gender VARCHAR(10),
11 Salary REAL NOT NULL,
12 E_position VARCHAR(20) NOT NULL,
13 CONSTRAINT pk_Employee PRIMARY KEY(E_ID),
14 CONSTRAINT CHK_Employee_E_ID CHECK (E_ID LIKE '[E][0-9][0-9][0-9]')
15 );
16
17 -- Boat Table
18 CREATE TABLE Boat
19 (
20 B_ID CHAR(4) NOT NULL,
21 B_size VARCHAR(10) NOT NULL,
22 Return_Date DATE NOT NULL,
23 Return_Time TIME NOT NULL,
24 CONSTRAINT pk_Boat PRIMARY KEY(B_ID),
25 CONSTRAINT CHK_Boat_B_ID CHECK (B_ID LIKE '[B][0-9][0-9][0-9]')
26 );
27
28 -- Sailor Table
29 CREATE TABLE Sailor
30 (
31 S_ID CHAR(4) NOT NULL,
32 S_age CHAR(2) NOT NULL,
33 E_ID CHAR(4) NOT NULL,
34 CONSTRAINT pk_Sailor PRIMARY KEY(S_ID),
35 CONSTRAINT fk_Sailor FOREIGN KEY(E_ID) REFERENCES Employee(E_ID),
36 CONSTRAINT CHK_Sailor_S_ID CHECK (S_ID LIKE '[S][0-9][0-9][0-9]')
37 );
38
39 -- Tour Guide Table
40 CREATE TABLE Tour_Guide
41 (
42 T_ID CHAR(4) NOT NULL,
43 T_age CHAR(2) NOT NULL,
44 E_ID CHAR(4) NOT NULL,
45 CONSTRAINT pk_Tour_Guide PRIMARY KEY(T_ID),
46 CONSTRAINT fk_Tour_Guide FOREIGN KEY(E_ID) REFERENCES Employee(E_ID),
```

```

47 CONSTRAINT CHK_Tour_Guide_T_ID CHECK (T_ID LIKE '[T][0-9][0-9][0-9]')
48 );
49
50 -- Language Table
51 CREATE TABLE Language
52 (
53 Language_Name VARCHAR(20) NOT NULL,
54 T_ID CHAR(4) NOT NULL,
55 CONSTRAINT pk_Language PRIMARY KEY (Language_Name),
56 CONSTRAINT fk_Language FOREIGN KEY(T_ID) REFERENCES Tour_Guide(T_ID),
57 );
58 -- Package Table
59 CREATE TABLE Package
60 (
61 Package_ID CHAR(6) NOT NULL,
62 Package_type VARCHAR(30) NOT NULL,
63 Package_price Float,
64 CONSTRAINT pk_Category PRIMARY KEY(Package_ID),
65 CONSTRAINT CHK_Package_Package_ID CHECK (Package_ID LIKE '[P][C][G][0-9][0-9][0-9]')
66 );
67
68 -- Payment
69 CREATE TABLE Payment
70 (
71 P_ID CHAR(4) NOT NULL,
72 P_date DATE NOT NULL,
73 M_ID CHAR(4) NOT NULL,
74 P_amount FLOAT NOT NULL,
75 Package_ID CHAR(6) NOT NULL,
76 CONSTRAINT pk_Payments PRIMARY KEY(P_ID),
77 CONSTRAINT fk_Payments FOREIGN KEY(Package_ID) REFERENCES Package(Package_ID),
78 CONSTRAINT CHK_Payments_P_ID CHECK (P_ID LIKE '[P][0-9][0-9][0-9]')
79 );
80
81 -- Registered_Customer Table
82 CREATE TABLE Registered_Customer
83 (
84 C_ID CHAR(4) NOT NULL,
85 F_name VARCHAR(50) NOT NULL,
86 L_name VARCHAR(50) NOT NULL,
87 C_nationality VARCHAR(20) NOT NULL,
88 NIC CHAR(12) NOT NULL,
89 PassportNo CHAR(10) NOT NULL,
90 ContactNo CHAR(10) NOT NULL,
91 Email VARCHAR(30) NOT NULL,
92 C_address VARCHAR(50) NOT NULL,
93 C_gender VARCHAR(10),
94 P_ID CHAR(4) NOT NULL,
95 Birth_year CHAR(4) NOT NULL,
96 Birth_month CHAR(2) NOT NULL,
97 Birth_day CHAR(2) NOT NULL,
98 CONSTRAINT pk_Registered_Customers PRIMARY KEY(C_ID),
99 CONSTRAINT fk_Registered_Customers FOREIGN KEY(P_ID) REFERENCES Payments(P_ID),

```

```

100 CONSTRAINT CHK_Registered_Customers_C_ID CHECK (C_ID LIKE '[C][0-9][0-9][0-9]')
101 );
102
103
104
105 -- Report Table
106 CREATE TABLE Report
107 (
108 R_ID CHAR(4) NOT NULL,
109 R_type VARCHAR(10) NOT NULL,
110 Submitted_date DATE NOT NULL,
111 CONSTRAINT pk_Reports PRIMARY KEY(R_ID),
112 CONSTRAINT CHK_Reports_R_ID CHECK (R_ID LIKE '[R][0-9][0-9][0-9]')
113 );
114
115
116 -- Discount Table
117 CREATE TABLE Discount
118 (
119 D_ID CHAR(4) NOT NULL,
120 Discount_Type VARCHAR(20) NOT NULL,
121 Discount_price FLOAT NOT NULL,
122 CONSTRAINT pk_Discount PRIMARY KEY(D_ID),
123 CONSTRAINT CHK_Discount_D_ID CHECK (D_ID LIKE '[D][0-9][0-9][0-9]')
124 );
125
126
127 -- Feedback
128 CREATE TABLE Feedback
129 (
130 Feedback_ID CHAR(4),
131 C_ID CHAR (4),
132 Description VARCHAR (100),
133 CONSTRAINT pk_Feedback PRIMARY KEY (Feedback_ID),
134 CONSTRAINT fk_Feedback FOREIGN KEY (C_ID) REFERENCES Registered_Customers(C_ID),
135 CONSTRAINT CHK_Feedback_Feedback_ID CHECK (Feedback_ID LIKE '[F][0-9][0-9][0-9]')
136 );
137
138 -- Reservation
139 CREATE TABLE Reservation
140 (
141 Reserve_ID CHAR (4) NOT NULL,
142 C_ID CHAR(4) NOT NULL,
143 Reserve_Date DATE NOT NULL,
144 Reserve_Time Time NOT NULL,
145 CONSTRAINT pk_Reservation PRIMARY KEY (Reserve_ID),
146 CONSTRAINT fk_Reservation FOREIGN KEY (C_ID) REFERENCES Registered_Customers(C_ID),
147 CONSTRAINT CHK_Resevation_Reserve_ID CHECK (Reserve_ID LIKE '[R][0-9][0-9][0-9]')
148 );
149 -- Safari Details
150 CREATE TABLE Safari_Detail
151 (
152 Safari_ID CHAR (6) NOT NULL,

```

```

153 Safari_Type VARCHAR(20) NOT NULL,
154 Safari_Date DATE NOT NULL,
155 Safari_Time TIME NOT NULL,
156 Package_ID CHAR (6) NOT NULL,
157 CONSTRAINT pk_Safari_Detail primary key (Safari_ID),
158 CONSTRAINT fk_Safari_Detail FOREIGN KEY(Package_ID) REFERENCES Package(Package_ID),
159 CONSTRAINT CHK_Safari_Detail_Safari_ID CHECK (Safari_ID LIKE '[S][A][F][0-9][0-9][0-9]')
160 );
161
162 -- Contact No
163 (
164 Contact_No CHAR(10) NOT NULL,
165 C_ID CHAR(4) NOT NULL,
166 E_ID CHAR(4) NOT NULL,
167 CONSTRAINT pk_ContactNo primary key (Contact_No , C_ID , E_ID),
168 CONSTRAINT fk1_ContactNo FOREIGN KEY(C_ID) REFERENCES Registered_Customer(C_ID),
169 CONSTRAINT fk2_ContactNo FOREIGN KEY(E_ID) REFERENCES Employee(E_ID),
170 );
171
172
173 -- Email
174 (
175 Email CHAR(30) NOT NULL,
176 C_ID CHAR(4) NOT NULL,
177 E_ID CHAR(4) NOT NULL,
178 CONSTRAINT pk_Email primary key (Email,C_ID , E_ID),
179 CONSTRAINT fk1_Email FOREIGN KEY(C_ID) REFERENCES Registered_Customer(C_ID),
180 CONSTRAINT fk2_Email FOREIGN KEY(E_ID) REFERENCES Employee(E_ID),
181 );
182 -- Payment Method
183 CREATE TABLE Method
184 (
185 M_ID CHAR(4) NOT NULL,
186 M_type VARCHAR (20) NOT NULL,
187 CONSTRAINT pk_Method PRIMARY KEY (M_ID),
188 CONSTRAINT CHK_Method_M_ID CHECK (M_ID LIKE '[M][0-9][0-9][0-9]')
189 );

```

6.2. Insert Values to the Tables

```

1 -- Employee Table
2 INSERT INTO Employee (E_ID, name, NIC, ContactNo, Email, E_address, E_gender, Salary, E_position)
3 VALUES ('E001', 'Gayan Vithanage', '199745679219', '0761668807', 'gayanv@gmail.com',
'Nugedoda , Colombo.', 'Male', 60000.00, 'Manager');
4
5 INSERT INTO Employee (E_ID, name, NIC, ContactNo, Email, E_address, E_gender, Salary, E_position)
6 VALUES ('E002', 'Sisira Fernando', '199720403719', '0775544556', 'sisira234@gmail.com',
'No 36, Galle Road , Matara', 'Male', 50000.00, 'Admin');
7
8 INSERT INTO Employee (E_ID, name, NIC, ContactNo, Email, E_address, E_gender, Salary, E_position)
9 VALUES ('E003', 'Thushara Priyanath', '197128394310', '0761612042',
'thusharapri7@gmail.com', 'Temple Road ,Ambalangoda , Galle', 'Male', 45000, 'Tour Guide'

```

```

);
10
11 INSERT INTO Employee (E_ID, name, NIC, ContactNo, Email, E_address, E_gender, Salary, E_position)
12 VALUES ('E004', 'Kalum De Silva', '196724994945', '0770577123',
'kalumdesilva45@gmail.com', '56, Main road, Colombo5', 'Male', 40000.00, 'Sailor');
13
14 INSERT INTO Employee (E_ID, name, NIC, ContactNo, Email, E_address, E_gender, Salary,
E_position)
15 VALUES ('E005', 'Sugath Mendis', '197174594929', '0788906541', 'sugathm34@gmail.com',
'34,Deniyayaroad,Deniyaya', 'Male', 40000.00, 'Sailor');
16
17 -- Boat Table
18 INSERT INTO Boat (B_ID, B_size, Return_Date, Return_Time)
19 VALUES ('B001', 'Small', '2023-05-27', '10:00:00');
20
21 INSERT INTO Boat (B_ID, B_size, Return_Date, Return_Time)
22 VALUES ('B002', 'Medium', '2023-05-28', '11:30:00');
23
24 INSERT INTO Boat (B_ID, B_size, Return_Date, Return_Time)
25 VALUES ('B003', 'Large', '2023-05-29', '12:45:00');
26
27 INSERT INTO Boat (B_ID, B_size, Return_Date, Return_Time)
28 VALUES ('B004', 'Medium', '2023-05-30', '09:15:00');
29
30 INSERT INTO Boat (B_ID, B_size, Return_Date, Return_Time)
31 VALUES ('B005', 'Small', '2023-02-01', '14:30:00');
32
33 -- Sailor Table
34 INSERT INTO Sailor (S_ID, S_age, E_ID)
35 VALUES ('S001', '30', 'E001');
36
37 INSERT INTO Sailor (S_ID, S_age, E_ID)
38 VALUES ('S002', '28', 'E002');
39
40 INSERT INTO Sailor (S_ID, S_age, E_ID)
41 VALUES ('S003', '35', 'E003');
42
43 INSERT INTO Sailor (S_ID, S_age, E_ID)
44 VALUES ('S004', '32', 'E004');
45
46 INSERT INTO Sailor (S_ID, S_age, E_ID)
47 VALUES ('S005', '27', 'E005');
48
49 -- Tour Guide Table
50 INSERT INTO Tour_Guide (T_ID, T_age, E_ID)
51 VALUES ('T001', '32', 'E001');
52
53 INSERT INTO Tour_Guide (T_ID, T_age, E_ID)
54 VALUES ('T002', '29', 'E002');
55
56 INSERT INTO Tour_Guide (T_ID, T_age, E_ID)
57 VALUES ('T003', '36', 'E003');
58

```

```

59 INSERT INTO Tour_Guide (T_ID, T_age, E_ID)
60 VALUES ('T004', '31', 'E004');
61
62 INSERT INTO Tour_Guide (T_ID, T_age, E_ID)
63 VALUES ('T005', '34', 'E005');
64
65 -- Language Table
66 INSERT INTO Language (Language_Name, T_ID)
67 VALUES ('English', 'T001');
68
69 INSERT INTO Language (Language_Name, T_ID)
70 VALUES ('Spanish', 'T002');
71
72 INSERT INTO Language (Language_Name, T_ID)
73 VALUES ('French', 'T003');
74
75 INSERT INTO Language (Language_Name, T_ID)
76 VALUES ('German', 'T004');
77
78 INSERT INTO Language (Language_Name, T_ID)
79 VALUES ('Italian', 'T005');
80
81 -- Package Table
82 INSERT INTO Package (Package_ID, Package_type, Package_price)
83 VALUES ('PCG001', 'Island Adventure', 2000.00);
84
85 INSERT INTO Package (Package_ID, Package_type, Package_price)
86 VALUES ('PCG002', 'Sunset Cruise', 1500.00);
87
88 INSERT INTO Package (Package_ID, Package_type, Package_price)
89 VALUES ('PCG003', 'Sight-Seeing', 1000.00);
90
91 INSERT INTO Package (Package_ID, Package_type, Package_price)
92 VALUES ('PCG004', 'Snorkeling Expedition', 1500.00);
93
94 INSERT INTO Package (Package_ID, Package_type, Package_price)
95 VALUES ('PCG005', 'Fishing Trip', 2000.00);
96
97 -- Payment Table
98 INSERT INTO Payment (P_ID, P_date, Method, P_amount, Package_ID)
99 VALUES ('P001', '2023-05-20', 'VISA', 15000.00, 'PCG001');
100
101 INSERT INTO Payment (P_ID, P_date, Method, P_amount, Package_ID)
102 VALUES ('P002', '2023-05-19', 'PayPal', 10000.00, 'PCG002');
103
104 INSERT INTO Payment (P_ID, P_date, Method, P_amount, Package_ID)
105 VALUES ('P003', '2023-05-20', 'Cash', 12000.00, 'PCG003');
106
107 INSERT INTO Payment (P_ID, P_date, Method, P_amount, Package_ID)
108 VALUES ('P004', '2023-05-20', 'Master', 18000.00, 'PCG004');
109
110 INSERT INTO Payment (P_ID, P_date, Method, P_amount, Package_ID)
111 VALUES ('P005', '2023-01-20', 'PayPal', 3000.00, 'PCG005');

```

```

112
113 -- Registered Customer Table
114 INSERT INTO Registered_Customers (C_ID, F_name, L_name, C_nationality, NIC, PassportNo,
ContactNo, Email, C_address, C_gender, P_ID, Birth_year, Birth_month, Birth_day)
115 VALUES ('C001', 'Kamal', 'Hettiarachchi', 'Sri Lanka', '199078705667', 'N4536782',
'0771567890', 'kamal.h@gmail.com', 'Temple Road , Kandy ', 'Male', 'P001', '1990', '01',
'01');
116
117 INSERT INTO Registered_Customer (C_ID, F_name, L_name, C_nationality, NIC, PassportNo,
ContactNo, Email, C_address, C_gender, P_ID, Birth_year, Birth_month, Birth_day)
118 VALUES ('C002', 'Nimal', 'Gamage', 'Sri Lanka', '199545673445', 'N5678674', '0781057823',
'nimalgamage@gmail.com', '4/2,seven road, Godagama', 'Male', 'P002', '1995', '03', '15'
);
119
120 INSERT INTO Registered_Customer (C_ID, F_name, L_name, C_nationality, NIC, PassportNo,
ContactNo, Email, C_address, C_gender, P_ID, Birth_year, Birth_month, Birth_day)
121 VALUES ('C003', 'Sunil', 'Manawadu', 'Sri Lanka', '199347324467', 'NULL', '0772665432',
'sunilmanawaadu@gmail.com', '601,New Kandy Road,Malabe', 'Male', 'P003', '1983', '07',
'25');
122
123 INSERT INTO Registered_Customer (C_ID, F_name, L_name, C_nationality, NIC, PassportNo,
ContactNo, Email, C_address, C_gender, P_ID, Birth_year, Birth_month, Birth_day)
124 VALUES ('C004', 'Sophia', 'Brown', 'Australia', 'NULL', 'N8976435', '6543210987',
'sophiabrown@gmail.com', '321 Elm St', 'Female', 'P004', '1990', '12', '10');
125
126 INSERT INTO Registered_Customer (C_ID, F_name, L_name, C_nationality, NIC, PassportNo,
ContactNo, Email, C_address, C_gender, P_ID, Birth_year, Birth_month, Birth_day)
127 VALUES ('C005', 'Daniel', 'Jones', 'New Zealand', 'NULL', 'N367898622', '3345678901',
'danieljones@gmail.com', '567 Pine St', 'Male', 'P005', '1988', '05', '05');
128
129 -- Report Table
130 INSERT INTO Report (R_ID, R_type, Submitted_date)
131 VALUES ('R001', 'Maintenance', '2023-05-27');
132
133 INSERT INTO Report (R_ID, R_type, Submitted_date)
134 VALUES ('R002', 'Incident', '2023-05-28');
135
136 INSERT INTO Report (R_ID, R_type, Submitted_date)
137 VALUES ('R003', 'Feedback', '2023-05-29');
138
139 INSERT INTO Report (R_ID, R_type, Submitted_date)
140 VALUES ('R004', 'Complaint', '2023-05-30');
141
142 INSERT INTO Report (R_ID, R_type, Submitted_date)
143 VALUES ('R005', 'Suggestion', '2023-06-01');
144
145 -- Discount Table
146 INSERT INTO Discount (D_ID, Discount_Type, Discount_price)
147 VALUES ('D001', 'Early Bird', 1000.00);
148
149 INSERT INTO Discount (D_ID, Discount_Type, Discount_price)
150 VALUES ('D002', 'Group Discount', 1500.00);
151

```

```

152 INSERT INTO Discount (D_ID, Discount_Type, Discount_price)
153 VALUES ('D003', 'Student Discount', 2000.00);
154
155 INSERT INTO Discount (D_ID, Discount_Type, Discount_price)
156 VALUES ('D004', 'Senior Citizen Discount', 1500.00);
157
158 INSERT INTO Discount (D_ID, Discount_Type, Discount_price)
159 VALUES ('D005', 'Promotional Offer', 1000.00);
160
161
162 -- Feedback Table
163 INSERT INTO Feedback (Feedback_ID, C_ID, Description)
164 VALUES ('F001', 'C001', 'Great experience!');
165
166 INSERT INTO Feedback (Feedback_ID, C_ID, Description)
167 VALUES ('F002', 'C002', 'Friendly staff and excellent service. ');
168
169 INSERT INTO Feedback (Feedback_ID, C_ID, Description)
170 VALUES ('F003', 'C003', 'The tour guide was very knowledgeable. ');
171
172 INSERT INTO Feedback (Feedback_ID, C_ID, Description)
173 VALUES ('F004', 'C004', 'Boat was clean and well-maintained. ');
174
175 INSERT INTO Feedback (Feedback_ID, C_ID, Description)
176 VALUES ('F005', 'C005', 'Had a memorable time. ');
177
178 -- Reservation Table
179 INSERT INTO Reservation (Reserve_ID, C_ID, Reserve_Date, Reserve_Time)
180 VALUES ('R001', 'C001', '2023-05-27', '10:00:00');
181
182 INSERT INTO Reservation (Reserve_ID, C_ID, Reserve_Date, Reserve_Time)
183 VALUES ('R002', 'C002', '2023-05-28', '11:30:00');
184
185 INSERT INTO Reservation (Reserve_ID, C_ID, Reserve_Date, Reserve_Time)
186 VALUES ('R003', 'C003', '2023-05-29', '12:45:00');
187
188 INSERT INTO Reservation (Reserve_ID, C_ID, Reserve_Date, Reserve_Time)
189 VALUES ('R004', 'C004', '2023-05-30', '09:15:00');
190
191 INSERT INTO Reservation (Reserve_ID, C_ID, Reserve_Date, Reserve_Time)
192 VALUES ('R005', 'C005', '2023-02-01', '14:30:00');
193
194
195 -- Safari Detail
196 INSERT INTO Safari_Detail (Safari_ID , Safari_Type , safari_Date , Safari_Time ,
Package_ID)
197 VALUES ('SAF001' , 'Island Adventure' , '2023-05-27' , '10:00:00' , 'PCG001');
198 INSERT INTO Safari_Detail (Safari_ID , Safari_Type , safari_Date , Safari_Time ,
Package_ID)
199 VALUES ('SAF002' , 'Sunset Cruise' , '2023-05-28' , '11:30:00' , 'PCG002');
200 INSERT INTO Safari_Detail (Safari_ID , Safari_Type , safari_Date , Safari_Time ,
Package_ID)
201 VALUES ('SAF003' , 'Sight-Seeing' , '2023-05-29' , '12:45:00' , 'PCG003');

```

```

202 INSERT INTO Safari_Detail (Safari_ID , Safari_Type , safari_Date , Safari_Time ,
Package_ID)
203 VALUES ('SAF004' , 'Snorkeling Expedition' , '2023-05-30' , '09:15:00' , 'PCG004');
204 INSERT INTO Safari_Detail (Safari_ID , Safari_Type , safari_Date , Safari_Time ,
Package_ID)
205 VALUES ('SAF005' , 'Fishing Trip' , '2023-02-01' , '14:30:00' , 'PCG005');
206
207
208
209 -- Contact No
210 INSERT INTO Contact_No (ContactNo , C_ID , E_ID)
211 VALUES ('0788906541' , '-' , 'E005');
212 INSERT INTO Contact_No (ContactNo , C_ID , E_ID)
213 VALUES ('0775544556' , '-' , 'E002');
214 INSERT INTO Contact_No (ContactNo , C_ID , E_ID)
215 VALUES ('0771567890' , 'C001' , '-');
216 INSERT INTO Contact_No (ContactNo , C_ID , E_ID)
217 VALUES ('0781057823' , 'C002' , '-');
218 INSERT INTO Contact_No (ContactNo , C_ID , E_ID)
219 VALUES ('0772665432' , 'C004' , '-');
220
221
222 -- Email
223 INSERT INTO Email ( Email , C_ID , E_ID)
224 VALUES ('sugathm34@gmail.com' , '-' , 'E005');
225 INSERT INTO Email (Email , C_ID , E_ID)
226 VALUES ('sisira234@gmail.com' , '-' , 'E002');
227 INSERT INTO Email (Email , C_ID , E_ID)
228 VALUES ('kamal.h@gmail.com' , 'C001' , '-');
229 INSERT INTO Email (Email , C_ID , E_ID)
230 VALUES ('nimalgamage@gmail.com' , 'C002' , '-');
231 INSERT INTO Email (Email , C_ID , E_ID)
232 VALUES ('sunilmanawaadu@gmail.com' , 'C004' , '-');
233
234
235 -- Payment Method
236 INSERT INTO Method (M_ID , M_type)
237 VALUES('M001' , 'VISA');
238 INSERT INTO Method (M_ID , M_type)
239 VALUES('M002' , 'MASTER');
240 INSERT INTO Method (M_ID , M_type)
241 VALUES('M003' , 'PayPal');
242 INSERT INTO Method (M_ID , M_type)
243 VALUES('M003' , 'AMEX');
244 INSERT INTO Method (M_ID , M_type)
245 VALUES('M004' , 'Cash');
246
247

```

7. Special Performance

This boat safari management system has some special performance.

- In this system the usability is very high. It is designed to be user-friendly, allowing users to interact with the system easily.
- User interface is made using a spectacular color palate to make it more user friendly.
- System's performance is very high; hence the execution time is very low.
- This system available to users 24/7.
- System can handle large number of users without any degradation in performance.
- Mobile-friendly environment is created to give customer the best experience.
- System provides easy payment methods.

8. Special Security Requirements

Users tend to be more consider about the security of the system as they must enter their personal details, passwords, and credit card information. As a result, ensuring the users' privacy is critical.

- System has a high level of security.
- System is secured from unauthorized access.
- System uses the data encryption method.
- Before granting authorization to log into the system, system validates the user account.
- System is protected by powerful firewall.