



DYP FARMING & GOVERNANCE AUDIT(AVAX)

July 2021

BLOCKCHAIN CONSILIUM



Contents

Disclaimer	3
Purpose of the report	3
Introduction	4
Audit Summary	4
Overview	4
Methodology	5
Classification / Issue Types Definition	5
Attacks & Issues considered while auditing	5
Overflows and underflows:	6
Reentrancy Attack.....	6
Replay attack:	6
Short address attack:	6
Approval Double-spend	7
Issues Found & Informational Observations	8
High Severity Issues	8
Moderate Severity Issues	8
Low Severity Issues	9
Informational Observations.....	9
Line by line comments	10
Appendix	12
Smart Contract Summary	12
Slither Results	18



Disclaimer

THE AUDIT MAKES NO STATEMENTS OR WARRANTIES ABOUT UTILITY OF THE CODE, SAFETY OF THE CODE, SUITABILITY OF THE BUSINESS MODEL, REGULATORY REGIME FOR THE BUSINESS MODEL, OR ANY OTHER STATEMENTS ABOUT FITNESS OF THE CONTRACTS TO PURPOSE, OR THEIR BUG FREE STATUS. THE AUDIT DOCUMENTATION IS FOR DISCUSSION PURPOSES ONLY.

THE CONTENT OF THIS AUDIT REPORT IS PROVIDED "AS IS", WITHOUT REPRESENTATIONS AND WARRANTIES OF ANY KIND, AND BLOCKCHAIN CONSILIUM DISCLAIMS ANY LIABILITY FOR DAMAGE ARISING OUT OF, OR IN CONNECTION WITH, THIS AUDIT REPORT. COPYRIGHT OF THIS REPORT REMAINS WITH BLOCKCHAIN CONSILIUM.

Purpose of the report

The Audits and the analysis described therein are created solely for Clients and published with their consent. The scope of our review is limited to a review of Solidity code and only the Solidity code we note as being within the scope of our review within this report. The Solidity language itself remains under development and is subject to unknown risks and flaws. The review does not extend to the compiler layer, or any other areas beyond the Solidity programming language that could present security risks. Cryptographic tokens and smart contracts are emergent technologies and carry with them high levels of technical risk and uncertainty.

The Audits are not an endorsement or indictment of any particular project or team, and the Audits do not guarantee the security of any particular project. This Report does not consider, and should not be interpreted as considering or having any bearing on, the potential economics of a token, token sale or any other product, service or other asset. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. No Report provides any warranty or representation to any Third-Party in any respect, including regarding the bugfree nature of code, the business model or proprietors of any such business model, and the legal compliance of any such business. No third party should rely on the Audits in any way, including for the purpose of making any decisions to buy or sell any token, product, service or other asset. This Report does not constitute investment advice, is not intended to be relied upon as investment advice, is not an endorsement of this project or team, and it is not a guarantee as to the absolute security of the project. There is no owed duty to any Third-Party by virtue of publishing these Audits.



Introduction

We first thank [DYP.FINANCE](#) for giving us the opportunity to audit their smart contracts. This document outlines our methodology, audit details, and results.

[DYP.FINANCE](#) asked us to review their DYP farming & governance smart contracts deployed on Avalanche Network (Farm.sol & Gov.sol at GitHub Commit Hash: 693fb0dd9cb790ed8b2bc672f11f6d82fb2afad9). [Blockchain Consilium](#) reviewed the system from a technical perspective looking for bugs, issues and vulnerabilities in their code base. The Audit is valid for above mentioned GitHub Commit Hash only. The audit is not valid for any other versions of the smart contract. Read more below.

Audit Summary

This code is clean, thoughtfully written and in general well architected. The code conforms closely to the documentation and specification.

Overall, the code is clear on what it is supposed to do for each function. The visibility and state mutability of all the functions are clearly specified, and there are no confusions.

Audit Scope & Info	
Platform	Avalanche
Language	Solidity
Audit Method	Whitebox
Contract Address / Link	0x499c588146443235357e9C630A66D6fe0250caA1 0xD8aF0591Be4Fba56e3634C992B7Fe4ff0A90B584 0xBEBE1fe1444a50AC6EE95EA25Ba80ADF5aC7322C 0x79BE220ab2dFcc2f140b59A97bFe6751ed1579B0 0x4D3DEB73dF067D6466Facad196B22411422909Ab
Repository	https://github.com/dypfinance/Avalanche-Bridge-and-Farming-contracts/tree/693fb0dd9cb790ed8b2bc672f11f6d82fb2afad9/Contracts
SHA256	> shasum -a 256 Farm.sol Gov.sol 9d386341ecc7fb20cfef1a54db9690df3ac9fb4a832a4293d4a980639829f81c 59e9b26b4351ca21d61c72a3396364b4a1845ef40dcfc5a430b4cae268430d80
Audit Results & Findings	
High Severity Issues	None
Moderate Severity Issues	None
Low Severity Issues	None
Informational Observations	1

Overview



The DeFi Yield Protocol is developing a unique platform that allows anyone to provide liquidity and to be rewarded for the first time with Ethereum. At the same time, the platform maintains both token price stability as well as secure and simplified DeFi for end users by integrating a DYP anti-manipulation feature.

Farming smart contract is supposed to allow users to stake Pangolin LP Tokens to receive WAVAX, ETH and DYP as rewards, a swap is performed with a set delay with a max price impact of ~2.5% for the swap.

Governance Smart Contract manages governance proposals for the Farming smart contract, and allows proposals reaching QUORUM to either disburse or burn the unswapped DYP Reward Tokens.

The project has one Solidity file for the DYP Farming Smart Contract, the [Farm.sol](#) file that contains about 1238 lines of Solidity code, and one Solidity file for the governance smart contract, the [Gov.sol](#) that contains about 722 lines of solidity code. We manually reviewed each line of code in the smart contracts.

Methodology

Blockchain Consilium manually reviewed the smart contract line-by-line, keeping in mind industry best practices and known attacks, looking for any potential issues and vulnerabilities, and areas where improvements are possible.

We also used automated tools like slither for analysis and reviewing the smart contract. The raw output of these tools is included in the Appendix. These tools often give false-positives, and any issues reported by them but not included in the issue list can be considered not valid.

Classification / Issue Types Definition

1. **High Severity:** which presents a significant security vulnerability or failure of the contract across a range of scenarios, or which may result in loss of funds.
2. **Moderate Severity:** which affects the desired outcome of the contract execution or introduces a weakness that can be exploited. It may not result in loss of funds but breaks the functionality or produces unexpected behaviour.
3. **Low Severity:** which does not have a material impact on the contract execution and is likely to be subjective.

The smart contract is considered to pass the audit, as of the audit date, if no high severity or moderate severity issues are found.

Attacks & Issues considered while auditing



In order to check for the security of the contract, we reviewed each line of code in the smart contract considering several known Smart Contract Attacks & known issues.

- **Overflows and underflows:**

An overflow happens when the limit of the type variable `uint256`, 2^{256} , is exceeded. What happens is that the value resets to zero instead of incrementing more.

For instance, if we want to assign a value to a `uint` bigger than 2^{256} it will simply go to 0—this is dangerous.

On the other hand, an underflow happens when you try to subtract 0 minus a number bigger than 0. For example, if you subtract $0 - 1$ the result will be $= 2^{256}$ instead of -1 .

This is quite dangerous. This contract **DOES** check for overflows and underflows, using [OpenZeppelin's SafeMath](#) for overflow and underflow protection.

- **Reentrancy Attack:**

One of the major dangers of [calling external contracts](#) is that they can take over the control flow, and make changes to your data that the calling function wasn't expecting. This class of bug can take many forms, and both of the major bugs that led to the DAO's collapse were bugs of this sort.

This smart contract does make state changes after external calls, however the token contracts, pangolin pair and external calls are trusted and thus *is not found vulnerable* to re-entrancy attack.

- **Replay attack:**

The replay attack consists of making a transaction on one blockchain like the original Ethereum's blockchain and then repeating it on another blockchain like the Ethereum's classic blockchain. The ether is transferred like a normal transaction from a blockchain to another. Though it's no longer a problem because since the version 1.5.3 of *Geth* and 1.4.4 of *Parity* both implement the [attack protection EIP 155 by Vitalik Buterin](#).

So the people that will use the contract depend on their own ability to be updated with those programs to keep themselves secure.

- **Short address attack:**

This attack affects ERC20 tokens, was discovered by the Golem team and consists of the following:



A user creates an Ethereum wallet with a trailing 0, which is not hard because it's only a digit. For instance: 0xiofa8d97756as7df5sd8f75g8675ds8gsdg0 (invalid address for discussion purpose) Then he buys tokens by removing the last zero: Buy 1000 tokens from account 0xiofa8d97756as7df5sd8f75g8675ds8gsdg. If the contract has enough amount of tokens and the buy function doesn't check the length of the address of the sender, the Ethereum's virtual machine will just add zeroes to the transaction until the address is complete.

The virtual machine will return 256000 for each 1000 tokens bought. This is a bug of the virtual machine.

Here is a **fix for short address attacks**

```
modifier onlyPayloadSize(uint size) {
    assert(msg.data.length >= size + 4);
    _;
}
function transfer(address _to, uint256 _value) onlyPayloadSize(2 * 32) {
    // do stuff
}
```

This contract is not an ERC20 Token, thus checks for erc20 short address attacks are not needed.

You can read more about the attack here: [ERC20 Short Address Attacks](#).

• Approval Double-spend

ERC20 Standard allows users to approve other users to manage their tokens, or spend tokens from their account till a certain amount, by setting the user's allowance with the standard `approve` function, then the allowed user may use `transferFrom` to spend the allowed tokens.

Hypothetically, given a situation where Alice approves Bob to spend 100 Tokens from her account, and if Alice needs to adjust the allowance to allow Bob to spend 20 more tokens, normally – she'd check Bob's allowance (100 currently) and start a new `approve` transaction allowing Bob to spend a total of 120 Tokens instead of 100 Tokens.

Now, if Bob is monitoring the Transaction pool, and as soon as he observes new transaction from Alice approving more amount, he may send a `transferFrom` transaction spending 100 Tokens from Alice's account with higher gas price and do all the required effort to get his spend transaction mined before Alice's new approve transaction.

Now Bob has already spent 100 Tokens, and given Alice's approve transaction is mined, Bob's allowance is set to 120 Tokens, this would allow Bob to spend



a total of $100 + 120 = 220$ Tokens from Alice's account instead of the allowed 120 Tokens. This exploit situation is known as Approval Double-Spend Attack.

A potential solution to minimize these instances would be to set the non-zero allowance to 0 before setting it to any other amount.

It's possible for approve to enforce this behaviour without interface changes in the ERC20 specification:

```
if ((_value != 0) && (approved[msg.sender][_spender] != 0)) return false;
```

However, this is just an attempt to modify user behaviour. If the user does attempt to change from one non-zero value to another, the double spend might still happen, since the attacker may set the value to zero by already spending all the previously allowed value before the user's new approval transaction.

If desired, a non-standard function can be added to minimize hassle for users. The issue can be fixed with minimal inconvenience by taking a change value rather than a replacement value:

```
function increaseAllowance (address _spender, uint256 _addedValue)
returns (bool success) {
    uint oldValue = approved[msg.sender][_spender];
    approved[msg.sender][_spender] = safeAdd(oldValue, _addedValue);
    return true;
}
```

Even if this function is added, it's important to keep the original for compatibility with the ERC20 specification.

This contract is not an ERC20 Token, thus checks for approval-doublespend are not needed.

For more, see this discussion on GitHub:

<https://github.com/ethereum/EIPs/issues/20#issuecomment263524729>

Issues Found & Informational Observations

High Severity Issues

No high severity issues were found in the smart contract.

Moderate Severity Issues

No moderate severity issues were found in the smart contract.



Low Severity Issues

No low severity issues were found in the smart contract.

Informational Observations

The Farming smart contract depends on immediate token reserves on Pangolin of the DYP Token for price impact calculations, which is usually the way such calculations are made. Though prices on DEX are subject to manipulation, usually for very short durations of time, if a large liquidity is not available for the token pair.

Flash loans and various DeFi options have made it easier for malicious attackers to execute transactions to manipulate Token Price and Immediate Token Reserves on DEXs and execute unfair trades.

By including a ``noContractsAllowed`` modifier, the smart contract does its best to prevent flash loan exploits as of the audit date.

However, appropriate research must be done and appropriate care must be taken while using the smart contracts.



Line by line comments

Farm.sol

- Line 1:
The compiler version is specified as 0.6.11, this means the code can be compiled with solidity compilers with 0.6.11 only, the latest compiler version at the time of auditing is 0.8.4.
- Lines 3 to 33:
SafeMath library is included to check for underflow and overflows.
- Lines 35 to 273:
EnumerableSet library is included to implement address sets in the smart contract for keeping track of stakers list.
- Lines 275 to 459:
OpenZeppelin's Address library is included to check if an address is contract or not.
- Lines 461 to 500:
Ownable contract is implemented to provide basic access control for transferring out other tokens except WETH and LP from this smart contract.
- Lines 502 to 511:
Token interfaces is included to interact with ERC20 tokens.
- Lines 513 to 695:
Pangolin Pair & Router Interfaces are included
- Lines 697 to 1238:
`FarmProRata` contract is implemented inheriting from Ownable contract. This contract implements deposit and withdraw functions, a noContractsAllowed modifier to make sure other smart contracts do not interact with this smart contract – useful measure to make flash loan exploits even harder to do.

For every deposit and withdraw user's pending rewards are auto-claimed.

Every set delay a swap is attempted with a max price impact of ~2.5%. The swapped WETH/WAVAX is distributed to LP stakers at pro-rata basis. It allows governance to either disburse or burn the unswapped DYP every set delay. Disbursed DYP is distributed to stakers at pro-rata basis.



An emergencyWithdraw function is available to allow stakers to unstake their LP without caring about their rewards – this function may be useful in emergency situations, though such emergency situations are very rare.

Gov.sol

- This smart contract is an updated version of previous governance smart contract to support 4 staking pools in one proposal, this contract also supports a free text proposal and proposals to change QUORUM and MIN_BALANCE_TO_INIT_PROPOSAL.
- `changeQuorum` function and `changeMinBalanceToInitProposal` are time-limited auto-expiring functions that allow admin to modify QUORUM and MIN_BALANCE_TO_INIT_PROPOSAL directly without initiating a proposal for a specific duration of time.
- `transferAnyERC20TokenFromPool` and `transferAnyLegacyERC20TokenFromPool` allows admin to transfer out any ERC20 Tokens from staking pools. Admin cannot transfer out DYP from staking pools within the active staking duration from the staking smart contract, which is around 210 days from deployment.
- `transferAnyERC20Token` and `transferAnyLegacyERC20Token` allows admin to transfer out any ERC20 Tokens from governance contract pools. Admin cannot transfer out DYP from governance contract within the active governance duration from the governance smart contract, which is around 210 days from deployment.
- The governance contract expires after the ADMIN_CAN_CLAIM_AFTER duration from the deployment date, which is supposed to be around 210 days from deployment, after this duration admin may transfer out any leftover DYP from the contract or any mistakenly sent DYP from the contract. Users must not use this governance contract after 210 days from deployment and must claim their funds from this contract as the contract expiry time approaches – which is supposed to be 210 days from deployment.

Appendix

Smart Contract Summary

Farm.sol:

- Contract SafeMath (Most derived contract)
 - From SafeMath
 - add(uint256,uint256) (internal)
 - div(uint256,uint256) (internal)
 - mul(uint256,uint256) (internal)
 - sub(uint256,uint256) (internal)
- Contract EnumerableSet (Most derived contract)
 - From EnumerableSet
 - _add(EnumerableSet.Set,bytes32) (private)
 - _at(EnumerableSet.Set,uint256) (private)
 - _contains(EnumerableSet.Set,bytes32) (private)
 - _length(EnumerableSet.Set) (private)
 - _remove(EnumerableSet.Set,bytes32) (private)
 - add(EnumerableSet.AddressSet,address) (internal)
 - add(EnumerableSet.UintSet,uint256) (internal)
 - at(EnumerableSet.AddressSet,uint256) (internal)
 - at(EnumerableSet.UintSet,uint256) (internal)
 - contains(EnumerableSet.AddressSet,address) (internal)
 - contains(EnumerableSet.UintSet,uint256) (internal)
 - length(EnumerableSet.AddressSet) (internal)
 - length(EnumerableSet.UintSet) (internal)
 - remove(EnumerableSet.AddressSet,address) (internal)
 - remove(EnumerableSet.UintSet,uint256) (internal)
- Contract Address (Most derived contract)
 - From Address
 - _verifyCallResult(bool,bytes,string) (private)
 - functionCall(address,bytes) (internal)
 - functionCall(address,bytes,string) (internal)
 - functionCallWithValue(address,bytes,uint256) (internal)



- `functionCallWithValue(address,bytes,uint256,string)` (internal)
- `functionDelegateCall(address,bytes)` (internal)
- `functionDelegateCall(address,bytes,string)` (internal)
- `functionStaticCall(address,bytes)` (internal)
- `functionStaticCall(address,bytes,string)` (internal)
- `isContract(address)` (internal)
- `sendValue(address,uint256)` (internal)
- Contract Ownable
 - From Ownable
 - `constructor()` (public)
 - `transferOwnership(address)` (public)
- Contract Token (Most derived contract)
 - From Token
 - `approve(address,uint256)` (external)
 - `balanceOf(address)` (external)
 - `transfer(address,uint256)` (external)
 - `transferFrom(address,address,uint256)` (external)
- Contract OldIERC20 (Most derived contract)
 - From OldIERC20
 - `transfer(address,uint256)` (external)
- Contract IPangolinRouter (Most derived contract)
 - From IPangolinRouter
 - `WAVAX()` (external)
 - `addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)` (external)
 - `addLiquidityAVAX(address,uint256,uint256,uint256,address,uint256)` (external)
 - `factory()` (external)
 - `getAmountIn(uint256,uint256,uint256)` (external)
 - `getAmountOut(uint256,uint256,uint256)` (external)
 - `getAmountsIn(uint256,address[])` (external)
 - `getAmountsOut(uint256,address[])` (external)
 - `quote(uint256,uint256,uint256)` (external)



- `removeLiquidity(address,address,uint256,uint256,uint256,address,uint256)` (external)
- `removeLiquidityAVAX(address,uint256,uint256,uint256,address,uint256)` (external)
- `removeLiquidityAVAXSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256)` (external)
- `removeLiquidityAVAXWithPermit(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,bytes32)` (external)
- `removeLiquidityAVAXWithPermitSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,bytes32)` (external)
- `removeLiquidityWithPermit(address,address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,bytes32)` (external)
- `swapAVAXForExactTokens(uint256,address[],address,uint256)` (external)
- `swapExactAVAXForTokens(uint256,address[],address,uint256)` (external)
- `swapExactAVAXForTokensSupportingFeeOnTransferTokens(uint256,address[],address,uint256)` (external)
- `swapExactTokensForAVAX(uint256,uint256,address[],address,uint256)` (external)
- `swapExactTokensForAVAXSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)` (external)
- `swapExactTokensForTokens(uint256,uint256,address[],address,uint256)` (external)
- `swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)` (external)
- `swapTokensForExactAVAX(uint256,uint256,address[],address,uint256)` (external)
- `swapTokensForExactTokens(uint256,uint256,address[],address,uint256)` (external)
- Contract `IUniswapV2Pair` (Most derived contract)
 - From `IUniswapV2Pair`
 - `DOMAIN_SEPARATOR()` (external)
 - `MINIMUM_LIQUIDITY()` (external)
 - `PERMIT_TYPEHASH()` (external)
 - `allowance(address,address)` (external)
 - `approve(address,uint256)` (external)



- `balanceOf(address)` (external)
- `burn(address)` (external)
- `decimals()` (external)
- `factory()` (external)
- `getReserves()` (external)
- `kLast()` (external)
- `mint(address)` (external)
- `name()` (external)
- `nonces(address)` (external)
- `permit(address,address,uint256,uint256,uint8,bytes32,bytes32)` (external)
- `price0CumulativeLast()` (external)
- `price1CumulativeLast()` (external)
- `skim(address)` (external)
- `swap(uint256,uint256,address,bytes)` (external)
- `symbol()` (external)
- `sync()` (external)
- `token0()` (external)
- `token1()` (external)
- `totalSupply()` (external)
- `transfer(address,uint256)` (external)
- `transferFrom(address,address,uint256)` (external)
- Contract FarmProRata (Most derived contract)
 - From Ownable
 - `constructor()` (public)
 - `transferOwnership(address)` (public)
 - From FarmProRata
 - `addContractBalance(uint256)` (public)
 - `addTrustedClaimableToken(address)` (external)
 - `attemptSwap()` (private)
 - `burnRewardTokens()` (public)
 - `claim()` (public)
 - `claimAs(address)` (public)
 - `constructor(address[])` (public)
 - `deposit(uint256)` (public)
 - `disburseRewardTokens()` (public)



- disburseTokens() (private)
- distributeDivs(uint256) (private)
- distributeDivsEth(uint256) (private)
- doSwap() (private)
- emergencyWithdraw(uint256) (public)
- getDepositorsList(uint256,uint256) (public)
- getMaxSwappableAmount() (public)
- getNumberOfHolders() (public)
- getPendingDisbursement() (public)
- getPendingDivs(address) (public)
- getPendingDivsEth(address) (public)
- removeTrustedClaimableToken(address) (external)
- transferAnyERC20Token(address,address,uint256) (public)
- transferAnyOldERC20Token(address,address,uint256) (public)
- updateAccount(address) (private)
- updateAccount(address,address) (private)
- withdraw(uint256) (public)

Gov.sol:

- Contract SafeMath (Most derived contract)
 - From SafeMath
 - add(uint256,uint256) (internal)
 - div(uint256,uint256) (internal)
 - mul(uint256,uint256) (internal)
 - sub(uint256,uint256) (internal)
- Contract Address (Most derived contract)
 - From Address
 - _verifyCallResult(bool,bytes,string) (private)
 - functionCall(address,bytes) (internal)
 - functionCall(address,bytes,string) (internal)
 - functionCallWithValue(address,bytes,uint256) (internal)
 - functionCallWithValue(address,bytes,uint256,string) (internal)
 - functionDelegateCall(address,bytes) (internal)
 - functionDelegateCall(address,bytes,string) (internal)
 - functionStaticCall(address,bytes) (internal)



- `functionStaticCall(address,bytes,string)` (internal)
 - `isContract(address)` (internal)
 - `sendValue(address,uint256)` (internal)
- Contract Token (Most derived contract)
 - From Token
 - `approve(address,uint256)` (external)
 - `balanceOf(address)` (external)
 - `transfer(address,uint256)` (external)
 - `transferFrom(address,address,uint256)` (external)
- Contract LegacyToken (Most derived contract)
 - From LegacyToken
 - `transfer(address,uint256)` (external)
- Contract StakingPool (Most derived contract)
 - From StakingPool
 - `burnRewardTokens()` (external)
 - `disburseRewardTokens()` (external)
 - `transferAnyERC20Token(address,address,uint256)` (external)
 - `transferAnyOldERC20Token(address,address,uint256)` (external)
 - `transferOwnership(address)` (external)
- Contract Ownable
 - From Ownable
 - `_transferOwnership(address)` (internal)
 - `claimOwnership()` (public)
 - `constructor()` (internal)
 - `isOwner()` (public)
 - `owner()` (public)
 - `transferOwnership(address)` (public)
- Contract Governance (Most derived contract)
 - From Ownable
 - `_transferOwnership(address)` (internal)
 - `claimOwnership()` (public)
 - `isOwner()` (public)
 - `owner()` (public)

- transferOwnership(address) (public)
- From Governance
 - addVotes(uint256,Governance.Option,uint256) (external)
 - changeMinBalanceToInitProposal(uint256) (external)
 - changeQuorum(uint256) (external)
 - constructor() (public)
 - executeProposal(uint256) (external)
 - getProposal(uint256) (external)
 - isProposalExecutable(uint256) (public)
 - isProposalOpen(uint256) (public)
 - proposeDisburseOrBurn(Governance.PoolGroupName) (external)
 - proposeNewMinBalanceToInitProposal(uint256) (external)
 - proposeNewQuorum(uint256) (external)
 - proposeText(string) (external)
 - proposeUpgradeGovernance(Governance.PoolGroupName,address) (external)
 - removeVotes(uint256,uint256) (external)
 - transferAnyERC20Token(address,address,uint256) (external)
 - transferAnyERC20TokenFromPool(address,address,address,uint256) (external)
 - transferAnyLegacyERC20Token(address,address,uint256) (external)
 - transferAnyLegacyERC20TokenFromPool(address,address,address,uint256) (external)
 - withdrawAllTokens() (external)

Slither Results

Farm.sol

```
> slither Farm.sol
```

```
INFO:Detectors:
```

```
OldIERC20 (Farm.sol#509-511) has incorrect ERC20 function
interface:OldIERC20.transfer(address,uint256) (Farm.sol#510)
Reference: https://github.com/crytic/slither/wiki/Detector-
Documentation#incorrect-erc20-interface
```

```
INFO:Detectors:
```

```
FarmProRata.disburseTokens() (Farm.sol#1038-1050) uses a dangerous strict
equality:
  - amount == 0 || totalTokens == 0 (Farm.sol#1044)
```



```

FarmProRata.doSwap() (Farm.sol#1056-1126) uses a dangerous strict equality:
  - maxSwappableAmount == 0 (Farm.sol#1075)
FarmProRata.doSwap() (Farm.sol#1056-1126) uses a dangerous strict equality:
  - _tokensToBeSwapped == 0 (Farm.sol#1097)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#dangerous-strict-equalities
INFO:Detectors:
Reentrancy in FarmProRata.burnRewardTokens() (Farm.sol#1155-1160):
  External calls:
  -
require(bool,string)(Token(trustedRewardTokenAddress).transfer(BURN_ADDRESS,tokens
ToBeDisbursedOrBurnt),burnRewardTokens failed!) (Farm.sol#1157)
  State variables written after the call(s):
  - lastBurnOrTokenDistributeTime = now (Farm.sol#1159)
  - tokensToBeDisbursedOrBurnt = 0 (Farm.sol#1158)
Reentrancy in FarmProRata.deposit(uint256) (Farm.sol#954-968):
  External calls:
  - updateAccount(msg.sender) (Farm.sol#957)
  -
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
  - uniswapV2Pair.sync() (Farm.sol#1068)
  -
require(bool,string)(Token(uniswapRouterV2.WAVAX()).transfer(account,pendingDivsEt
h),Could not transfer WETH!) (Farm.sol#889)
  -
Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
  -
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
  -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
  -
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
  -
require(bool,string)(Token(trustedDepositTokenAddress).transferFrom(msg.sender,add
ress(this),amountToDeposit),Insufficient Token Allowance) (Farm.sol#959)
  State variables written after the call(s):
  - depositedTokens[msg.sender] =
depositedTokens[msg.sender].add(amountToDeposit) (Farm.sol#961)
  - totalTokens = totalTokens.add(amountToDeposit) (Farm.sol#962)
Reentrancy in FarmProRata.disburseRewardTokens() (Farm.sol#1129-1151):
  External calls:
  - uniswapV2Pair.sync() (Farm.sol#1133)
  -
require(bool,string)(Token(trustedRewardTokenAddress).transfer(BURN_ADDRESS,_token
sToBeBurnt),disburseRewardTokens: burn failed!) (Farm.sol#1147)
  State variables written after the call(s):
  - lastBurnOrTokenDistributeTime = now (Farm.sol#1150)
  - tokensToBeDisbursedOrBurnt = 0 (Farm.sol#1149)
Reentrancy in FarmProRata.doSwap() (Farm.sol#1056-1126):
  External calls:
  - uniswapV2Pair.sync() (Farm.sol#1068)
  -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)

```



```

-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
    State variables written after the call(s):
    - lastSwapExecutionTime = now (Farm.sol#1125)
Reentrancy in FarmProRata.emergencyWithdraw(uint256) (Farm.sol#990-1011):
    External calls:
    -
require(bool,string)(Token(trustedDepositTokenAddress).transfer(msg.sender,amountT
oWithdraw),Could not transfer tokens.) (Farm.sol#1003)
    State variables written after the call(s):
    - depositedTokens[msg.sender] =
depositedTokens[msg.sender].sub(amountToWithdraw) (Farm.sol#1005)
    - totalTokens = totalTokens.sub(amountToWithdraw) (Farm.sol#1006)
Reentrancy in FarmProRata.updateAccount(address,address) (Farm.sol#874-912):
    External calls:
    - attemptSwap() (Farm.sol#876)
      - uniswapV2Pair.sync() (Farm.sol#1068)
    -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
    -
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
    -
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
    -
require(bool,string)(Token(uniswapRouterV2.WAVAX()).transfer(account,pendingDivsEt
h),Could not transfer WETH!) (Farm.sol#889)
    -
Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
    -
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
    State variables written after the call(s):
    - lastDivPoints[account] = totalDivPoints (Farm.sol#910)
    - lastEthDivPoints[account] = totalEthDivPoints (Farm.sol#911)
Reentrancy in FarmProRata.withdraw(uint256) (Farm.sol#971-987):
    External calls:
    - updateAccount(msg.sender) (Farm.sol#977)
    -
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
      - uniswapV2Pair.sync() (Farm.sol#1068)
    -
require(bool,string)(Token(uniswapRouterV2.WAVAX()).transfer(account,pendingDivsEt
h),Could not transfer WETH!) (Farm.sol#889)
    -
Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
    -
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
    -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)

```



```

-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
-
require(bool,string)(Token(trustedDepositTokenAddress).transfer(msg.sender,amountT
oWithdraw),Could not transfer tokens.) (Farm.sol#979)
    State variables written after the call(s):
    - depositedTokens[msg.sender] =
depositedTokens[msg.sender].sub(amountToWithdraw) (Farm.sol#981)
    - totalTokens = totalTokens.sub(amountToWithdraw) (Farm.sol#982)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-1
INFO:Detectors:
FarmProRata.disburseRewardTokens()._tokensToBeBurnt (Farm.sol#1138) is a local
variable never initialized
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#uninitialized-local-variables
INFO:Detectors:
FarmProRata.updateAccount(address,address) (Farm.sol#874-912) ignores return value
by Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
FarmProRata.updateAccount(address,address) (Farm.sol#874-912) ignores return value
by
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
FarmProRata.deposit(uint256) (Farm.sol#954-968) ignores return value by
holders.add(msg.sender) (Farm.sol#965)
FarmProRata.withdraw(uint256) (Farm.sol#971-987) ignores return value by
holders.remove(msg.sender) (Farm.sol#985)
FarmProRata.emergencyWithdraw(uint256) (Farm.sol#990-1011) ignores return value by
holders.remove(msg.sender) (Farm.sol#1009)
FarmProRata.doSwap() (Farm.sol#1056-1126) ignores return value by
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#unused-return
INFO:Detectors:
FarmProRata.addContractBalance(uint256) (Farm.sol#867-870) should emit an event
for:
    - contractBalance = contractBalance.add(amount) (Farm.sol#869)
FarmProRata.deposit(uint256) (Farm.sol#954-968) should emit an event for:
    - totalTokens = totalTokens.add(amountToDeposit) (Farm.sol#962)
FarmProRata.withdraw(uint256) (Farm.sol#971-987) should emit an event for:
    - totalTokens = totalTokens.sub(amountToWithdraw) (Farm.sol#982)
FarmProRata.emergencyWithdraw(uint256) (Farm.sol#990-1011) should emit an event
for:
    - totalTokens = totalTokens.sub(amountToWithdraw) (Farm.sol#1006)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#missing-events-arithmetic
INFO:Detectors:
Reentrancy in FarmProRata.addContractBalance(uint256) (Farm.sol#867-870):
    External calls:
    -
require(bool,string)(Token(trustedRewardTokenAddress).transferFrom(msg.sender,addr
ess(this),amount),Cannot add balance!) (Farm.sol#868)
    State variables written after the call(s):
    - contractBalance = contractBalance.add(amount) (Farm.sol#869)
Reentrancy in FarmProRata.deposit(uint256) (Farm.sol#954-968):
    External calls:

```



```

- updateAccount(msg.sender) (Farm.sol#957)
-
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
- uniswapV2Pair.sync() (Farm.sol#1068)
-
require(bool,string)(Token(uniswapRouterV2.WAVAX()).transfer(account,pendingDivsEt
h),Could not transfer WETH!) (Farm.sol#889)
-
Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
-
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
-
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
-
require(bool,string)(Token(trustedDepositTokenAddress).transferFrom(msg.sender,add
ress(this),amountToDeposit),Insufficient Token Allowance) (Farm.sol#959)
State variables written after the call(s):
- depositTime[msg.sender] = now (Farm.sol#967)
Reentrancy in FarmProRata.disburseRewardTokens() (Farm.sol#1129-1151):
External calls:
- uniswapV2Pair.sync() (Farm.sol#1133)
State variables written after the call(s):
- distributeDivs(_tokensToBeDisbursed) (Farm.sol#1145)
- totalDivPoints =
totalDivPoints.add(amount.mul(pointMultiplier).div(totalTokens)) (Farm.sol#1026)
Reentrancy in FarmProRata.doSwap() (Farm.sol#1056-1126):
External calls:
- uniswapV2Pair.sync() (Farm.sol#1068)
State variables written after the call(s):
- tokensToBeDisbursedOrBurnt = tokensToBeDisbursedOrBurnt.add(diff)
(Farm.sol#1081)
- tokensToBeDisbursedOrBurnt = diff_scope_0 (Farm.sol#1088)
- tokensToBeDisbursedOrBurnt = 0 (Farm.sol#1093)
- tokensToBeSwapped = 0 (Farm.sol#1082)
- tokensToBeSwapped = 0 (Farm.sol#1089)
- tokensToBeSwapped = 0 (Farm.sol#1092)
Reentrancy in FarmProRata.doSwap() (Farm.sol#1056-1126):
External calls:
- uniswapV2Pair.sync() (Farm.sol#1068)
-
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
State variables written after the call(s):
- distributeDivsEth(wethReceived) (Farm.sol#1122)
- totalEthDivPoints =
totalEthDivPoints.add(amount.mul(pointMultiplier).div(totalTokens))
(Farm.sol#1033)
Reentrancy in FarmProRata.updateAccount(address,address) (Farm.sol#874-912):
External calls:

```




```

- attemptSwap() (Farm.sol#876)
  - uniswapV2Pair.sync() (Farm.sol#1068)
-
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
-
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
  State variables written after the call(s):
  - totalClaimedRewards = totalClaimedRewards.add(pendingDivs)
(Farm.sol#881)
  - totalEarnedTokens[account] =
totalEarnedTokens[account].add(pendingDivs) (Farm.sol#880)
Reentrancy in FarmProRata.updateAccount(address,address) (Farm.sol#874-912):
  External calls:
  - attemptSwap() (Farm.sol#876)
    - uniswapV2Pair.sync() (Farm.sol#1068)
  -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
-
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
-
require(bool,string)(Token(uniswapRouterV2.WAVAX()).transfer(account,pendingDivsEth
h),Could not transfer WETH!) (Farm.sol#889)
-
Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
-
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
  State variables written after the call(s):
  - lastClaimedTime[account] = now (Farm.sol#909)
  - totalClaimedRewardsEth = totalClaimedRewardsEth.add(pendingDivsEth)
(Farm.sol#905)
  - totalEarnedEth[account] = totalEarnedEth[account].add(pendingDivsEth)
(Farm.sol#904)
Reference: https://github.com/crytic/slither/wiki/Detector-
Documentation#reentrancy-vulnerabilities-2
INFO:Detectors:
Reentrancy in FarmProRata.disburseRewardTokens() (Farm.sol#1129-1151):
  External calls:
  - uniswapV2Pair.sync() (Farm.sol#1133)
  Event emitted after the call(s):
  - RewardsDisbursed(amount) (Farm.sol#1027)
    - distributeDivs(_tokensToBeDisbursed) (Farm.sol#1145)
Reentrancy in FarmProRata.doSwap() (Farm.sol#1056-1126):
  External calls:
  - uniswapV2Pair.sync() (Farm.sol#1068)
  -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)

```



```

-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
  Event emitted after the call(s):
    - EthRewardsDisbursed(amount) (Farm.sol#1034)
      - distributeDivsEth(wethReceived) (Farm.sol#1122)
Reentrancy in FarmProRata.updateAccount(address,address) (Farm.sol#874-912):
  External calls:
    - attemptSwap() (Farm.sol#876)
      - uniswapV2Pair.sync() (Farm.sol#1068)
    -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
-
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
  Event emitted after the call(s):
    - RewardsTransferred(account,pendingDivs) (Farm.sol#882)
Reentrancy in FarmProRata.updateAccount(address,address) (Farm.sol#874-912):
  External calls:
    - attemptSwap() (Farm.sol#876)
      - uniswapV2Pair.sync() (Farm.sol#1068)
    -
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
-
uniswapRouterV2.swapExactTokensForTokens(_tokensToBeSwapped,amountOutMin,SWAP_PATH
,address(this),block.timestamp) (Farm.sol#1115)
-
require(bool,string)(Token(trustedRewardTokenAddress).transfer(account,pendingDivs
),Could not transfer tokens.) (Farm.sol#879)
-
require(bool,string)(Token(uniswapRouterV2.WAVAX()).transfer(account,pendingDivsEt
h),Could not transfer WETH!) (Farm.sol#889)
-
Token(uniswapRouterV2.WAVAX()).approve(address(uniswapRouterV2),pendingDivsEth)
(Farm.sol#893)
-
uniswapRouterV2.swapExactTokensForTokens(pendingDivsEth,amountOutMin,path,account,
block.timestamp) (Farm.sol#900)
  Event emitted after the call(s):
    - EthRewardsTransferred(account,pendingDivsEth) (Farm.sol#906)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3
INFO:Detectors:
FarmProRata.withdraw(uint256) (Farm.sol#971-987) uses timestamp for comparisons
  Dangerous comparisons:
    - require(bool,string)(now.sub(depositTime[msg.sender]) > cliffTime,You
recently deposited, please wait before withdrawing.) (Farm.sol#975)
FarmProRata.emergencyWithdraw(uint256) (Farm.sol#990-1011) uses timestamp for
comparisons
  Dangerous comparisons:
    - require(bool,string)(now.sub(depositTime[msg.sender]) > cliffTime,You
recently deposited, please wait before withdrawing.) (Farm.sol#994)
FarmProRata.disburseTokens() (Farm.sol#1038-1050) uses timestamp for comparisons
  Dangerous comparisons:

```




```

- contractBalance < amount (Farm.sol#1041)
- amount == 0 || totalTokens == 0 (Farm.sol#1044)
FarmProRata.doSwap() (Farm.sol#1056-1126) uses timestamp for comparisons
Dangerous comparisons:
- now.sub(lastSwapExecutionTime) < swapAttemptPeriod (Farm.sol#1063)
- maxSwappableAmount < tokensToBeSwapped (Farm.sol#1077)
- maxSwappableAmount < _tokensToBeSwapped (Farm.sol#1084)
- _tokensToBeSwapped == 0 (Farm.sol#1097)
- Token(trustedRewardTokenAddress).balanceOf(address(this)) <
_tokensToBeSwapped (Farm.sol#1102)
-
require(bool,string)(Token(trustedRewardTokenAddress).approve(address(uniswapRoute
rV2),_tokensToBeSwapped),approve failed!) (Farm.sol#1106)
- require(bool,string)(wethReceived >= amountOutMin,Invalid SWAP!)
(Farm.sol#1119)
FarmProRata.disburseRewardTokens() (Farm.sol#1129-1151) uses timestamp for
comparisons
Dangerous comparisons:
- require(bool,string)(now.sub(lastBurnOrTokenDistributeTime) >
burnOrDisburseTokensPeriod,Recently executed, Please wait!) (Farm.sol#1130)
FarmProRata.burnRewardTokens() (Farm.sol#1155-1160) uses timestamp for comparisons
Dangerous comparisons:
- require(bool,string)(now.sub(lastBurnOrTokenDistributeTime) >
burnOrDisburseTokensPeriod,Recently executed, Please wait!) (Farm.sol#1156)
-
require(bool,string)(Token(trustedRewardTokenAddress).transfer(BURN_ADDRESS,tokens
ToBeDisbursedOrBurnt),burnRewardTokens failed!) (Farm.sol#1157)
FarmProRata.getPendingDisbursement() (Farm.sol#1173-1192) uses timestamp for
comparisons
Dangerous comparisons:
- _now > _stakingEndTime (Farm.sol#1177)
- lastDisburseTime >= _now (Farm.sol#1180)
FarmProRata.transferAnyERC20Token(address,address,uint256) (Farm.sol#1224-1228)
uses timestamp for comparisons
Dangerous comparisons:
- require(bool,string)((_tokenAddr != trustedRewardTokenAddress &&
_tokenAddr != uniswapRouterV2.WAVAX()) || (now > adminClaimableTime),Admin cannot
Transfer out Reward Tokens or WETH Yet!) (Farm.sol#1226)
FarmProRata.transferAnyOldERC20Token(address,address,uint256) (Farm.sol#1231-1237)
uses timestamp for comparisons
Dangerous comparisons:
- require(bool,string)((_tokenAddr != trustedRewardTokenAddress &&
_tokenAddr != uniswapRouterV2.WAVAX()) || (now > adminClaimableTime),Admin cannot
Transfer out Reward Tokens or WETH Yet!) (Farm.sol#1234)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#block-timestamp
INFO:Detectors:
Address.isContract(address) (Farm.sol#296-305) uses assembly
- INLINE ASM (Farm.sol#303)
Address._verifyCallResult(bool,bytes,string) (Farm.sol#441-458) uses assembly
- INLINE ASM (Farm.sol#450-453)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#assembly-usage
INFO:Detectors:
Address._verifyCallResult(bool,bytes,string) (Farm.sol#441-458) is never used and
should be removed
Address.functionCall(address,bytes) (Farm.sol#349-351) is never used and should be
removed

```



Address.functionCall(address,bytes,string) (Farm.sol#359-361) is never used and should be removed

Address.functionCallWithValue(address,bytes,uint256) (Farm.sol#374-376) is never used and should be removed

Address.functionCallWithValue(address,bytes,uint256,string) (Farm.sol#384-391) is never used and should be removed

Address.functionDelegateCall(address,bytes) (Farm.sol#423-425) is never used and should be removed

Address.functionDelegateCall(address,bytes,string) (Farm.sol#433-439) is never used and should be removed

Address.functionStaticCall(address,bytes) (Farm.sol#399-401) is never used and should be removed

Address.functionStaticCall(address,bytes,string) (Farm.sol#409-415) is never used and should be removed

Address.sendValue(address,uint256) (Farm.sol#323-329) is never used and should be removed

EnumerableSet.add(EnumerableSet.UintSet,uint256) (Farm.sol#232-234) is never used and should be removed

EnumerableSet.at(EnumerableSet.UintSet,uint256) (Farm.sol#270-272) is never used and should be removed

EnumerableSet.contains(EnumerableSet.UintSet,uint256) (Farm.sol#249-251) is never used and should be removed

EnumerableSet.length(EnumerableSet.UintSet) (Farm.sol#256-258) is never used and should be removed

EnumerableSet.remove(EnumerableSet.UintSet,uint256) (Farm.sol#242-244) is never used and should be removed

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code>

INFO:Detectors:

Low level call in Address.sendValue(address,uint256) (Farm.sol#323-329):

- (success) = recipient.call{value: amount}() (Farm.sol#327)

Low level call in Address.functionCallWithValue(address,bytes,uint256,string) (Farm.sol#384-391):

- (success, returndata) = target.call{value: value}(data) (Farm.sol#389)

Low level call in Address.functionStaticCall(address,bytes,string) (Farm.sol#409-415):

- (success, returndata) = target.staticcall(data) (Farm.sol#413)

Low level call in Address.functionDelegateCall(address,bytes,string) (Farm.sol#433-439):

- (success, returndata) = target.delegatecall(data) (Farm.sol#437)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls>

INFO:Detectors:

Function IPangolinRouter.WAVAX() (Farm.sol#515) is not in mixedCase

Function IUniswapV2Pair.DOMAIN_SEPARATOR() (Farm.sol#661) is not in mixedCase

Function IUniswapV2Pair.PERMIT_TYPEHASH() (Farm.sol#662) is not in mixedCase

Function IUniswapV2Pair.MINIMUM_LIQUIDITY() (Farm.sol#679) is not in mixedCase

Parameter FarmProRata.getPendingDivs(address)._holder (Farm.sol#919) is not in mixedCase


Parameter FarmProRata.getPendingDivsEth(address)._holder (Farm.sol#933) is not in mixedCase

Parameter FarmProRata.transferAnyERC20Token(address,address,uint256)._tokenAddr (Farm.sol#1224) is not in mixedCase

Parameter FarmProRata.transferAnyERC20Token(address,address,uint256)._to (Farm.sol#1224) is not in mixedCase

Parameter FarmProRata.transferAnyERC20Token(address,address,uint256)._amount (Farm.sol#1224) is not in mixedCase

Parameter FarmProRata.transferAnyOldERC20Token(address,address,uint256)._tokenAddr (Farm.sol#1231) is not in mixedCase



```

disburseRewardTokens() should be declared external:
  - FarmProRata.disburseRewardTokens() (Farm.sol#1129-1151)
burnRewardTokens() should be declared external:
  - FarmProRata.burnRewardTokens() (Farm.sol#1155-1160)
getDepositorsList(uint256,uint256) should be declared external:
  - FarmProRata.getDepositorsList(uint256,uint256) (Farm.sol#1195-1220)
transferAnyERC20Token(address,address,uint256) should be declared external:
  - FarmProRata.transferAnyERC20Token(address,address,uint256)
(Farm.sol#1224-1228)
transferAnyOldERC20Token(address,address,uint256) should be declared external:
  - FarmProRata.transferAnyOldERC20Token(address,address,uint256)
(Farm.sol#1231-1237)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#public-function-that-could-be-declared-external
INFO:Slither:Farm.sol analyzed (9 contracts with 75 detectors), 101 result(s) found
INFO:Slither:Use https://crytic.io/ to get access to additional detectors and Github integration

```

Gov.sol:

```

> slither Gov.sol

INFO:Detectors:
LegacyToken (Gov.sol#227-229) has incorrect ERC20 function
interface:LegacyToken.transfer(address,uint256) (Gov.sol#228)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#incorrect-erc20-interface
INFO:Detectors:
Reentrancy in Governance.withdrawAllTokens() (Gov.sol#593-597):
  External calls:
  -
require(bool,string)(Token(TRUSTED_TOKEN_ADDRESS).transfer(msg.sender,totalDepositedTokens[msg.sender]),transfer failed!) (Gov.sol#595)
  State variables written after the call(s):
  - totalDepositedTokens[msg.sender] = 0 (Gov.sol#596)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-1
INFO:Detectors:
Governance.executeProposal(uint256).lowLevelData_scope_3 (Gov.sol#646) is a local variable never initialized
Governance.executeProposal(uint256).lowLevelData_scope_7 (Gov.sol#659) is a local variable never initialized
Governance.executeProposal(uint256).reason_scope_2 (Gov.sol#644) is a local variable never initialized
Governance.executeProposal(uint256).reason_scope_6 (Gov.sol#657) is a local variable never initialized
Governance.executeProposal(uint256).lowLevelData (Gov.sol#635) is a local variable never initialized
Governance.executeProposal(uint256).reason (Gov.sol#633) is a local variable never initialized
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#uninitialized-local-variables
INFO:Detectors:
Ownable.transferOwnership(address) (Gov.sol#294-297) should emit an event for:
  - pendingOwner = _newOwner (Gov.sol#296)

```



Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#missing-events-access-control>

INFO:Detectors:

Governance.executeProposal(uint256) (Gov.sol#604-673) has external calls inside a loop: pool.disburseRewardTokens() (Gov.sol#631-637)

Governance.executeProposal(uint256) (Gov.sol#604-673) has external calls inside a loop: pool_scope_1.burnRewardTokens() (Gov.sol#642-648)

Governance.executeProposal(uint256) (Gov.sol#604-673) has external calls inside a loop: pool_scope_5.transferOwnership(newGovernances[proposalId]) (Gov.sol#655-661)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation/#calls-inside-a-loop>

INFO:Detectors:

Variable 'Governance.executeProposal(uint256).reason (Gov.sol#633)' in Governance.executeProposal(uint256) (Gov.sol#604-673) potentially used before declaration: PoolCallReverted(pool,reason) (Gov.sol#634)

Variable 'Governance.executeProposal(uint256).lowLevelData (Gov.sol#635)' in Governance.executeProposal(uint256) (Gov.sol#604-673) potentially used before declaration: PoolCallReverted(pool,lowLevelData) (Gov.sol#636)

Variable 'Governance.executeProposal(uint256).reason_scope_2 (Gov.sol#644)' in Governance.executeProposal(uint256) (Gov.sol#604-673) potentially used before declaration: PoolCallReverted(pool_scope_1,reason_scope_2) (Gov.sol#645)

Variable 'Governance.executeProposal(uint256).lowLevelData_scope_3 (Gov.sol#646)' in Governance.executeProposal(uint256) (Gov.sol#604-673) potentially used before declaration: PoolCallReverted(pool_scope_1,lowLevelData_scope_3) (Gov.sol#647)

Variable 'Governance.executeProposal(uint256).reason_scope_6 (Gov.sol#657)' in Governance.executeProposal(uint256) (Gov.sol#604-673) potentially used before declaration: PoolCallReverted(pool_scope_5,reason_scope_6) (Gov.sol#658)

Variable 'Governance.executeProposal(uint256).lowLevelData_scope_7 (Gov.sol#659)' in Governance.executeProposal(uint256) (Gov.sol#604-673) potentially used before declaration: PoolCallReverted(pool_scope_5,lowLevelData_scope_7) (Gov.sol#660)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#pre-declaration-usage-of-local-variables>

INFO:Detectors:

Reentrancy in Governance.addVotes(uint256,Governance.Option,uint256) (Gov.sol#543-569):

External calls:

-

require(bool,string)(Token(TRUSTED_TOKEN_ADDRESS).transferFrom(msg.sender,address(this),amount),transferFrom failed!) (Gov.sol#547)

State variables written after the call(s):

- lastVotedProposalStartTime[msg.sender] = proposalStartTime[proposalId] (Gov.sol#567)

- optionOneVotes[proposalId] = optionOneVotes[proposalId].add(amount) (Gov.sol#559)

- optionTwoVotes[proposalId] = optionTwoVotes[proposalId].add(amount) (Gov.sol#561)

- totalDepositedTokens[msg.sender] = totalDepositedTokens[msg.sender].add(amount) (Gov.sol#563)

- votedForOption[msg.sender][proposalId] = option (Gov.sol#551)

- votesForProposalByAddress[msg.sender][proposalId] = votesForProposalByAddress[msg.sender][proposalId].add(amount) (Gov.sol#564)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-2>

INFO:Detectors:

Reentrancy in Governance.executeProposal(uint256) (Gov.sol#604-673):

External calls:

- pool.disburseRewardTokens() (Gov.sol#631-637)

Event emitted after the call(s):

- PoolCallReverted(pool,reason) (Gov.sol#634)




```

- PoolCallReverted(pool,lowLevelData) (Gov.sol#636)
- PoolCallSucceeded(pool) (Gov.sol#632)
Reentrancy in Governance.executeProposal(uint256) (Gov.sol#604-673):
  External calls:
  - pool_scope_1.burnRewardTokens() (Gov.sol#642-648)
  Event emitted after the call(s):
  - PoolCallReverted(pool_scope_1,reason_scope_2) (Gov.sol#645)
  - PoolCallReverted(pool_scope_1,lowLevelData_scope_3) (Gov.sol#647)
  - PoolCallSucceeded(pool_scope_1) (Gov.sol#643)
Reentrancy in Governance.executeProposal(uint256) (Gov.sol#604-673):
  External calls:
  - pool_scope_5.transferOwnership(newGovernances[proposalId])
  (Gov.sol#655-661)
  Event emitted after the call(s):
  - PoolCallReverted(pool_scope_5,reason_scope_6) (Gov.sol#658)
  - PoolCallReverted(pool_scope_5,lowLevelData_scope_7) (Gov.sol#660)
  - PoolCallSucceeded(pool_scope_5) (Gov.sol#656)
Reference: https://github.com/crytic/slither/wiki/Detector-Documentation#reentrancy-vulnerabilities-3
INFO:Detectors:
Governance.changeQuorum(uint256) (Gov.sol#468-471) uses timestamp for comparisons
  Dangerous comparisons:
  - require(bool,string)(now <
contractStartTime.add(ADMIN_FEATURES_EXPIRE_AFTER),Change quorum feature expired!)
  (Gov.sol#469)
Governance.changeMinBalanceToInitProposal(uint256) (Gov.sol#473-476) uses
timestamp for comparisons
  Dangerous comparisons:
  - require(bool,string)(now <
contractStartTime.add(ADMIN_FEATURES_EXPIRE_AFTER),This admin feature has
expired!) (Gov.sol#474)
Governance.addVotes(uint256,Governance.Option,uint256) (Gov.sol#543-569) uses
timestamp for comparisons
  Dangerous comparisons:
  - lastVotedProposalStartTime[msg.sender] < proposalStartTime[proposalId]
  (Gov.sol#566)
Governance.withdrawAllTokens() (Gov.sol#593-597) uses timestamp for comparisons
  Dangerous comparisons:
  - require(bool,string)(now >
lastVotedProposalStartTime[msg.sender].add(VOTE_DURATION),Tokens are still in
voting!) (Gov.sol#594)
Governance.isProposalOpen(uint256) (Gov.sol#676-681) uses timestamp for
comparisons
  Dangerous comparisons:
  - now < proposalStartTime[proposalId].add(VOTE_DURATION) (Gov.sol#677)
Governance.isProposalExecutable(uint256) (Gov.sol#686-694) uses timestamp for
comparisons
  Dangerous comparisons:
  - (! isProposalOpen(proposalId)) && (now <
proposalStartTime[proposalId].add(VOTE_DURATION).add(RESULT_EXECUTION_ALLOWANCE_PE
RIOD)) && ! isProposalExecuted[proposalId] && optionOneVotes[proposalId] !=
optionTwoVotes[proposalId] (Gov.sol#687-690)
Governance.transferAnyERC20Token(address,address,uint256) (Gov.sol#698-701) uses
timestamp for comparisons
  Dangerous comparisons:
  - require(bool,string)(tokenAddress != TRUSTED_TOKEN_ADDRESS || now >
contractStartTime.add(ADMIN_CAN_CLAIM_AFTER),Cannot Transfer Out main tokens!)
  (Gov.sol#699)

```



Governance.transferAnyLegacyERC20Token(address,address,uint256) (Gov.sol#705-708) uses timestamp for comparisons

Dangerous comparisons:

- require(bool,string)(tokenAddress != TRUSTED_TOKEN_ADDRESS || now > contractStartTime.add(ADMIN_CAN_CLAIM_AFTER),Cannot Transfer Out main tokens!)

(Gov.sol#706)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#block-timestamp>

INFO:Detectors:

Address.isContract(address) (Gov.sol#55-64) uses assembly

- INLINE ASM (Gov.sol#62)

Address._verifyCallResult(bool,bytes,string) (Gov.sol#200-217) uses assembly

- INLINE ASM (Gov.sol#209-212)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#assembly-usage>

INFO:Detectors:

Address._verifyCallResult(bool,bytes,string) (Gov.sol#200-217) is never used and should be removed

Address.functionCall(address,bytes) (Gov.sol#108-110) is never used and should be removed

Address.functionCall(address,bytes,string) (Gov.sol#118-120) is never used and should be removed

Address.functionCallWithValue(address,bytes,uint256) (Gov.sol#133-135) is never used and should be removed

Address.functionCallWithValue(address,bytes,uint256,string) (Gov.sol#143-150) is never used and should be removed

Address.functionDelegateCall(address,bytes) (Gov.sol#182-184) is never used and should be removed

Address.functionDelegateCall(address,bytes,string) (Gov.sol#192-198) is never used and should be removed

Address.functionStaticCall(address,bytes) (Gov.sol#158-160) is never used and should be removed

Address.functionStaticCall(address,bytes,string) (Gov.sol#168-174) is never used and should be removed

Address.sendValue(address,uint256) (Gov.sol#82-88) is never used and should be removed

SafeMath.div(uint256,uint256) (Gov.sol#15-20) is never used and should be removed

SafeMath.mul(uint256,uint256) (Gov.sol#9-13) is never used and should be removed

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#dead-code>

INFO:Detectors:

Low level call in Address.sendValue(address,uint256) (Gov.sol#82-88):

- (success) = recipient.call{value: amount}() (Gov.sol#86)

Low level call in Address.functionCallWithValue(address,bytes,uint256,string) (Gov.sol#143-150):

- (success, returndata) = target.call{value: value}(data) (Gov.sol#148)

Low level call in Address.functionStaticCall(address,bytes,string) (Gov.sol#168-174):

- (success, returndata) = target.staticcall(data) (Gov.sol#172)

Low level call in Address.functionDelegateCall(address,bytes,string) (Gov.sol#192-198):

- (success, returndata) = target.delegatecall(data) (Gov.sol#196)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#low-level-calls>

INFO:Detectors:

Parameter Ownable.transferOwnership(address)._newOwner (Gov.sol#294) is not in mixedCase

Variable Governance.QUORUM (Gov.sol#344) is not in mixedCase

Variable Governance.MIN_BALANCE_TO_INIT_PROPOSAL (Gov.sol#353) is not in mixedCase



Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#conformance-to-solidity-naming-conventions>

INFO:Detectors:

Variable Governance.getProposal(uint256)._stakingPool (Gov.sol#447) is too similar to Governance.stakingPools (Gov.sol#410)

Variable Governance.executeProposal(uint256).lowLevelData_scope_3 (Gov.sol#646) is too similar to Governance.executeProposal(uint256).lowLevelData_scope_7 (Gov.sol#659)

Variable Governance.getProposal(uint256)._newGovernance (Gov.sol#448) is too similar to Governance.newGovernances (Gov.sol#413)

Variable Governance.getProposal(uint256)._newMinBalance (Gov.sol#453) is too similar to Governance.newMinBalances (Gov.sol#422)

Variable Governance.executeProposal(uint256).pool_scope_1 (Gov.sol#641) is too similar to Governance.executeProposal(uint256).pool_scope_5 (Gov.sol#654)

Variable Governance.getProposal(uint256)._proposalText (Gov.sol#452) is too similar to Governance.proposalTexts (Gov.sol#423)

Variable Governance.executeProposal(uint256).reason_scope_2 (Gov.sol#644) is too similar to Governance.executeProposal(uint256).reason_scope_6 (Gov.sol#657)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#variable-names-are-too-similar>

INFO:Detectors:

owner() should be declared external:

- Ownable.owner() (Gov.sol#262-264)

transferOwnership(address) should be declared external:

- Ownable.transferOwnership(address) (Gov.sol#294-297)

claimOwnership() should be declared external:

- Ownable.claimOwnership() (Gov.sol#302-305)

Reference: <https://github.com/crytic/slither/wiki/Detector-Documentation#public-function-that-could-be-declared-external>

INFO:Slither:Gov.sol analyzed (7 contracts with 75 detectors), 61 result(s) found

INFO:Slither:Use <https://crytic.io/> to get access to additional detectors and Github integration

