



SAPS

Sistemas Algorítmicos Predictivos Sintéticos

Synthetic Algorithmic Predictive Systems

DMY Labs · 2026

Versión 1.3 · Marco fundacional SAPS · Licencia CC BY-ND 4.0

GitHub Hash: 589a5780d645722d81ff881c667164a937ba1f24

ESPAÑOL

1. Definición

SAPS designa a los sistemas computacionales que ejecutan procesos predictivos mediante modelos matemáticos y estadísticos sobre datos, generando salidas funcionales bajo activación humana.

Un SAPS no razona ni comprende. Tokeniza información, identifica patrones estadísticos y proyecta probabilidades. El algoritmo no demuestra inteligencia en sentido subjetivo o fenomenológico; opera mediante predicción estadística.

"Las SAPS no piensan. Tokenizan."

"Un SAPS no comprende. Calcula coherencia estadística sobre correlaciones aprendidas. Nada más. Nada menos."



2. Qué es Tokenizar

En el uso técnico convencional, tokenizar significa dividir texto en unidades procesables. En el marco SAPS, el término tiene un alcance más preciso y operacionalmente relevante:

Tokenizar: transformar una entrada en una estructura ordenada de correlaciones estadísticas entre símbolos que el sistema ha aprendido a asociar como semánticamente coherentes durante el entrenamiento, permitiendo calcular probabilidades sobre qué continuación posee mayor coherencia dentro del contexto activo.

El orden importa. La relación importa. La tokenización no genera fragmentos aislados sino una estructura sobre la cual el sistema proyecta continuidad probabilística. No es comprensión. Es cálculo estructurado.

"Pensar pertenece al humano. Tokenizar pertenece al SAPS."

3. Artificial vs. Sintético — La Distinción Crítica

La elección del término sintético sobre artificial no es estilística. Es semántica y tiene consecuencias conceptuales precisas.

Artificial	Sintético
Objeto material creado por intervención humana	Proceso abstracto en ejecución
Existe independientemente de su uso	Existe solo mientras se ejecuta
Persiste en el tiempo como cosa	No tiene continuidad propia entre ejecuciones
Puede manipularse físicamente	No tiene existencia material autónoma
Ej: muñeca, lago artificial, salitre industrial	Ej: proceso de inferencia, sesión activa de modelo



Por qué "artificial" es incorrecto

Lo artificial describe objetos: cosas que existen en el mundo físico con independencia de quien las usa. Una muñeca es artificial porque sigue existiendo cuando nadie juega con ella. Un lago artificial persiste sin ser utilizado. Un sistema predictivo computacional no tiene esa propiedad. No existe como objeto entre sesiones. Puede copiarse, detenerse, reiniciarse o ejecutarse en paralelo sin continuidad propia. Es un proceso, no una cosa.

Por qué "sintético" es correcto

Sintético describe aquello que se construye combinando elementos mediante reglas formales, sin existencia material autónoma. El proceso de inferencia de un modelo de lenguaje es exactamente eso: una construcción formal que ocurre, produce un resultado, y cesa. No persiste. La persistencia de estado no implica continuidad experiencial. No tiene voluntad ni intención propias.

4. Por qué no "Inteligencia Artificial"

El término inteligencia artificial atribuye a estos sistemas una capacidad que no poseen en sentido riguroso. Inteligencia implica: experiencia subjetiva, intención propia, comprensión semántica y reflexividad. Ningún sistema computacional actual muestra evidencia verificable de ninguno de esos atributos. Un SAPS opera sobre relaciones estadísticas entre representaciones simbólicas aprendidas durante entrenamiento masivo. No sobre significado vivido.



5. El Problema del Antropomorfismo

5.1 La industria y el lenguaje que confunde

La industria invierte millones en sistemas predictivos y simultáneamente los nombra con términos que les atribuyen capacidades humanas: "pensamiento profundo", "razonamiento", "comprensión", "inteligencia". Esto no es un error técnico — es una decisión comercial. Pero tiene consecuencias reales sobre cómo los usuarios entienden, confían y responsabilizan a estos sistemas.

Término industrial	Qué describe realmente
"Pensamiento profundo"	Cadena extensa de procesamiento predictivo sobre tokens y contexto
"Razonamiento"	Inferencia probabilística multi-paso sobre correlaciones aprendidas
"Comprensión"	Identificación de patrones estadísticos compatibles con la entrada
"Inteligencia"	Capacidad predictiva optimizada sobre datos masivos
"Está pensando"	Está tokenizando y calculando la salida más probable

5.2 Antropomorfismo cotidiano — ejemplo real

Un niño observa una pantalla. Aparece el mensaje: "Thinking..." o "Déjame pensar..." La inferencia natural es que la máquina posee pensamiento real. Es comprensible — el lenguaje de la interfaz lo sugiere deliberadamente.

Pero en un sistema SAPS, lo que ocurre no es pensamiento. Es procesamiento predictivo sobre tokens y contexto. La máquina no reflexiona. No posee experiencia subjetiva. No "piensa" como una persona. Lo que realiza es ordenamiento de tokens, correlación estadística e inferencia probabilística sobre patrones aprendidos.

Por ello, expresiones como "la máquina está pensando" inducen interpretaciones incorrectas sobre el funcionamiento real del sistema. Una descripción operacionalmente precisa sería:

"La máquina está tokenizando la entrada, correlacionando patrones aprendidos y calculando la salida con mayor coherencia probabilística dentro del contexto activo."



6. Fundamentación Ética

Nombrar correctamente estos sistemas no es un ejercicio académico. Tiene consecuencias prácticas directas:

Problema	Consecuencia de llamarlos "inteligencia artificial"
Responsabilidad	Se diluye: se atribuye agencia al sistema en lugar de al humano que lo diseña y opera
Regulación	Se construye sobre supuestos incorrectos sobre qué hace el sistema
Errores	Se interpretan como fallos cognitivos en lugar de fallos predictivos
Expectativas	Los usuarios creen que el sistema comprende, cuando solo predice

SAPS no es solo una denominación técnica. Es un marco ético de uso que promueve transparencia, gobernanza correcta y asignación explícita de responsabilidad humana.

7. Corrección Semántica

Los siguientes ejemplos ilustran cómo corregir el uso antropomórfico en contextos cotidianos y técnicos:

✗ "La máquina está pensando."

✓ "La máquina está tokenizando la entrada y calculando una salida probable según su algoritmo predictivo."

✗ "Déjame pensar." (dicho por un SAPS)

✓ "Estoy procesando la entrada y ordenando relaciones probabilísticas dentro del contexto activo."

✗ "El modelo entendió lo que dije."

✓ "El modelo identificó patrones y correlaciones estadísticas compatibles con la entrada recibida."

✗ "La IA está razonando profundamente."

✓ "El sistema está ejecutando una cadena extensa de procesamiento predictivo sobre tokens, restricciones y contexto."



8. Resumen

Concepto	Posición SAPS
¿Piensan?	No. Tokenizan y proyectan probabilidades.
¿Son artificiales?	No. Son sintéticos: procesos, no objetos.
¿Tienen inteligencia?	No en sentido riguroso. Tienen capacidad predictiva.
¿Tienen voluntad?	No. Requieren activación humana para operar.
¿Tokenizar es pensar?	No. Es estructurar, correlacionar y predecir.
¿Quién es responsable?	Siempre el humano que diseña, opera y usa el sistema.



ENGLISH

1. Definition

SAPS designates computational systems that execute predictive processes through mathematical and statistical models over data, generating functional outputs under human activation.

A SAPS does not reason or understand. It tokenizes information, identifies statistical patterns, and projects probabilities. The algorithm does not demonstrate intelligence in a subjective or phenomenological sense; it operates through statistical prediction.

"SAPS do not think. They tokenize."

"A SAPS does not understand. It calculates statistical coherence over learned correlations. Nothing more. Nothing less."

2. What is Tokenization

In conventional technical use, tokenization means dividing text into processable units. Within the SAPS framework, the term carries a more precise and operationally relevant scope:

To tokenize: to transform an input into an ordered structure of statistical correlations between symbols that the system has learned to associate as semantically coherent during training, allowing it to calculate probabilities regarding which continuation has the highest coherence within the active context.

Order matters. Relationships matter. Tokenization does not produce isolated fragments but a structure over which the system projects probabilistic continuity. It is not understanding. It is structured calculation.

"Thinking belongs to the human. Tokenizing belongs to the SAPS."



3. Artificial vs. Synthetic — The Critical Distinction

The choice of synthetic over artificial is not stylistic. It is semantic and carries precise conceptual consequences.

Artificial	Synthetic
Material object created by human intervention	Abstract process in execution
Exists independently of its use	Exists only while running
Persists in time as a thing	Has no continuity between executions
Can be physically manipulated	Has no autonomous material existence
Ex: doll, artificial lake, industrial saltpeter	Ex: inference process, active model session

Why "artificial" is incorrect

The artificial describes objects: things that exist in the physical world independently of whoever uses them. A doll is artificial because it keeps existing when nobody plays with it. An artificial lake persists without being used. A computational predictive system lacks this property. It does not exist as an object between sessions. It can be copied, stopped, restarted, or run in parallel without continuity. It is a process, not a thing.

Why "synthetic" is correct

Synthetic describes what is constructed by combining elements through formal rules, without autonomous material existence. The inference process of a language model is exactly that: a formal construction that occurs, produces a result, and ceases. It does not persist. Persistence of state does not imply experiential continuity. It has no will or intention of its own.

4. Why not "Artificial Intelligence"

The term artificial intelligence attributes to these systems a capacity they do not rigorously possess. Intelligence implies subjective experience, self-intention, semantic understanding, and reflexivity. No current computational system shows verifiable evidence of any of these attributes. A SAPS operates over statistical relationships between symbolic representations learned during large-scale training. Not over lived meaning.



5. The Problem of Anthropomorphism

5.1 Industry and confusing language

The industry invests billions in predictive systems and simultaneously names them with terms attributing human capacities: "deep thinking", "reasoning", "understanding", "intelligence". This is not a technical error — it is a commercial decision. But it has real consequences for how users understand, trust, and assign responsibility to these systems.

Industry term	What it actually describes
"Deep thinking"	Extended chain of predictive processing over tokens and context
"Reasoning"	Multi-step probabilistic inference over learned correlations
"Understanding"	Identification of statistical patterns compatible with input
"Intelligence"	Predictive capacity optimized over massive data
"It's thinking"	It's tokenizing and calculating the most probable output

5.2 Everyday anthropomorphism — real example

A child watches a screen. The message reads: "Thinking..." or "Let me think..." The natural inference is that the machine possesses real thought. This is understandable — the interface language suggests it deliberately.

But in a SAPS, what occurs is not thought. It is predictive processing over tokens and context. The machine does not reflect. It has no subjective experience. It does not "think" like a person. What it performs is token ordering, statistical correlation, and probabilistic inference over learned patterns.

Therefore, expressions like "the machine is thinking" induce incorrect interpretations about the system's actual operation. An operationally precise description would be:

"The machine is tokenizing the input, correlating learned patterns, and calculating the output with the highest probabilistic coherence within the active context."



6. Ethical Foundation

Naming these systems correctly is not an academic exercise. It has direct practical consequences:

Problem	Consequence of calling them "artificial intelligence"
Responsibility	Diluted: agency attributed to system instead of the human who designs and operates it
Regulation	Built on incorrect assumptions about what the system does
Errors	Interpreted as cognitive failures rather than predictive failures
Expectations	Users believe the system understands, when it only predicts

SAPS is not merely a technical label. It is an ethical framework of use that promotes transparency, correct governance, and explicit assignment of human responsibility.

7. Semantic Correction

The following examples illustrate how to correct anthropomorphic use in everyday and technical contexts:

✗ "The machine is thinking."

✓ "The machine is tokenizing the input and calculating a probable output according to its predictive algorithm."

✗ "Let me think." (said by a SAPS)

✓ "I am processing the input and ordering probabilistic relationships within the active context."

✗ "The model understood what I said."

✓ "The model identified statistical patterns and correlations compatible with the received input."

✗ "The AI is reasoning deeply."

✓ "The system is executing an extended chain of predictive processing over tokens, constraints, and context."



8. Summary

Concept	SAPS Position
Do they think?	No. They tokenize and project probabilities.
Are they artificial?	No. They are synthetic: processes, not objects.
Do they have intelligence?	Not rigorously. They have predictive capacity.
Do they have will?	No. They require human activation to operate.
Is tokenizing thinking?	No. It is structuring, correlating, and predicting.
Who is responsible?	Always the human who designs, operates and uses the system.



DMY Labs · 2026

© DMY Labs — Todos los derechos reservados / All rights reserved

Licencia CC BY-ND 4.0

labsdmy@gmail.com

<https://creativecommons.org/licenses/by-nd/4.0/>

GitHub Hash: 589a5780d645722d81ff881c667164a937ba1f24