

```
2025-07-20T16:23:38.086591328Z ←[34m ┌──────────┐[34m←[30m←[44m git repo clone
←[0m←[0m←[34m└────────┘←[0m
2025-07-20T16:23:38.126959257Z ←[34m|←[0m ←[34m > fetching app source code←[0m
2025-07-20T16:23:38.174439634Z ←[34m|←[0m => Selecting branch "main"
2025-07-20T16:23:54.707169117Z ←[34m|←[0m => Checking out commit
"15b40ee8ca5f43dff4ea44364a604b8bf0fdc09a"
2025-07-20T16:23:55.461104000Z ←[34m|←[0m
2025-07-20T16:23:55.464330047Z ←[34m|←[0m ←[32m ✓ cloned repo to ←[35m/workspace←[0m←[0m
2025-07-20T16:23:55.486560527Z ←[34m└──────────┘←[0m
2025-07-20T16:23:55.486597984Z
2025-07-20T16:23:55.543038499Z ←[34m > applying source directory ←[35mbackend←[0m←[0m
2025-07-20T16:23:55.547646980Z ←[32m ✓ using workspace root ←[35m/workspace/backend←[0m←[0m
2025-07-20T16:23:55.547682347Z
2025-07-20T16:23:55.716094493Z ←[34m > configuring build-time app environment variables:←[0m
2025-07-20T16:23:55.716135264Z     NODE_ENV PORT FLASK_ENV FLASK_DEBUG DATABASE_URL
2025-07-20T16:23:55.716139658Z
2025-07-20T16:23:55.718223973Z ←[34m > configuring custom build command to be run at the end of the
build:←[0m
2025-07-20T16:23:55.721312263Z     ←[34m|←[0m pip install -r requirements.txt
2025-07-20T16:23:55.721720662Z
2025-07-20T16:23:55.862589620Z ←[34m ┌──────────┐[34m←[30m←[44m buildpack detection
←[0m←[0m←[34m└────────┘←[0m
2025-07-20T16:23:55.883152637Z ←[34m|←[0m ←[34m > using Ubuntu 22.04 stack←[0m
2025-07-20T16:23:56.570151790Z ←[34m|←[0m Detected the following buildpacks suitable to build your
app:
2025-07-20T16:23:56.570192694Z ←[34m|←[0m
2025-07-20T16:23:56.570515514Z ←[34m|←[0m     digitalocean/python-appdetect    v0.0.7
2025-07-20T16:23:56.570541495Z ←[34m|←[0m     heroku/python                      v4.289.5   (Python)
2025-07-20T16:23:56.570545875Z ←[34m|←[0m     digitalocean/procfile           v0.1.0     (Procfile)
2025-07-20T16:23:56.570549442Z ←[34m|←[0m     digitalocean/custom             v0.1.3     (Custom Build
Command)
2025-07-20T16:23:56.570553106Z ←[34m|←[0m
2025-07-20T16:23:56.570557418Z ←[34m|←[0m For documentation on the buildpacks used to build your
app, please see:
2025-07-20T16:23:56.570560925Z ←[34m|←[0m
2025-07-20T16:23:56.570564369Z ←[34m|←[0m     Python v4.289.5 https://do.co/apps-buildpack-python
2025-07-20T16:23:56.575782805Z ←[34m└──────────┘←[0m
2025-07-20T16:23:56.575809741Z
2025-07-20T16:23:56.579406434Z ←[34m ┌──────────┐[34m←[30m←[44m app build
←[0m←[0m←[34m└────────┘←[0m
2025-07-20T16:23:56.631194264Z ←[34m|←[0m ←[33;1mWarning: ←[0mno analyzed metadata found at path
'/layers/analyzed.toml'
2025-07-20T16:23:56.631244512Z ←[34m|←[0m Timer: Builder started at 2025-07-20T16:23:56Z
2025-07-20T16:23:56.713217271Z ←[34m|←[0m -----> No Python version was specified. Using the
buildpack default: Python 3.13
2025-07-20T16:23:56.720082846Z ←[34m|←[0m
2025-07-20T16:23:56.720393635Z ←[34m|←[0m ←[1;33m !           Warning: No Python version was
specified.←[0m
2025-07-20T16:23:56.720406326Z ←[34m|←[0m ←[1;33m !           ←[0m
2025-07-20T16:23:56.720415959Z ←[34m|←[0m ←[1;33m !           Your app doesn't specify a Python version
and so the buildpack←[0m
2025-07-20T16:23:56.720421588Z ←[34m|←[0m ←[1;33m !           picked a default version for you.←[0m
2025-07-20T16:23:56.720426525Z ←[34m|←[0m ←[1;33m !           ←[0m
2025-07-20T16:23:56.720432100Z ←[34m|←[0m ←[1;33m !           Relying on this default version isn't
recommended, since it←[0m
2025-07-20T16:23:56.720457906Z ←[34m|←[0m ←[1;33m !           can change over time and may not be
consistent with your local←[0m
2025-07-20T16:23:56.720764071Z ←[34m|←[0m ←[1;33m !           development environment, CI or other
instances of your app.←[0m
2025-07-20T16:23:56.720786244Z ←[34m|←[0m ←[1;33m !           ←[0m
2025-07-20T16:23:56.720791740Z ←[34m|←[0m ←[1;33m !           Please configure an explicit Python version
for your app.←[0m
2025-07-20T16:23:56.720796608Z ←[34m|←[0m ←[1;33m !           ←[0m
2025-07-20T16:23:56.720800986Z ←[34m|←[0m ←[1;33m !           Create a new file in the root directory of
your app named:←[0m
2025-07-20T16:23:56.720805671Z ←[34m|←[0m ←[1;33m !           .python-version←[0m
2025-07-20T16:23:56.720810302Z ←[34m|←[0m ←[1;33m !           ←[0m
2025-07-20T16:23:56.721131563Z ←[34m|←[0m ←[1;33m !           Make sure to include the '.' character at
```

```
the start of the[0m
2025-07-20T16:23:56.721151347Z [34m[0m [1;33m ! filename. Don't add a file extension such as
'.txt'.[0m
2025-07-20T16:23:56.721158112Z [34m[0m [1;33m ! [0m
2025-07-20T16:23:56.721466549Z [34m[0m [1;33m ! In the new file, specify your app's major
Python version number[0m
2025-07-20T16:23:56.721480018Z [34m[0m [1;33m ! only. Don't include quotes or a 'python-'
prefix.[0m
2025-07-20T16:23:56.721484887Z [34m[0m [1;33m ! [0m
2025-07-20T16:23:56.721489400Z [34m[0m [1;33m ! For example, to request the latest version
of Python 3.13,[0m
2025-07-20T16:23:56.721751296Z [34m[0m [1;33m ! update your .python-version file so it
contains exactly:[0m
2025-07-20T16:23:56.722052178Z [34m[0m [1;33m ! 3.13[0m
2025-07-20T16:23:56.722070951Z [34m[0m [1;33m ! [0m
2025-07-20T16:23:56.722076179Z [34m[0m [1;33m ! We strongly recommend that you don't specify
the Python patch[0m
2025-07-20T16:23:56.722083741Z [34m[0m [1;33m ! version number, since it will pin your app
to an exact Python[0m
2025-07-20T16:23:56.722420014Z [34m[0m [1;33m ! version and so stop your app from receiving
security updates[0m
2025-07-20T16:23:56.722670237Z [34m[0m [1;33m ! each time it builds.[0m
2025-07-20T16:23:56.722813605Z [34m[0m [1;33m ! [0m
2025-07-20T16:23:56.722836069Z [34m[0m [1;33m ! If your app already has a .python-version
file, check that it:[0m
2025-07-20T16:23:56.723149588Z [34m[0m [1;33m ! [0m
2025-07-20T16:23:56.723168199Z [34m[0m [1;33m ! 1. Is in the top level directory (not a
subdirectory).[0m
2025-07-20T16:23:56.723447380Z [34m[0m [1;33m ! 2. Is named exactly '.python-version' in all
lowercase.[0m
2025-07-20T16:23:56.723983177Z [34m[0m [1;33m ! 3. Isn't listed in '.gitignore' or
'.slugignore'.[0m
2025-07-20T16:23:56.724199212Z [34m[0m [1;33m ! 4. Has been added to the Git repository
using 'git add --all'[0m
2025-07-20T16:23:56.724209385Z [34m[0m [1;33m ! and then committed using 'git
commit'.[0m
2025-07-20T16:23:56.724213115Z [34m[0m [1;33m ! [0m
2025-07-20T16:23:56.724534037Z [34m[0m [1;33m ! In the future we will require the use of a
.python-version[0m
2025-07-20T16:23:56.724547838Z [34m[0m [1;33m ! file and this warning will be made an
error.[0m
2025-07-20T16:23:56.724551683Z [34m[0m
2025-07-20T16:23:56.735727735Z [34m[0m -----> Installing Python 3.13.5
2025-07-20T16:23:58.044556159Z [34m[0m -----> Installing pip 25.1.1
2025-07-20T16:24:01.171689490Z [34m[0m -----> Installing dependencies using 'pip install -r
requirements.txt'
2025-07-20T16:24:01.716406467Z [34m[0m Collecting Flask==2.3.3 (from -r requirements.txt
(line 1))
2025-07-20T16:24:01.735063781Z [34m[0m Downloading flask-2.3.3-py3-none-any.whl.metadata
(3.6 kB)
2025-07-20T16:24:01.755393515Z [34m[0m Collecting Flask-CORS==4.0.0 (from -r
requirements.txt (line 2))
2025-07-20T16:24:01.760215036Z [34m[0m Downloading Flask_Cors-4.0.0-py2.py3-none-
any.whl.metadata (5.4 kB)
2025-07-20T16:24:01.777118791Z [34m[0m Collecting Flask-SQLAlchemy==3.0.5 (from -r
requirements.txt (line 3))
2025-07-20T16:24:01.781508657Z [34m[0m Downloading flask_sqlalchemy-3.0.5-py3-none-
any.whl.metadata (3.3 kB)
2025-07-20T16:24:01.860218944Z [34m[0m Collecting psycpg2-binary==2.9.7 (from -r
requirements.txt (line 4))
2025-07-20T16:24:01.865575762Z [34m[0m Downloading psycpg2-binary-2.9.7.tar.gz (383 kB)
2025-07-20T16:24:01.935901198Z [34m[0m Installing build dependencies: started
2025-07-20T16:24:02.927551704Z [34m[0m Installing build dependencies: finished with
status 'done'
2025-07-20T16:24:02.928225494Z [34m[0m Getting requirements to build wheel: started
2025-07-20T16:24:03.384265361Z [34m[0m Getting requirements to build wheel: finished
with status 'done'
2025-07-20T16:24:03.385316360Z [34m[0m Preparing metadata (pyproject.toml): started
2025-07-20T16:24:03.656835290Z [34m[0m Preparing metadata (pyproject.toml): finished
```

```
with status 'done'
2025-07-20T16:24:03.673497005Z ←[34m|←[0m requirements.txt (line 5))
2025-07-20T16:24:03.677908084Z ←[34m|←[0m any.whl.metadata (21 kB)
2025-07-20T16:24:03.698943405Z ←[34m|←[0m requirements.txt (line 6))
2025-07-20T16:24:03.703511972Z ←[34m|←[0m any.whl.metadata (3.8 kB)
2025-07-20T16:24:03.729915096Z ←[34m|←[0m requirements.txt (line 1))
2025-07-20T16:24:03.733549115Z ←[34m|←[0m any.whl.metadata (3.7 kB)
2025-07-20T16:24:03.752181164Z ←[34m|←[0m requirements.txt (line 1))
2025-07-20T16:24:03.755930501Z ←[34m|←[0m any.whl.metadata (2.9 kB)
2025-07-20T16:24:03.767519258Z ←[34m|←[0m >-r requirements.txt (line 1))
2025-07-20T16:24:03.770758421Z ←[34m|←[0m any.whl.metadata (1.9 kB)
2025-07-20T16:24:03.789971940Z ←[34m|←[0m requirements.txt (line 1))
2025-07-20T16:24:03.793767799Z ←[34m|←[0m (2.5 kB)
2025-07-20T16:24:03.858495457Z ←[34m|←[0m requirements.txt (line 1))
2025-07-20T16:24:03.862731045Z ←[34m|←[0m any.whl.metadata (1.6 kB)
2025-07-20T16:24:04.224311826Z ←[34m|←[0m SQLAlchemy==3.0.5->-r requirements.txt (line 3))
2025-07-20T16:24:04.228441612Z ←[34m|←[0m manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (9.6 kB)
2025-07-20T16:24:04.436014590Z ←[34m|←[0m >-r requirements.txt (line 6))
2025-07-20T16:24:04.439670117Z ←[34m|←[0m any.whl.metadata (6.6 kB)
2025-07-20T16:24:04.513678476Z ←[34m|←[0m >Flask==2.3.3->-r requirements.txt (line 1))
2025-07-20T16:24:04.517780407Z ←[34m|←[0m manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.0 kB)
2025-07-20T16:24:04.679129714Z ←[34m|←[0m >Flask-SQLAlchemy==3.0.5->-r requirements.txt (line 3))
2025-07-20T16:24:04.683445432Z ←[34m|←[0m manylinux_2_24_x86_64.manylinux_2_28_x86_64.whl.metadata (4.1 kB)
2025-07-20T16:24:04.703705930Z ←[34m|←[0m sqlalchemy>=1.4.18->Flask-SQLAlchemy==3.0.5->-r requirements.txt (line 3))
2025-07-20T16:24:04.706969543Z ←[34m|←[0m any.whl.metadata (3.0 kB)
2025-07-20T16:24:04.719585962Z ←[34m|←[0m
2025-07-20T16:24:04.723769471Z ←[34m|←[0m (14 kB)
2025-07-20T16:24:04.727827726Z ←[34m|←[0m (24 kB)
2025-07-20T16:24:04.731748346Z ←[34m|←[0m (19 kB)
2025-07-20T16:24:04.735721704Z ←[34m|←[0m kB)
2025-07-20T16:24:04.739128736Z ←[34m|←[0m
2025-07-20T16:24:04.742118630Z ←[34m|←[0m
2025-07-20T16:24:04.745735239Z ←[34m|←[0m kB)
2025-07-20T16:24:04.749114517Z ←[34m|←[0m
2025-07-20T16:24:04.753939768Z ←[34m|←[0m
2025-07-20T16:24:04.757475041Z ←[34m|←[0m manylinux_2_17_x86_64.manylinux2014_x86_64.whl (23 kB)
2025-07-20T16:24:04.765664095Z ←[34m|←[0m manylinux_2_17_x86_64.manylinux2014_x86_64.whl (3.2 MB)

Collecting python-dotenv==1.0.0 (from -r
    Downloading python_dotenv-1.0.0-py3-none-
Collecting gunicorn==20.1.0 (from -r
    Downloading gunicorn-20.1.0-py3-none-
Collecting Werkzeug>=2.3.7 (from Flask==2.3.3->-r
    Downloading werkzeug-3.1.3-py3-none-
Collecting Jinja2>=3.1.2 (from Flask==2.3.3->-r
    Downloading jinja2-3.1.6-py3-none-
Collecting itsdangerous>=2.1.2 (from Flask==2.3.3-
    Downloading itsdangerous-2.2.0-py3-none-
Collecting click>=8.1.3 (from Flask==2.3.3->-r
    Downloading click-8.2.1-py3-none-any.whl.metadata
Collecting blinker>=1.6.2 (from Flask==2.3.3->-r
    Downloading blinker-1.9.0-py3-none-
Collecting sqlalchemy>=1.4.18 (from Flask-
    Downloading sqlalchemy-2.0.41-cp313-cp313-
Collecting setuptools>=3.0 (from gunicorn==20.1.0-
    Downloading setuptools-80.9.0-py3-none-
Collecting MarkupSafe>=2.0 (from Jinja2>=3.1.2-
    Downloading MarkupSafe-3.0.2-cp313-cp313-
Collecting greenlet>=1 (from sqlalchemy>=1.4.18-
    Downloading greenlet-3.2.3-cp313-cp313-
Collecting typing-extensions>=4.6.0 (from
    Downloading typing_extensions-4.14.1-py3-none-
Downloading flask-2.3.3-py3-none-any.whl (96 kB)
Downloading Flask_Cors-4.0.0-py2.py3-none-any.whl
Downloading flask_sqlalchemy-3.0.5-py3-none-any.whl
Downloading python_dotenv-1.0.0-py3-none-any.whl
Downloading gunicorn-20.1.0-py3-none-any.whl (79
Downloading blinker-1.9.0-py3-none-any.whl (8.5 kB)
Downloading click-8.2.1-py3-none-any.whl (102 kB)
Downloading itsdangerous-2.2.0-py3-none-any.whl (16
Downloading jinja2-3.1.6-py3-none-any.whl (134 kB)
Downloading MarkupSafe-3.0.2-cp313-cp313-
Downloading setuptools-80.9.0-py3-none-any.whl (1.2
Downloading sqlalchemy-2.0.41-cp313-cp313-
```

```
2025-07-20T16:24:04.783848445Z ←[34m|←[0m Downloading greenlet-3.2.3-cp313-cp313-
manylinux_2_24_x86_64.manylinux_2_28_x86_64.whl (608 kB)
2025-07-20T16:24:04.790010742Z ←[34m|←[0m Downloading typing_extensions-4.14.1-py3-none-
any.whl (43 kB)
2025-07-20T16:24:04.793598411Z ←[34m|←[0m Downloading werkzeug-3.1.3-py3-none-any.whl (224
kB)
2025-07-20T16:24:04.839578310Z ←[34m|←[0m Building wheels for collected packages: pycpg2-
binary
2025-07-20T16:24:04.840540201Z ←[34m|←[0m Building wheel for pycpg2-binary
(pyproject.toml): started
2025-07-20T16:24:15.721269459Z ←[34m|←[0m Building wheel for pycpg2-binary
(pyproject.toml): finished with status 'done'
2025-07-20T16:24:15.722672741Z ←[34m|←[0m Created wheel for pycpg2-binary:
filename=pycpg2_binary-2.9.7-cp313-cp313-linux_x86_64.whl size=157460
sha256=a03c1e38be4d5dbac13b8d47927b0bbeaf02178d6cd242d1d49137129f930fb5
2025-07-20T16:24:15.722695940Z ←[34m|←[0m Stored in directory: /tmp/pip-ephem-wheel-cache-
ngmgn3id/wheels/d4/b0/cb/6dfc0b1ab560eb165f10014afe4956e3b4cac60f6401a1d1e2
2025-07-20T16:24:15.725549516Z ←[34m|←[0m Successfully built pycpg2-binary
2025-07-20T16:24:15.764430841Z ←[34m|←[0m Installing collected packages: typing-extensions,
setuptools, python-dotenv, pycpg2-binary, MarkupSafe, itsdangerous, greenlet, click, blinker,
Werkzeug, sqlalchemy, Jinja2, gunicorn, Flask, Flask-SQLAlchemy, Flask-CORS
2025-07-20T16:24:19.140446511Z ←[34m|←[0m Successfully installed Flask-2.3.3 Flask-CORS-4.0.0
Flask-SQLAlchemy-3.0.5 Jinja2-3.1.6 MarkupSafe-3.0.2 Werkzeug-3.1.3 blinker-1.9.0 click-8.2.1
greenlet-3.2.3 gunicorn-20.1.0 itsdangerous-2.2.0 pycpg2-binary-2.9.7 python-dotenv-1.0.0
setuptools-80.9.0 sqlalchemy-2.0.41 typing-extensions-4.14.1
2025-07-20T16:24:19.812823487Z ←[34m|←[0m Procfile: configuring type "web" process: "gunicorn
wsgi:app"
2025-07-20T16:24:19.812868378Z ←[34m|←[0m Procfile: will set process 'web' as the default process
2025-07-20T16:24:19.826561375Z ←[34m|←[0m Running custom build command: pip install -r
requirements.txt
2025-07-20T16:24:20.347954829Z ←[34m|←[0m Requirement already satisfied: Flask==2.3.3 in
/app/.heroku/python/lib/python3.13/site-packages (from -r requirements.txt (line 1)) (2.3.3)
2025-07-20T16:24:20.349127721Z ←[34m|←[0m Requirement already satisfied: Flask-CORS==4.0.0 in
/app/.heroku/python/lib/python3.13/site-packages (from -r requirements.txt (line 2)) (4.0.0)
2025-07-20T16:24:20.349925810Z ←[34m|←[0m Requirement already satisfied: Flask-SQLAlchemy==3.0.5 in
/app/.heroku/python/lib/python3.13/site-packages (from -r requirements.txt (line 3)) (3.0.5)
2025-07-20T16:24:20.350661454Z ←[34m|←[0m Requirement already satisfied: pycpg2-binary==2.9.7 in
/app/.heroku/python/lib/python3.13/site-packages (from -r requirements.txt (line 4)) (2.9.7)
2025-07-20T16:24:20.351407499Z ←[34m|←[0m Requirement already satisfied: python-dotenv==1.0.0 in
/app/.heroku/python/lib/python3.13/site-packages (from -r requirements.txt (line 5)) (1.0.0)
2025-07-20T16:24:20.352091109Z ←[34m|←[0m Requirement already satisfied: gunicorn==20.1.0 in
/app/.heroku/python/lib/python3.13/site-packages (from -r requirements.txt (line 6)) (20.1.0)
2025-07-20T16:24:20.354464730Z ←[34m|←[0m Requirement already satisfied: Werkzeug==2.3.7 in
/app/.heroku/python/lib/python3.13/site-packages (from Flask==2.3.3->-r requirements.txt (line 1))
(3.1.3)
2025-07-20T16:24:20.355251154Z ←[34m|←[0m Requirement already satisfied: Jinja2==3.1.2 in
/app/.heroku/python/lib/python3.13/site-packages (from Flask==2.3.3->-r requirements.txt (line 1))
(3.1.6)
2025-07-20T16:24:20.356137983Z ←[34m|←[0m Requirement already satisfied: itsdangerous==2.1.2 in
/app/.heroku/python/lib/python3.13/site-packages (from Flask==2.3.3->-r requirements.txt (line 1))
(2.2.0)
2025-07-20T16:24:20.357085113Z ←[34m|←[0m Requirement already satisfied: click==8.1.3 in
/app/.heroku/python/lib/python3.13/site-packages (from Flask==2.3.3->-r requirements.txt (line 1))
(8.2.1)
2025-07-20T16:24:20.358037131Z ←[34m|←[0m Requirement already satisfied: blinker==1.6.2 in
/app/.heroku/python/lib/python3.13/site-packages (from Flask==2.3.3->-r requirements.txt (line 1))
(1.9.0)
2025-07-20T16:24:20.361781026Z ←[34m|←[0m Requirement already satisfied: sqlalchemy==1.4.18 in
/app/.heroku/python/lib/python3.13/site-packages (from Flask-SQLAlchemy==3.0.5->-r requirements.txt
(line 3)) (2.0.41)
2025-07-20T16:24:20.365745986Z ←[34m|←[0m Requirement already satisfied: setuptools==3.0 in
/app/.heroku/python/lib/python3.13/site-packages (from gunicorn==20.1.0->-r requirements.txt (line
6)) (80.9.0)
2025-07-20T16:24:20.370033098Z ←[34m|←[0m Requirement already satisfied: MarkupSafe==2.0 in
/app/.heroku/python/lib/python3.13/site-packages (from Jinja2==3.1.2->Flask==2.3.3->-r
requirements.txt (line 1)) (3.0.2)
2025-07-20T16:24:20.382532158Z ←[34m|←[0m Requirement already satisfied: greenlet==1 in
/app/.heroku/python/lib/python3.13/site-packages (from sqlalchemy==1.4.18->Flask-SQLAlchemy==3.0.5-
>-r requirements.txt (line 3)) (3.2.3)
```

```
2025-07-20T16:24:20.383574474Z ←[34m|←[0m Requirement already satisfied: typing-extensions>=4.6.0 in
/app/.heroku/python/lib/python3.13/site-packages (from sqlalchemy>=1.4.18->Flask-SQLAlchemy==3.0.5-
>-r requirements.txt (line 3)) (4.14.1)
2025-07-20T16:24:20.584178047Z ←[34m|←[0m Timer: Builder ran for 23.952101443s and ended at 2025-07-
20T16:24:20Z
2025-07-20T16:24:20.798249147Z ←[34m|_____←[0m
2025-07-20T16:24:20.798319919Z
2025-07-20T16:24:20.810111348Z ←[34m|_____←[34m←[30m←[44m app upload
←[0m←[0m←[34m|_____←[0m
2025-07-20T16:24:20.827230256Z ←[34m|←[0m ←[34m > uploading app container image to DOCR←[0m
2025-07-20T16:24:20.915002518Z ←[34m|←[0m ←[33;1mWarning: ←[0mno analyzed metadata found at path
'/layers/analyzed.toml'
2025-07-20T16:24:21.367987023Z ←[34m|←[0m Timer: Exporter started at 2025-07-20T16:24:21Z
2025-07-20T16:24:21.371319698Z ←[34m|←[0m Adding layer 'heroku/python:profile'
2025-07-20T16:24:26.853079219Z ←[34m|←[0m Adding 1/1 app layer(s)
2025-07-20T16:24:26.895517944Z ←[34m|←[0m Adding layer 'buildpacksio/lifecycle:launcher'
2025-07-20T16:24:26.964380035Z ←[34m|←[0m Adding layer 'buildpacksio/lifecycle:config'
2025-07-20T16:24:26.965657198Z ←[34m|←[0m Adding layer 'buildpacksio/lifecycle:process-types'
2025-07-20T16:24:26.968028373Z ←[34m|←[0m Adding label 'io.buildpacks.lifecycle.metadata'
2025-07-20T16:24:26.968840811Z ←[34m|←[0m Adding label 'io.buildpacks.build.metadata'
2025-07-20T16:24:26.969413063Z ←[34m|←[0m Adding label 'io.buildpacks.project.metadata'
2025-07-20T16:24:26.970563789Z ←[34m|←[0m Setting default process type 'web'
2025-07-20T16:24:26.971203891Z ←[34m|←[0m Timer: Saving <image-0>... started at 2025-07-20T16:24:26Z
2025-07-20T16:24:30.443956227Z ←[34m|←[0m *** Images
(sha256:ef1c15f407f9de4215ca14a198958025d893f8d4b53d2122dc52159a322d113e):
2025-07-20T16:24:30.444009496Z ←[34m|←[0m <image-1>
2025-07-20T16:24:30.444015105Z ←[34m|←[0m Timer: Saving <image-2>... ran for 3.472684048s and ended
at 2025-07-20T16:24:30Z
2025-07-20T16:24:30.444018405Z ←[34m|←[0m Timer: Exporter ran for 9.075700609s and ended at 2025-07-
20T16:24:30Z
2025-07-20T16:24:30.444025652Z ←[34m|←[0m Timer: Cache started at 2025-07-20T16:24:30Z
2025-07-20T16:24:31.886419379Z ←[34m|←[0m Adding cache layer 'heroku/python:shim'
2025-07-20T16:24:36.519810324Z ←[34m|←[0m ←[32m ✓ uploaded app image to DOCR←[0m
2025-07-20T16:24:36.523092274Z ←[34m|_____←[0m
2025-07-20T16:24:36.523121498Z
2025-07-20T16:24:36.538707032Z ←[32m ✓ ←[0m←[30m←[42m build complete ←[0m←[0m
2025-07-20T16:24:36.538737253Z
```