Dokumentacija

Visoka ICT

Marko Dašić 110/20

Web Programiranje Praktikum iz PHPa

https://classimaxx.000webhostapp.com/

Meni

UVOD	5
BAZA PODATAKA	6
STRUKTURA PROJEKTA	6
SLIKE STRANICA I OPISI FUNCKIONALNOSTI	11
Home stranica	12
Category - stranica	15
Pojedinacni proizvod stranica	17
Moj profil stranica	19
Login stranica	29
Registration stranica	30
Autor	31
HTML/PHP	32
INDEX	32
VIEWS/ FIXED	35
HEAD	35
NAV	39
SCRIPT	46
AUTHOR	47
VIEWS / PAGES GENERAL	51
CATEGORY (all ads)	51
HOME	69
SINGLE	81
LOGIN	98
REGISTRATION	102
VIEWS / PAGES / DASHBOARD	120
ADD-ADS	120
ADD PHONES	136

FAVORITE ADS	155
MY ADS	165
PROFILE	176
TOP UP CREDITS	179
VIEWS / PAGES /ADMIN	182
APPROVAL	182
PRICELIST	191
STATISTIC	197
USER MANAGMENT	200
MODELS GENERAL	205
ADD PHONES	205
CONNECTIONS	207
DELETE LIKE	208
DELETE PHONE	209
DELETE POST	210
DELETE PROFILE	211
EDIT POST	212
EDIT PROFILE	217
FUNCTIONS	221
GET FAVORITE POST	255
GET FILTER POST	257
GET SUBCATEGORY	260
GET USERS POST	261
INSERT FAVORITE	263
INSERT LIKE	264
INSERT POST	266
LOGIN	272
LOGOUT	275
REGISTRATION	275
REQUEST-CREDIT	280
VERIFICATION	282
MODELS / ADMIN	
ALLOW REQUEST	

	BAN USER	. 284
	DELETE REQUEST	. 285
	FUNCTION	. 286
	GET PREPAID REQUEST	. 292
	UPDATE PROMOTION	. 293
N	ODELS / EXPORT	. 294
	EXP AUTHOR	. 294
	EXP USERES	. 295
C	ONFIG	. 296
	.ENV	. 296
	CONFIG.php	. 296
	CURRENCY_LIST.txt	. 296
	PAGES	. 296
	REQUEST_PREPAID.txt	. 297
JAV	ASCRIPT & CSS	. 298
TEK	STUALNI FAJLOVI	. 299
	WRONG-LOGIN.txt	. 300

UVOD

Templejt je preuzet sa interneta (svi eksterni javaScript i css fajlovi).

Korisceni programski jeziki su: PHP, Html, Css, JavaScript, jQuery, Boostrap, XML.

Kao biblioteka koriscen je Boostrap.

Okruzenje je Visual Studio Code.

Baza podataka: MySQL

Sve stranice su zaštićene sesijama od neovlašćenog pristupa.

Sajt je namenjen za kupo-prodaju proizvoda.

Postoje tri vrste korisnika:

- 1. Neautorizovani
- 2. Autorizovani
- 3. Administratori

Samo autorizovani i administratori mogu da postavljaju oglas.

Prilikom kreiranja oglasa korisnik definiše: naslov, opis, stanje proizvoda (novo,korišćeno itd.), status cene (fiksna cena, zamena poklon, dogovor itd.), način dostave, kategoriju, podkategoriju i promociju ako želi da njegov proizvod bude bolje pozicioniran prilikom pretrage.


Prilikom pregleda svih proizvoda na sajtu, moguće je filtrirati pretragu po svi gore sponutim kriterijumima osim promocije.

Korisnici mogu jedni druge da ocenjuju, ali mogu ostaviti samo jednu ocenu i jedan komentar po jednom korisniku.


Kupovina je zamišljena tako da se korisnici sami dogovaraju oko načina plaćanja i isporuke, stoga korpa na sajtu ne postoji nego se prikazuju brojevi telefona od prodavca.

Uplata promocija zahteva da korisnik ima dovoljno prepaid credita na svom nalogu. Uplatu kredita može izvršiti tako što u svojoj kontrolnoj tabli administratoru pošalje zahtev odobravanja uplate kredita za unetu sumu.

BA7A PODATAKA




STRUKTURA PROJEKTA



Config



Models




Models - Admin

allow-request.php
ban-user.php
delete-request.php
function.php
get-prepaid-request.php
update-promotion.php


Models – export

- exp_author.php
- exp_users.php

Views



Views – fixed



Views – pages

admin	
a dashboard	
ategory.php	16.9 kB
home.php	13.1 kB
login.php	4.3 kB
registration.php	22.5 kB
single.php	19.0 kB

Views – pages – admin

approval.php
 pricelist.php
 statistic.php
 user-managment.php

Views – pages – dashboard

add-ads.php
add-phones.php
edit-profile.php
favorite-ads.php
my-ads.php
profile.php


SLIKE STRANICA I OPISI FUNCKIONALNOSTI

(nema preuzetih funkcionalnosti sa strane servera):

Home stranica




Na početnoj stranici se nalazi polje za pretragu svih oglasa i padajuća lista sa svim kategorijama, čiji se sadržaj popunjava dinamički iz baze. Kilkom na dugme Search otvara se nova stranica sa svim oglasima I dodatnim mogućnostima filtriranja.





Slajder se popunjava dniamčki iz baze sa onim oglasima za koje je uplaćena odgovarajuća promocija. Svaka kartica sadrži: manju verziju početne slike oglasa, naslov, pored naslova u zagradi se ispisuje stanje proizvoda koji se prodaje, podkategoriju, datum kreiranja, opis,

prosečna ocena prodavca koji je postavio oglas, cena sa valutom ili tekst Gift u zavisnoti da li se proizvod prodaje ili poklanja.



Kartice kategorije se dinamički učitavaju iz baze. Svaka kartica sadrži: ikonicu nadkategorije, naziv nadkategorije, naziv svake podaktegorije koja pripada toji nadkategoriji, pored naziva podkategorije ispisuje se broji koji označava koliko oglasa je postavljeno sa tom podkategorijom. Klikom na link na dnu kartice otvara se stranica sa svim oglasima koja se automatski filtrira po onoj nadkategoriji na koju je korisnik kliknuo na poćetnoj stranici.






Polje u plavoj sekciji služi za pretragu po stringu. Sa leve strane su checkbox-ovi koji se učitavjau iz baze, kao i padajuća lista sa valutama. Filtriranje radi upareno sa svim kriterijumima i sa sortiranjem za ocenu. Oglasi se uvek sortiraju tako da na vrhu budu oni oglasi koji imaju uplaćenu odgovarjuću promociju. Sadržaj kartica je identičan kao i na početnoj stranici, stim što se naslov i opis skraćuju kako kartice ne bi bile prevelike. Filtriranje po ceni se obračunava tako što se iz posebnog tekstualnog fajla (config/currency.list.txt) na serveru uzima kursna lista

valute, te se sve valute pretvaraju u dinare i tako uprođuju, ali ispusje se svaka cena u svojoj valuti. Filtriranje se vrši primenom ajaxa.

Na stranici se inicijalno prikazuje 12 oglasa klikom na dugme za paginaciju se ajaxom otvara sledećih 12 proizvoda koje zadovoljavaju kriterijume filtriranja.

Pojedinacni proizvod stranica




U zaglavlju se nalazi identicna forma za pretragu kao i na počenoj stranici. Ispod forme za pretragu se nalaze osnovne informacije o oglasu: ko je oglašavač, koja je nadkategorija proizvoda, lokacija odakle je prodavac, u kakvom je stanju proizvod, I načini dostave.

Slike proizvoda se nalaze u slajderu.

Sa desne strane se nalaz i cena i valuta kao i slike prodavca. Klikom na tekst Contact prikazuju se svi brojevi mobilnih telefona prodavca.


Klikom na ikonicu srca oglas se čuva u listu omiljenih oglasa, za ovu funkcionalnost korisnik mora biti ulogovan.




Komentari ostalih korisnika se prikazuju u sekciji ispod slika. Svaki komentar sadrži: Sliku korisnika ocenu, tekst I datum kada je komentarisano. **Ovi komentari se ne odnose na konkretan proizvod nego na prodavca I moguće je ostaviti samo jedan komentar jednom prodavcu.**

Unos novog komentara je moguć samo ukoliko je korisnik ulogovan. Realiyacija se vrši putem ajaxa. Komentar se odmah po unosu prikazuje na interfesju bez ponovnog osvezavanja.


Svaki korisnik može ukloniti samo svoji komentar. Brisanje komentara se vrši takođe putem ajax-a.






Opis se dinamički ispisuje iz baze kao i iframe tag koji prikazuje video klip sa YouTube-a

Moj profil stranica







1 2


Ovo je inicijalni prikaz za korisnike sa najamnjim privilegijama. Prikazuje se korinsikova slika zajedno sa datumom kreiranja naloga i njegovim trnutnim prepaid kreditom (Prepaid Kredit se koristi za promovisanje oglasa). Njihova kontrolna tabla se sastoji iz 7 sekcija, svaka sekcija je posebna php stranica. Levi deo stranice koji se odnosi na profilnu sliku u listu linkova je posbna php stranica koja se učitava u ostalim stranicama koje prikazuju kontrolnu tablu.:


My Ads – U ovoji sekciji se nalaze svi oglasi koje je korinisk postavio. Oni se učitavaju iz baze i ispisuju u formi tabele. Svaki red sadzi: manju verziju slike proizvoda, naslov, cenu, datum objavljivaja, oznaku da li postoji promocija na tekućem oglasu, da li je promocija aktivna i ako jeste još koliko dana će trajati, nadkategoriju kao i podkategoriju, ikonicu koja prikazuje sve informacije o proizvodu, ikonicu koja otvara formu za editovanje proizvoda, ikonicu za brisanje oglasa. Na dnu ove sekcije se nalazi i paginacija ukoliko korisnik ima preko deset oglasa. Paginacija se izvršava pomoću ajax-a.




Favorite Ads - U ovoji sekciji se nalaze svi oglasi koje je korisnik dodao u listu omiljenih oglasa.











<u>Add-ads</u> - Unošenje novog oglasa. Svi ponuđeni podaci su učitani iz baze uključujući i ponudu promocija.



<u>Add phone number</u> – Korinisk ima mogućnost da doda nove brojeve telefona ili da obriše stare. Maksimalno mu je doyvoljeno 5 brojeva u istom trenutku. Dodavanje I brisanje se vrši pomoću ajax-a.




<u>To up credits</u> – Korisnik šalje zahtev administratoru za dopunu kredita. Može poslati samo jedan zahtev, sve dok taj zahtev ne bude odobren ili odbijen, onda korisnik može opet da pošalje zahtev. Svi zahtevi se upisuju privremeno u tekstualni fajl (config/request_prepaid.txt) . Kada

administrator odobri zahtev iznos se upisuje u bazu podataka i korisnik može da korisit svoji kredit. Slanje zahteva se realizuje ajax-om.


<u>Logout</u> – Korisniku se ukida sesija i biva izlogovan

<u>Delete</u> – Korisniku se briše nalog, odnosno kolona date-deleted u tabeli users se setuje na trnutni datum.


Administrativni deo kontolne table:




<u>Approval prepaids</u> – U ovoji sekciji se prikazuju svi zahtevi svih korisnika za dopunu kredita koji se čitaju iz tekstualnog fajla (config/request_prepaid.txt). Odobravanje ili odbijanje zahteva se vrši klikom na jednu od dve ikonice i to se postiže upotrebom ajax-a.




<u>Users managment</u> – u voji skeciji administrator može da banuje ili rebanuje nekog korisnika ili drugog administratora. Ukoliko se banuje neki korisnik svi njegovi oglasi neće biti vidljivi na sajtu. Klikom na taster 'download user data' podaci o korisnicima se snimaju na korisnički računar u obliku excel dokumenta.








<u>Promotions pricelist</u> – Administraor menja svojstva promocija tj. koliko dana će trajati i njenu cenu. Svaka promena se izvršava ajax-om.



<u>Site statistic</u> – Prikazuje se broji logovanja na sajtu u zadnja 24H i statistika o posećenosti pojedinih stranica. Statisika se menja samo onda kada korisnik prvi put u toku od 24 časa pristupi nekoji stranici , ukoliko pristupi ponovo istoji stranici sa istom ip adressom u vremenskom razmaku od 24h između dve posete, pregled neće biti uračunat u statistiku.









Edit profile – Ova sekcija je dostupna svim autorizovanim korisnicima. Trnutni podaci o korisniku se ispisuju po učitavanju stranice. Klikon ma profilnu ikonicu korisnik bira sa svog uređaja sliku I otvara se modal za kropovanje te slike. Klikom na taster Crop slika se ajaxom šalje na server a server vraca putanju do te slike. Slika se prikazuje korisniku odmah po opsecanju, a njena putanja se smešta u hidden polje.

Login stranica




Regularni izrazi su prisutni i na klijentu i na serveru. Ukoliko korisnik 4 puta za redom omaši kredencijale biće mu prikazana poruka da mu je nalog privremeno blokiran. Takođe mu se šalje mejl sa linkom za reaktivaciju naloga.

Registration stranica



Regularni izrazi su prisutni i na klijentu i na serveru. Opsecanje slike funckcioniše isto kao kod editovanja profila iz kontrolne table. Nakon uspešne registracije korisniku se šalje mejl sa aktivacionim linkom. Klikom na link nalog se verivikuje odnosno kolona 'active' u tabeli 'users' se setuje na jedinicu i samim tim nalog je upotrbljiv.

Autor



Klikom na taster 'Download about us text' tekst sa transparentne sekcije će biti snimljen na korisnikov računar u vidu 'Microsoft Word' dokumenta.

HTML/PHP

INDEX

```
session_start();
require_once("views/fixed/head.php");
require_once("views/fixed/nav.php");
require_once("config/config.php");
require_once("models/connection.php");
if(isset($_GET['page'])){
   $page =$_GET['page'];
    switch($_GET['page']){
        case "category":{
            require_once("views/pages/category.php");break;
        };
        case "single":{
            if(!isset($_GET['id'])){
                require_once("views/pages/category.php");break;
            }else
                require_once("views/pages/single.php");break;
        };
        case "registration":{
            if(isset($_SESSION['user'])){
                require_once("views/pages/home.php");break;
            }else{
            require_once("views/pages/registration.php");break;
        };
        case "author":{
            if(isset($_SESSION['user'])){
```

```
require_once("views/fixed/author.php");break;
    }else{
    require once("views/fixed/author.php");break;
};
case "add-ads":{
    if(isset($ SESSION['user'])){
        require_once("views/pages/dashboard/add-ads.php");break;
    }
case "favorite-ads":{
    if(isset($ SESSION['user'])){
        require_once("views/pages/dashboard/favorite-ads.php");break;
    }
}
case "top-up-credits":{
    if(isset($ SESSION['user'])){
        require_once("views/pages/dashboard/top-up-credits.php");break;
    }
case "approval":{
    if(isset($ SESSION['user'])){
        require_once("views/pages/admin/approval.php");break;
    }
case "managment":{
    if(isset($_SESSION['user'])){
        require_once("views/pages/admin/user-managment.php");break;
}case "pricelist":{
    if(isset($_SESSION['user'])){
        require_once("views/pages/admin/pricelist.php");break;
    }
case "statistic":{
    if(isset($_SESSION['user'])){
        require_once("views/pages/admin/statistic.php");break;
    }
case "edit-profile":{
    if(isset($_SESSION['user'])){
        require_once("views/pages/dashboard/edit-profile.php");break;
```

```
}
        case "my-ads":{
            if(isset($_SESSION['user'])){
                require_once("views/pages/dashboard/my-ads.php");break;
            }
        }
        case "add-phones":{
            if(isset($_SESSION['user'])){
                require_once("views/pages/dashboard/add-phones.php");break;
            }
        }
        case "login": {
            if(isset($_SESSION['user'])){
                require_once("views/pages/home.php");break;
            }else{
            require_once("views/pages/login.php");break;
        }
        default:{
            require_once("views/pages/home.php");
        }
else{
   $page = "";
    require_once("views/pages/home.php");
require_once("views/fixed/footer.php");
require_once("views/fixed/script.php");
```

VIEWS/ FIXED

HFAD

```
<!DOCTYPE html>
<html lang="en">
<head>
$keyword = "Classimax Buy Sell ads category";
$desc = "Classimax Whatever you need. Classimax is there. Whatever you don't
need, Classimax is there. Buy and save / Sell and earn. See All ads and produtc
on Classimax marketplace.";
$title = "Classimax";
if(isset($ GET['page'])){
    $page =$_GET['page'];
    switch($_GET['page']){
        case "category":{
          $keyword = "Classimax category city all ads price search";
          $desc = "Classimax Whatever you need. Classimax is there. Whatever you
don't need, Classimax is there. Buy and save / Sell and earn. See All ads and
produtc on Classimax marketplace.";
          $title = "Classimax - All ads";
         break;
        };
        case "single":{
          $keyword = "Classimax image price delivery reviews review ads product";
         $desc = "This is one of the many articles on the clasimas website. view
product, seller reviews call and order your product.";
          $title = "Classimax - Ads";
          break;
        };
        case "registration":{
          $keyword = "Classimax registration sign up email profile image
password";
          $desc = "Registration now and start fast sell your products or buy
products from other user! ";
          $title = "Classimax - Registration";
```

```
break;
        case "author":{
         $keyword = "Classimax author about us ";
         $desc = "Author web site Classimax is Marko Dasic second-year student
of the ICT college. ";
         $title = "Classimax - Author";
         break;
        };
        case "add-ads":{
          $keyword = "Classimax add edit ads profile ";
         $desc = "Post your ad on the clasimas website and sell it at the best
price in the shortest possible time. ";
         $title = "Classimax - Add ads";
         break;
        case "favorite-ads":{
         $keyword = "Classimax my favorites favorite ads profile ";
         $desc = "All your favorite ads on Classimax marketplace. Add more ads
to your favorite list how did you see it later and maybe buy something ads.";
         $title = "Classimax - Favorite ads";
         break;
        case "top-up-credits":{
         $keyword = "Classimax top up credits money profile ";
         $desc = "Send reugest to administrator for top up your credits on your
profile.";
         $title = "Classimax - Top up credits";
         break;
        case "approval":{
          $keyword = "Classimax admin approval credits profile";
         $desc = "For admin. Accept or Dencile users request for top up credits
on they's profile.";
         $title = "Classimax - Approval";
         break;
```

```
case "managment":{
         $keyword = "Classimax admin users managment profile";
         $desc = "For admin. Ban or Reban users profile and see how much they
have ads.";
         $title = "Classimax - Managment";
         break;
        }case "pricelist":{
         $keyword = "Classimax admin pricelist promotion profile";
         $desc = "For admin. View adn change price promotion and day duration
for promotion.";
         $title = "Classimax - Pricelist";
         break:
        case "statistic":{
         $keyword = "Classimax statistic profile site page";
         $desc = "For admin. Statistic classsimax site, visited pages last 24H
and number loged in on last 24H";
         $title = "Classimax - Statistic";
         break;
        case "edit-profile":{
         $keyword = "Classimax email full name profile image";
         $desc = "Change your profile data. Change profile image, name, email";
         $title = "Classimax - Edit profile";
         break;
        case "my-ads":{
         $keyword = "Classimax my ads cars eletronics home furniture services
pets phone Tv";
         $desc = "View all your active ads and update it or delete it.";
         $title = "Classimax - My ads";
         break;
        case "add-phones":{
         $keyword = "Classimax add phone number profile";
         $desc = "Add new or remove current your phone number on your profile.";
         $title = "Classimax - Add phone";
         break;
```

```
case "login": {
          $keyword = "Classimax login email password sign in";
          $desc = "Sign in now and start fast sell your products or buy products
from other user! ";
          $title = "Classimax - Log in";
          break;
   }
  <!-- SITE TITTLE -->
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="description" content="<?=$desc?>">
  <meta name="keywords" content="<?=$keyword?>">
  <meta name="author" content="Marko Dasic">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title><?=$title?></title>
 if(isset($ GET['page'])){
    if($_GET['page']=="registration" || $_GET['page']=="edit-profile" ) {
      echo '<link rel="stylesheet"
href="https://unpkg.com/jcrop/dist/jcrop.css">';
      echo '<link rel="stylesheet"</pre>
href="https://unpkg.com/dropzone/dist/dropzone.css" />';
      echo '<link href="https://unpkg.com/cropperjs/dist/cropper.css"</pre>
rel="stylesheet"/>';
      echo '<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css" />';
  <!-- PLUGINS CSS STYLE -->
  <!--<link href="plugins/jquery-ui/jquery-ui.min.css" rel="stylesheet">-->
  <!-- Bootstrap -->
  <link rel="icon" href="images/ikonica.ico" type="image/ico" sizes="32x32"/>
  <link href="plugins/bootstrap/dist/css/bootstrap.min.css" rel="stylesheet"/>
```

```
<link href="plugins/font-awesome/css/font-awesome.min.css" rel="stylesheet"/>
  <!-- Owl Carousel -->
  <link href="plugins/slick-carousel/slick/slick.css" rel="stylesheet"/>
  <link href="plugins/slick-carousel/slick/slick-theme.css" rel="stylesheet"/>
  <!-- Fancy Box -->
  <link href="plugins/fancybox/jquery.fancybox.pack.css" rel="stylesheet"/>
  <link href="plugins/jquery-nice-select/css/nice-select.css" rel="stylesheet"/>
  <link href="plugins/seiyria-bootstrap-slider/dist/css/bootstrap-slider.min.css"</pre>
rel="stylesheet"/>
  <!-- CUSTOM CSS -->
  <link href="css/style.css" rel="stylesheet"/>
  <!-- FAVICON -->
  <link href="img/favicon.png" rel="shortcut icon"/>
  <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
  <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
  <script src="https://oss.maxcdn.com/html5shiv/3.7.2/html5shiv.min.js"></script>
  <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
  <![endif]-->
</head>
```

NAV

```
controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
navigation">
                   <span id="hamburger" class="navbar-toggler-icon d-flex</pre>
justify-content-center align-items-center"><i class="fas fa-bars"></i></i></span>
                   </button>
                   <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
                       <a class="nav-link" href="index.php">Home</a>
                           class="nav-item">
                              <a class="nav-link"
href="index.php?page=category">All ads</a>
                           <?php if(isset($_SESSION['user'])):?>
                           <a class="nav-link dropdown-toggle" href="#"</pre>
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                                  Dashboard span><i class="fa fa-angle-</pre>
down"></i></span>
                              </a>
                              <!-- Dropdown list -->
                              <div class="dropdown-menu dropdown-menu-right">
                                  <a class="dropdown-item"</pre>
href="index.php?page=my-ads">My ads</a>
                                  <a class="dropdown-item"</pre>
href="index.php?page=favorite-ads">Favorite Ads</a>
                                  <a class="dropdown-item"</pre>
href="index.php?page=add-ads">Add ads</a>
                                  <a class="dropdown-item"</pre>
href="index.php?page=add-phones">Add phone</a>
                                  <a class="dropdown-item"</pre>
href="index.php?page=top-up-credits">Top up Credits</a>
                                  <?php if($_SESSION['user']->role ==
"admin"): ?>
                                  <a class="dropdown-item"</pre>
href="index.php?page=approval">Approval prepaids</a>
```

```
<a class="dropdown-item"</pre>
href="index.php?page=managment">Users Managment</a>
                              <a class="dropdown-item"</pre>
href="index.php?page=pricelist">Promotion pricelist</a>
                              <a class="dropdown-item"</pre>
href="index.php?page=statistic">Site Statistic</a>
                           </div>
                       class="nav-item">
                           <a class="nav-link"</pre>
href="index.php?page=author">Abouth Us</a>
                       py-0 d-flex justify-content-between">
                                  <a class="nav-link "</pre>
href="index.php?page=add-ads"><i class="fa fa-plus-circle"></i> Add Ads</a>
                       <?php if(!isset($_SESSION['user'])):?>
                           class=" mt-lg-0 pt-0 pb-0 pl-0 pr-0 px-0 py-
0 nav-item d-flex justify-content-center align-items-center">
                              <a class="nav-link login-button"</pre>
href="index.php?page=login">Registration/Login</a>
                           \langle u1 \rangle
                    between">
                       <?php if(isset($ SESSION['user'])):?>
                           align-items-center" id="profile-block">
                              <img class="" id="profile-img"</pre>
src="<?=$_SESSION['user']->src?>" alt="<?=$_SESSION['user']->full_name?>" />
                           center align-items-center">
```

```
<a href="index.php?page=my-ads"</pre>
class="pointer mb-0 text-primary font-20"><?=$_SESSION['user']->full_name?> <?=</pre>
$_SESSION['user']->role == "admin" ? "(Admin)" : ""?></a>
                              center align-items-center">
                                  <a class="nav-link login-button"</pre>
href="models/logout.php">Log out</a>
                              <!--<li>class="nav-item mt-3 mt-lg-0 ">
                                      <a class="nav-link add-button"</pre>
href="#"><i class="fa fa-plus-circle"></i> Add Listing</a>
                              -->
                       </div>
               </nav>
           </div>
       </div>
   </div>
</section>
<style type="text/css">
       justify-content: center;
       align-items: center;
       height: 50px;
       background-color: #111111;
       border-radius: 50% !important;
       background-image: url("user-image/ghost.png");
       background-size: cover;
#profile-img{
   border-radius: 50%;
   width: 50px;
#hamburger>i{
```

```
font-size: 25px;
#header{
    background-color: rgba(255,255,255,0.9);
    width:100%;
    z-index: 999;
#header:hover{
    background-color: white;
.font-20{
   font-size: 20px;
.pointer{
    cursor: pointer;
.nav-item > .add-button{
    padding-left: 15px !important;
    padding-right: 15px !important;
.login-button{
    padding: Opx 15px !important;
</style>
<script type="text/javascript">
    //setTimeout(function(){
    window.onscroll = function(event) {
        console.log()
        if(window.pageYOffset >= 300){
            document.getElementById("header").style.position = "fixed";
            document.getElementById("header").style.zindex = 999;
            //$("#header").css("position","fixed");
            //$("#header").css("z-index","9");
        }else{
            document.getElementById("header").style.position = "relative";
            document.getElementById("header").style.zindex = 1;
            //$("#header").css("position","relative");
            //$("#header").css("z-index","1");
```

```
//},800);
</script>
```

FOOTER

```
<footer class="footer section section-sm mt-5">
  <!-- Container Start -->
  <div class="container">
    <div class="row">
     <div class="col-lg-3 col-md-7 offset-md-1 offset-lg-0">
       <div class="block about">
         <!-- footer logo -->
         <img src="images/logo-footer.png" alt="">
         <!-- description -->
         Classimax je najveća online zajednica za kupovinu
i prodaju u Srbiji, sa preko 2.5 miliona registrovanih korisnika i 760 hiljada
poseta svakog dana. Spajamo one koji žele nešto da prodaju, sa onima koji žele to
da kupe. Pored pojedinaca, na Classimax-u uspešno prodaje i veliki broj malih i
srednjih domaćih biznisa. Prvi oglas na Classimax je postavljen u februaru 2008.
godine.
       </div>
     </div>
     <!-- Link list -->
     <div class="col-lg-2 offset-lg-1 col-md-3">
       <div class="block">
         <h4>Site Pages</h4>
         <l
```

```
<a href="index.php?page=home">Home</a>
           <a href="index.php?page=category">All ads</a>
           <a href="index.php?page=author">About us</a>
           <a href="index.php?page=my-ads">Dshboard</a>
           <a href="dokumentacija.pdf">Documentation</a>
         </div>
     </div>
     <!-- Link list -->
     <!-- Promotion -->
     <div class="col-lg-4 col-md-7">
       <!-- App promotion -->
       <div class="block-2 app-promotion">
         <a href="">
           <img src="images/footer/phone-icon.png" alt="mobile-icon">
         Get the Dealsy Mobile App and Save more
       </div>
     </div>
   </div>
  </div>
  <!-- Container End -->
</footer>
<!-- Footer Bottom -->
<footer class="footer-bottom mt-5">
   <!-- Container Start -->
   <div class="container">
     <div class="row">
       <div class="col-sm-6 col-12">
         <!-- Copyright -->
         <div class="copyright">
           Copyright © 2022. All Rights Reserved
         </div>
       </div>
       <div class="col-sm-6 col-12">
         <!-- Social Icons -->
         <a class="fa fa-facebook" href="https://sr-</a>
rs.facebook.com/"></a>
            <a class="fa fa-twitter"</li>
href="https://twitter.com/?lang=sr"></a>
            <a class="fa fa-pinterest-p"</li>
href="https://www.pinterest.com/"></a>
```

```
</div>
      </div>
    </div>
    <!-- Container End -->
    <div class="top-to">
      <a id="top" class="" ><i class="fa fa-angle-up"></i></a>
    </div>
</footer>
<script type="text/javaScript">
  document.getElementById("top").addEventListener("click", function(){
        $('html, body').animate({
                scrollTop: $('body').offset().top
            }, 400);
    })
</script>
```

SCRIPT

```
<script src="plugins/jquery/dist/jquery.min.js"></script>
  <!--<script src="plugins/jquery-ui/jquery-ui.min.js"></script>-->
  <script src="plugins/tether/js/tether.min.js"></script>
  <script src="plugins/raty/jquery.raty-fa.js"></script>
  <script src="plugins/bootstrap/dist/js/popper.min.js"></script>
  <script src="plugins/bootstrap/dist/js/bootstrap.min.js"></script>
 <!-- <script src="plugins/seiyria-bootstrap-slider/dist/bootstrap-
  <script src="plugins/slick-carousel/slick/slick.min.js"></script>
<!--<script src="plugins/jquery-nice-select/js/jquery.nice-
  <script src="plugins/fancybox/jquery.fancybox.pack.js"></script>
  <script src="plugins/smoothscroll/SmoothScroll.min.js"></script>
  <script src="https://kit.fontawesome.com/d97b95c4d1.js"</pre>
crossorigin="anonymous"></script>
  <!--<script src="https://maps.googleapis.com/maps/api/js?key=AIzaSyCC72vZw-
6tGqFyRhhg5CkF2fqfILn2Tsw"></script>-->
  <?php if(isset($_GET['page'])){</pre>
 if($page != "registration") echo '<script src="js/scripts.js"></script>';
  }
```

```
</body>
</html>
```

AUTHOR

```
<section class="hero-area bg-1 text-center overly">
    <!-- Container Start -->
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <!-- Header Contetnt -->
                <div class="content-block">
                    <h1>Classimax </h1>
                    Whatever you need, Classimax is there <br> Whatever you
don't need, Classimax is there
                    <div class="short-popular-category-list text-center">
                        <h2>Buy and save / Sell and earn</h2>
                    </div>
                </div>
                <!-- Advance Search -->
                <div class="advance-search text-left p-lg-5 p-2 m-0 font-18">
                Classimax je najveća online zajednica za kupovinu i prodaju u
Srbiji, sa preko 2.5 miliona registrovanih korisnika i 760 hiljada poseta svakog
dana. Spajamo one koji žele nešto da prodaju, sa onima koji žele to da kupe.
Pored pojedinaca, na Classimax-u uspešno prodaje i veliki broj malih i srednjih
domaćih biznisa.
                Prvi oglas na Classimax je postavljen u februaru 2008. godine.
Danas ih se dnevno objavi preko 60 hiljada. Sa preko 4.3 miliona aktivnih oglasa
u svakom trenutku, na KupujemProdajem možete pronaći praktično sve!
                KupujemProdajem je u vlasništvu firme:
                Ouable B.V.
                Plesmanlaan 84, 2497CB Hag, Holandija
                Registracioni broj: 27302667
                info
                Pitanja nam možete postaviti korišćenjem forme u donjem desnom
uglu svake stranice portala.
                Korisne informacije i novosti o platformi možete pratiti na KP
Blogu.
                Ime i logo KupujemProdajem su zaštićeni žig firme Quable B.V.
```

```
</div>
           </div>
       </div>
   </div>
</section>
<br/>
<div class="container">
    <a href="models/export/exp_author.php"><button class="btn btn-outline-primary">
mt-5">Download about us text</button></a>
           Client Slider =
            Popular deals section =
<section class=" section">
   <br/>
   <!-- Container Start -->
    <div class="container">
      <div class="row">
```

```
<div class="col-lg-3 col-6">
                <img src="images/author/author.jpeg" class="img-fluid" alt="Marko</pre>
Dasic"/>
            </div>
            <div class="col-6 col-1g-8">
                Marko Dasic 110/20
                Student druge godine osnovnih studija visoke ICT skole.
            </div>
        </div>
    </div>
</section>
<style type="text/css">
    .bg-1{
        background: url("images/call-to-action/cta-background.jpg") !important;
        background-size: cover !important;
        background-repeat: no-repeat !important;
    .hero-area .advance-search {
       margin-bottom: -200px !important;
    .font-18{
       font-size: 20px !important;
    .advance-search{
        background-color: rgba(255,255,255,0.8) !important;
</style>
```

VIEWS / PAGES GENERAL

CATEGORY (all ads)

```
require_once("models/function.php");
if(isset($_SESSION['user'])){
   $id_user_log = $_SESSION['user']->id;
}else $id_user_log = "Ghost";
WriteLog($id_user_log,"category.php","Browsing all ads on site");
   $res = GetTopAds();
    $top_ads = $res['arr'];
    $num = $res['num'];
   $cat = GetAllCategoriesAndIcons();
    $limit = 0;
   $res = GetAllAds($limit);
    $all_ads = $res['arr'];
    $num = $res['num'];
    num_pag = ceil((int)num / 12);
    $cities = GetAllCities();
    $deliveries = GetAllDelivery();
    $states = GetAllStates();
    $states = GetAllStates();
    $categories = GetAllCategories();
    $all_currency = GetAllCurrency();
```

```
<section class="page-search">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <!-- Advance Search -->
                <div class="advance-search">
                        <div class="form-row">
                            <div class="form-group col-lg-7">
                                <input type="text" class="form-control"</pre>
id="input-serach" placeholder="What are you looking for">
                            </div>
                            <div class="form-group offset-lg-2 col-lg-2 d-flex</pre>
align-items-center">
                                <button type="button" id="search" class="btn btn-</pre>
success mt-4 mt-lg-0">Search Now</button>
                            </div>
                        </div>
                </div>
            </div>
        </div>
    </div>
</section>
<section class="section-lg mb-5">
    <div class="container">
        <div class="row">
            <div class="col-lg-12 mt-3">
                <div id="search-result" class="search-result bg-gray d-none mb-</pre>
3">
                </div>
            </div>
        </div>
        <div class="row">
            <div class="col-lg-3">
                <div class="category-sidebar">
                    <div class="widget category-list">
    <h4 class="widget-header">All Category</h4>
```

```
<?php foreach($categories as $el):</pre>
       $ck = "";
       if(isset($_GET['id'])){
            if($el->id == $_GET['id']){
               $ck = "checked";
        }else if(isset($ POST['id'])){
            if($el->id == $_POST['id']){
               $ck = "checked";
            }
       <1i>>
            <div class="form-check d-flex">
                <label class="form-check-label col-11">
                    <input class="form-check-input ck-category ck"</pre>
<?=$ck?> type="checkbox" value="<?=$el->id?>"/>
                    <span><?=$el->category?></span>
                <div class="fs-11 d-flex justify-content-end align-items-end col-</pre>
1 px-0"><?=GetNumPostForCategory($el->id)?></div>
            </div>
       </div>
<div class="widget category-list">
    <h4 class="widget-header">City</h4>
    <?php foreach($cities as $el):?>
        <1i>>
            <div class="form-check d-flex">
                <label class="form-check-label col-10">
                    <input class="form-check-input ck-city ck" type="checkbox"</pre>
value="<?=$el->id?>"/>
               <span><?=$el->city?></span>
```

```
</label>
            </div>
        </div>
<div class="widget price-range">
    <h4 class="widget-header">Price:</h4>
    <div class="form-check d-block ml-0">
        <label class="form-check-label ml-0">
            <input class="form-check-input" checked class="col-12 ml-0 ck"</pre>
id="gift" type="checkbox" value="1"/>
             <span>Gift</span>
        </label>
    </div>
    <div class="row form-gorup">
        <select name="curr" class=" col-12 p-2" id="curr">
            <?php foreach($all currency as $el):?>
            <option selected value="<?=$el->currency?>"><?=$el-</pre>
 currency?></option>
        </select>
        <div class="d-block mt-5 col-12">
            <br/>
<b>0 -</b><b id="display-val">5 000 000 </b>
            <input class="d-block w-100 " type="range" name="range" id="range"</pre>
step="5000" min="5000" value="5000000" max="5000000"/>
        </div>
    </div>
        <label for="amount">Price range:</label>
        <input id="amount" type="text" class="span2" />
    <div id="slider-range"></div>-->
</div>
<div class="widget product-shorting">
    <h4 class="widget-header">By Condition</h4>
```

```
<?php foreach($states as $el):?>
       <div class="form-check mb-20">
       <label class="form-check-label">
           <input class="form-check-input ck-condition ck" type="checkbox"</pre>
value="<?=$el->id?>"/>
           <span> <?=$el->state?> </span>
       </label>
       </div>
</div>
<div>
    <button id="filtrate" class="btn btn-primary mb-5">Filtrate
</div>
               </div>
           </div>
           <div class="col-lg-9 relative">
               <div class="category-search-filter">
                   <div class="row">
                       <div class="col-lg-8 col-12 mb-3 d-flex align-items-</pre>
center">
                           <div class="container d-flex align-items-center">
                               <strong class="col-3">Short</strong>
                              <select class="col-8 p-2" id="sort"</pre>
onchange="Filter()">
                                  <option value="1">Highest Raiting</option>
                                  <option value="2">Lowest Raiting</option>
                              </select>
                           </div>
                       </div>
                       <div class="col-md-4 col-12 d-flex justify-content-start</pre>
mb-3">
                           <div id="view" class="view ">
                              <strong>Views</strong>
                               <a id="tree-col"><i class="fa fa-th-</pre>
large"></i></a>
```

```
<a id="one-col"><i class="fa fa-
reorder"></i></a>
                                 </div>
                      </div>
                  </div>
              </div>
              <div class="product-grid-list mb-5">
           <div id="all-ads-display" class="row mt-30">
              if(!isset($_GET['id']) && !isset($_POST['id'])):
              foreach($all ads as $i => $el):
                      $likes = GetNumLikesForPost($el->id user);
                      if($likes == null){
                         $like =0;
                      }else if($likes->num != 0){
                         $like = ceil($likes->sam / $likes->num);
                      }else{
                         $like = 0;
                      }
<div class="ads col-sm-12 col-lg-6 col-md-6">
                         <!-- product card -->
   <div class="product-item bg-light">
       <div class=" product-block card <?php echo $el->promotion == "On top" ?
bg-promotion": ""?>">
           <div class="thumb-content mx-auto pt-4">
              <!-- <div class="price">$200</div> -->
              <a href="index.php?page=single&id=<?=$el->post id?>">
                  <img class="card-img-top img-fluid" src="<?=$el->min_src?>"
alt="<?= Shorter($el->description,20)?>" />
              </a>
           </div>
           <div class="card-body relative">
              <h4 class="card-title"><a href="index.php?page=single&id=<?=$el-</pre>
>post id?>"><?php echo Shorter($el->title,30) . " (".$el->state.")" ?></a></h4>
```

```
<a href=""><i class="fa fa-folder-open-o"></i><?= $el-</pre>
category?></a>
               <a href=""><i class="fa fa-calendar"></i><?= explode("</pre>
',$el->date_created)[0]<mark>?></a</mark>>
               $desc = Shorter($el->description, 80);
               echo $desc;
            <div class="py-2"></div>
            <div class="price">
               <div class="product-ratings">
                  <?php if($like > 0):?>
                  Seller rating:
                  for($i = 0; $i < 5; $i++):?>
                           $like ? "selected":""?> "><i class="fa fa-star"></i>
                        endfor;?>
                        <?php endif; ?>
               </div>
                  $price = GetFullPriceForPost($el->post_id);
                     if( $price->status == "Gift" ){
                        echo "Gift";
                     }else{
```

```
echo $price->price." ".$price->currency;
                        }
                     </div>
              </div>
          </div>
       </div>
   </div>
</div>
<?php endforeach;</pre>
      endif;
                 </div>
              </div>
              <div id="pagination-block" class="mx-auto w-75 pagination</pre>
justify-content-center">
                 <nav aria-label="Page navigation example mt-5">
                     <?php for($i = 0; $i < $num_pag; $i++):?>
                           "active":"" ?>"><a class="page-link pointer" data-page="<?=$i?>"
><?=$i+1?></a>
                     </nav>
              </div>
          </div>
       </div>
   </div>
</section>
<style type="text/css">
   #susubcategory-block>select{
```

```
height: inherit !important;
    }
    select.form-control:not([size]):not([multiple]){
        height: calc(2.25rem + 14px) !important;
    #subcategory-block>select>option, #category-block>select>option {
        background-color: white !important;
        color:black;
    .fs-11{
       font-size: 11px !important;
    .bg-promotion{
        background: rgb(210,215,26);
    background: linear-gradient(117deg, rgba(210,215,26,0.2024160005799195) 18%,
rgba(202,224,11,0.17720591654630602) 30%, rgba(255,252,0,0.2752451322325805)
100%);
    }
    .cat-card{
        min-height: 400px !important;
    }
    .icon{
       font-size: 20px !important;
        height: 45px !important;
        width: 45px !important;
        line-height: 45px !important;
        color: white;
        background-color: #f874a8;
    .height-300{
        height: 200px !important;
    .product-block{
        min-height: 450px !important;
    .badge{
        position: absolute !important;
        background-color: red;
        color: white !important;
        /*padding: 5px 15px 5px 15px !important;*/
        width: 40px;
        height: 40px;
        border-radius: 50% !important;
```

```
top: 5px !important;
    left:25px;
    z-index: 2;
.thumb-content{
   display: flex;
   justify-content: center !important;
    align-items: center;
   width: 150px;
   height: 150px;
}
.product-item{
    -webkit-box-shadow: 0px 4px 17px 0px rgba(78,64,140,0.44);
        -moz-box-shadow: 0px 4px 17px 0px rgba(78,64,140,0.44);
        box-shadow: 0px 4px 17px 0px rgba(78,64,140,0.44);
}
.font-15{
   font-size: 15px !important;
#amount{
    border:0; color:#f6931f; font-weight:bold;
}
.img-fluid{
   max-height: 150px !important;
}
#pagination-block{
   bottom: 0px;
   position: absolute ;
   bottom: 0px;
.price{
   position: abosulte !important;
   bottom: 5px;
   width: 100%;
    left: 0px;
}
@media only screen and (max-width: 800px) {
    .cat-card{
       min-height: 250px !important;
   #view{
```

```
display: none;
      }
      .form-check{
          margin-bottom: 20px;
      .form-check-label>span{
          margin-left: 35px !important;
      label{
          display: flex !important;
          justify-content: between;
      }
      .ck{
          height:25px !important;
          width: 25px !important;
          margin-right: 25px;
          margin-bottom: 20px !important;
      }
      .mb-20{
          margin-bottom: 20px !important;
      }
  }
<script type="text/javascript">
 window.onload = () =>{
      localStorage.setItem("pagination",0);
 $("#category").on("change",function(){
          if(id == '0'){
              $("#subcategory").html('<option value="0"</pre>
                  method:"GET",
```

```
url:"models/get-subcategory.php?id="+id,
                        html = '<option value="0" selected>Other</option>';
                        for(let i=0; i< data.length; i++){</pre>
value="${data[i].id}">${data[i].category}</option>`
                        $("#subcategory").html(html);
                        //console.log("Error with page to display
subcategories");
                        console.log(xhr.responseText);
    $("#search").on("click", function(){
        Filter(0);
       setTimeout(function(){
            $('html, body').animate({
                scrollTop: $('#all-ads-display').offset().top - 240
            }, 'slow');},200);
    });
```

```
$(".page-link").click(function(){
    let val = $(this).attr("data-page");
    localStorage.setItem("pagination", val);
    Filter(val*12);
})
$("#range").on("change",function(){
    let val = $(this).val();
    $("#display-val").html(val);
})
//javascript:void(0);
$("#one-col").click(function(){
    $(".ads").removeClass("col-sm-12")
   $(".ads").removeClass("col-lg-6")
    $(".ads").removeClass("col-md-6")
    $(".ads").addClass("col-12");
    $("#tree-col").css("color","black");
   $(this).css("color","blue");
})
$("#tree-col").click(function(){
    $(".ads").removeClass("col-12");
    $(".ads").addClass("col-sm-12");
    $(".ads").addClass("col-lg-6");
    $(".ads").addClass("col-md-6");
    $("#one-col").css("color","black");
    $(this).css("color","blue");
})
```

```
$("#filtrate").on("click", function(){Filter(0)});
    if(isset($_POST['name'])){
        echo '$("#input-serach").val("'.$_POST['name'].'");';
        echo "Filter(0)";
    }else if(isset($_GET['id'])){
        echo "Filter(0);";
function AddPaginationEvent(){
    $(".page-link").click(function(){
        let val = $(this).attr("data-page");
        localStorage.setItem("pagination", val);
        Filter(val*12);
    })
function Filter(limit){
    var cities = []
     $(".ck-city").each(function(){
        if($(this).prop("checked")){
            cities.push($(this).val());
        }
    })
    var categories = []
     $(".ck-category").each(function(){
        if($(this).prop("checked")){
            categories.push($(this).val());
        }
    })
    var condition = []
     $(".ck-condition").each(function(){
        if($(this).prop("checked")){
            condition.push($(this).val());
```

```
var curr = $("#curr").val();
    var price = parseFloat($("#range").val());
    var gif = 0;
    if($("#gift").prop("checked")){
         gif = 1;
    }
    let sort = $("#sort").val();
    let search = $("#input-serach").val();
    $.ajax({
        method:"POST",
        url:"models/get-filter-post.php",
        dataType:"JSON",
        data:{
            "limit":limit,
            "search": search,
            "sort":sort,
            "gift" : gif,
            "curr":curr,
            "cities":cities,
            "categories":categories,
            "conditions":condition,
            "price":price
        },
        success:function(data){
            WritePosts(data)
        },
        error:function(xhr){
            console.log(xhr.responseText);
        }
    })
function WritePosts(response){
    var num = response.num
    var data = response.result;
```

```
$("#all-ads-display").html("");
   if(data.length == 0){
       html = "No items were found";
       $("#all-ads-display").html(html);
       $("#pagination-block").html("");
   }else{
       for(var t = 0 ; t < data.length; t++){</pre>
          html = 
              <div class="ads col-sm-12 col-lg-6 col-md-6">
                                        <!-- product card -->
                  <div class="product-item bg-light">
                     <div class=" product-block card ${ data[t].promotion ==</pre>
"On top" ? "bg-promotion" : ''}">
                         <div class="thumb-content mx-auto pt-4">
                             <!-- <div class="price">$200</div> -->
href="index.php?page=single&id=${data[t].post id}">
                                <img class="card-img-top img-fluid"</pre>
src="${data[t].min_src}" alt="${data[t].description.substring(0,20)}" />
                         </div>
                         <div class="card-body relative">
                             <h4 class="card-title"><a
href="index.php?page=single&id=${data[t].post_id}">${data[t].title.length > 30 ?
data[t].title.substring(0,30)+"..." :
data[t].title.substring(0,30)} (${data[t].state})</a></h4>
                             <a ><i class="fa fa-folder-open-</pre>
o"></i>${data[t].category}</a>
                                <a ><i class="fa fa-
calendar"></i>${data[t].date_created.split(" ")[0]}</a>
```

```
${data[t].description.length > 80 ?
data[t].description.substring(0,80) + "..." :
data[t].description.substring(0,80)}
                            <div class="py-2"></div>
                            <div class="price">
                            <div class="product-ratings">
                            if(data[t].stars !=null){
                                html+=`
                                Seller rating:
                                `
                                       if(data[t].stars.length > 0){
                                           for(let i = 0 ; i < 5 ; i++)</pre>
                                              html+=`<li class="list-
inline-item ${ i < data[t].stars ? "selected":''} "><i class="fa fa-</pre>
star"></i>`;
                                       }
                                html+= `
                                html+= `</div>
                            <div>
                                `
                                   if( data[t].status == "Gift" ){
                                       html +="Gift";
                                   }else{
                                       html += `
${data[t].price} ${data[t].currency} `;
                                </div>
                            </div>
                         </div>
                     </div>
```

```
</div>
               </div>
       let old = $("#all-ads-display").html();
       $("#all-ads-display").html(old + html);
       }
    }
       if($("#input-serach").val() != ""){
           let val = $("#input-serach").val();
           $("#search-result").html(`<h2>Results For "${val}" <span</pre>
class="font-15">${num} results</span></h2>`);
           $("#search-result").removeClass("d-none");
       }else{
           $("#search-result").html("");
           $("#search-result").addClass("d-none");
       }
       WritePagination(num);
function WritePagination(num){
    if(num == 0){
       html = ` <nav aria-label="Page navigation example">
                       </nav>`
    }else{
       html=` <nav aria-label="Page navigation example">
                           `
           current = localStorage.getItem("pagination");
           num = Math.ceil(parseInt(num) / 12);
           for(let i = 0; i < num; i++){</pre>
```

```
html+=`<a
class="page-link pointer" data-page="${i}" >${i+1}</a>
}

html+=`
{/nav>`

}

$("#pagination-block").html(html);

AddPaginationEvent();
}

</script>
```

HOME

```
<?php
require_once("models/function.php");
if(isset($_SESSION['user'])){
        $id_user_log = $_SESSION['user']->id;
}else $id_user_log = "Ghost";

WriteLog($id_user_log, "home.php", "None");

        $res = GetTopAds();
        $top_ads = $res['arr'];
        $num = $res['num'];

        $cat = GetAllCategoriesAndIcons();

        $cat_most_product = GetCategoriesWithMostProducts(4);

}>
```

```
Hero Area
<section class="hero-area bg-1 text-center overly">
    <!-- Container Start -->
    <div class="container">
       <div class="row">
           <div class="col-md-12">
               <!-- Header Contetnt -->
               <div class="content-block">
                   <h1>Buy & Sell Near You </h1>
                   >Join the millions who buy and sell from each other <br>
everyday in local communities around the world
                   <div class="short-popular-category-list text-center">
                       <h2>PCategories with the most products</h2>
                       <?php foreach($cat_most_product as $el):?>
                           <a href="index.php?page=category&id=<?=$el-</pre>
>id_parrent?>"><i class="<?=$el->icon ?>"></i> <?= GetCategoryForId($el-</pre>
>id parrent)->category?></a>
                       </div>
               </div>
               <!-- Advance Search -->
               <div class="advance-search">
                   <form action="index.php?page=category" method="POST">
                       <div class="row">
                           <!-- Store Search -->
                           <div class="col-lg-6 col-md-12 mb-2">
                               <div class="block d-flex">
                                   <input type="text" class="form-control mb-2</pre>
mr-sm-2 mb-sm-0" id="name" name="name" placeholder="Search for store">
                               </div>
                           </div>
                           <div class="col-lg-6 col-md-12">
                               <div id="search-block" class=" d-md-flex justify-</pre>
content-between">
```

```
<select class=" col-12 mb-3 col-md-6 p-2"</pre>
name="id" id="id">
                                    <option value="0" selected>Other</option>
                                    <?php foreach($cat as $i => $el):?>
                                         <option value="<?=$el->category_id?>"
><?=$el->category?></option>
                                    </select>
                                    <!-- Search Button -->
                                    <button type="submit" class="btn btn-main mb-</pre>
3 col-12 col-md-4 offset-md-1" id="search" name="search">SEARCH</button>
                                </div>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
</section>
            Client Slider
             Popular deals section
<section class="popular-deals section bg-gray">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <div class="section-title">
                 <h2>Trending Ads</h2>
```

```
Lorem ipsum dolor sit amet, consectetur adipisicing elit.
Quas, magnam.
               </div>
           </div>
       </div>
       <div class="d-flex">
           <div class="arr">
              <i id="arr-left" class="fas fa-arrow-left"></i>
           </div>
           <div class="d-flex" id="ovverflov">
               <!-- offer 01 -->
               <?php foreach($top ads as $i => $el):
                       $likes = GetNumLikesForPost($el->id user);
                       if($likes->num == 0){
                           $like =0;
                       }else
                       $like = ceil($likes->sam / $likes->num);
               <div class="item-scroll col-12 col-sm-12 col-lg-4 relative"><span</pre>
class="d-flex align-items-center justify-content-center badge bg-
danger">TOP</span>
                   <!-- product card -->
                   <div class=" product-item bg-light">
                       <div class="product-block card bg-promotion">
                               <div class="thumb-content mx-auto py-4">
                                  <!-- <div class="price">$200</div> -->
                                  <a href="index.php?page=single&id=<?=$el-</pre>
>post_id?>">
                                      <img class="card-img-top img-fluid "</pre>
src="<?=$el->src?>" alt="<?=Shorter($el->description,20)?>"/>
                                  </a>
                               </div>
                           <div class="relative card-body">
                              <h4 class="card-title"><a
href="index.php?page=single&id=<?=$el->post_id?>"><?=Shorter($el->description,
40)." "?> (<?=$el->state?>)</a></h4>
```

```
<a href=""><i class="fa fa-folder-open-</pre>
o"></i><?= $el->category?></a>
                             <a href=""><i class="fa fa-
calendar"></i><?= explode(" ",$el->date_created)[0]?></a>
                             $desc = Shorter($el->description, 150);
                                echo $desc;
                          <div class="product-ratings">
                             Seller rating:
                             if($like > 0):
                                   for($i = 0; $i < 5; $i++):?>
                                      echo $i < $like ? "selected":""?> "><i class="fa fa-star"></i>
                                   endfor;
                                endif;
                             </div>
                         <div class=""><br/></div>
                          <div class="price">
                             class=" bold w-100 mt-2 mx-auto text-
center">
                             $price = GetFullPriceForPost($el->post_id);
                             if($price->status == "Gift"){
                                echo "Gift";
                             }else{
                                echo $price->price." ".$price->currency;
```

```
?>
                               </div>
                           </div>
                       </div>
                   </div>
               </div>
           </div>
            <div class="arr">
               <i id="arr-right" class="fas fa-arrow-right"></i>
           </div>
       </div>
   </div>
</section>
            All Category Section =
<section class=" section">
   <!-- Container Start -->
   <div class="container">
       <div class="row">
           <div class="col-12">
               <!-- Section title -->
               <div class="section-title">
                   <h2>All Categories</h2>
                   Lorem ipsum dolor sit amet, consectetur adipisicing elit.
Perferendis, provident!
               </div>
               <div class="row">
                   <!-- Category list -->
               <?php foreach($cat as $c):</pre>
                   $sub_cat = GetSubCategoryAndNumberPost($c->category_id);
```

```
<div class=" col-lg-3 offset-lg-0 col-md-5 offset-md-1 col-</pre>
sm-6 col-12">
                      <div class="category-block cat-card">
                          <div class="header" >
                              <!--<i class="fa fa-laptop icon-bg-1">--><i
<h4><?=$c->category?></h4>
                          </div>
                          <?php foreach($sub cat as $el):?>
                              <a ><?=$el->category?> <span><?=$el-
>num?></span></a>
                          <div class="d-flex justify-content-center see-all w-</pre>
100">
                              <a class="text-center text-primary"</pre>
href="index.php?page=category&id=<?=$c->category_id?>">See All</a>
                          </div>
                      </div>
                  </div>
               </div>
           </div>
       </div>
   </div>
</section>
<script type="text/javascript">
   window.onload = () =>{
           if(isset($ SESSION['notification'])):?>
              alert("<?=$_SESSION['notification']?>");
              unset($_SESSION['notification']);
```

```
console.log($("#ovverflov").offset().left);
        $("#ovverflov").offset().left = 500;
        console.log($("#ovverflov").offset().left);
        $("#arr-left").click(function(){
             let width = document.getElementsByClassName('item-
scroll')[0].clientWidth
            let x = $("#ovverflov").scrollLeft() - width
            $("#ovverflov").scrollLeft(x)
        })
        $("#arr-right").click(function(){
            let width = document.getElementsByClassName('item-
scroll')[0].clientWidth
            let x = $("#ovverflov").scrollLeft() + width
            $("#ovverflov").scrollLeft(x)
       })
                method:"GET",
                url:"models/get-subcategory.php?id="+id,
                dataType:"JSON",
                success:function(data){
                       /* if(isset($_GET['id'])){
                            echo "let currId = ".$usr post->id category . ";";
                    for(let i=0; i<data.length; i++){</pre>
                        /*if(isset($_GET['id'])):?>
```

```
html+=`<option selected</pre>
value="${data[i].id}">${data[i].category}</option>`;
html+=`<option value="${data[i].id}">${data[i].category}</option>`;
                        html+=`<option
value="${data[i].id}">${data[i].category}</option>`*/
                        #<?#php //endif?>
                error:function(xhr){
                    //console.log("Error with page to display subcategories");
                    console.log(xhr.responseText);
            /*$("#category").on("change",function(){
                let id = $("#category").val();
                console.log(id)
                if(id == '0'){
selected>Other</option>');
                    $.ajax({
                        method:"GET",
                        url:"models/get-subcategory.php?id="+id,
                        dataType:"JSON",
                        success:function(data){
                            html = '<option value="0" selected>Other</option>';
                            for(let i=0; i<data.length; i++){</pre>
```

```
html+=`<option
value="${data[i].id}">${data[i].category}</option>`
                            $("#subcategory").html(html);
                            //console.log("Error with page to display
                            console.log(xhr.responseText);
</script>
<style type="text/css">
    .bg-promotion{
        background: rgb(210,215,26);
    background: linear-gradient(117deg, rgba(210,215,26,0.2024160005799195) 18%,
rgba(202,224,11,0.17720591654630602) 30%, rgba(255,252,0,0.2752451322325805)
100%);
    .cat-card{
            min-height: 350px !important;
    .product-item{
        -webkit-box-shadow: 0px 4px 17px 0px rgba(78,64,140,0.44);
            -moz-box-shadow: 0px 4px 17px 0px rgba(78,64,140,0.44);
            box-shadow: 0px 4px 17px 0px rgba(78,64,140,0.44);
    }
    .bold{
        font-weight: bold;
    #ovverflov{
        overflow-x:auto;
        overflow:hidden;
```

```
.arr{
   display:flex;
   justify-content:center;
   align-items:center;
   margin: 0 5px;
.arr>i{
   font-size:28px;
   color:#c1c1c1;
.arr>i:hover{
   color:blue;
.top-ads-container{
   overflow-x:auto !important;
    display:flex !important;
.top-ads-item{
   display:inline-block !important;
   flex:0 0 100% !important;
.icon{
   font-size: 20px !important;
   height: 45px !important;
   width: 45px !important;
   line-height: 45px !important;
   color: white;
   background-color: #f874a8;
.height-300{
   height: 200px !important;
.product-block{
   min-height: 600px !important;
.badge{
   position: absolute !important;
   background-color: red;
   color: white !important;
   width: 40px;
```

```
height: 40px;
    border-radius: 50% !important;
    top: 5px !important;
    left:25px;
    z-index: 2;
}
.category-block{
    position: relative;
    min-height: 400px !important;
}
.see-all{
    position: absolute;
    bottom: 10px;
    left: 0px;
.card-img-top{
    max-height: 230px !important;
}
.card-body{
    border-top: solid 1px #c2c2c2;
.price{
    width: 100%;
    position: absolute !important;
    bottom: 5px;
    left: 0px;
    margin: 0 auto;
@media only screen and (max-width: 766px) {
.nice-select {
    width: 100%;
@media only screen and (max-width: 800px) {
    .cat-card{
        min-height: 250px !important;
    .product-block{
```

```
min-height: 550px !important;
}
}
</style>
```

SINGLE

```
require_once("models/function.php");
    $post = GetFullDataPostForId($_GET['id']);
    $cat = GetAllCategoriesAndIcons();
    if(isset($_SESSION['user']))
        $is_favorite = IsFavorite($post->post_id);
    else $is_favorite = false;
    if(isset($_SESSION['user'])){
        $id_user_log = $_SESSION['user']->id;
    }else $id_user_log = "Ghost";
    WriteLog($id_user_log, "single.php", "Browsing single ads");
<section class="page-search">
    <div class="container">
        <div class="row">
            <div class="col-md-12">
                <!-- Advance Search -->
                <div class="advance-search">
                    <form action="index.php?page=category" method="POST">
                         <div class="form-row">
                             <div class="form-group col-12 col-lg-7">
                                 <input type="text" class="form-control"</pre>
name="name" id="inputtext4" placeholder="What are you looking for">
                             </div>
                             <div id="subcategory-block" class="form-group col-12</pre>
col-lg-3 mt-3 mt-lg-0">
                                 <select class="form-control w-100" name="id"</pre>
id="subcategoryy">
                                     <option value="0">Other</option>
```

```
<?php foreach($cat as $i => $el):?>
                                      <option value="<?=$el->category_id?>"
><?=$el->category?></option>
                              </select>
                           </div>
                           <div class="form-group col-md-2">
                               <button type="submit" class="btn btn-success mt-4</pre>
mt-lg-0">Search Now</button>
                           </div>
                       </div>
                   </form>
               </div>
           </div>
       </div>
    </div>
</section>
<section class="section bg-gray">
    <!-- Container Start -->
    <div class="container">
       <div class="row">
           <!-- Left sidebar -->
           <div class="col-lg-8">
               <div class="product-details">
               <div class="product-header">
                   <h1 class="product-title"><?=$post->title?></h1>
                   <div class="product-meta">
                       <i class=" fa fa-</pre>
user-o"></i> By: <a ><?php
                          if(isset($ SESSION['user'])){
                              if($_SESSION['user']->id == $post->user_id){
                                   echo "You";
                              }else{
                                  echo $post->full_name;
                              }
                           }else{
                              echo $post->full_name;
```

```
?></a>
                       <i class="fa fa-</pre>
folder-open-o"></i> Category:<a clas="pointer"</pre>
href="index.php?page=category&id=<?=$post->id_parrent?>"><?php $x =</pre>
GetCategoryForId($post->id parrent); echo $x == null ? $post->category : $x-
>category; ?></a>
                       <i class="fa fa-</pre>
location-arrow"></i> Location:<a clas="pointer"><?=$post->city?></a>
                       <i class="fas fa-</pre>
tools"></i> State:<a clas="pointer"><?=$post->state?></a>
                       <i class="fas fa-</pre>
truck-loading"></i> Delivery:<a clas="pointer"><?=$post->delivery?></a>
                   </div>
             </div>
                <div id="carouselExampleIndicators" class="product-slider</pre>
carousel slide" data-ride="carousel">
                    slide-to="0" class="active">
                       <?php $img = GetImagesForPost($post->post id);
                          for($i=0; $i<count($img)-1; $i++):</pre>
                       slide-to="<?=$i+1?>">
                   <div class="carousel-inner">
                       <div class="carousel-item active">
                          <img class="img-ads d-block " src="<?=$post-</pre>
>src?>" alt="<?= substr($post->description,0,20)?>"/>
                       </div>
                       foreach($img as $i => $e):
                          if($i != 0):
                          <div class="carousel-item">
                             <img class="img-ads d-block " src="<?=$e-</pre>
>src?>" alt="<?= substr($e->alt,20)?>"/>
                          </div>
```

```
endif;
                           endforeach;?>
                       </div>
                       <a class="carousel-control-prev"</pre>
href="#carouselExampleIndicators" role="button" data-slide="prev">
                           <span class="carousel-control-prev-icon bg-primary</pre>
p-3 rounded-circle" aria-hidden="true"></span>
                           <span class="sr-only">Previous</span>
                       </a>
                       <a class="carousel-control-next"</pre>
href="#carouselExampleIndicators" role="button" data-slide="next">
                           <span class="carousel-control-next-icon primary bg-</pre>
primary p-3 rounded-circle" aria-hidden="true"></span>
                           <span class="sr-only">Next</span>
                       </a>
                   </div>
                   <div class="content">
                       id="pills-tab" role="tablist">
                           class="nav-item">
                               <a class="nav-link active" id="pills-home-tab"</pre>
data-toggle="pill" href="#pills-home" role="tab" aria-controls="pills-home" aria-
selected="true">Product Details</a>
                           <!--<li class="nav-item">
                               <a class="nav-link" id="pills-profile-tab" data-</pre>
toggle="pill" href="#pills-profile" role="tab" aria-controls="pills-profile"
aria-selected="false">Specifications</a>
                           -->
                           class="nav-item">
                               <a class="nav-link" id="pills-contact-tab" data-</pre>
toggle="pill" href="#pills-contact" role="tab" aria-controls="pills-contact"
aria-selected="false">Reviews</a>
                           <div class="tab-content" id="pills-tabContent">
                           <div class="tab-pane fade show active" id="pills-</pre>
home" role="tabpanel" aria-labelledby="pills-home-tab">
                               <h3 class="tab-title">Description</h3>
                               echo $post->description;
```

```
<div class="d-flex justify-content-center">
                           if(isset($post->you_tube)){
                              if($post->you_tube != null &&
strpos($post->you_tube, "<iframe") !== false){</pre>
                                 echo stripslashes($post->you_tube);
                              }
                           }
                        </div>
                        </div>
role="tabpanel" aria-labelledby="pills-profile-tab">
                        <h3 class="tab-title">Product Specifications</h3>
                           Seller Price
                            $450
                           Added
                            26th December
                           State
                            Dhaka
                           Brand
                            Apple
                           Condition
                            Used
```

```
Model
                                2017
                              State
                                Dhaka
                              23
                              </div>-->
                              $comments = GetFullDataLikesForPost($post-
user_id);
                        <div class="tab-pane fade" id="pills-contact"</pre>
role="tabpanel" aria-labelledby="pills-contact-tab">
                           <h3 class="tab-title">Seler Review</h3>
                           <div class="product-review">
                              <div id="recnets">
                                  if(count($comments) == 0):
                                     echo "He has no
reviews yet";
                                  else:
                                  foreach($comments as $e):?>
                                  <div class="media" id="<?php</pre>
if(isset($_SESSION['user'])){
                                  echo $e->id_who == $_SESSION['user']->id
 "current-comm" : "";
                                  }?>">
                                  <!-- Avater -->
```

```
<img class="rounded-circle"</pre>
src="<?=$e->src?>" alt="<?= substr($e->src,0,20)?>">
                                           <div class="media-body" >
                                               <!-- Ratings -->
                                               <div class="ratings">
                                                   <?php for($i=0;$i<$e-</pre>
>stars; $i++):?>
                                                      class="list-inline-
item">
                                                          <i class="fa fa-
star"></i>
                                                      </div>
                                               <div class="name">
                                                  <h5><?=$e->full name?></h5>
                                               </div>
                                               <div class="date">
                                                  <?= explode(" ",$e-
>date_created)[0]?>
                                               </div>
                                               <div class="review-comment">
                                                  <?=$e->message?>
                                                  </div>
                                               <div class="d-flex w-100 justify-</pre>
content-center mt-3 ">
                                                  if(isset($_SESSION['user'])){
                                                      echo $e->id who ==
$_SESSION['user']->id ? '<a class="delete-comment pointer text-danger mx-</pre>
auto">Delete review.</a>':"";
                                                   </div>
                                           </div>
                                       </div>
                                       endif;?>
                                   </div>
```

```
<div class="review-submission">
                               <h3 class="tab-title">Submit your
review</h3>
                                <!--<div class="rate">
                                   <div id="starrr">
                                      <i class="fa fa-
star"></i>
                                         <i class="fa fa-
star"></i>
                                         <i class="fa fa-</pre>
star"></i>
                                         <i class="fa fa-
star"></i>
                                         </div>
                                         </div-->
                            <div class="widget rate">
                                   <h5 class="widget-header text-
center">What would you rate
                                   <br>
                                   this seller</h5>
                                   <!-- Rate -->
                                   <div id="stars" class="starrr"></div>
                               </div>
                                <div class="review-submit">
                                      <div class="col-12">
                                         <textarea name="review"</pre>
id="review" rows="10" class="form-control" placeholder="Comment"></textarea>
                                      </div>
```

```
<div class="col-12">
type="button" id="submit" class="btn btn-main">Sumbit</button>
                                                 </div>
                                         </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-lg-4">
                <div class="sidebar">
                    <div class="widget price text-center">
                        <h4>Price:</h4>
                            $price = GetFullPriceForPost($post->post id);
                            if($price->status == "Gift") echo "Gift";
                            else{
                                echo $price->price . " ". $price->currency;
                        </div>
                    <div class="widget user">
                        <div class="w-100 d-flex justify-content-center">
                            <img id="user-img" class="rounded-circle"</pre>
src="<?=$post->user_img?>" alt="<?= substr($post->full_name,0,80)?>">
                        </div>
                        <h4 class="text-center"><a href="">
                        <?php if(isset($_SESSION['user'])){</pre>
                                if($_SESSION['user']->id == $post->user_id) echo
"You";
                                else echo $post->full_name;
                            }else
                                echo $post->full_name;
```

```
</a></h4>
                     Member Since <?=</pre>
explode(" ",$post->user_created)[0]?>
href="">See all ads</a>-->
justify-content-center">-->
                         $ph = GetAllPhonesForUser($post->user_id);
                         if(count($ph) > 0):?>
                         <a onclick="ShowPhone()"</pre>
class=" pointer text-primary btn-contact">Contact<br> (Click to show phone
number)</a>
                         <div id="phone">
                         <l
                         <?php foreach($ph as $e):?>
                            <a href="tel:<?=$e-</pre>
phone?>" class="btn text-primary btn-offer"><?=$e->phone?></a>
                         </div>
                         <a href="" class=" btn-offer">He doesn't
have a phone. Contact user with comment</a>
                     <!--</ul>-->
                  </div>
                  <div class="widget favorite p-0">
                     <!-- Favorite Label -->
                     <div class="placement d-flex justify-content-center"</pre>
align-items-center">
                         <h6 class="text-favorite">Add to favorites</h6> <div
class="heart <?= $is_favorite ? "is-active" : "" ?>"></div>
                     </div>
                  </div>
```

```
<div class="widget coupon text-center">
                       <!-- Coupon description -->
                       Have a great product to post ? Share it with
                           your fellow users.
                       <!-- Submii button -->
                       <a href="index.php?page=add-ads" class="btn btn-</pre>
transparent-white">Submit Listing</a>
                   </div>
                   <!-- Rate Widget -->
                   <!-- Safety tips widget -->
                   <div class="widget disclaimer">
                       <h5 class="widget-header">Safety Tips</h5>
                       <l
                           Meet seller at a public place
                           Check the item before you buy
                           Pay only after collecting the item
                           Pay only after collecting the item
                       </div>
               </div>
           </div>
       </div>
    </div>
    <!-- Container End -->
</section>
<input type="hidden" id="id-user" value="<?=$post->user_id?>"/>
<input type="hidden" id="id-post" value="<?=$post->post id?>"/>
<input type="hidden" id="src-user" value="<?= isset($ SESSION['user']) ?</pre>
$_SESSION['user']->src : "empty"?>"/>
<input type="hidden" id="full-name-user" value="<?= isset($ SESSION['user']) ?</pre>
$ SESSION['user']->full name : "empty"?>"/>
<style type="text/css">
    .heart {
   width: 100px;
    height: 110px;
```

```
background: url("https://cssanimation.rocks/images/posts/steps/heart.png")
no-repeat;
    background-position: 0 0;
    cursor: pointer;
    transition: background-position 1s steps(28);
    transition-duration: 0s;
    .is-active {
        transition-duration: 1s;
        background-position: -2800px 0;
    }
    .text-favorite{
        color: #b80606;
       font-weight: bold;
    textarea{
        height:150px !important;
    .product-review .media-body{
        padding: Opx !important;
        padding-left: 7px !important;
    .img-ads{
        max-height: 350px !important;
       margin: 0 auto !important;
    #desc{
        white-space: pre-line !important;
         line-height: 1.9 !important;
    #phone{
        display: none;
    #user-img{
        width: 150px !important;
    #susubcategory-block>select{
        height: inherit !important;
```

```
select.form-control:not([size]):not([multiple]){
        height: calc(2.25rem + 14px) !important;
    #subcategory-block>select>option, #category-block>select>option{
        background-color: white;
        color:black;
    .fs-11{
        font-size: 11px !important;
    .pointer{
        cursor: pointer !important;
    .product-header{
        padding: 15px 10px !important;
        background-color: #eaeaea !important;
   @media only screen and (max-width: 600px) {
        #pills-tabContent{
            padding: 10px !important;
        .img-ads{
            max-height: 200px !important;
        .product-review img{
            width: 40px !important;
        .11i{
            display:block !important;
            margin-bottom:10px !important;
        }
    @media only screen and (max-width: 430px) {
        .img-ads{
            max-height: 150px !important;
        }
</style>
<script type="text/javascript">
   window.onload = () =>{
       $("#submit").on("click",function(){
```

```
var stars = $("#stars .fa-star").length;
     var text = $("#review").val();
     var id = $("#id-user").val();
     var src = $("#src-user").val();
     var full_name = $("#full-name-user").val();
     if(stars == 0) stars = 1;
     $.ajax({
         method:"POST",
         url:"models/insert-like.php",
         dataType:"JSON",
         data:{
             "id":id,
             "stars":stars,
             "text":text
         },
         success:function(data){
             WriteLikes(text,stars,src,full_name);
             $("#review").val("");
             $("#stars .fa-star").each(function(){
                 $(this).removeClass("fa-star");
                 $(this).addClass("fa-star-o");
             })
         },
         error:function(xhr){
             alert(xhr.responseText);
         }
    })
})
$(function() {
     $(".heart").on("click", function() {
         $(this).toggleClass("is-active");
         let id = $("#id-post").val();
         AddDelFavorite(id);
     });
```

```
});
        AddEvents();
   function ShowPhone(){
        $("#phone-list").removeClass("d-flex");
        $("#phone-list").removeClass("justif-content-center");
            $("#phone").show()
    function WriteLikes(text, stars, src, full_name){
        var html = "";
        var today = new Date();
        date = today.getFullYear()+'-'+(today.getMonth()+1)+'-'+today.getDate();
            html+=`
                                   <div class="media" id="current-comm"}>
                                           <!-- Avater -->
                                           <img class="rounded-circle"</pre>
src="${src}" alt="${full_name}">
                                           <div class="media-body">
                                               <!-- Ratings -->
                                               <div class="ratings">
                                                   `
                                                        for(let i=0; i < stars;</pre>
i++){
                                                       html+=`<li class="list-
inline-item">
                                                                   <i class="fa
fa-star"></i>
                                                               `
                                           html+=
                                               </div>
                                               <div class="name">
                                                   <h5>${full_name}</h5>
                                               </div>
                                               <div class="date">
                                                   ${date}
                                               </div>
                                               <div class="review-comment">
                                                   >
```

```
${text}
                                                     </div>
                                                 <div class="d-flex w-100 justify-</pre>
content-center mt-3 ">
                                                         <a class="delete-comment</pre>
pointer text-danger mx-auto">Delete review.</a>
                                                 </div>
                                             </div>
                                         </div>
            var old = $("#recnets").html();
            $("#recnets").html(old + " " +html);
            $("#no-comm").remove();
            }catch( e){
                console.log("");
            AddEvents();
    function AddDelFavorite(id){
        $.ajax({
            method:"POST",
                url:"models/insert-favorite.php",
                dataType:"JSON",
                data:{
                    "id":id,
                },
                success:function(data){
                error:function(xhr){
                    alert(xhr.responseText);
                    $(".heart").removeClass("is-active");
```

```
})
    function AddEvents(){
        $(".delete-comment").each(function(){
            $(this).click(function(){
                let id = $("#id-user").val();
                DeleteComments(id);
            })
        })
    function DeleteComments(id){
        $.ajax({
            method:"POST",
                url:"models/delete-like.php",
                dataType:"JSON",
                data:{
                    "id-whom":id
                },
                success:function(data){
                    $("#current-comm").remove();
                },
                error:function(xhr){
                    alert(xhr.responseText);
                }
        })
</script>
```

```
require once("models/function.php");
if(isset($_SESSION['user'])){
    $id_user_log = $_SESSION['user']->id;
}else $id_user_log = "Ghost";
WriteLog($id_user_log,"login.php","Login");
<section class="text-center">
  <!-- Background image -->
  <div class="p-5 bg-image" id="image"></div>
  <!-- Background image -->
  <div class="card mx-1 mx-md-5 shadow-5-strong mb-5" id="card-form">
    <div class="card-body py-5 px-md-5">
      <div class="row d-flex justify-content-center">
        <div class="col-lg-8">
         <div class="mb-5">
            <h2 class="fw-bold font-25">Log In Here</h2><h3 class="">Or</h3><a</pre>
href="index.php?page=registration" class="font-22 pointer text-primary fw-bold
mb-5 "> Sign Up </a>
         </div>
          <form action="models/login.php" method="POST">
            <!-- 2 column grid layout with text inputs for the first and last
            <!-- Email input -->
            <div class="row">
                <div class="col-12 col-lg-8 offset-lg-2">
                    <div class="form-outline mb-5">
                        <label class="form-label" for="email">Email
address</label>
```

```
<input type="email" id="email" name="email" class="form-</pre>
control form-text" value=""/>
                   </div>
               </div>
            </div>
            <div class="row">
              <div class="col-12 col-lg-8 offset-lg-2">
               <div class="form-outline">
                   <label class="form-label" for="password">Password</label>
                 <input type="password" id="password" name="password"</pre>
class="form-control form-text" value=""/>
               </div>
             </div>
            </div>
           <!--<a id="forgot" href="forgot-password.php" class="text-primary">If
you forgot password, click here...</a><br/>-->
            <button name="submit" id="submit" type="submit" class="text-light w-</pre>
50 mx-auto btn btn-primary mb-5 mt-5">
               Log In
            </button>
            if(isset($_SESSION['error'])){
                   echo $ SESSION['error'];
                   unset($_SESSION['error']);
               }
            </form>
       </div>
      </div>
    </div>
  </div>
</section>
```

```
<style type="text/css">
    #image{
        background-image:
url('https://mdbootstrap.com/img/new/textures/full/171.jpg');
        background-size: cover;
        background-position: 0px;
        height: 300px;
    #card-form{
        margin-top: -100px;
        background: hsla(0, 0%, 100%, 0.6);
        backdrop-filter: blur(30px);
    }
    .font-25{
       font-size: 25px !important;
    .font-22{
       font-size: 22px !important;
    .pointer{
        cursor: pointer;
</style>
<script type="text/javascript">
    /*if(isset($ SESSION['notification'])){
        unset($_SESSION['notification']);
    window.onload = () => {
            setTimeout(function(){
            $('html, body').animate({
                scrollTop: $('#card-form').offset().top - 50
            }, 'slow');},200);
            $("#submit").on("click", function(){
            Verification();
        })
```

```
var regEmail = new RegExp(/^\w+([\.-]?\w+)*@\w+([\.-
]?\w+)*(\.\w{2,3})+$/);
        var regPass = new RegExp(/^(?=.*?[a-z])(?=.*?[0-9])(?=.*?[#?!@$%^\.&*-
]).{8,}$/)
       function Verification(){
            var email = $("#email").val();
            var pass = $("#password").val();
            let v = true;
            if(!regEmail.test(email)){
                v=false;
            }
            if(!regPass.test(pass)){
                v= false
            }
            if(!v){
                $("#form-error").html("Incorect email or password !")
                event.preventDefault();
            }else{
                $("#form-error").html("");
            }
```

</script>

REGISTRATION

```
if(isset($_SESSION['user'])){
    header("Location: index.php");
    exit;
require once("models/function.php");
WriteLog("Ghost", "registration.php", "Registration");
<script src="https://unpkg.com/jcrop"></script>
<section class="text-center">
  <!-- Background image -->
  <div class="p-5 bg-image" id="image"></div>
  <!-- Background image -->
  <div class="card mx-1 mx-md-5 shadow-5-strong mb-5" id="card-form">
    <div class="card-body py-5 px-md-5">
      <div class="row d-flex justify-content-center">
        <div class="col-lg-8">
          <h2 class="fw-bold font-25">Sign up now</h2><h3 class="">Or</h3><a</pre>
href="index.php?page=login" class=" pointer text-primary fw-bold mb-5 font-25">
Log in </a>
          <form action="models/registration.php" method="POST"</pre>
enctype="multipart/form-data">
            <!-- 2 column grid layout with text inputs for the first and last
            <div class="row">
              <div class="col-md-6 mb-5">
                <div class="form-outline">
                    <label class="form-label" for="first-name">First Name <i</pre>
class="fas fa-star-of-life"></i></label>
```

```
<input type="text" id="first-name" name="first-name"</pre>
class="form-control form-text" />
                </div>
            </div>
            <div class="col-md-6 mb-5">
              <div class="form-outline">
                  <label class="form-label" for="last-name">Last Name <i</pre>
class="fas fa-star-of-life"></i></label>
                <input type="text" id="last-name" name="last-name" class="form-</pre>
control form-text" />
                </div>
            </div>
          </div>
          <!-- Email input -->
          <div class="form-outline mb-5">
              <label class="form-label" for="email">Email Address <i</pre>
class="fas fa-star-of-life"></i></label>
            <input type="email" id="email" name="email" class="form-control</pre>
form-text" placeholder="example@gmail.com"/>
            </div>
          <div class="form-outline mb-5">
              <label class="form-label" for="phone">Phone Number <i class="fas</pre>
fa-star-of-life"></i></label>
            <input type="text" id="phone" name="phone" class="form-control</pre>
form-text" placeholder="example +381611357235"/>
            </div>
          <!-- Location input -->
          <div class="form-outline mb-5">
            <label class="form-label" for="city">Choose City <i class="fas</pre>
fa-star-of-life"></i></label><br/>
            <select id="city" class="w-100" name="city">
              <option class="" value="1">Belgrade</option>
              <option class="" value="2">Novi Sad</option>
            </select>
          </div>
```

```
<div class="form-outline mb-5">
            <label class="form-label " for="adress">Adress <i class="fas fa-star-</pre>
of-life"></i></label>
              <input class="form-control form-text" type="text" id="adress"</pre>
name="adress" />
              </div>
           <!--Date of birth-->
            <div class="form-outline my-5">
                <h6 class="mt-4 mb-3 font-18 grey-text"> Your Date Birth <i</pre>
class="fas fa-star-of-life"></i></h6>
               <div class="row">
                   <div class="col-12 col-1g-5">
                       <label for="year">Year</label>
                       <select class="w-100" id="year" name="year">
                           <option value="2022">2022</option>
                       </select>
                   </div>
                   <div class="col-12 col-lg-4">
                       <label for="month">Month</label>
                       <select class="w-100" id="month" name="month">
                           <option value="1">1</option>
                       </select>
                   </div>
                   <div class="col-12 col-1g-3">
                       <label for="day">Day</label>
                       <select class="w-100" id="day" name="day">
                           <option value="1">1</option>
                       </select>
                   </div>
               </div>
            </div>
            <!--Picture
            <div class="form-outline my-5">
            <label class="text-center mb-0">Upload Your Profile photo (Max 8 Mb
and 1 photo). <small>Oprional</small></label>
```

```
<div class="d-flex justify-content-center">
                    </div>
                </div>
            </div>
            <input id="file" type="file" name="pic" accept="image/png,</pre>
image/jpeg" multiple="false"/>
            </div>
            <!--<label class="form-label" for="adress">Upload your picture (MAX 8
MB)</label>
                <input class="form-control w-100" type="file" id="picture"</pre>
        <!--CROPPER START-->
        <div class="container my-5" >
            <br />
            <h5 class="font-18 text-center grey-text" >Crop Image Before Upload
(Max 8Mb and 1 photo)</h5>
            <br />
            <div class="row">
                <div class="col-md-4">&nbsp;</div>
                <div class="col-md-2 offset-md-1">
                    <div class="image_area">
                             <label for="upload image">
                                 <img src="user-image/avatar.png"</pre>
id="uploaded_image" class="img-responsive img-circle" />
                                 <div class="overlay">
                                     <div class="text">Change Profile Image</div>
                                 <input type="file" name="image" class="image"</pre>
id="upload_image" style="display:none" />
                             </label>
                    </div>
                </div>
        </div>
        <!--CROPER END-->
```

```
<!-- Password input -->
           <div class="form-outline mb-5 mt-5">
               <label class="form-label" for="password">Password <i class="fas</pre>
fa-star-of-life"></i></label>
             <input value="" type="password" id="password" name="password"</pre>
class="form-control" placeholder="Min. 8 character, min. one number and min. one
special character "/>
             </div>
           <div class="form-outline mb-4">
               <label class="form-label" for="confirm-password">Confirm password
<i class="fas fa-star-of-life"></i></label>
             <input value="" type="password" id="confirm-password"</pre>
name="confirm-password" class="form-control" />
             </div>
           <a class="mb-3 font-16" data-toggle="collapse"</pre>
href="#collapseExample" role="button" aria-expanded="false" aria-
controls="collapseExample">
           View Privacy Policy
           </a>
           <div class="collapse mb-3" id="collapseExample">
               <div class="card card-body font-14">
                  Anim pariatur cliche reprehenderit, enim eiusmod high life
accusamus terry richardson ad squid. Nihil anim keffiyeh helvetica, craft beer
labore wes anderson cred nesciunt sapiente ea proident.
              </div>
           </div>
           <div class="form-outline mb-4">
               <input type="checkbox" id="agree" name="agree"/>
               <label class="form-label" for="agree" >Agree Privacy Policy <i</pre>
class="fas fa-star-of-life"></i></label>
           </div>
           <div class="col-12 form-group row my-5 justify-content-center">
               After registration you get 8000
RSD credit for promotion your products! 
          </div>
```

```
<!-- Submit button -->
            <button name="submit" id="submit" type="submit" class=" w-50 mx-auto</pre>
btn btn-primary btn-block mb-4">
             Sign up
            </button>
            if(isset($_SESSION['registration-error'])){
                    echo $ SESSION['registration-error'];
               }
            <input type="hidden" id="path" name="path" />
           </form>
     </div>
    </div>
  </div>
</section>
<!--croper-->
<div class="conatiner">
    <div class="col-3 offset-4">
        <div class="modal fade" id="modal" tabindex="-1" role="dialog" aria-</pre>
labelledby="modalLabel" aria-hidden="true">
               <div class="modal-dialog modal-lg" role="document">
                    <div class="modal-content">
                        <div class="modal-header">
                            <h5 class="modal-title">Crop Image Before Upload</h5>
                            <button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close">
                                <span aria-hidden="true">x</span>
                            </button>
                        </div>
                        <div class="modal-body">
                            <div class="img-container">
                               <div class="row">
                                    <div class="col-md-8">
                                       <img src="" id="sample_image"</pre>
alt="croping image" />
                                    </div>
                                    <div class="col-md-4">
                                        <div class="preview"></div>
                                    </div>
```

```
</div>
                             </div>
                         </div>
                         <div class="modal-footer">
                             <button type="button" id="crop" class="btn btn-</pre>
primary">Crop</button>
                             <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Cancel</button>
                         </div>
                    </div>
                </div>
            </div>
        </div>
</div>
<!--croper end-->
<!--<script src="https://unpkg.com/dropzone"></script>-->
<script src="https://unpkg.com/cropperjs"></script>
<script>
    window.onload = () => {
    // Handler for .ready() called.
    $('html, body').animate({
        scrollTop: $('#card-form').offset().top - 100
    }, 'slow');
    if(document.getElementById("agree").checked){
        $("#submit").removeAttr("disable");
    }
    function uploadImage() {
      //var uploader = $('<input type="file" accept="image/*" />')
      var uploader = $('#file')
      uploader.on('change', function () {
          reader.onload = function(event) {
            $(".pic").css("display","none");
```

```
$(".images").prepend('<div class="img" style="background-image:</pre>
url(\'' + event.target.result + '\');" rel="'+
event.target.result +'"><span>remove</span></div>')
      images.on('click', '.img', function () {
    //uploadImage()
        var date = new Date();
        let years = []
        for(let i = 1930; i<=date.getFullYear() - 7;i++){</pre>
            years.push(i)
        }
        let months = [1,2,3,4,5,6,7,8,9,10,11,12];
        let days = [];
        for (let i =1;i<=31;i++){</pre>
            days.push(i);
        let html = "";
        years.forEach(e =>{
            html+=`<option value="${e}" >${e}</option>`
        })
        $("#year").html(html);
        html="";
        months.forEach(e =>{
            html+=`<option value="${e}" >${e}</option>`
        })
        $("#month").html(html);
        html=""
```

```
days.forEach(e =>{
    html+=`<option value="${e}" >${e}</option>`
})
$("#day").html(html);
$("#month").on("change",fillDay);
$("#year").on("change",fillDay);
function fillDay(){
    if($("#year").val()%4 == 0 && $("#month").val() == 2){
        html=""
        for (let i =1;i<=29;i++){</pre>
            html+=`<option value="${i}" >${i}</option>`
        }
        $("#day").html(html);
    else{
        var maxD;
        const month = $("#month").val();
        switch(month){
            case "1":{
                 maxD = 31;break;
            case "2":{
                 maxD = 28;break;
            case "3": maxD = 31;break;
            case "4": maxD = 30;break;
            case "5": maxD = 31;break;
            case "6": maxD = 30;break;
            case "7": maxD = 31;break;
            case "8": maxD = 31;break;
            case "9": maxD = 30;break;
            case "10": maxD = 31;break;
            case "11": maxD = 30;break;
            case "12": maxD = 31;break;
```

```
}
            html=""
            for(let i =1;i<=maxD;i++){</pre>
                html+=`<option value="${i}" >${i}</option>`
            }
            $("#day").html(html);
        }
    }
    $("#agree").on("change",function(){
        var agree = document.getElementById("agree");
        if(agree.checked == false){
            $("#submit").attr("disabled","true");
        }else{
            $("#submit").removeAttr("disabled");
        }
    })
    $("#submit").on("click", function(){
        Verification();
    })
/*croper image*/
if(isset($_SESSION['registration-error'])){
   echo" $('html, body').animate({
        scrollTop: $('#form-error').offset().top
   }, 400);";
    unset($_SESSION['registration-error']);
var $modal = $('#modal');
var image = document.getElementById('sample_image');
var cropper;
```

```
$('#upload_image').change(function(event){
    var files = event.target.files;
    var done = function(url){
        image.src = url;
        $modal.modal('show');
    };
    if(files && files.length > 0)
        reader = new FileReader();
        reader.onload = function(event)
            done(reader.result);
        };
        reader.readAsDataURL(files[0]);
    }
});
$modal.on('shown.bs.modal', function() {
    cropper = new Cropper(image, {
        aspectRatio: 1,
        viewMode: 1,
        preview:'.preview'
    });
}).on('hidden.bs.modal', function(){
    cropper.destroy();
    cropper = null;
});
$('#crop').click(function(){
    canvas = cropper.getCroppedCanvas({
        width:400,
        height:400
    });
    canvas.toBlob(function(blob){
        url = URL.createObjectURL(blob);
        var reader = new FileReader();
        reader.readAsDataURL(blob);
        reader.onloadend = function(){
```

```
var base64data = reader.result;
                $.ajax({
                     url:'upload-one-image.php',
                     method:'POST',
                     data:{image:base64data},
                     success:function(data)
                     {
                         $modal.modal('hide');
                         $('#uploaded image').attr('src', data);
                         $("#path").val(data);
                     },error(xhr){
                         console.log(xhr.responseText)
                });
            };
        });
    });
    /*END croper */
    }
    var \text{ regName} = \text{new RegExp}(/^([a-zA-Z]\{2,\})(\s[a-zA-Z]\{2,\})?)$/);
    var regAdress = new RegExp(/^([a-zA-Z0-9]{2,}(\s[a-zA-Z0-9]{1,})*)$/)
    var regEmail = new RegExp(/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/);
    var \text{ regPass} = \text{new RegExp}(/^(?=.*?[a-z])(?=.*?[0-9])(?=.*?[#?!@$%^\.&*-
]).{8,}$/)
    var regPhone = new RegExp(/^(\+\d{1,2}\s?)?1?\-?\.?\s?\(?\d{3}\))?[\s.-
]?\d{3}[\s.-]?\d{4}$/)
    function Verification(){
            var agree = document.getElementById("agree");
            var firstName = $("#first-name").val();
            var lastName = $("#last-name").val();
            var email = $("#email").val();
            var adress = $("#adress").val();
            var fiile = $("#file").val();
            var pass = $("#password").val();
            var cPass = $("#confirm-password").val();
            var phone = $("#phone").val();
            let v = true;
```

```
if(!regName.test(firstName)){
   v =false;
   $("#first-name-error").html("Invalid format for name !");
   $("#first-name-error").html("");
if(!regName.test(lastName)){
   v =false;
   $("#last-name-error").html("Invalid format for name !");
   $("#last-name-error").html("");
}
if(!regAdress.test(adress)){
   v = false;
   $("#adress-error").html("Invalid format for adress !");
}else{
   $("#adress-error").html("");
if(!regEmail.test(email)){
   v=false;
   $("#email-error").html("Invalid format for Email !");
}else{
   $("#email-error").html("");
}
if(!regPhone.test(phone)){
   v=false;
   $("#phone-error").html("Invalid format for phone !");
}else{
   $("#emaphoneil-error").html("");
```

```
if(!regPass.test(pass)){
                v= false
                $("#password-error").html("Password must have a min. 8 character,
min. one number and min. one special character !");
            }else{
                $("#password-error").html("");
            if(cPass!=pass){
                v=false;
                $("#confirm-password-error").html("Passwords are not matching!
 ');
            }else{
                $("#confirm-password-error").html("");
            }
            if(!v){
                $("#form-error").html("check the data, something is wrong")
                event.preventDefault();
            }else{
                $("#form-error").html("");
            }
</script>
<style type="text/css">
        /*CROOPRER */
        .sample_image{
            width: 100% !important;
        .image_area {
          position: relative;
```

```
}
/*img {
.preview {
    overflow: hidden;
    width: 160px;
    height: 160px;
   margin: 10px;
   border: 1px solid red;
}
.modal-lg{
    max-width: 1000px !important;
}
.overlay {
  position: absolute;
  bottom: 10px;
  Left: 0;
  right: 0;
  background-color: rgba(255, 255, 255, 0.5);
  overflow: hidden;
  height: 0;
  transition: .5s ease;
  width: 100%;
}
.image_area:hover .overlay {
 height: 100%;
  cursor: pointer;
.text {
  color: #333;
 font-size: 20px;
  position: absolute;
  top: 50%;
  left: 50%;
  -webkit-transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
```

```
transform: translate(-50%, -50%);
          text-align: center;
        }
    /*end croper*/
    .fa-star-of-life{
       font-size: 8px;
        color: red;
    #image{
        background-image:
url('https://mdbootstrap.com/img/new/textures/full/171.jpg');
        background-size: cover;
        background-position: 0px;
        height: 300px;
    select{
        padding-top: 10px;
        padding-bottom: 10px;
    #city>option{
        padding-top: 5px;
        padding-bottom: 5px;
    #card-form{
        margin-top: -100px;
        background: hsla(0, 0%, 100%, 0.6);
        backdrop-filter: blur(30px);
    #card-form div div ul{
        width:100%;
    #card-form div div ul li{
        width:100%;
    }
    .font-25{
       font-size: 25px !important;
    .font-18{
        font-size: 18px !important;
```

```
.font-16{
    font-size: 16px !important;
}
.font-14{
   font-size: 14px !important;
}
.underline{
    text-decoration: underline;
.pointer{
    cursor: pointer;
.images {
display: flex;
flex-wrap: wrap;
margin-top: 20px;
}
.images .img,
.images .pic {
margin-bottom: 10px;
border-radius: 4px;
.pic{
    display: flex;
   justify-content: center;
    align-items: center;
    width: 150px;
    height: 150px;
    background-color: #111111;
    border-radius: 50% !important;
}
.images .img {
border-radius: 50% !important;
width: 150px;
height: 150px;
background-size: cover;
margin-right: 10px;
background-position: center;
display: flex;
align-items: center;
justify-content: center;
cursor: pointer;
```

```
position: relative;
overflow: hidden;
.images .img:nth-child(3n) {
margin-right: 0;
.images .img span {
display: none;
text-transform: capitalize;
z-index: 2;
.images .img::after {
content: '';
width: 100%;
height: 100%;
transition: opacity .1s ease-in;
border-radius: 4px;
opacity: 0;
position: absolute;
.images .img:hover::after {
display: block;
background-color: #000;
opacity: .5;
.images .img:hover span {
display: block;
color: #fff;
#sample_image{
    width: 300px !important;
.images .pic {
background-color: #c2c2c2;
align-self: center;
text-align: center;
padding: 40px 0;
text-transform: uppercase;
color: #848EA1;
font-size: 12px;
cursor: pointer;
.grey-text{
   color:#848484 !important;
```

```
}
@media screen and (max-width: 400px) {
    .images .img,
    .images .pic {
        /* flex-basis: 100%;*/
        margin-right: 0;
    }
}
</style>
```

VIEWS / PAGES / DASHBOARD

ADD-ADS

```
if(!isset($_SESSION['user'])){
    header("Location: index.php?page=login");
    exit;
require once("models/function.php");
WriteLog($_SESSION['user']->id,"dashboar.php","Add/Edit ads");
$cat = GetAllCategories();
$first_cat = $cat[0];
$state = GetAllStates();
$curr = GetAllCurrency();
$deliv = GetAllDelivery();
$price status = GetAllStatuses();
$promotions = GetAllPromotions();
$prepaid = GetPrepaid($ SESSION['user']->id);
if(isset($_GET['id'])){
        $id post = $ GET['id'];
        $usr_post = GetPostForId($id_post);
    $usr_price = GetPriceForPost($id_post);
    $usr_promotion = GetPromotionsForId($_SESSION['user']->id,$id_post);
```

```
if($usr_promotion == null){
            $usr_promotion = false;
    $usr_currency = false;
    if($usr price != null){
        $usr_currency = GetCurrencyForPrice($usr_price->id_currency);
    }
        $usr_subcategory = GetSubcategoryForPost($id_post);
        $usr_category = GetCategoryForId($usr_subcategory->id_parrent);
        if(!$usr category){
            $usr_category = $usr_subcategory;
        $usr_price_status = GetPriceStatusForPost($id_post);
        $usr state = GetStateForPost($id post);
        $usr_images = GetImagesForPost($id_post);
    <?php require once("profile.php");?>
            <div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
                <!-- Edit Personal Info -->
                <div class="widget personal-info">
                    <h3 class="widget-header user">Post your ads</h3>
                    <form action="<?php echo isset($_GET['id']) ? "models/edit-</pre>
post.php" : "models/insert-post.php" ;?>" method="POST" enctype="multipart/form-
data">
                        <!-- TITLE -->
                        <div class="form-group col-12 px-0">
```

```
<label for="title">Title <i class="fas fa-star-of-</pre>
life"></i></label>
                             <input type="text" class="form-control" name="title"</pre>
id="title" value="<?php echo isset($ GET['id']) ? $usr post->title : '' ?>" />
                         </div>
                         <?php if(!isset($_GET['id'])):?>
                             <div class="form-group col-12 px-0">
                                 <label for="title">You tube Iframe tag
(Optional)</label>
                                 <input type="text" class="form-control"</pre>
name="youtube" id="youtube" placeholder="Must use iframe youtube tag or video
does't work!!!" value="" />
                             </div>
                         <div class="col-12 row my-5 form-group">
                             <label for="state" class="col-12 col-lg-4">State <i</pre>
class="fas fa-star-of-life"></i></label>
                             <select id="state" name="state" class="col-12 col-lg-</pre>
7">
                                <?php foreach($state as $el): ?>
if(isset($_GET['id'])) echo $el->id == $usr_post->id_state ? "selected":"" ;?>
value="<?=$el->id?>"><?=$el->state?></option>
                             </select>
                         </div>
                         <!-- PRICE STATUS -->
                         <div class="col-12 row my-5 form-group">
                             <label for="price-status" class="col-12 col-lg-</pre>
4">Price status <i class="fas fa-star-of-life"></i></label>
                             <select id="price-status" name="price-status"</pre>
class="col-12 col-lg-7">
                                 <?php foreach($price status as $el): ?>
```

```
<option <?php if(isset($_GET['id'])) echo</pre>
($el->status == $usr price status->price status) ? 'selected' :
"" ?> value="<?=$el->id?>"><?=$el->status?></option>
                             </select>
                         </div>
                         <div class="col-12 row my-5 form-group">
                             <label for="currency" class="col-12 col-lg-</pre>
4">Currency <i class="fas fa-star-of-life"></i></label>
                             <select id="currency" name="currency" class="col-12</pre>
col-lg-7">
                                 <?php foreach($curr as $el): ?>
                                       <option <?php if(isset($_GET['id']))</pre>
if($usr_price) echo $el->id == $usr_currency->id ? "selected":"" ?>
value="<?=$el->id?>"><?=$el->currency?></option>
                             </select>
                         </div>
                         <div class="col-12 row my-5 form-group">
                             <label for="price-status" class="col-12 col-lg-</pre>
4">Price: <i class="fas fa-star-of-life"></i></label>
                             <input type="number" id="price" name="price"</pre>
value="<?php echo isset($_GET['id']) && $usr_price != null ? $usr_price ->price :
'' ?>" />
                         </div>
                         <!-- DELIVERY -->
                         <div class="col-12 row my-5 form-group">
                             <label for="delivery" class="col-12 col-lg-</pre>
4">Delivery <i class="fas fa-star-of-life"></i></label>
                             <select id="delivery" name="delivery" class="col-12</pre>
col-lg-7">
                                 <?php foreach($deliv as $el): ?>
```

```
<option <?php if(isset($_GET['id'])) echo</pre>
$el->id == $usr_post->id_delivery ? "selected" : "" ;?> value="<?=$el-</pre>
>id?>"><?=$el->delivery?></option>
                             </select>
                         </div>
                         <!-- CATEGORY -->
                         <div class="col-12 row my-5 form-group">
                             <label for="category" class="col-12 col-lg-</pre>
4">Category <i class="fas fa-star-of-life"></i></label>
                             <select id="category" name="category" class="col-12</pre>
col-lg-7">
                             <?php foreach($cat as $el):?>
                                        <option <?php if(isset($_GET['id'])) echo</pre>
$el->id == $usr_category->id ? "selected" : "" ; ?> value="<?=$el-</pre>
>id?>"><?=$el->category?></option>
                             </select>
                         </div>
                         <!-- SUBCATEGORY -->
                         <div class="col-12 form-group row my-5 form-group">
                             <label for="subcategory" class="col-12 col-lg-</pre>
4">Subcategory <i class="fas fa-star-of-life"></i></label>
                             <select id="subcategory" name="subcategory"</pre>
class="col-12 col-lg-7">
                             </select>
                         </div>
```

```
<!--DESCRIPTION-->
                         <div class="form-group">
                             <label for="desc">Description <i class="fas fa-star-</pre>
of-life"></i></label>
                             <textarea class="form-control" name="desc" value=""</pre>
id="desc"> <?php echo isset($_GET['id']) ? $usr_post->description : ''
?></textarea>
                         </div>
                         <!--Images if editing ads-->
                         <?php if(isset($_GET['id'])):</pre>
                             if(count($usr_images)>0):
                                 echo "This is yout old photo:
                                     <div class='row d-flex'>";
                                 foreach($usr_images as $img):?>
                                     <div class="col-12 col-md-6 col-lg-3 mb-3">
                                         <img class="img-fluid" src="<?=$img-</pre>
>src?>" alt="<?=$img->alt?>"/>
                                     </div>
                             echo "</div>";
                                 endif;
                            endif;
                         <!-- File chooser -->
                         <div class="form-outline my-5">
                             <label class="text-center mb-0">Upload photos (Max 8
Mb). <small>Optional</small></label>
                             <div class="d-flex justify-content-center">
                                 <div class="images">
                                     <div class="pic">
                                     add
```

```
</div>
                               </div>
                            </div>
                            <input id="file" type="file" name="pic[]"</pre>
accept="image/png, image/jpeg" multiple="multiple"/>
                           <?php if(isset($ GET['id'])) echo "<p class='mt-2'>If
you do not upload a different imager, the old image is retained";?>
                        </div>
                        <?php if(!isset($ GET['id'])):?>
                        <div class="col-12 form-group row my-5">
                                prepaid >
0) echo "text-success"; else echo "text-danger"; ?> ">You have <?=$prepaid-
>prepaid?> RSD credits 
                       </div>
                        <!-- Promotions -->
                        <div class="col-12 form-group row my-5 form-group">
                        <label for="promotions" class="col-12 font-</pre>
20">Promotions: </label>
                          <!-- <select id="promotions" name="promotions"
class="col-12">-->
                                   <div class="row">
                                       if(!isset($ GET['id'])):
                                       foreach($promotions as $el):?>
                                       <div class="row mb-3 align-items-center">
                                           <input type="radio" id="<?=$el-</pre>
>id?>" class="col-1 radio" name="promotions" value="<?=$el->id?>" /><p</pre>
class="col-11 promo"><?=$el->promotion?> (<?=$el->description?>) duration:
<?=$el->day duration?> day and price = <?=$el->price?>RSD
                                       </div>
                                               <div class="row" id="nothing">
                                               <input type="radio" checkded</pre>
id="nothing-radio" class="col-1 mb-2 radio" name="promotions" value="0" /><p
class="col-11 mb-2 promo"> Nothing.
```

```
</div>
                                         if($usr_promotion){
                                            foreach($promotions as $el):
                                                if($el->id == $usr_promotion-
>promotion id):?>
                                                    <div class="row mb-3 align-</pre>
items-center">
                                                        <input type="radio"</pre>
checked id="<?=$el->id?>" class="col-1 radio" name="promotions" value="<?=$el-</pre>
>id?>" /><?=$el->promotion?> (<?=$el->description?>)
duration: <?=$el->day_duration?> day and price = <?=$el->price?>RSD
                                                        >Promotions cannot
change!
                                                    </div>
                                                endif;
                                            endforeach;
                                        }else{?>
                                                <div class="row pl-5 mb-3 align-</pre>
items-center" id="nothing">
                                                <input type="radio" checkded</pre>
id="nothing-radio" class="col-1 mb-2 radio" name="promotions" value="0" /><p</pre>
class="col-11 mb-2 promo"> Nothing.
                                                >Promotions cannot change!
                                                </div>
                                        };
                                            endif;
                                    </div>
                            <!--</select>-->
```

```
</div>
                       <!-- Submit button -->
                       <input type="submit" class="btn btn-transparent"</pre>
id="submit" name="submit" type="submit" value="<?php echo isset($_GET['id']) ?</pre>
"Save Changes" : "Go public"?>"/>
                       if(isset($_SESSION['error'])){
                                  echo $_SESSION['error'];
                       if(isset($_GET['id'])){
                              echo "<input type='hidden' name='post-id'</pre>
value='".$id_post."' /> " ;
                           }
                   </form>
               </div>
           </div>
       </div>
   </div>
</section>
```

```
<style type="text/css">
</style>
<script type="text/javascript">
    window.addEventListener('load', (event) => {
        $("form").submit(function(event){
            if($("#title").val()=="" ){
                $("#error").html("Ttile are required field");
                event.preventDefault();
            }
            else if( $("#desc").val() == ""){
                $("#error").html("Description are required field");
                event.preventDefault();
            }else if($("#price").val() == "" && $("#price-status").val() != 4 ){
                $("#error").html("Price must not be empty");
                event.preventDefault();
            }
        })
        $("#price-status").on("change", function(){
            if($("#price-status").val() == 1 || $("#price-status").val() == 5){
                $("#currency").prop("disabled", false);
                $("#price").prop("disabled", false);
            }else{
                $("#currency").prop("disabled", true);
                $("#price").prop("disabled", true);
            }
        })
        if($("#price-status").val() == 1 || $("#price-status").val() == 5){
       $("#currency").prop("disabled", false);
```

```
$("#price").prop("disabled", false);
        }else{
            $("#currency").prop("disabled", true);
            $("#price").prop("disabled", true);
        }
        $("#nothing-radio").prop("checked",true)
        if(isset($_SESSION['error'])):?>
        $('html, body').animate({
            scrollTop: $('#error').offset().top - 600
        }, 10);
        <?php endif;</pre>
        unset($ SESSION['error']);
        let id = $("#category").val();
            $.ajax({
                method:"GET",
                url:"models/get-subcategory.php?id="+id,
                dataType:"JSON",
                success:function(data){
                         if(isset($_GET['id'])){
                             echo "let currId = ".$usr_post->id_category . ";";
                    html = "<option value='0'>Other</option>";
                    for(let i=0; i<data.length; i++){</pre>
                         if(isset($_GET['id'])):?>
                             if(currId == data[i].id)
                                 html+=`<option selected</pre>
value="${data[i].id}">${data[i].category}</option>`;
```

```
html+=`<option value="${data[i].id}">${data[i].category}</option>`;
                        html+=`<option
value="${data[i].id}">${data[i].category}</option>`
                    }
                    $("#subcategory").html(html);
                },
                error:function(xhr){
                    //console.log("Error with page to display subcategories");
                    console.log(xhr.responseText);
                }
            })
        function uploadImage() {
        var button = $('.images .pic')
        //var uploader = $('<input type="file" accept="image/*" />')
        var uploader = $('#file')
        var images = $('.images')
        button.on('click', function () {
            uploader.click()
        })
        uploader.on('change', function () {
            var reader = new FileReader()
            reader.onload = function(event) {
                $(".pic").css("display","none");
```

```
$(".images").prepend('<div class="img" style="background-image:</pre>
url(\'' + event.target.result + '\');" rel="'+
event.target.result +'"><span>remove</span></div>')
            }
            reader.readAsDataURL(uploader[0].files[0]);
        })
        images.on('click', '.img', function () {
            $(this).remove();
            $("#file").val(null);
            $(".pic").css("display","flex");
        })
        uploadImage();
    })
    document.getElementById("category").addEventListener("change", function(){
            let id = $("#category").val();
            $.ajax({
                method:"GET",
                url:"models/get-subcategory.php?id="+id,
                dataType:"JSON",
                success:function(data){
                    html = "<option value='0'>Other</option>";
                    for(let i=0; i<data.length; i++){</pre>
                        html+=`<option
value="${data[i].id}">${data[i].category}</option>`
```

```
$("#subcategory").html(html);
                },
                error:function(xhr){
                    //console.log("Error with page to display subcategories");
                    console.log(xhr.responseText);
                }
            })
        })
</script>
<style type="text/css">
    .images {
       display: flex;
       flex-wrap: wrap;
       margin-top: 20px;
        .images .img,
        .images .pic {
       margin-bottom: 10px;
        border-radius: 4px;
        }
        .pic{
            display: flex;
           justify-content: center;
            align-items: center;
            width: 150px;
            height: 150px;
            background-color: #111111;
        /* border-radius: 50% !important;*/
        }
        .images .img {
        /*border-radius: 50% !important;*/
        width: 150px;
        height: 150px;
        background-size: cover;
        margin-right: 10px;
        background-position: center;
        display: flex;
        align-items: center;
        justify-content: center;
```

```
cursor: pointer;
position: relative;
overflow: hidden;
.images .img:nth-child(3n) {
margin-right: 0;
.images .img span {
display: none;
text-transform: capitalize;
z-index: 2;
.images .img::after {
content: '';
width: 100%;
height: 100%;
transition: opacity .1s ease-in;
border-radius: 4px;
opacity: 0;
position: absolute;
.images .img:hover::after {
display: block;
background-color: #000;
opacity: .5;
.images .img:hover span {
display: block;
color: #fff;
}
.images .pic {
background-color: #c2c2c2;
align-self: center;
text-align: center;
padding: 40px 0;
text-transform: uppercase;
color: #848EA1;
font-size: 12px;
cursor: pointer;
}
.grey-text{
    color:#848484 !important;
.star, .form-group i{
```

```
background-color: transparent !important;
            font-size: 8px !important;
            color: red !important;
            line-height: none !important;
            height: 0px !important;
        #desc{
            height: 120px;
        .radio{
            max-height: 15px !important;
        .promo{
            margin-bottom: Opx !important;
        #nothing{
            width: 100% !important;
            display: flex;
            align-items: center;
        #nothing>input{
            margin-bottom:0px !important;
        }
       @media screen and (max-width: 400px) {
        .images .img,
        .images .pic {
            margin-right: 0;
</style>
```

ADD PHONES

```
require_once("models/function.php");
  $prepaid = GetPrepaid($_SESSION['user']->id);
 require_once("profile.php");
  $phones = GetAllPhonesForUser($_SESSION['user']->id);
    WriteLog($_SESSION['user']->id,"dashboar.php","Add Phones");
<div class="col-md-12 col-lg-8 offset-lg-0">
                <!-- Edit Personal Info -->
                <div class="widget personal-info">
                    <h3 class="widget-header user">Add another phones (You can
have a maximum of 5 phones)</h3>
                        <!-- PHONES -->
                            <div id="num-phone">
                        if(count($phones) > 0){
                            echo '<label id="have class="text-success"
"for="phone">Your Current Phones </label>';
                        else{
                            echo '<label id="not-have" class="text-danger"</pre>
for="phone">Your do not have any phones </label>';
                            echo '</div>';
                            echo '<div id="list-phones">';
                        foreach($phones as $el):?>
                        <div id="input-<?=$el->id?>" class="form-group col-12 px-
0 d-flex">
```

```
<input disabled type="text" class="col-10 phone</pre>
form-control" name="full-name" value="<?=$el->phone ?>" />
                         <a class="delete col-2 pointer" id="<?=$el->id?>">
                                               <i class="fa fa-trash"></i></i></or>
                                           </a>
                     </div>
                     </div>
                     <div class="form-group col-12 px-0">
                         <label for="phone">Add Phone</label>
                         <input type="text" class=" phone form-control"</pre>
name="phone" id="phone" placeholder="example +381611357235" value="" />
                         </div>
                     <div class="row justify-content-center my-5">
                         <button name="submit" id="submit" type="submit"</pre>
class="col-lg-6 col-md-7 col-8 my-5 mx-auto btn btn-primary btn-block mb-4">
                             Add phone
                         </button>
                     </div>
                     <?php if(isset($_SESSION['error'])){</pre>
                        echo $_SESSION['error'];
                     }else if(isset($_SESSION['success'])) echo ' <div ><p</pre>
class="text-success" id="success">'.$ SESSION['success'].'</div> '?>
                     <div ></div>
                  <div ></div>
              </div>
          </div>
```

```
</section>
<style type="text/css">
    .form-group>.delete>.fa-trash{
        font-size: 15px;
        color:red !important;
        background: white !important;
    }
</style>
<script type="text/javascript">
    regPhone = new RegExp(/^(\+\d{1,2}\s?)?1?\-?\.?\s?\(?\d{3}\))?[\s.-
]?\d{3}[\s.-]?\d{4}$/);
    window.onload = () =>{
        /*ADD PHONE NUMBER */
        $("#submit").click(function(){
            let val = $("#phone").val()
            if(!regPhone.test(val)){
                alert("Invalid phone number format");
            }else{
                $.ajax({
                    method:"POST",
                    url: "models/add-phones.php",
                    dataType:"JSON",
                    data:{
                        "val": val
                    },
                    success:function(data){
                        WriteAddPhones(data,val);
                    },
                    error:function(xhr){
                        alert(xhr.responseText)
                })
```

```
})
        /*Deleting phone number */
        AddEvents();
   function WriteAddPhones(data,val){
        html="";
        html+=`<div id="input-${data}" class="form-group col-12 px-0 d-flex">
                    <input disabled type="text" id="input-${data}" class="col-10"</pre>
phone form-control" name="full-name" value="${val}" />
                    <a class="delete col-2 pointer" id="${data}">
                                                     <i class="fa fa-trash"></i>
                                                 </a>
                </div>`
        $("#phone").val("");
        let current = $("#list-phones").html();
        $("#list-phones").html(current + html);
        let count = $("#list-phones").children().length;
        if(count == 0){
             $("#num-phone").html('<label id="not-have" class="text-danger"</pre>
for="phone">Your do not have any phones </label>')
        }else{
            $("#num-phone").html('<label id="not-have" class="text-success"</pre>
for="phone">Your Current Phones: </label>')
         }
```

```
AddEvents();
    function AddEvents(){
        $(".delete").click(function(){
            var val = $(this).attr("id");
            $.ajax({
                method:"POST",
                url:"models/delete-phone.php",
                dataType:"JSON",
                data:{
                    "id":val
                },
                success:function(data){
                    AfterDelete(data);
                },error:function(xhr){
                    alert("Something go worng");
                }
            })
        })
    function AfterDelete(data){
                let id = data.id;
                    $("#input-"+id).remove();
                    $("#phone").val("");
                    let count = $("#list-phones").children().length;
                    if(count == 0){
                         $("#num-phone").html('<label id="not-have" class="text-</pre>
danger" for="phone">Your do not have any phones </label>')
                    }else{
                         $("#num-phone").html('<label id="not-have" class="text-</pre>
success" for="phone">Your Current Phones: </label>')
```

```
}
</script>
```

EDIT PROFILE

```
if(!isset($_SESSION['user'])){
    header("Location: index.php?page=login");
    exit;
require_once("models/function.php");
WriteLog($ SESSION['user']->id, "dashboar.php", "Edit profile");
$full name = $ SESSION['user']->full name;
$email = $ SESSION['user']->email;
$adress = $_SESSION['user']->adress;
$src = $ SESSION['user']->src;
$phones = GetAllPhonesForUser($_SESSION['user']->id);
$prepaid = GetPrepaid($ SESSION['user']->id);
    <?php require_once("profile.php");?>
<div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
                <!-- Edit Personal Info -->
                <div class="widget personal-info">
                    <h3 class="widget-header user">Edit profile</h3>
                    <form onsubmit="Verification(event)" action="models/edit-</pre>
profile.php" method="POST" enctype="multipart/form-data">
                        <!-- Full Name -->
                        <div class="form-group col-12 px-0">
                            <label for="full-name">Full Name <i class="fas fa-</pre>
star-of-life"></i></label>
```

```
<input type="text" class="form-control" name="full-</pre>
name" id="full-name" value="<?=$full name ?>" />
                         </div>
                      <!-- Email -->
                      <div class="form-group col-12 px-0">
                         <label for="email">Email <i class="fas fa-star-of-</pre>
life"></i></label>
                         <input type="text" class="form-control" name="email"</pre>
id="email" value="<?=$email ?>" />
                         </div>
                      <!-- Adress -->
                      <div class="form-group col-12 px-0">
                         <label for="adress">Adress
fa-star-of-life"></i></label>
                         <input type="text" class="form-control" name="adress"</pre>
id="adress" value="<?=$adress ?>" />
                         </div>
                      <!-- Picture -->
                      <div class="container my-5" >
                                <br />
                                <h5 class="font-18 text-center grey-text"
>Crop Image Before Upload (Max 8Mb and 1 photo)</h5>
                                <br />
                                 <div class="row">
                                    <div class="col-md-3">&nbsp;</div>
                                    <div class="col-md-4 offset-md-1">
                                        <div class="image area">
                                               <label for="upload image">
                                                   <img src="user-</pre>
image/avatar.png" id="uploaded_image" class="w-100 img-circle" />
                                                   <div class="overlay">
                                                      <div
class="text">Change Profile Image</div>
                                                   </div>
                                                   <input type="file"</pre>
name="image" class="image" id="upload_image" style="display:none" />
```

```
</label>
                                        </div>
                                    </div>
                             </div>
                      If you do not upload a different imager,
the old image is retained
                      <input type="hidden" id="path" name="src"</pre>
value="<?=$src?>"/>
                      <!--<input type="hidden" id="path "name="path"
                      <div class="row justify-content-center my-5">
                         <button name="submit" id="submit" type="submit"</pre>
class="col-lg-6 col-md-7 col-8 my-5 mx-auto btn btn-primary btn-block mb-4">
                             Save changes
                         </button>
                      </div>
                      <?php if(isset($_SESSION['error'])){</pre>
                        echo $_SESSION['error'];
                      }else if(isset($_SESSION['success'])) echo ' <div ><p</pre>
class="text-success" id="success">'.$ SESSION['success'].'</div> '?>
                     </form>
                  <div ></div>
                  <div ></div>
              </div>
           </div>
           </section>
<div class="conatiner">
   <div class="col-3 offset-4">
       <div class="modal fade" id="modal" tabindex="-1" role="dialog" aria-</pre>
labelledby="modalLabel" aria-hidden="true">
              <div class="modal-dialog modal-lg" role="document">
                  <div class="modal-content">
                     <div class="modal-header">
```

```
<h5 class="modal-title">Crop Image Before Upload</h5>
                             <button type="button" class="close" data-</pre>
dismiss="modal" aria-label="Close">
                                 <span aria-hidden="true">x</span>
                         </div>
                         <div class="modal-body">
                             <div class="img-container">
                                 <div class="row">
                                      <div class="col-md-8">
                                          <img src="" id="sample_image"</pre>
alt="croping image" />
                                      </div>
                                      <div class="col-md-4">
                                          <div class="preview"></div>
                                      </div>
                                 </div>
                             </div>
                         </div>
                         <div class="modal-footer">
                             <button type="button" id="crop" class="btn btn-</pre>
primary">Crop</button>
                             <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Cancel</button>
                         </div>
                     </div>
                </div>
            </div>
        </div>
</div>
<script src="https://unpkg.com/cropperjs"></script>
<script type="text/javascript">
window.onload = () =>{
    $(".images").prepend('<div class="img" style="background-image:</pre>
url(<?=$src?>);"><span>remove</span></div>')
    $(".pic").css("display","none");
    if(isset($_SESSION['error']) || isset($_SESSION['success'])):?>
    $('html, body').animate({
```

```
scrollTop: $('#error').offset().top - 500
    }, 'slow');
   unset($ SESSION['error']);
    unset($_SESSION['success']);
    function uploadImage() {
            var button = $('.images .pic')
            //var uploader = $('<input type="file" accept="image/*" />')
            var images = $('.images')
            uploader.on('change', function () {
                var reader = new FileReader()
                reader.onload = function(event) {
                    $(".images").prepend('<div class="img" style="background-</pre>
image: url(\'' + event.target.result + '\');" rel="'+
event.target.result +'"><span>remove</span></div>')
                reader.readAsDataURL(uploader[0].files[0]);
                $(this).remove();
```

```
var $modal = $('#modal');
var image = document.getElementById('sample_image');
var cropper;
$('#upload_image').change(function(event){
    var files = event.target.files;
    var done = function(url){
        image.src = url;
        $modal.modal('show');
    };
    if(files && files.length > 0)
        reader = new FileReader();
        reader.onload = function(event)
            done(reader.result);
        };
        reader.readAsDataURL(files[0]);
    }
});
$modal.on('shown.bs.modal', function() {
    cropper = new Cropper(image, {
        aspectRatio: 1,
        viewMode: 1,
        preview:'.preview'
    });
}).on('hidden.bs.modal', function(){
    cropper.destroy();
    cropper = null;
});
```

```
$('#crop').click(function(){
        canvas = cropper.getCroppedCanvas({
            width:400,
            height:400
        });
        canvas.toBlob(function(blob){
            url = URL.createObjectURL(blob);
            var reader = new FileReader();
            reader.readAsDataURL(blob);
            reader.onloadend = function(){
                var base64data = reader.result;
                $.ajax({
                    url: 'upload-one-image.php',
                    method:'POST',
                    data:{image:base64data},
                    success:function(data)
                    {
                        $modal.modal('hide');
                        $('#uploaded_image').attr('src', data);
                        $("#path").val(data);
                    },error(xhr){
                        console.log(xhr.responseText)
                });
           };
       });
    });
        $("form").on("click", function(event){
            Verification(event);
        })
var regName = new RegExp(/^([a-zA-Z]{2,}(\s[a-zA-Z]{2,})*)$/);
var regAdress = new RegExp(/^([a-zA-Z0-9]{2,}(\s[a-zA-Z0-9]{1,})*)$/)
var regEmail = new RegExp(/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/);
var regPhone = new RegExp(/^(\+\d{1,2}\s?)?1?\-?\.?\s?\(?\d{3}\))?[\s.-
]?\d{3}[\s.-]?\d{4}$/);
```

```
function Verification(event){
    let fullName = $("#full-name").val();
    let email = $("#email").val();
    let adress = $("#adress").val();
    let v = true;
    if(!regName.test(fullName)){
        v =false;
        $("#full-name-error").html("Invalid format for Name !");
        $("#full-name-error").html("");
    }
    if(!regEmail.test(email)){
            v=false;
            $("#email-error").html("Invalid format for Email !");
    }else{
        $("#email-error").html("");
    }
    if(!regAdress.test(adress)){
        v = false;
        $("#adress-error").html("Invalid format for adress !");
    }else{
        $("#adress-error").html("");
    if(!v){
                $("#form-error").html("check the data, something is wrong")
                event.preventDefault();
    }else{
                $("#form-error").html("");
```

```
</script>
<style type="text/css">
.sample_image{
            width: 100% !important;
        .image_area {
          position: relative;
        /*img {
            max-width: 100%;
        .preview {
            overflow: hidden;
            width: 160px;
            height: 160px;
            margin: 10px;
            border: 1px solid red;
        }
        .modal-lg{
            max-width: 1000px !important;
        }
        .overlay {
          position: absolute;
          bottom: 10px;
          Left: 0;
          right: 0;
          background-color: rgba(255, 255, 255, 0.5);
          overflow: hidden;
          height: 0;
          transition: .5s ease;
          width: 100%;
```

```
}
       .image_area:hover .overlay {
         height: 100%;
         cursor: pointer;
       .text {
         color: #333;
         font-size: 20px;
         position: absolute;
         top: 50%;
         Left: 50%;
         -webkit-transform: translate(-50%, -50%);
         -ms-transform: translate(-50%, -50%);
         transform: translate(-50%, -50%);
         text-align: center;
.images {
       display: flex;
       flex-wrap: wrap;
       margin-top: 20px;
       }
       .images .img,
       .images .pic {
       margin-bottom: 10px;
       border-radius: 4px;
       }
       .pic{
           display: flex;
           justify-content: center;
           align-items: center;
           width: 150px;
           height: 150px;
           background-color: #111111;
       /* border-radius: 50% !important;*/
```

```
.images .img {
border-radius: 50% !important;
width: 150px;
height: 150px;
background-size: cover;
margin-right: 10px;
background-position: center;
display: flex;
align-items: center;
justify-content: center;
cursor: pointer;
position: relative;
overflow: hidden;
.images .img:nth-child(3n) {
margin-right: 0;
}
.images .img span {
display: none;
text-transform: capitalize;
z-index: 2;
.images .img::after {
content: '';
width: 100%;
height: 100%;
transition: opacity .1s ease-in;
border-radius: 4px;
opacity: 0;
position: absolute;
.images .img:hover::after {
display: block;
background-color: #000;
opacity: .5;
}
.images .img:hover span {
display: block;
color: #fff;
}
.images .pic {
background-color: #c2c2c2;
align-self: center;
```

```
text-align: center;
    padding: 40px 0;
    text-transform: uppercase;
    color: #848EA1;
    font-size: 12px;
    cursor: pointer;
    .grey-text{
        color:#848484 !important;
    .star, .form-group i{
        background-color: transparent !important;
        font-size: 8px !important;
        color: red !important;
        line-height: none !important;
        height: 0px !important;
    }
    .fa-star-of-life{
        color: red;
        font-size: 8px;
    }
      .images {
display: flex;
flex-wrap: wrap;
margin-top: 20px;
.images .img,
.images .pic {
margin-bottom: 10px;
border-radius: 4px;
.pic{
    display: flex;
    justify-content: center;
    align-items: center;
    width: 150px;
    height: 150px;
    background-color: #111111;
    border-radius: 50% !important;
.images .img {
```

```
border-radius: 50% !important;
width: 150px;
height: 150px;
background-size: cover;
margin-right: 10px;
background-position: center;
display: flex;
align-items: center;
justify-content: center;
cursor: pointer;
position: relative;
overflow: hidden;
.images .img:nth-child(3n) {
margin-right: 0;
.images .img span {
display: none;
text-transform: capitalize;
z-index: 2;
.images .img::after {
content: '';
width: 100%;
height: 100%;
transition: opacity .1s ease-in;
border-radius: 4px;
opacity: 0;
position: absolute;
.images .img:hover::after {
display: block;
background-color: #000;
opacity: .5;
.images .img:hover span {
display: block;
color: #fff;
#sample_image{
    width: 300px !important;
.images .pic {
```

```
background-color: #c2c2c2;
align-self: center;
text-align: center;
padding: 40px 0;
text-transform: uppercase;
color: #848EA1;
font-size: 12px;
cursor: pointer;
}
.grey-text{
    color:#848484 !important;
}

//style>
```

```
if(!isset($_SESSION['user'])){
    header("Location: index.php?page=login");
    exit;
require once("models/function.php");
WriteLog($_SESSION['user']->id,"dashboar.php","Browsing favorite ads");
define("NUMBER_POST_DISPALY",10);
$user_id = $_SESSION['user']->id;
$posts = UsersPostForId($user id,0);
$posts = FavoritePosts($user_id,0);
$prepaid = GetPrepaid($_SESSION['user']->id);
    <?php require_once("profile.php");</pre>
    if(count($posts) > 0):
    <div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
                <!-- Recently Favorited -->
                <div class="widget dashboard-container my-adslist">
                    <h3 class="widget-header">My Ads</h3>
                    <table class="table table-responsive product-dashboard-
table">
```

```
>
                      Image
                      Product
                      Category
                      Action
                    </thead>
                    foreach($posts as $el):
                    $price = GetPriceForPost($el->post_id);
                    $price_status = GetPriceStatusForPost($el->post_id);
                    $currency = false;
                    $active = false;
                    if($price == null ){
                      $price = false;
                    }else{
                      $currency = GetCurrencyForPrice($price-
>id_currency)->currency;
                      $price = $price->price;
                    post_id?>">
                      <div class="col-12 col-lg-3">
                            <img id="img-product" src="<?=$el-</pre>
>min_src?>" alt="<?= substr($el->description,0,20)?>">
                         </div>
```

```
<div class="row">
                                   <h3 class="title col-12"><?= strlen($el-</pre>
>title) > 30 ? Shorter($el->title,30)."..." : Shorter($el->title,30)?></h3>
                                </div>
                                   if($price_status->status != "Gift"){
                                       echo '<div class="row">';
                                       echo '<span class="add-id col-
5">Price:</span><span class="col-7"> ';
                                       echo $price."
".$currency."</span></div>";
                                   }else{
                                       echo '<div class="row">';
                                       echo '<span class="add-id col-
5">Price:</span><span class="col-7"> ';
                                       echo "Gift </span></div>";
                                   }
                                <div class="row">
                                   <span class="col-5">Posted on:
</span><span class="col-7"><?=$el->date_created?> </span>
                                </div>
                                </span>
                                <div class="row">
                                   <span class="col-lg-5 col-</pre>
6">Subcategory:</span><span class="col-lg-7 col-6 d-flex align-items-end"><?php
echo $el->id_parrent != null ? $el->category : "Other" ?></span>
                                </div>
                            <span</pre>
class="categories"><?php echo $el->id parrent != null ? GetCategoryForId($el-
>id_parrent)->category : $el->category?></span>
                            <div class="px-2">
                                   center">
                                       mb-2">
```

```
<a class="view pointer"
href="index.php?page=single&id=<?=$el->post id?>">
                                              <i class="fa fa-eye"></i>
                                           </a>
                                       mb-2">
                                           <a class="delete pointer"</pre>
id="<?=$el->post id?>">
                                               <i class="fa fa-trash"></i></i>
                                           </a>
                                       </div>
                            <div id="empty-adses" class="col-lg-7 col-12"> </div>
                    <div id="empty-adses" class="col-lg-7 col-12"> <h4</pre>
class="text-center">You have no favorite ads yet. </div>
$num_post = (double)GetNumFavoritePost($_SESSION['user']->id);
$num_pagination = ceil($num_post / NUMBER_POST_DISPALY);
                  <div class="pagination justify-content-center">
                  <nav aria-label="Page navigation example">
                     <a class="page-link" href="#" aria-
label="Previous">
                                <span aria-hidden="true">&laguo;</span>
                                <span class="sr-only">Previous</span>
```

```
</a>
                         <?php for($i=1;$i<=$num_pagination;$i++):</pre>
                         if($i == 1):
                         <a class="page-link"</pre>
data-page="<?=$i?>" ><?=$i?></a>
                         <a class="page-link" data-</pre>
page="<?=$i?>" ><?=$i?></a>
                         endif;
                      </nav>
              </div>
              </div>
           </div>
       </div>
   </div>
</section>
<style type="text/css">
   #img-product{
       width:100px;
   .pointer{
       cursor: pointer;
   @media only screen and (max-width: 1200px) {
       td{
          min-width: 210px !important;
       }
       th{
          min-width: 210px !important;
       }
</style>
```

```
<script type="text/javascript">
    window.onload = () =>{
        addAllEvents();
        $(".page-link").click(function(){
            Let limit = $(this).attr("data-page") - 1;
            limit *= 10;
            $.ajax({
                method:"GET",
                dataType:"JSON",
                url:"models/get-favorite-post.php?limit="+limit,
                success:function(data){
                    WritePosts(data);
                },
                error: function(xhr){
                    alert(xhr.responseText)
                }
            })
            $(".page-link").each(function(){
                $(this).parent().removeClass("active");
                if($(this).attr("data-page") - 1 == limit/10){
                    $(this).parent().addClass("active");
                }
            })
        })
    function WritePosts(posts){
```

```
let html =""
       for (var el of posts) {
           html+=`
           <div class="col-12 col-lg-3">
                                     <img id="img-</pre>
product" src="${el.min_src}" alt="${el.description.substring(0,20)}"/>
                                 </div>
                              <div class="row">
                                     <h3 class="title col-
12">${el.title.length > 30 ? el.title.substring(0,30)+ "..." : el.title}</h3>
                                 </div>`
                                     if(el.price){
                                         html+= '<div class="row">';
                                         html+= '<span class="add-id col-</pre>
4">Price:</span><span class="col-8"> ';
                                         html+= el.d_price +" "+ el.d_currency
"</span></div>";
                                     }else{
                                         html+= '<div class="row">';
                                         html+= '<span class="add-id col-</pre>
4">Price:</span><span class="col-8"> ';
                                         html+= "Gift</span></div>";
                                 html+=
                                 <div class="row">
                                     <span class="col-4">Posted on:
</span><span class="col-8">${el.date_created} </span>
                                 </div>`
                                     if(el.promotions){
                                         html+= '<div class="row">';
                                         html+= '<span class="location col-</pre>
4">Promotion:</span><span class="col-8"> ';
                                         html+= el.d_promotions.promotion +
"</span></div>";
```

```
if(el.active) html+= '<div</pre>
class="row"> <span class="status active col-lg-4 col-5">Is active:</span><span</pre>
class="col-lg-8 col-6"> YES</span></div>';
                                        else html+= '<div class="row"> <span</pre>
class="status active col-lg-4 col-5">Is active:</span><span class="col-lg-8 col-
6"> No</span></div>';
                                         if(el.active){
                                            html+= '<div class="row"> <span</pre>
class="location col-4">Left:</span><span class="col-8">'+ el.d_days_left +'
days</span> </div>';
                                         }
                             html+=
                                 </span>
                                 </span>
                                 if(el.d_master_category){
                                    html+=` <div class="row">
                                        <span class="col-lg-4 col-</pre>
5">Subcategory: </span><span class="col-lg-8 col-7 d-flex align-items-end">
${el.category}</span>
                                     </div>
                             html+=`
                              <span</pre>
class="categories">`
                              if(el.d_master_category){
                                 html+= el.d master category.category;
                             }else{
                                 html+= el.category;
                              }
                             html+=`</span></rr>
                              <div class="px-2">
                                     center">
```

```
mb-2">
                                            <a class="view pointer"</pre>
href="index.php?page=single&id=${el.post id}">
                                               <i class="fa fa-eye"></i></i>
                                            </a>
                                        mb-2">
                                            <a class="delete pointer"</pre>
id="${el.post_id}">
                                               <i class="fa fa-trash"></i></i>
                                            </a>
                                        </div>
                             $("tbody").html(html);
       addAllEvents();
   }
   function addAllEvents(){
          $(".delete").click(function(){
              if(confirm("Are you sure to remove this ads from favorites!?")){
                  let id = $(this).attr("id");
                  $.ajax({
                      method:"POST",
                      dataType:"JSON",
                      url:"models/insert-favorite.php?id=",
                      data:{
                         "id":id
                      },
                      success:function(data){
                         $("#row-"+id).remove();
                         if($("tr").length < 2 && $(".page-item").length == 1)</pre>
```

MY ADS

```
if(!isset($_SESSION['user'])){
   header("Location: index.php?page=login");
   exit;
require once("models/function.php");
WriteLog($_SESSION['user']->id,"dashboar.php","Browsing my ads");
define("NUMBER_POST_DISPALY",10);
$user_id = $_SESSION['user']->id;
$posts = UsersPostForId($user_id,0);
$prepaid = GetPrepaid($_SESSION['user']->id);
   <?php require_once("profile.php");</pre>
   if(count($posts) > 0):
   <div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
               <!-- Recently Favorited -->
               <div class="widget dashboard-container my-adslist">
                  <h3 class="widget-header">My Ads</h3>
                  <table class="table table-responsive product-dashboard-
table">
                          Image
                              Product
                             Category
```

```
Action
                          </thead>
                          foreach($posts as $el):
                          $price = GetPriceForPost($el->post_id);
                          $price_status = GetPriceStatusForPost($el->post_id);
                          $currency = false;
                          $active = false;
                          $promotions = GetPromotionsForId($user_id,$el-
post_id);
                          $days_left = false;
                          if($price == null ){
                              $price = false;
                          }else{
                              $currency = GetCurrencyForPrice($price-
>id_currency)->currency;
                              $price = $price->price;
                          }
                          if($promotions == null){
                              $promotions = false;
                          if($promotions != false){
                              $date = new DateTime($promotions->date_end);
                              $timestamp = $date->getTimestamp();
                              $active = $timestamp > time();
                              if($active){
                                  $days_left = $timestamp - time();
                                  $days_left = $days_left / 60 / 60 / 24;
                                  $days_left = floor($days_left);
```

```
}
                         post id?>">
                             <div class="col-12 col-lg-3">
                                    <img id="img-product" src="<?=$el-</pre>
>min_src?>" alt="<?= substr(stripslashes($el->description),0,80)?>">
                                 </div>
                             <div class="row">
                                    <h3 class="title col-12"><?= strlen($el-</pre>
>title) > 30 ? Shorter($el->title,30)."..." : Shorter($el->title,30)?></h3>
                                 </div>
                                    if($price status->status != "Gift"){
                                        echo '<div class="row">';
                                        echo '<span class="add-id col-
5">Price:</span><span class="col-7"> ';
                                        echo $price."
".$currency."</span></div>";
                                    }else{
                                        echo '<div class="row">';
                                        echo '<span class="add-id col-
5">Price:</span><span class="col-7"> ';
                                        echo "Gift </span></div>";
                                    }
                                 <div class="row">
                                    <span class="col-5">Posted on:
</span><span class="col-7"><?=$el->date_created?> </span>
                                 </div>
                                    if($promotions){
                                        echo '<div class="row">';
                                        echo '<span class="location col-
5">Promotion:</span><span class="col-7"> ';
```

```
echo $promotions-
>promotion."</span></div>";
                                       if($active) echo '<div class="row">
<span class="status active col-lg-5 col-6">Active promo:</span><span class="col-</pre>
lg-7 col-6"> YES</span></div>';
                                       else echo '<div class="row"> <span</pre>
class="status active col-lg-5 col-6">Active promo:</span><span class="col-lg-7"
col-6"> No</span></div>';
                                       if($active){
                                           echo '<div class="row"> <span
class="location col-5">Promo expires:</span><span class="col-7">'.$days_left.'
days left</span> </div>';
                                       }
                                   }
                                </span>
                                </span>
                                <div class="row">
                                   <span class="col-lg-5 col-</pre>
6">Subcategory:</span><span class="col-lg-7 col-6 d-flex align-items-end"><?php
echo $el->id_parrent != null ? $el->category : "Other" ?></span>
                                </div>
                            <span
class="categories"><?php echo $el->id parrent != null ? GetCategoryForId($el-
>id_parrent)->category : $el->category?></span>
                            <div class="px-2">
                                   center">
                                       mb-2">
                                           <a class="view pointer"
href="index.php?page=single&id=<?=$el->post id?>">
                                              <i class="fa fa-eye"></i></i>
                                           </a>
```

```
mb-2">
                                           <a class="edit pointer"</pre>
href="index.php?page=add-ads&id=<?=$el->post id?>" id="<?=$el->post id?>">
                                              <i class="fa fa-pencil"></i></i>
                                           </a>
                                       mb-2">
                                           <a class="delete pointer"</pre>
id="<?=$el->post id?>">
                                              <i class="fa fa-trash"></i></i>
                                           </a>
                                       </div>
                            <div id="empty-adses" class="col-lg-7 col-12"> </div>
                    <div id="empty-adses" class="col-lg-7 col-12"> <h4</pre>
class="text-center">You have no ads yet. <a class="text-primary"</pre>
href="index.php?page=add-ads">Add ads now!</a></h4></div>
$num_post = (double)GetNumPost($_SESSION['user']->id);
$num pagination = ceil($num post / NUMBER POST DISPALY);
                  <div class="pagination justify-content-center">
                  <nav aria-label="Page navigation example">
                     <!--<li>class="page-item">
                            <a class="page-link" href="#" aria-</pre>
label="Previous">
```

```
<span aria-hidden="true">&laquo;</span>
                                 <span class="sr-only">Previous</span>
                             </a>
                          -->
                          <?php for($i=1;$i<=$num_pagination;$i++):</pre>
                         if($i == 1):
                          <a class="page-link"</pre>
data-page="<?=$i?>" ><?=$i?></a>
                          <a class="page-link" data-</pre>
page="<?=$i?>" ><?=$i?></a>
                         endif;
                      </nav>
              </div>
              </div>
           </div>
       </div>
   </div>
</section>
<style type="text/css">
   #img-product{
       width:100px;
   .pointer{
       cursor: pointer;
   @media only screen and (max-width: 1200px) {
       td{
          min-width: 210px !important;
       th{
          min-width: 210px !important;
```

```
</style>
<script type="text/javascript">
    window.onload = () =>{
        addAllEvents();
        $(".page-link").click(function(){
            let limit = $(this).attr("data-page") - 1;
            limit *= 10;
            $.ajax({
                method:"GET",
                dataType:"JSON",
                url:"models/get-users-post.php?limit="+limit,
                success:function(data){
                    WritePosts(data);
                },
                error: function(xhr){
                    alert(xhr.responseText)
                }
            })
            $(".page-link").each(function(){
                $(this).parent().removeClass("active");
                if($(this).attr("data-page") - 1 == limit/10){
                    $(this).parent().addClass("active");
                }
            })
        })
```

```
function WritePosts(posts){
       let html =""
       for (var el of posts) {
           html+=`
           <div class="col-12 col-lg-3">
                                     <img id="img-</pre>
product" src="${el.min src}" alt="${el.description.substring(0,80)}"/>
                                 </div>
                             <div class="row">
                                     <h3 class="title col-12">${
el.title.length > 30 ? el.title.substring(0,30)+"..." : el.title}</h3>
                                 </div>
                                     if(el.d_price){
                                         html+= '<div class="row">';
                                         html+= '<span class="add-id col-
4">Price:</span><span class="col-8"> ';
                                        html+= el.d_price +" "+
el.d_currency.currency + "</span></div>";
                                     }else{
                                         html+= '<div class="row">';
                                         html+= '<span class="add-id col-</pre>
4">Price:</span><span class="col-8"> ';
                                        html+= "Gift</span></div>";
                                 html+=`
                                 <div class="row">
                                     <span class="col-4">Posted on:
</span><span class="col-8">${el.date_created} </span>
                                 </div>`
                                     if(el.d_promotions){
                                         html+= '<div class="row">';
                                         html+= '<span class="location col-</pre>
4">Promotion:</span><span class="col-8"> ';
```

```
html+= el.d_promotions.promotion +
"</span></div>";
                                          if(el.d active) html+= '<div</pre>
class="row"> <span class="status active col-lg-4 col-5">Is active:</span><span</pre>
class="col-lg-8 col-6"> YES</span></div>';
                                          else html+= '<div class="row"> <span</pre>
class="status active col-lg-4 col-5">Is active:</span><span class="col-lg-8 col-
6"> No</span></div>';
                                          if(el.d active){
                                              html+= '<div class="row"> <span</pre>
class="location col-4">Left:class="col-8">'+ el.d_days_left +'
days</span> </div>';
                                          }
                                      html+=`
                                  </span>
                                  </span>
                                  if(el.d_master_category){
                                     html+=` <div class="row">
                                          <span class="col-lg-4 col-</pre>
5">Subcategory: </span><span class="col-lg-8 col-7 d-flex align-items-end">
${el.category}</span>
                                      </div>
                              html+=`
                               <span</pre>
class="categories">`
                               if(el.d_master_category){
                                  html+= el.d_master_category.category;
                              }else{
                                  html+= el.category;
                              html+=`</span></rr>
                               <div class="px-2">
```

```
center">
                                    mb-2">
                                       <a class="view pointer"</pre>
href="index.php?page=single&id=${el.post_id}">
                                          <i class="fa fa-eye"></i></i>
                                       </a>
                                    mb-2">
                                       <a class="edit pointer"</pre>
id="${el.post_id}">
                                          <i class="fa fa-pencil"></i></i></or>
                                       </a>
                                   mb-2">
                                       <a class="delete pointer"</pre>
id="${el.post_id}">
                                          <i class="fa fa-trash"></i></i></or>
                                       </a>
                                   </div>
                          $("tbody").html(html);
      addAllEvents();
   }
   function addAllEvents(){
         $(".delete").click(function(){
             if(confirm("Are you sure to delete!?")){
                let id = $(this).attr("id");
                $.ajax({
                   method:"GET",
                   dataType:"JSON",
```

```
url:"models/delete-post.php?id="+id,
                         success:function(data){
                             $("#row-"+id).remove();
                             if($("tr").length < 2 && $(".page-item").length == 1)</pre>
                                  $("#empty-adses").html('<h4 class="text-</pre>
center">You have no ads yet. <a class="text-primary" href="index.php?page=add-</pre>
ads">Add ads now!</a></h4>');
                                  $(".page-item:last-child").remove();
                                  $("table").remove();
                             else if($("tr").length < 2 && $(".page-item").length</pre>
 1){
                                  $(".page-item:last-child").remove();
                         },
                         error: function(xhr){
                             alert(xhr.responseText)
                         }
                     })
                 }
            })
        }
</script>
```

PROFILE

```
$num_my_ads = GetNumPost($_SESSION['user']->id);
$num favorite ads = GetNumFavoritePost($ SESSION['user']->id);
<section class="user-profile section">
   <div class="container">
       <div class="row">
           <div class="col-md-10 offset-md-1 col-lg-4 offset-lg-0">
              <div class="sidebar">
                  <div class="widget user-dashboard-profile">
                      <div class="profile-thumb">
                         <img src="<?=$_SESSION['user']->src?>"
alt="<?=$_SESSION['user']->full_name?>" class="rounded-circle">
                      </div>
                      <h5 class="text-center"><?=$_SESSION['user']-
>full_name?></h5>
                     <?="Joined ". explode(" ",$ SESSION['user']-</p>
>date_created)[0]?>
                         <a href="index.php?page=edit-profile" class="btn btn-</pre>
main-sm">Edit Profile</a>
                         Your balans:<strong>
<?=$prepaid->prepaid?></strong> RSD
                  </div>
                  <!-- Dashboard Links -->
                  <div class="widget user-dashboard-menu">
                         "class='active'" : "" ?>>
                             <a href="index.php?page=my-ads"><i class="fa fa-</pre>
user"></i> My Ads<span><?=$num_my_ads?></span></a>
                         "class='active'" : "" ?>>
```

```
<a href="index.php?page=favorite-ads"><i</pre>
class="fa fa-bookmark-o"></i> Favourite Ads
<span><?=$num_favorite_ads?></span></a>
                      <?php echo $_GET['page'] == "add-ads"?</li>
"class='active'" : "" ?>>
                         <a href="index.php?page=add-ads"><i class="fa fa-</pre>
plus-circle"></i> Add Ads</a>
                      <1i>>
                      "class='active'" : "" ?>>
                         <a href="index.php?page=add-phones"><i class="fa</pre>
fa-file-archive-o"></i>Add phone number </a>
                      "class='active'" : "" ?>>
                         <a href="index.php?page=top-up-credits"><i
class="fa fa-bolt"></i> Top up credits</a>
                      <1i>>
                         <a href="models/logout.php"><i class="fa fa-</pre>
cog"></i> Logout</a>
                      <1i>>
                         <a onclick="DeleteAcc()" class="pointer"><i</pre>
class="fa fa-power-off"></i>Delete Account</a>
                      if(isset($_SESSION['user'])):
                         if($_SESSION['user']->role == "admin"): ?>
                      "class='active'" : "" ?>>
                         class="pointer"><i class="fas fa-user-check"></i>Approval prepaids</a>
                      <li <?php echo $_GET['page'] == "managment"?
"class='active'" : "" ?>>
                         class="pointer"><i class="fas fa-users"></i>Users managment</a>
                      "class='active'" : "" ?>>
```

```
class="pointer"><i class="fas fa-ad"></i>Promotions pricelist</a>
                      "class='active'" : "" ?>>
                         class="pointer"><i class="fas fa-chart-bar"></i>Site statistic</a>
                      endif;
                            endif;?>
                  </div>
            </div>
         </div>
<style type="text/css">
   .fa-star-of-life{
         color: red;
         font-size: 8px;
      .pointer{
         cursor: pointer;
      }
</style>
<script type="text/JavaScript">
   function DeleteAcc(){
      if(confirm("Are You sure?")){
         window.location.assign('models/delete-profile.php');
      }
</script>
```

```
require_once("models/function.php");
  $prepaid = GetPrepaid($ SESSION['user']->id);
WriteLog($_SESSION['user']->id,"dashboar.php","Top up credits");
 require_once("profile.php");
    $request = GetPrepaidRequest($ SESSION['user']->id);
<div class="col-md-12 col-lg-8 offset-lg-0">
                <!-- Edit Personal Info -->
                <div class="widget personal-info">
                    <h3 class="widget-header user">Top up Your Credits (You can
send a maximum of one request to an administrator)</h3>
                            <div id="num-phone">
                        if($request):
                            echo '<label id="have class="text-success"</pre>
"for="phone">You have already sent request</label>
                             The money will be paid into your account
immediately upon approval by the administrator';
                        else: ?>
                        <div class="form-group col-12 px-0">
                            <label for="phone">Input your request</label>
                            <input type="number" class=" phone form-control"</pre>
name="prepaid" id="prepaid" placeholder="Currency is RSD" value="" />
```

```
</div>
                    <div class="row justify-content-center my-5">
                        <button name="submit" id="submit" type="button"</pre>
class="col-lg-6 col-md-7 col-8 my-5 mx-auto btn btn-primary btn-block mb-4">
                           Send
                        </button>
                    </div>
                 <div ></div>
                 <div ></div>
             </div>
          </div>
          </section>
<script type="text/JavaScript">
document.getElementById("submit").addEventListener("click", function(){
let prepaid = $("#prepaid").val();
$.ajax({
method:"POST",
url: "models/request-credit.php",
dataType:"JSON",
data:{
"prepaid":prepaid
},
success:function(data){
$("#success").html("Your request are successful sent.");
$("#error").html("");
$("#submit").attr("disable",true);
$("#prepaid").attr("disable",true);
```

```
},
error: function(xhr){
    $("#success").html("");

    $("#error").html(xhr.responseText);
}
});

</script>
```

APPROVAL

```
if(!isset($_SESSION['user'])){
        header("Location: index.php?page=login");
        exit;
   if($ SESSION['user']->role != "admin"){
        header("Location: index.php?page=login");
       exit;
   require_once("models/admin/function.php");
    require_once("models/function.php");
   define("NUMBER_POST_DISPALY",10);
   $limit = 0;
   $all_requests = GetAllRequest($limit);
   $prepaid = GetPrepaid($_SESSION['user']->id);
    require_once("views/pages/dashboard/profile.php");
if(count($all_requests) > 0):
    <div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
                <div class="widget dashboard-container my-adslist">
                    <h3 class="widget-header">Prepaid Request</h3>
                    <table class="table table-responsive product-dashboard-
table">
                        <thead>
```

```
>
                      Image
                      Name
                      Date
                      Action
                   </thead>
                   foreach($all_requests as $e):
                   $el = GetUserForId($e['id']);
                   id?>">
                      <div class="col-12 col-lg-3">
                           <img id="img-product" src="<?=$el-</pre>
>src?>" alt="<?= substr(stripslashes($el->full_name),0,80)?>">
                         </div>
                      <div class="row">
                           <h3 class="title col-12"><?= strlen($el-</pre>
>full_name) > 30 ? Shorter($el->full_name,30)."..." : Shorter($el-
full_name,30)?></h3>
                         </div>
                      <div class="row">
                           <span ><?=$e['send']?> </span>
                         </div>
```

```
<span</pre>
class="categories" ><?php echo $e['prepaid']?>RSD</span>
                      <div class="px-2">
                            center">
                               mb-2">
                                 <a class="view pointer allow"</pre>
id="cek-<?=$el->id?>" data="<?=$e['prepaid']?>">
                                 <i class="fas fa-check"></i>
                                 </a>
                              mb-2">
                                 <a class="delete pointer"</pre>
id="del-<?=$el->id?>">
                                    <i class="fa fa-trash"></i></i>
                                 </a>
                               </div>
                      <div id="empty-adses" class="col-lg-7 col-12"> </div>
                <div id="empty-adses" class="col-lg-7 col-12"> <h4</pre>
class="text-center">No requests yet </h4></div>
              <?php endif;?>
              <div ></div>
             <div ></div>
$num_post = count(file("config/request_prepaid.txt"));
$num pagination = ceil($num_post / NUMBER_POST_DISPALY);
```

```
<div class="pagination justify-content-center">
                  <nav aria-label="Page navigation example">
                      <!--<li>class="page-item">
                             <a class="page-link" href="#" aria-</pre>
label="Previous">
                                 <span aria-hidden="true">&laquo;</span>
                                 <span class="sr-only">Previous</span>
                             </a>
                          <?php for($i=1;$i<=$num pagination;$i++):</pre>
                         if($i == 1):
                          <a class="page-link"</pre>
pointer" data-page="<?=$i?>" ><?=$i?></a>
                          <a class="page-link pointer"</pre>
data-page="<?=$i?>" ><?=$i?></a>
                         endif;
                      </nav>
              </div>
               </div>
           </div>
       </div>
   </div>
   <!-- Container End -->
</section>
<style type="text/css">
   #img-product{
       width:100px;
   .pointer{
      cursor: pointer;
   td{
          min-width: 120px !important;
```

```
th{
            min-width: 120px !important;
   @media only screen and (max-width: 1200px) {
        td{
            min-width: 150px !important;
        }
        th{
            min-width: 150px !important;
        }
</style>
<script type="text/javascript">
    window.addEventListener('load', (event) => {
        $(".page-link").click(function(){
            let limit = $(this).attr("data-page") - 1;
            limit *= 10;
            $.ajax({
                method:"GET",
                dataType:"JSON",
                url:"models/admin/get-prepaid-request.php?limit="+limit,
                success:function(data){
                    WritePosts(data);
                },
                error: function(xhr){
                    alert(xhr.responseText)
                }
            })
            $(".page-link").each(function(){
                $(this).parent().removeClass("active");
```

```
if($(this).attr("data-page") - 1 == limit/10){
                $(this).parent().addClass("active");
            }
         })
      })
      addAllEvents();
   })
   function WritePosts(data){
      let html =""
      console.log(data)
      for (var el of data) {
         html+=`
            <div class="col-12 col-lg-3">
                      <img id="img-product" src="${el.src}"</pre>
alt="${el.full_name}">
                   </div>
               <div class="row">
                      <h3 class="title col-12">${el.full_name}</h3>
                   </div>
                <div class="row">
```

```
<span >${el.send}</span>
                 </div>
              <span</pre>
class="categories">${el.prepaid} RSD</span>
              <div class="px-2">
                    <a class="view pointer" id="cek-${el.id}">
                         <i class="fas fa-check"></i></i>
                         </a>
                      <a class="delete pointer" id="del-${el.id}">
                            <i class="fa fa-trash"></i></i>
                         </a>
                      </div>
              $("tbody").html(html);
     addAllEvents();
  }
  function addAllEvents(){
        $(".delete").each(function(){
           $(this).click(function(){
           if(confirm("Are you sure to decnile request!?")){
              let id = $(this).attr("id").substr(4,);
              console.log(id)
              $.ajax({
                 method:"POST",
```

```
dataType:"JSON",
                         url:"models/admin/delete-request.php",
                         data:{
                             "id":id
                         },
                         success:function(data){
                             $("#error").html("");
                             $("#success").html("Successful delete!");
                             $("#row-"+id).remove();
                             if($("tr").length < 2 && $(".page-item").length == 1)</pre>
                                 $("#empty-adses").html('<h4 class="text-</pre>
center">No requests yet </h4>');
                                 $(".page-item:last-child").remove();
                                 $("table").remove();
                             else if($("tr").length < 2 && $(".page-item").length</pre>
 1){
                                 $(".page-item:last-child").remove();
                             }
                         },
                         error: function(xhr){
                             $("#success").html("");
                            $("#error").html(xhr.responseText);
                    })
                }
            })
            })
            $(".allow").each(function(){
                $(this).click(function(){
                if(confirm("Are you sure to allow request!?")){
                    let id = $(this).attr("id").substr(4,);
                    let prepaid = $(this).attr("data");
```

```
$.ajax({
                         method:"POST",
                         dataType:"JSON",
                         url:"models/admin/allow-request.php",
                         data:{
                             "id":id,
                             "prepaid":prepaid
                         },
                         success:function(data){
                             $("#error").html("");
                             $("#success").html("Successful!");
                             $("#row-"+id).remove();
                             if($("tr").length < 2 && $(".page-item").length == 1)</pre>
                                 $("#empty-adses").html('<h4 class="text-</pre>
center">No requests yet </h4>');
                                 $(".page-item:last-child").remove();
                                 $("table").remove();
                             else if($("tr").length < 2 && $(".page-item").length</pre>
 1){
                                 $(".page-item:last-child").remove();
                             }
                         },
                         error: function(xhr){
                             $("#success").html("");
                             $("#error").html(xhr.responseText);
                         }
                    })
            })
        })
    }
</script>
```

```
if(!isset($_SESSION['user'])){
       header("Location: index.php?page=login");
       exit;
    if($_SESSION['user']->role != "admin"){
       header("Location: index.php?page=login");
       exit;
    require_once("models/admin/function.php");
    require_once("models/function.php");
   define("NUMBER_POST_DISPALY",10);
   $promotions = GetAllPromotions();
   $prepaid = GetPrepaid($_SESSION['user']->id);
    require_once("views/pages/dashboard/profile.php");
<div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
               <!-- Recently Favorited -->
               <div class="widget dashboard-container my-adslist">
                   <h3 class="widget-header">Prepaid Request</h3>
                   <table class="table table-responsive product-dashboard-
table">
                       <thead>
                           >
                               Name
                               Description
```

```
Price
                  Day Duration
                  Change
price/duration
                </thead>
                foreach($promotions as $el):
                id?>">
                  <div class="row">
                       <h3 class="title col-12"><?=$el-
promotion?><h3>
                    </div>
                  <div class="row">
                       <?=$el-</pre>
description?>
                    </div>
                  <div class="row justify-content-center">
                       <span id="price-<?=$el->id?>"
calss="price"><?=$el->price?></span>
                    </div>
```

```
<div class="row justify-content-center">
                                   <span id="duration-<?=$el->id?>"
class="categories duration" ><?=$el->day_duration?>
                               </div>
                           <div class="px-2">
                                  center">
                                      mb-2">
                                         <a class="bg-success pointer edit</pre>
  data-toggle="modal" data-target="#modal-edit" id="<?=$el->id?>" data-
duration="<?=$el->day_duration?>" data-price="<?=$el->price?>">
                                         <i class="text-light fa fa-</pre>
pencil"></i>
                                         </a>
                                      </div>
                           </div>
</div>
</section>
<div class="modal fade" id="modal-edit" tabindex="-1" role="dialog" aria-</pre>
labelledby="exampleModalCenterTitle" aria-hidden="true">
 <div class="modal-dialog modal-dialog-centered" role="document">
   <div class="modal-content">
     <div class="modal-header">
       <h5 class="modal-title" id="exampleModalLongTitle">Change price or day
duration</h5>
       <button type="button" class="close" data-dismiss="modal" aria-</pre>
label="Close">
        <span aria-hidden="true">&times;</span>
       </button>
```

```
</div>
     <div class="modal-body">
       <div class="form-group row">
           <label for="price" class="col-10">Price: (Currency is RSD) </label>
           <input type="number" class="col-10 mx-2 form-control" id="price"</pre>
value="700">
       </div>
       <div class="form-group row align-items-center">
           <label for="price" class="col-4">Day duration:</label>
           <input type="number" class="col-6 mx-2 form-control" id="duration"</pre>
value="7">
       </div>
       <input type="hidden" id="id" />
     </div>
     <div class="modal-footer">
       <button type="button" class="btn btn-secondary" data-</pre>
dismiss="modal">Close</button>
       <button type="button" id="save" class="btn btn-primary">Save
changes
     </div>
   </div>
 </div>
</div>
                  <div ></div>
                  <div ></div>
<style type="text/css">
   #img-product{
       width:100px;
   .pointer{
       cursor: pointer;
   td{
           min-width: 120px !important;
    th{
          min-width: 120px !important;
   @media only screen and (max-width: 1200px) {
       td{
```

```
min-width: 150px !important;
        }
        th{
           min-width: 150px !important;
        }
<script type="text/JavaScript">
   window.onload = () =>{
   $("#save").click(function(){
        let id =$("#id").val();
        let duration = $("#duration").val();
        let price = $("#price").val();
        $("#modal-edit").modal('hide');
            $.ajax({
                        method:"POST",
                        dataType:"JSON",
                        url:"models/admin/update-promotion.php",
                        data:{
                            "id":id,
                            "duration":duration,
                            "price":price
                        },
                        success:function(data){
                            $("#price-"+id).html(price);
                            $("#duration-"+id).html(duration);
                            $("#"+id).attr("data-duration",duration);
                            $("#"+id).attr("data-price",price);
                            $("#success").html("Successful update!");
                            $("#error").html("");
```

```
error: function(xhr){
                            $("#success").html("");
                            $("#error").html("Something go wrong, please try
again later !");
                    })
                    AddEvents();
            })
   AddEvents();
    }
    function AddEvents(){
        $(".edit").click(function(){
            let id = $(this).attr("id");
            let duration = $(this).attr("data-duration");
            let price = $(this).attr("data-price");
            $("#id").val(id);
            $("#duration").val(duration);
            $("#price").val(price);
         })
</script>
```

```
if(!isset($_SESSION['user'])){
        header("Location: index.php?page=login");
        exit;
    if($ SESSION['user']->role != "admin"){
        header("Location: index.php?page=login");
        exit;
    require_once("models/admin/function.php");
    require_once("models/function.php");
    $prepaid = GetPrepaid($_SESSION['user']->id);
    require_once("views/pages/dashboard/profile.php");
    $res = GetLogStatistic();
    $statistic = $res['statistics'];
    $counting = $res['counting'];
    $allLogins = GetNumLogin24H();
<div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
            <div class="widget">
                <h2>In the last 24 hours we had <?=count($allLogins)?>
logins</h2>
            </div>
```

```
<div class="w-100 widget dashboard-container my-adslist">
             <h3 class="widget-header">Page Statistic Traffic (for
different ip adress)</h3>
             <table class="table w-100 table-responsive product-dashboard-
table">
               <thead>
                  Page
                    Visit in 24H 
                    Visit at last year
in %
                  </thead>
                  foreach($statistic as $i => $el):
                  <h3 class="title col-12"><?=
$e1['page']?><h3>
                    12"><?=$counting[$i]['count']?>
```

```
12"><?= substr($el['percent'],0,4) ?>% 
                       </div>
</div>
</section>
<style type="text/css">
   td{
        min-width: 120px !important;
     th{
        min-width: 120px !important;
@media only screen and (max-width: 1200px) {
     td{
        min-width: 120px !important;
     th{
        min-width: 120px !important;
     }
  }
</style>
```

```
if(!isset($_SESSION['user'])){
        header("Location: index.php?page=login");
        exit;
    if($_SESSION['user']->role != "admin"){
        header("Location: index.php?page=login");
        exit;
    require_once("models/admin/function.php");
    require_once("models/function.php");
    $prepaid = GetPrepaid($_SESSION['user']->id);
    require_once("views/pages/dashboard/profile.php");
    $arr = GetAllUsers();
    $users = $arr['users'];
    $number = $arr['num'];
if(count($users) > 0):
    <div class="col-md-10 offset-md-1 col-lg-8 offset-lg-0">
                <!-- Recently Favorited -->
                <div class="widget dashboard-container my-adslist">
                    <h3 class="widget-header">Prepaid Request</h3>
                    <table class="table table-responsive product-dashboard-
table">
                        <thead>
                            >
```

```
Image
                     Name
                     Date
                     Ban/ReBan
                  </thead>
                  foreach($users as $el):
                   id?>">
                     <div class="col-12 col-1g-3">
                           <img id="img-product" src="<?=$el-</pre>
>src?>" alt="<?= substr(stripslashes($el->full_name),0,80)?>">
                        </div>
                     <div class="row">
                           <h3 class="title col-12"><?= strlen($el-</pre>
>full_name) > 30 ? Shorter($el->full_name,30)."..." : Shorter($el-
>full_name,30)?><br/>(<?=$el->role?>)</h3>
                        </div>
                     <div class="row">
                           <span ><?=$el->date_created?> </span>
                        </div>
```

```
<span</pre>
class="categories" ><?php echo GetNumPost($el->id)?></span>
                         <div class="px-2">
                               center">
                                  mb-2">
                                     <button class="btn btn-danger</pre>
pointer ban" data="<?=$el->active?>" id="<?=$el->id?>">
                                     <?=$el->active == 1 ? "Ban"
:"Reban"?>
                                     </button>
                                  </div>
                         <div id="empty-adses" class="col-lg-7 col-12"> </div>
                  <div id="empty-adses" class="col-lg-7 col-12"> <h4</pre>
class="text-center">No
                    users yet </h4></div>
               <?php endif;?>
               <div ></div>
               <a href="models/export/exp_users.php"><button class="btn btn-</pre>
outline-primary mt-5" >Download Users Data</button></a>
            </div>
         </div>
      </div>
      <!-- Row End -->
   </div>
   <!-- Container End -->
</section>
<style type="text/css">
   #img-product{
     width:100px;
```

```
.pointer{
        cursor: pointer;
   td{
            min-width: 120px !important;
     th{
            min-width: 120px !important;
    @media only screen and (max-width: 1200px) {
        td{
            min-width: 150px !important;
        }
        th{
            min-width: 150px !important;
        }
    }
</style>
<script type="text/javascript">
    window.addEventListener('load', (event) => {
        addAllEvents();
    })
   function addAllEvents(){
            $(".ban").each(function(){
                $(this).click(function(){
                if(confirm("Are you sure to continue!?")){
                    let id = $(this).attr("id");
                    active = $(this).attr("data");
                    $.ajax({
```

```
method:"POST",
                        dataType:"JSON",
                        url: "models/admin/ban-user.php",
                        data:{
                             "id":id,
                             "active":active
                        },
                        success:function(data){
                            $("#error").html("");
                            $("#success").html(data.text);
                             if(active == 1){
                                 $("#"+id).attr("data", 0);
                                 $("#"+id).html("Reban");
                             }else{
                                 $("#"+id).attr("data", 1);
                                 $("#"+id).html("Ban");
                            }
                        },
                        error: function(xhr){
                            $("#success").html("");
                           $("#error").html(xhr.responseText);
                        }
                    })
            })
            })
    }
</script>
```

MODELS GENERAL

ADD PHONES

```
session_start();
header('Content-Type: application/json; charset=utf-8');
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
   http_response_code(401);
   exit;
if(!isset($_POST['val'])){
   http_response_code(401);
   exit;
$val = $_POST['val'];
if(preg_match($regPhone,$val) == 0){
   http_response_code(400);
   echo json_encode("Invalid data format");
$exist = IsExistPhone($val);
if($exist){
   $res = AddPhone($val,$_SESSION['user']->id);
   if($res){
       http_response_code(203);
       echo json_encode($res);
```

```
}else{
    http_response_code(400);
    echo json_encode("You cannot have more than 5 phones!");
}

}else{
    http_response_code(400);
    echo json_encode("This phone number already exist!");
}
```

CONNECTIONS

```
session_start();
header('Content-Type: application/json; charset=utf-8');
if(!isset($_SESSION['user'])){
    http_response_code(400);
    exit;
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if(!isset($_POST['id-whom'])){
    http_response_code(400);
    exit;
$id_whom = (int)$_POST['id-whom'];
$id_who = $_SESSION['user']->id;
$res = DeleteLike($id_whom,$id_who);
if($res){
    http_response_code(204);
    echo json_encode(true);
}else{
    http_response_code(500);
```

DELETE PHONE

```
<?php session_start();</pre>
header('Content-Type: application/json; charset=utf-8');
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
    http_response_code(401);
http_response_code(401);
    exit;
$verification = PhoneIsUsers($_SESSION['user']->id,(int)$_POST['id']);
if($verification){
    $res = DeletePhone($_POST['id']);
    if($res){
        $id = [
            "id" => $_POST['id']
        ];
        http_response_code(200);
        echo json_encode($id);
    else http_response_code(500);
else http_response_code(400);
```

DELETE POST

```
<?php session_start();</pre>
header('Content-Type: application/json; charset=utf-8');
if(!isset($_SESSION['user'])){
    http_response_code(400);
    exit;
require_once("../config/config.php");
 require_once("connection.php");
require_once("function.php");
if(!isset($_GET['id'])){
    http_response_code(400);
/*if(!is_numeric($_GET['id'])){
}*/
$id = $_GET['id'];
try{
DeletePost($id,$_SESSION['user']->id);
http_response_code(200);
echo json_encode("good");
}catch(PDOException $e){
    echo json_encode($e->getMessage());
    http_response_code(400);
```

DELETE PROFILE

```
<?php session_start();
if(isset($_SESSION['user'])){
    header("..index.php?page=login");
    exit;
}

require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");

DeleteProfile($_SESSION['user']->id);
unset($_SESSION['user']);
header("..Location: index.php");

?>
```

```
<?php session_start();</pre>
if(!isset($_SESSION['user'])){
    header("Location: ../index.php");
    exit:
require_once("../config/config.php");
require once("connection.php");
require_once("function.php");
if($_SERVER['REQUEST_METHOD'] != "POST" || !isset($_POST['post-id'])){
    header("Location: ../index.php");
    exit;
$id_post = $_POST['post-id'];
$title = $_POST['title'];
$desc = $_POST['desc'];
if($title == "" || $title == null || $desc == "" || $desc ==null){
    $ SESSION['error']="Description and title are required field";
    header("Location: ../index.php?page=add-ads&id=".$id_post);
    exit;
$state = $_POST['state'];
$price_status = $_POST['price-status'];
if(isset($_POST['currency'])){
    $currency = $_POST['currency'];
    $price = floatval($_POST['price']);
    if($price < 0){</pre>
        $price = null;
```

```
}else{
    $currency = null;
    $price = null;
$id_user = $_SESSION['user']->id;
$delivery = $_POST['delivery'];
$category = $_POST['category'];
$subcategory = $_POST['subcategory'];
if($subcategory == 0 ) $subcategory = $category;
$images = GetImagesForPost($id_post);
$post = GetPostForId($id_post);
if($_FILES['pic']['name'][0] == ""){
     $update_image = false;
    $new_path = $post->src;
    $min_pic_path = $post->min_src;
    $res =
UpdatePost($title,$desc,$state,$price_status,$delivery,$subcategory,$new_path,$mi
n_pic_path,$id_post,$id_user,$price,$currency);
}else{
    $update_image = true;
    DeleteAllImagesForPost($id_post);
    for($i=0;$i<Count($_FILES['pic']['name']); $i++){</pre>
        $tmp = $_FILES['pic']['tmp_name'][$i];
        $size = $_FILES['pic']['size'][$i];
        $name = $ FILES['pic']['name'][$i];
```

```
if($size > 8388608){
    $_SESSION['error']="The image must not be larger than 8MB !";
    header("Location: ../index.php?page=add-ads&id=".$id_post);
    http response code(400);
    exit;
$type = $_FILES['pic']['type'][$i];
$ext = explode("/",$type)[1];
if($ext != "jpeg" && $ext != "png" && $ext != "jpg"){
    $_SESSION['error']="The image must be png or jpeg format!";
    header("Location: ../index.php?page=add-ads&id=".$id_post);
    http_response_code(400);
   exit;
}
$new_path = "user-image/".time().rand().".".$ext;
list($wid, $ht) = getimagesize($tmp);
new width = 800;
$quota = $wid / $new_width;
$new_height = $ht / $quota;
switch($ext){
    case "jpeg":{
        $source = imagecreatefromjpeg($tmp);
        break;
    };
    case "png":{
        $source = imagecreatefrompng($tmp);
   };
```

```
$blank = imagecreatetruecolor($new_width, $new_height);
        imagecopyresampled($blank, $source, 0, 0, 0, 0, $new_width, $new_height,
$wid, $ht);
        switch($ext){
            case "jpeg":{
               imagejpeg($blank,"../".$new_path);
            };
            case "png":{
                imagepng($blank,"../".$new_path);
            };
        if($i==0){
            list($wid, $ht) = getimagesize($tmp);
            $new_width = 200;
            $quota = $wid / $new_width;
            $new_height = $ht / $quota;
            switch($ext){
                case "jpeg":{
                    $source = imagecreatefromjpeg($tmp);
                    break;
                };
                case "png":{
                    $source = imagecreatefrompng($tmp);
                };
            }
            $min_pic_path = "user-image/min-".time().rand().".".$ext;
            $blank = imagecreatetruecolor($new_width, $new_height);
```

```
imagecopyresampled($blank, $source, 0, 0, 0, 0, $new_width,
$new_height, $wid, $ht);
            switch($ext){
                case "jpeg":{
                    imagejpeg($blank,"../".$min_pic_path);
                };
                case "png":{
                    imagepng($blank,"../".$min_pic_path);
                };
            }
            $res =
UpdatePost($title,$desc,$state,$price_status,$delivery,$subcategory,$new_path,$mi
n_pic_path,$id_post,$id_user,$price,$currency);
            InsertPrice($id_post,$price,$currency);
        }
        InsertImage($id_post, $new_path,$name);
    }
if($res) header("Location: ../index.php?page=my-ads");
else header("Location: ../index.php?page=add-ads&id=".$id_post);
```

FDIT PROFILE

```
<?php session_start();</pre>
if(!isset($_SESSION['user'])){
    header("Location: ../index.php");
   exit;
 require_once("../config/config.php");
 require_once("connection.php");
require_once("function.php");
if($_SERVER['REQUEST_METHOD'] != "POST" || !isset($_POST['submit'])){
    header("Location: ../index.php");
    exit;
$full_name = trim($_POST['full-name']);
$email = trim($_POST['email']);
$adress = trim($ POST['adress']);
$id_user = $_SESSION['user']->id;
$src = $_SESSION['user']->src;
$regName = "/([a-zA-Z]{2,100}(\s[a-zA-Z]{2,100})?)/i";
pregAdress = "/^([a-zA-Z0-9]{2,}(\s[a-zA-Z0-9]{1,})*)$/i";
$r[0] = filter_var($email,FILTER_VALIDATE_EMAIL);
$r[1] = preg_match($regName,$full_name) == 1;
$r[2] = preg_match($regAdress,$adress) == 1;
if(!$r[0] || !$r[1] || !$r[2]){
    $_SESSION['error'] = "Data is incomplete !";
    header("Location: ../index.php?page=edit-profile");
    exit;
if($_FILES['image']['name'] == ""){
    $res = UpdateUser($id_user,$full_name,$email,$adress,$src);
```

```
if($res){
        $_SESSION['success'] = "Changes are saved.";
        header("Location: ../index.php?page=edit-profile");
        $ SESSION['user']->full name = $full name;
        $_SESSION['user']->email = $email;
        $_SESSION['user']->adress = $adress;
        exit;
    }else{
        $_SESSION['error']="Somethigns go wrong";
        header("Location: ../index.php?page=edit-profile");
        exit;
    }
}else{
   $tmp = $_POST['src'];
    $tmp = explode(".",$tmp)[0] . ".png";
    $ext = explode(".",$tmp)[1];
    $tmp = "../$tmp";
    $size = $_FILES['image']['size'];
    $name = $ FILES['image']['name'];
    if($size > 8388608){
        $_SESSION['error']="The image must not be larger than 8MB !";
        header("Location: ../index.php?page=edit-profile");
        http response code(400);
        exit;
    }
   // $type = $_FILES['image']['type'];
   //$ext = explode(".",$tmp)[1];
   //$tmp = explode(".",$tmp)[0] . ".png";
    if($ext != "jpeg" && $ext != "png" && $ext != "jpg"){
        $_SESSION['error']="The image must be png or jpeg format!";
        header("Location: ../index.php?page=edit-profile");
        http response code(400);
```

```
exit;
    }
    $new_path = "user-image/".time().time().".$ext";
    list($wid, $ht) = getimagesize($tmp);
    $new_width = 800;
    $quota = $wid / $new_width;
    $new_height = $ht / $quota;
    switch($ext){
        case "jpeg":{
            $source = imagecreatefromjpeg($tmp);break;
        };
        case "jpg":{
            $source = imagecreatefromjpeg($tmp);break;
        };
        case "png":{
            $source = imagecreatefrompng($tmp);break;
        };
    }
    $blank = imagecreatetruecolor($new_width, $new_height);
    imagecopyresampled($blank, $source, 0, 0, 0, 0, $new_width, $new_height,
$wid, $ht);
    switch($ext){
        case "jpeg":{
           imagejpeg($blank,$tmp);break;
```

```
};
   case "jpg":{
       imagejpeg($blank,$tmp);break;
    };
    case "png":{
        imagepng($blank,$tmp);
   };
imagedestroy($source);
imagedestroy($blank);
$res = UpdateUser($id_user,$full_name,$email,$adress,$tmp);
if($res){
   $_SESSION['success'] = "Changes are saved.";
   header("Location: ../index.php?page=edit-profile");
    $ SESSION['user']->full name = $full name;
   $_SESSION['user']->email = $email;
    $_SESSION['user']->adress = $adress;
    $_SESSION['user']->src = $tmp;
   exit;
}else{
    $ SESSION['error']="Somethigns go wrong";
   header("Location: ../index.php?page=edit-profile");
}
```

FUNCTIONS

```
define("START_PREPAID", 8000);
function WriteLog($id_user,$page,$action){
    $ip_adress = $_SERVER['REMOTE_ADDR'];
    $timestamp = time();
    $exist = 0;
    $str =
"id_user=$id_user/ip_adress=$ip_adress/date=$timestamp/page=$page/action=$action\
    $arr = file($_SERVER['DOCUMENT_ROOT']."/log/log.txt");
    $new_arr = "";
    \frac{1}{100} = time() - 60*60*24*7;
    foreach($arr as $a){
        $cur_page = trim(explode("/",$a)[3]);
        $cur_page = trim(explode("=",$cur_page)[1]);
        $ip = trim(explode("/",$a)[1]);
        $ip = trim(explode("=",$ip)[1]);
        $date = trim(explode("/",$a)[2]);
        $date = (int)trim(explode("=",$date)[1]);
        if( $date > $limit){
            $new_arr .= $a;
        if( $date > (time() - 3600* 24) AND $ip_adress == $ip AND $cur_page ==
$page){
            $exist =1;
        }
    if($exist == 0){
           $new_arr .= $str;
    $f = fopen($_SERVER['DOCUMENT_ROOT']."/log/log.txt","w");
    fwrite($f,$new arr);
    fclose($f);
function WriteLogForLogin($id_user,$name,$email){
    $ip_adress = $_SERVER['REMOTE_ADDR'];
    $timestamp = time();
```

```
$str =
'name=$name/email=$email/id_user=$id_user/date=$timestamp/ip_adress=$ip_adress\n"
    $arr = file($_SERVER['DOCUMENT_ROOT']."/log/login.txt");
    $new_arr = "";
    \frac{10*60}{}
    foreach($arr as $a){
        $date = trim(explode("/",$a)[3]);
        $date = (int)trim(explode("=",$date)[1]);
       if( $date > $limit){
            $new_arr .= $a;
        }
    $new_arr .= $str;
    $f = fopen($ SERVER['DOCUMENT ROOT']."/log/login.txt","w");
    fwrite($f,$new_arr);
    fclose($f);
function WriteLogForWrongLogin($email){
    $ip_adress = $_SERVER['REMOTE_ADDR'];
    $timestamp = time();
    $str = "email=$email/ip_adress=$ip_adress/date=$timestamp \n";
    $arr = file($_SERVER['DOCUMENT_ROOT']."/log/wrong-login.txt");
    $new_arr = "";
    $limit = time() - 10*60;
    foreach($arr as $a){
        $date = trim(explode("/",$a)[2]);
        $date = (int)trim(explode("=",$date)[1]);
        if( $date > $limit){
            $new_arr .= $a;
        }
    $new arr .= $str;
    $f = fopen($_SERVER['DOCUMENT_ROOT']."/log/wrong-login.txt","w");
    fwrite($f,$new_arr);
    fclose($f);
```

```
/*Short text about description */
function Shorter($text, $chars limit) {
    if (strlen($text) > $chars_limit) {
      $rpos = strrpos(substr($text, 0, $chars limit), " ");
     if ($rpos!==false) {
       // if there's whitespace, cut off at last whitespace
       return substr($text, 0, $rpos).'...';
      }else{
        // otherwise, just cut after $chars limit chars
       return substr($text, 0, $chars_limit).'...';
    } else {
     return $text;
  }
function
SendMail($subject,$to email,$to fullname,$from email,$from fullname,$text,$link){
  $headers = "MIME-Version: 1.0\r\n";
  $headers .= "Content-type: text/html; charset=utf-8\r\n";
  // Additional headers
  // This might look redundant but some services REALLY favor it being there.
  $headers .= "To: $to_fullname <$to_email>\r\n";
  $headers .= "From: $from fullname <$from email>\r\n";
  $message = "<html xmlns=\"http://www.w3.org/1999/xhtml\" lang=\"en\"</pre>
xml:lang=\"en\">\r\n
  <head>\r\n
    <title>Hello Test</title>\r\n
  </head>\r\n
  <body>\r\n
    \langle p \rangle \langle /p \rangle \langle r \rangle n
    size:14px; float:left; margin-left:7px;\">$text\r\n <a href=\"$link\"> Click
Here</a></body>\r\n</html>";
  $res = mail($to_email, $subject, $message, $headers);
 return $res;
function ActivateAccount($id){
  global $conn;
```

```
$rand = rand().rand();
    $q = "UPDATE users SET active = 1, activation_link = $rand WHERE
activation_link = :activation_link";
    $stm = $conn->prepare($q);
    $stm->bindParam(":activation_link",$id);
    $res = $stm->execute();
    return $res;
function DeactivateAccount($email){
    global $conn;
    $rand = rand().rand();
    $q = "UPDATE users SET active = 0, activation_link = $rand WHERE email =
:email";
    $stm = $conn->prepare($q);
    $stm->bindParam(":email",$email);
    $res = $stm->execute();
    return $rand;
/*END MAIL*/
function InsertPrepaid($id_user, $prepaid){
   global $conn;
    $q = "INSERT INTO prepaids (id user, prepaid) VALUES( $id user, $prepaid)";
    $conn->query($q);
function InsertPhone($id_user,$phone){
    global $conn;
    $q = "INSERT INTO phones (id_user,phone) VALUES(:id_user,:phone)";
    $stm = $conn->prepare($q);
    $stm->bindParam(":id_user",$id_user);
```

```
$stm->bindParam(":phone",$phone);
   $stm->execute();
function Registration($name,$email,$city,$adress,$date,$password, $src,$phone){
    $name = trim($name);
   $city = (int)$city;
    addslashes($adress);
    addslashes($name);
   addslashes($email);
   $password = md5($password);
   global $conn;
   $query = "INSERT INTO users (full_name, email, id_city,adress, date_birth,
password, src, activation_link)
                VALUES(:full_name,:email,:id_city,:adress,:date_birth,:password,:
src,:activation link)";
   $activation_link = rand(). rand();
   $stm = $conn->prepare($query);
   $stm->bindParam(":full_name",$name);
   $stm->bindParam(":email",$email);
   $stm->bindParam(":id_city",$city);
   $stm->bindParam(":adress",$adress);
   $stm->bindParam(":date birth",$date);
   $stm->bindParam(":password",$password);
   $stm->bindParam(":activation_link",$activation_link);
   $stm->bindParam(":src",$src);
   try{
   $stm->execute();
   $id = $conn->lastInsertId();
    InsertPrepaid($id,START PREPAID);
    InsertPhone($id,$phone);
    return
        "error" => "".
```

```
];
   catch(PDOException $e){
       return [
           "error" => $e,
           "activation link" => null
       ];
   }
function InsertAndSendVerification($id_user,$email){
   global $conn;
   $q = "UPDATE";
function LogIn($email, $password){
   addslashes($email);
   $password = md5($password);
   global $conn;
   $q = "SELECT * FROM users u JOIN roles r ON u.id_role = r.role_id WHERE
email = :email AND password = :password AND active = 1 AND date_deleted IS NULL";
   $stm = $conn->prepare($q);
   $stm->bindParam(":email",$email);
   $stm->bindParam(":password",$password);
   $stm->execute();
   return $stm->fetch();
function GetUserForId($id_user){
```

```
global $conn;
    $id_user = (int)$id_user;
    $q = "SELECT * FROM users u WHERE id = $id_user AND active = 1 AND
date deleted IS NULL";
    return $conn->query($q)->fetch();
function GetAllPhonesForUser($id user){
    global $conn;
    $q="SELECT * FROM phones WHERE id_user = $id_user";
    return $conn->query($q)->fetchAll();
function GetAllCategories(){
    global $conn;
    $res = $conn->query("SELECT * FROM categories WHERE id_parrent IS NULL");
    return $res->fetchAll();
function GetAllCategoriesAndIcons(){
    global $conn;
    $res = $conn->query("SELECT *,c.id as category_id FROM categories c LEFT JOIN
category_icons ci ON c.id = ci.id_category WHERE id_parrent IS NULL");
    return $res->fetchAll();
function GetAllStates(){
   global $conn;
   $res = $conn->query("SELECT * FROM states");
   return $res->fetchAll();
```

```
function GetAllCurrency(){
    global $conn;
    $res = $conn->query("SELECT * FROM currencies");
    return $res->fetchAll();
function GetAllDelivery(){
    global $conn;
   $res = $conn->query("SELECT * FROM deliveries");
    return $res->fetchAll();
function GetSubCategory($id){
    global $conn;
    $q = "SELECT * FROM categories WHERE id_parrent = :id";
    $stm = $conn->prepare($q);
    $stm->bindParam(":id",$id);
   $stm->execute();
    return $stm->fetchAll();
function GetAllStatuses(){
   global $conn;
    $res = $conn->query("SELECT * FROM price_statuses");
   return $res->fetchAll();
```

```
function GetAllPromotions(){
    global $conn;
    $res = $conn->query("SELECT * FROM promotions");
    return $res->fetchAll();
function GetPrepaid($id){
   global $conn;
   return $conn->query("SELECT prepaid FROM prepaids WHERE id_user = ".$id."
ORDER BY date_created DESC LIMIT 0,1")->fetch();
function GetPostForId($id_post){
   global $conn;
    return $conn->query("SELECT * FROM posts WHERE id = ".$id_post." AND
date_deleted IS NULL LIMIT 0,1")->fetch();
function GetAllCities(){
   global $conn;
   return $conn->query("SELECT * FROM cities")->fetchAll();
function GetAllAds($limit){
   global $conn;
```

```
$q = "SELECT * ,p.id_user as id_user,c.category as category ,p.date_created
as date created, p. description as description , p.id as post id, i.date start as
date_start, i.date_end as date_end, pp.promotion as promotion FROM
    posts p JOIN states stat ON p.id state = stat.id JOIN users usr ON usr.id =
p.id user
    LEFT JOIN categories c ON p.id_category = c.id LEFT JOIN invoices i ON p.id
 i.id post
    LEFT JOIN promotions pp ON i.id_promotion = pp.id
    WHERE p.date deleted IS NULL AND usr.date deleted IS NULL AND usr.active = 1
    ORDER BY pp.promotion DESC, p.date_created DESC
    LIMIT $limit , 12";
    $q2 = "SELECT COUNT(*) as num FROM posts WHERE date deleted IS NULL";
    $res1 = $conn->query($q)->fetchAll();
    $res2 = $conn->query($q2)->fetch()->num;
        "arr" => $res1,
        "num" => $res2
    //((i.date end > CURDATE() AND pp.promotion LIKE 'On Top') OR i.date end IS
NULL)
function FilterPost($cities,$categories,$conditions, $limit,
$sort,$search,$price,$qouta_usd,$qouta_eur,$gift){
   global $conn;
    if($gift) $gift = "Gift";
    else $gift = "";
    /*$q = "SELECT pst.status as status ,stat.state as state
,p.title,p.min src,p.id user as id user,c.category as category ,p.date created as
     (SELECT SUM(stars) / COUNT(*) as gradet FROM likes WHERE id_whom = usr.id)
as stars
      FROM posts p JOIN states stat ON p.id state = stat.id JOIN users usr ON
      JOIN price statuses pst ON p.id price status = pst.id
```

```
LEFT JOIN categories c ON p.id category = c.id LEFT JOIN invoices i ON
p.id = i.id post
       LEFT JOIN promotions pp ON i.id promotion = pp.id
        WHERE p.date deleted IS NULL AND usr.date deleted IS NULL AND usr.active
    $q= "SELECT curr.currency,pr.price as price, pst.status as status ,stat.state
as state ,p.title,p.min src,p.id user as id user,c.category as category
,p.date_created as date_created,p.description as description ,p.id as post_id,
i.date start as date start, i.date end as date end, pp.promotion as promotion,
    (SELECT SUM(stars) / COUNT(*) as gradet FROM likes WHERE id whom = usr.id)
as stars
    FROM posts p JOIN states stat ON p.id state = stat.id JOIN users usr ON
usr.id = p.id user
    JOIN price_statuses pst ON p.id_price_status = pst.id
   LEFT JOIN prices pr ON pr.id_post =p.id
   LEFT JOIN currencies curr ON pr.id currency = curr.id
     LEFT JOIN categories c ON p.id category = c.id LEFT JOIN invoices i ON p.id
 i.id post
     LEFT JOIN promotions pp ON i.id_promotion = pp.id
     WHERE p.date deleted IS NULL AND usr.date deleted IS NULL AND usr.active =
      ( pst.status ";
    if($gift) $q.= "LIKE 'Gift' OR " ;
    else $q.= " NOT LIKE 'Gift' AND ";
     $q.= " pr.id = (SELECT pricc.id FROM prices pricc JOIN currencies curren ON
pricc.id currency = curren.id
       WHERE pricc.id_post = p.id AND ((pricc.price * $qouta_usd < $price AND
curren.currency LIKE 'USD') OR
       (pricc.price < $price AND curren.currency LIKE 'RSD') OR</pre>
         (pricc.price * $qouta_eur < $price AND curren.currency LIKE 'EUR'))</pre>
          ORDER BY pricc.date created DESC LIMIT 0,1)) ";
    $q2= "SELECT COUNT(*) as num
    FROM posts p JOIN states stat ON p.id state = stat.id JOIN users usr ON
usr.id = p.id user
    JOIN price_statuses pst ON p.id_price_status = pst.id
   LEFT JOIN prices pr ON pr.id post =p.id
    LEFT JOIN categories c ON p.id_category = c.id LEFT JOIN invoices i ON p.id
 i.id post
    LEFT JOIN promotions pp ON i.id promotion = pp.id
```

```
WHERE p.date_deleted IS NULL AND usr.date_deleted IS NULL AND usr.active =
1 AND
      (pst.status";
      if($gift) $q2.= " LIKE 'Gift' OR ";
      else $q2.= " NOT LIKE 'Gift' AND ";
     $q2.= " pr.id = (SELECT pricc.id FROM prices pricc JOIN currencies curren ON
pricc.id currency = curren.id
       WHERE pricc.id_post = p.id AND ((pricc.price * $qouta_usd < $price AND
curren.currency LIKE 'USD') OR
       (pricc.price < $price AND curren.currency LIKE 'RSD') OR</pre>
         (pricc.price * $qouta_eur < $price AND curren.currency LIKE 'EUR'))</pre>
          ORDER BY pricc.date created DESC LIMIT 0,1))";
 /* $q2= "SELECT COUNT(*) as num, p.id,
curren.id WHERE pricc.id_post = p.id AND ((pricc.price * $qouta_usd > $price AND
curren.currency LIKE 'USD') OR (pricc.price > $price AND curren.currency LIKE
    OR (pricc.price * $qouta eur > $price AND curren.currency LIKE 'EUR')) ORDER
     FROM posts p JOIN states stat ON p.id state = stat.id JOIN users usr ON
     JOIN price_statuses pst ON p.id_price_status = pst.id
     LEFT JOIN promotions pp ON i.id promotion = pp.id
      WHERE p.date deleted IS NULL AND usr.date deleted IS NULL AND usr.active =
    if($search != "" && $search !=null){
        $search = strtolower($search);
        $search = addslashes($search);
        $q.="AND (LOWER(p.title) LIKE '%".$search."%') ";
        $q2.="AND (LOWER(p.title) LIKE '%".$search."%') ";
    }
    if($cities != null){
```

```
foreach($cities as $i => $c){
       c = (int)c;
       if($i == 0){
           $q.= "AND (usr.id city = $c ";
           $q2.= "AND (usr.id_city = $c ";
       if($i == count($cities)-1 ){
           $q.= "OR usr.id city = $c) ";
           $q2.= "OR usr.id_city = $c) ";
       }
       else{
           $q.= "OR usr.id city = $c ";
           $q2.= "OR usr.id_city = $c ";
       }
   }
}
if($categories != null){
    foreach($categories as $i => $c){
       c = (int)c;
       if($i == 0){
           $q.= "AND (c.id_parrent = $c OR c.id = $c ";
           $q2.= "AND (c.id parrent = $c OR c.id = $c ";
       }if($i == count($categories)-1 ){
           $q.= "OR c.id_parrent = $c OR c.id = $c) ";
           $q2.= "OR c.id_parrent = $c OR c.id = $c) ";
       else{
           $q.= "OR c.id_parrent = $c OR c.id = $c ";
           $q2.= "OR c.id_parrent = $c OR c.id = $c ";
       }
   }
```

```
if($conditions != null){
        foreach($conditions as $i => $c){
            c = (int)c;
            if($i == 0){
               $q.= "AND (stat.id = $c ";
               $q2.= "AND (stat.id = $c ";
            if($i == count($conditions)-1){}
               $q.= "OR stat.id = $c) ";
               q2.= "OR stat.id = sc) ";
            }
           else{
               $q.= "OR stat.id = $c ";
               $q2.= "OR stat.id = $c ";
           }
       }
    }
   $q .=" ORDER BY pp.promotion DESC , ".$sort.", p.date_created DESC LIMIT
$limit , 12";
   $res1 = $conn->query($q)->fetchAll();
   $res2 = $conn->query($q2)->fetch()->num;
    return [
        "result" => $res1,
        "num" => $res2
    ];
```

```
function FilerPrice($arr,$price,$qouta_usd,$qouta_eur,$gift){
    $res = [];
    foreach($arr2 as $e){
        if($e->price != null){
            $c = $e->currency;
            switch($c){
                    $price_c = $p * (float)$qouta_usd;break;
            if($price_c <= $price){</pre>
                array_push($res,$e);
        }else if($e->status == "Gift" && $gift == "1"){
            array_push($res,$e);
    if( Count($res) != Count($arr2)){
```

```
$arr['num'] = Count($res);
        "result" => $res,
function GetPrepaidRequest($id user){
    $arr = file($_SERVER['DOCUMENT_ROOT']."/config/request_prepaid.txt");
    for($i = 0; $i < count($arr); $i++){</pre>
        $arr[$i] = trim($arr[$i]);
        $row = explode("/",$arr[$i]);
        id = explode("=", row[0])[1];
        $prepaid = explode("=",$row[1])[1];
        if($id == $id_user){
            return
                "id"=>$id,
                "prepaid" => $prepaid
            ];
        }
    return false;
};
function
InsertPost($title,$desc,$state,$price_status,$delivery,$subcategory,$src,$min_src
,$promotion,$youtube){
    $title = addslashes(trim($title));
    $desc = addslashes(trim($desc));
    $youtube = addslashes($youtube);
    $id state = (int)$state;
    $id_price_status = (int)$price_status;
```

```
$id_subcategory = (int)$subcategory;
    $id_delivery = (int)$delivery;
    $id user = $ SESSION['user']->id;
    if($src == null){
        $src = "user-image/empty.png";
        $min_src = "user-image/min-empty.png";
    }
    global $conn;
    if($promotion != 0){
        $id promotion = $promotion;
        $cost = $conn->query("SELECT price FROM promotions WHERE id =
 .$id_promotion." LIMIT 0,1 ")->fetch()->price;
        $current prepaid = $conn->query("SELECT prepaid FROM prepaids WHERE
id_user = ".$id_user." ORDER BY date_created DESC LIMIT 0,1 ")->fetch()-
prepaid;
        $prepaid = $current prepaid - $cost;
        if($prepaid > 0){
            $duration = $conn->query("SELECT day_duration from promotions WHERE
id = ".$id_promotion)->fetch()->day_duration;
            $date_end = time() + ($duration * 24 * 60 * 60);
            $date_end = date("Y-m-d H:i:s",$date_end);
            $query = "INSERT INTO posts (title, description,
id state,id price status, src,min src, id user, id delivery, id category,
you tube)
```

```
VALUES(:title,:description,:id_state,:id_price_status,:src,:min_src,:
id user,:id delivery,:id subcategory,:youtube)";
            $stm = $conn->prepare($query);
            $stm->bindParam(":title",$title);
            $stm->bindParam(":description",$desc);
            $stm->bindParam(":id state",$id state);
            $stm->bindParam(":id_price_status",$id_price_status);
            $stm->bindParam(":src",$src);
            $stm->bindParam(":min_src",$min_src);
            $stm->bindParam(":id_user",$id_user);
            $stm->bindParam(":id delivery",$id delivery);
            $stm->bindParam(":id_subcategory",$id_subcategory);
            $stm->bindParam(":youtube",$youtube);
            $stm->execute();
            $id post = $conn->lastInsertId();
            /*END INSERT POST */
            $conn->query("INSERT INTO prepaids (id_user,prepaid)
VALUES($id user,$prepaid)");
            $conn->query("INSERT INTO invoices (id_user, id_promotion,
id post, date end) VALUES
(".$id_user.",".$id_promotion.",".$id_post.",'".$date_end."') ");
            return $id post;
        }else{
            $ SESSION['error'] = "You don't have enough credits!!!";
            return false;
    }else{
        /*INSERT POST*/
        $query = "INSERT INTO posts (title, description,
id_state,id_price_status, src,min_src, id_user, id_delivery,
id category,you tube)
        VALUES(:title,:description,:id_state,:id_price_status,:src,:min_src,:id_u
ser,:id delivery,:id subcategory,:youtube)";
```

```
$stm = $conn->prepare($query);
        $stm->bindParam(":title",$title);
        $stm->bindParam(":description",$desc);
        $stm->bindParam(":id_state",$id_state);
        $stm->bindParam(":id_price_status",$id_price_status);
        $stm->bindParam(":src",$src);
        $stm->bindParam(":min src",$min src);
        $stm->bindParam(":id_user",$id_user);
        $stm->bindParam(":id delivery",$id delivery);
        $stm->bindParam(":id_subcategory",$id_subcategory);
        $stm->bindParam(":youtube",$youtube);
        $stm->execute();
        $id_post = $conn->lastInsertId();
        /*END INSERT POST */
        return $id_post;
    }
function InsertImage($id_post,$new_path,$alt){
    global $conn;
    $q= "INSERT INTO images (id_post,src,alt) VALUES (:id_post,:new_path,:alt)";
    $stm = $conn->prepare($q);
    $stm->bindParam(":id_post",$id_post);
```

```
$stm->bindParam(":new_path",$new_path);
    $stm->bindParam(":alt",$alt);
    $res = $stm->execute();
function InsertPrice($id_post,$price,$id_currency){
    if($price != null && $id_currency != null){
        global $conn;
        $q = "INSERT INTO prices (id post,id currency,price)
VALUES(:id_post,:id_currency,:price)";
        $stm = $conn->prepare($q);
        $stm->bindParam(":id_post", $id_post);
        $stm->bindParam(":id_currency", $id_currency);
        $stm->bindParam(":price", $price);
        $stm->execute();
function GetCategoryForId($id){
   global $conn;
    id = (int)id;
    $q = "SELECT * FROM categories WHERE id = $id LIMIT 0, 1";
    return $conn->query($q)->fetch();
/*SINGLE PAGE */
function GetFullDataPostForId($id_post){
   global $conn;
    $id_post = (int)$id_post;
```

```
$q = "SELECT p.you_tube,u.id as user_id,p.id as post_id, u.src as user_img,
cat.id parrent as
id_parrent,cat.category,del.delivery,p.title,p.description,p.src,p.min_src,p.date
created as post sreated, u.date created as user created, u.full name as
full_name,c.city, s.state,ps.status
     FROM posts p JOIN users u ON p.id_user = u.id JOIN cities c ON u.id_city =
c.id JOIN states s ON p.id state = s.id
    JOIN categories cat ON p.id_category = cat.id
    JOIN deliveries del ON p.id delivery =del.id
    JOIN price_statuses ps ON p.id_price_status = ps.id WHERE p.date_deleted IS
NULL AND p.id = $id post AND u.date deleted IS NULL AND u.active = 1";
    $res = $conn->query($q)->fetch();
   return $res;
function GetFullDataLikesForPost($id user){
    global $conn;
    $id user = (int)$id user;
    $q = "SELECT l.date created, u.full name, u.src,
1.id_who, 1.id_whom, 1.stars, 1.message FROM likes 1 JOIN users u ON 1.id who = u.id
    WHERE u.date deleted IS NULL AND l.id whom = $id user AND u.date deleted IS
NULL AND u.active = 1";
    return $conn->query($q)->fetchAll();
function verificationLike($id user,$id whom){
    global $conn;
    $q = "SELECT COUNT(*) as num FROM likes WHERE id_who = :id_user AND id_whom =
:id whom";
    $stm = $conn->prepare($q);
    $stm->bindParam(":id user",$id user);
    $stm->bindParam(":id_whom",$id_whom);
    $stm->execute();
    $res = $stm->fetch();
   return $res->num;
```

```
function InsertLike($id_user,$id_whom,$text,$stars){
    global $conn;
    try{
    $q = "INSERT INTO likes (id_who, id_whom, message, stars) VALUES
(:id_who,:id_whom,:mess,:stars)";
    $stm = $conn->prepare($q);
    $stm->bindParam(":id who",$id user);
    $stm->bindParam(":id whom",$id whom);
    $stm->bindParam(":mess",$text);
    $stm->bindParam(":stars",$stars);
    $stm->execute();
    return true;
    }catch(PDOException $e){
        $_SESSION['error'] = $e->getMessage();
        return false;
function InsertDeleteFavorites($id_post,$id_user){
    global $conn;
    try{
        $exist = $conn->query("SELECT COUNT(*) as num FROM favorites WHERE
id_post = $id_post AND id_user = $id_user")->fetch()->num;
        if($exist > 0){
            $res = $conn->query("DELETE FROM favorites WHERE id_post = $id_post
AND id_user = $id_user");
        }else{
            $res = $conn->query("INSERT INTO favorites (id post,id user) VALUES
($id_post,$id_user)");
        return true;
    catch(PDOException $e){
```

```
return false;
function IsFavorite($id_post){
    global $conn;
    $id_post = (int)$id_post;
    $id_user = $_SESSION['user']->id;
    $exist = $conn->query("SELECT COUNT(*) as num FROM favorites WHERE id_post =
$id_post AND id_user = $id_user")->fetch()->num;
   if($exist > 0 ) return true;
    else return false;
function GetNumFavoritePost($id_user){
    global $conn;
    $id user = $ SESSION['user']->id;
    $num = $conn->query("SELECT COUNT(*) as num FROM favorites WHERE id_user =
$id user")->fetch()->num;
    return $num;
function FavoritePosts($id,$limit){
    global $conn;
    $q = "SELECT *,p.id as 'post_id' From posts p JOIN categories c ON
p.id_category = c.id JOIN favorites fav ON fav.id_post = p.id WHERE date_deleted
IS NULL AND fav.id_user = ".$id." LIMIT ". $limit.",10";
    return $conn->query($q)->fetchAll();
```

```
function DeleteLike($id_whom,$id_who){
    global $conn;
    $q = "DELETE FROM likes WHERE id_who = $id_who AND id_whom = $id_whom";
   try{
       $conn->query($q);
        return true;
    }catch(PDOException $e){
        return false;
/*END*/
function UsersPostForId($id,$limit){
   global $conn;
    $q = "SELECT *,p.id as 'post_id' From posts p JOIN categories c ON
p.id_category = c.id WHERE date_deleted IS NULL AND p.id_user = ".$id." LIMIT ".
$limit.",10";
    return $conn->query($q)->fetchAll();
function GetPriceForPost($id){
   global $conn;
    $q = "SELECT * From prices WHERE id_post = $id AND date_deleted IS NULL ORDER
BY date_created DESC LIMIT 0,1";
    return $conn->query($q)->fetch();
```

```
function GetCurrencyForPrice($id currency){
    global $conn;
    $q = "SELECT * From currencies WHERE id = $id currency";
    return $conn->query($q)->fetch();
function GetFullPriceForPost($id_post){
    global $conn;
    $q = "SELECT * FROM posts p JOIN price_statuses ps ON p.id_price_status =
ps.id
        LEFT JOIN prices pp ON pp.id post = p.id LEFT JOIN currencies cu ON
pp.id_currency = cu.id
        WHERE p.id = $id_post AND p.date_deleted IS NULL ORDER BY pp.date created
DESC LIMIT 0,1";
    return $conn->query($q)->fetch();
function GetPromotionsForId($id_user,$id post){
    global $conn;
    $q = "SELECT * ,p.id as 'promotion_id' From promotions p JOIN invoices i ON
i.id promotion = p.id WHERE id post = $id post AND id user = $id user ORDER BY
date start DESC LIMIT 0,1";
    return $conn->query($q)->fetch();
function GetSubcategoryForPost($id_post){
    global $conn;
    $q = "SELECT * From posts p JOIN categories c ON p.id category = c.id WHERE
date deleted IS NULL AND p.id = $id post LIMIT 0,1 ";
```

```
return $conn->query($q)->fetch();
function GetPriceStatusForPost($id post){
   global $conn;
   $q = "SELECT *,p.status as 'price_status' From price_statuses p JOIN posts po
ON p.id = po.id price status WHERE date deleted IS NULL AND po.id = $id post
LIMIT 0,1 ";
   return $conn->query($q)->fetch();
function GetStateForPost($id_post){
   global $conn;
    $q = "SELECT * From posts p JOIN states s ON p.id_state = s.id WHERE
date_deleted IS NULL AND p.id = $id_post LIMIT 0,1 ";
    return $conn->query($q)->fetch();
function GetImagesForPost($id_post){
    global $conn;
   $q = "SELECT * From images WHERE id_post = $id_post ";
    return $conn->query($q)->fetchAll();
function DeleteAllImagesForPost($id_post){
    global $conn;
```

```
$q = "DELETE FROM images WHERE id_post = $id_post ";
    $q2 = "UPDATE posts SET src = '', min_src='' WHERE id = $id_post ";
   $conn->query($q);
   $conn->query($q2);
function
UpdatePost($title,$desc,$state,$price status,$delivery,$subcategory,$src,$min src
,$id post,$id user,$price,$currency){
    $title = addslashes(trim($title));
    $desc = addslashes(trim($desc));
   $id state = (int)$state;
   $id_price_status = (int)$price_status;
   $id subcategory = (int)$subcategory;
   $id delivery = (int)$delivery;
   $id_user = $_SESSION['user']->id;
    if($src == null){
        $src = "user-image/empty.png";
        $min_src = "user-image/min-empty.png";
    global $conn;
    $query = "UPDATE posts SET title = :title, description = :description,
id_state = :id_state, id_price_status = :id_price_status,
            src = :src, min src = :min src, id user = :id user, id delivery
=:id_delivery, id_category = :id_subcategory
           WHERE id = $id_post AND id_user = $id_user";
    $stm = $conn->prepare($query);
   $stm->bindParam(":title",$title);
   $stm->bindParam(":description",$desc);
    $stm->bindParam(":id_state",$id_state);
   $stm->bindParam(":id price status",$id price status);
```

```
$stm->bindParam(":src",$src);
    $stm->bindParam(":min_src",$min_src);
    $stm->bindParam(":id_user",$id_user);
    $stm->bindParam(":id delivery",$id delivery);
    $stm->bindParam(":id_subcategory",$id_subcategory);
    try{
    $stm->execute();
    if($price != null && $price_status != 'Gift'){
        $q = "INSERT INTO prices (id_post,price,id_currency) VALUES( '$id_post',
:price, :id_currency)";
        $stm = $conn->prepare($q);
        $stm->bindParam(":price", $price);
        $stm->bindParam(":id_currency", $currency);
        $stm->execute();
    return true;
    catch(PDOException $e){
        $ SESSION['error'] = $e->getMessage() . "CODE: ".$e->getCode();
        return false;
            "error" => $e,
            "activation link" => null
    }
function UpdateUser($id user,$full name,$email,$adress,$src){
   global $conn;
    $q = "UPDATE users SET full name = :full name, email = :email, adress =
:adress, src = :src WHERE id = :id user AND date deleted IS NULL";
```

```
$stm = $conn->prepare($q);
    $stm->bindParam(":full name",$full name);
    $stm->bindParam(":email",$email);
    $stm->bindParam(":adress",$adress);
    $stm->bindParam(":src",$src);
    $stm->bindParam(":id_user",$id_user);
    $res = $stm->execute();
    return $res;
//ADD PHONE NUMBER FOR USERS
function AddPhone($val,$id_user){
    global $conn;
    $q1 = "SELECT COUNT(*) as num FROM phones WHERE id_user = :id_user" ;
    $stm1 = $conn->prepare($q1);
    $stm1->bindParam(":id_user",$id_user);
    $stm1->execute();
    $res1 = $stm1->fetch()->num;
    if(sres1 >= 5)
       return false;
    }
    $q = "INSERT INTO phones (phone,id_user) VALUES(:val,:id_user)";
    $stm = $conn->prepare($q);
    $stm->bindParam(":val",$val);
    $stm->bindParam(":id_user",$id_user);
```

```
try{
    $stm->execute();
    $res = $conn->lastInsertId();
    return $res;
    }catch(PDOException $e){
        return false;
function GetCategoriesWithMostProducts($limit){
    global $conn;
    $q = "SELECT c.id,c.id parrent, c.category,ci.icon, COUNT(*) as num
    FROM categories c
    JOIN posts p ON p.id_category = c.id
    JOIN category_icons ci ON c.id_parrent = ci.id_category
    WHERE p.date deleted IS NULL
    GROUP BY c.id, c.category, ci.icon
    ORDER BY num DESC LIMIT 0, $limit;";
    return $conn->query($q)->fetchAll();
function GetTopAds(){
    global $conn;
    $q = "SELECT *,p.src as src, p.min_src as min_src ,c.category as category
,p.date_created as date_created,p.description as description ,p.id as post_id,
i.date_start as date_start, i.date_end as date_end, pp.promotion as promotion
    posts p JOIN categories c ON p.id_category = c.id JOIN invoices i ON p.id =
i.id post JOIN
     promotions pp ON i.id_promotion = pp.id
     JOIN users usr ON usr.id = p.id user
      JOIN states stat ON p.id_state = stat.id
       WHERE p.date_deleted IS NULL AND usr.date_deleted IS NULL AND usr.active
```

```
i.date_end > CURDATE() AND pp.promotion LIKE 'On home page' ORDER BY pp.id
DESC";
    $q2 = "SELECT COUNT(*) as num FROM posts pp JOIN invoices i ON pp.id =
i.id_post JOIN promotions p ON i.id_promotion = p.id
    WHERE i.date_end > CURDATE() AND p.promotion LIKE 'On home page' AND
pp.date deleted IS NULL ";
    $res = $conn->query($q)->fetchAll();
    $res2 = $conn->query($q2)->fetch()->num;
    return [
        "arr" => $res,
        "num" => $res2
    ];
function GetNumLikesForPost($id user){
    global $conn;
    $q = "SELECT SUM(stars) as sam, COUNT(stars) as num FROM likes WHERE id_whom
 $id user";
    $res = $conn->query($q)->fetch();
    return $res;
function GetNumPostForCategory($id category){
   global $conn;
    $q = "SELECT COUNT(p.id) as num FROM posts p JOIN categories c ON
p.id category = c.id JOIN users u ON p.id user = u.id
    WHERE p.date_deleted IS NULL AND u.date_deleted IS NULL AND u.active = 1 AND
(c.id_parrent = $id_category OR p.id_category = $id_category)";
    return $conn->query($q)->fetch()->num;
```

```
function GetSubCategoryAndNumberPost($id_category){
    global $conn;
   $q = "SELECT c.category as category , c.id as id, COUNT(p.id) as num FROM
categories c
    LEFT JOIN posts p ON p.id_category = c.id
   WHERE p.date_deleted IS NULL AND c.id_parrent = $id_category
   GROUP BY c.category , c.id";
   return $conn->query($q)->fetchAll();
function GetNumPost($id_user){
   global $conn;
   $q = "SELECT COUNT(*) as 'num' FROM posts WHERE id_user = $id_user AND
date_deleted IS NULL " ;
   $res = $conn->query($q)->fetch();
   if($res->num != null) return $res->num;
    else return 0;
```

```
/*Delete */
function DeletePost($id_post,$id_user){
   global $conn;
    $date = date('Y-m-d H:i:s');
   $q = "UPDATE posts SET date_deleted = '".$date. "' WHERE id_user = $id_user
AND id =". $id_post ;
    $conn->query($q);
function DeleteProfile($id_user){
    global $conn;
   $time = date(time());
    $q = "UPDATE users SET date_deleted = '".$time."' WHERE id = $id_user";
    $conn->query($q);
function PhoneIsUsers($id_user,$id_phone){
    global $conn;
   try{
    $q = "SELECT COUNT(*) as num FROM phones WHERE id = $id_phone AND id_user =
$id_user";
    $res = $conn->query($q)->fetch()->num;
   if($res == 0) return true;
    else return true;
    }catch(PDOException $e){
        return false;
```

```
function DeletePhone($id_phone){
    global $conn;
   try{
    $q = "DELETE FROM phones WHERE id = $id_phone";
   $res = $conn->query($q);
     return true;
    }catch(PDOException $e){
        return false;
function IsExistPhone($val){
   global $conn;
    $val = addslashes($val);
    try{
   $q = "SELECT COUNT(*) as 'num' FROM phones WHERE phone LIKE :val";
   $stm = $conn->prepare($q);
    $stm->bindParam(":val",$val);
    $stm->execute();
    $res = $stm->fetch()->num;
    if((int)$res > 0){
        return false;
    else return true;
    }catch(PDOException $e){
        return false;
```

GET FAVORITE POST

```
session_start();
header('Content-Type: application/json; charset=utf-8');
if(!isset($_SESSION['user'])){
   http_response_code(400);
   exit;
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if(!isset($_GET['limit'])){
   http_response_code(400);
   exit;
/*if(!is_numeric($_GET['id'])){
   http_response_code(400);
}*/
$limit = $_GET['limit'];
$id_user = $_SESSION['user']->id;
$res = FavoritePosts($id_user,$limit);
foreach($res as $el){
    $price = GetPriceForPost($el->post_id);
    $currency = false;
    $active = false;
    $promotions = GetPromotionsForId($id_user,$el->post_id);
    $days_left = false;
    if($price == null ){
        $price = false;
    }else{
```

```
$currency = GetCurrencyForPrice($price->id_currency);
        $price = $price->price;
    }
    if($promotions == null){
        $promotions = false;
    }
    if($promotions != false){
        $date = new DateTime($promotions->date_end);
        $timestamp = $date->getTimestamp();
        $active = $timestamp > time();
        if($active){
            $days_left = $timestamp - time();
            $days_left = $days_left / 60 / 60 / 24;
            $days_left = floor($days_left);
        }
    $el->d_master_category = GetCategoryForId($el->id_parrent);
    $el->d_price = $price;
    $el->d_currency = $currency;
    $el->d_promotions = $promotions;
    $el->d_active = $active;
    $el->d_days_left = $days_left;
echo json_encode($res);
```

GET FILTER POST

```
header('Content-Type: application/json; charset=utf-8');
require_once("../config/config.php");
require once("connection.php");
require_once("function.php");
if($_SERVER['REQUEST_METHOD'] != "POST"){
    http_response_code(500);
    exit;
if(!isset($_POST['cities'])){
        $cities = null;
}else if(!is_int((int)$_POST['cities'])){
    $cities = null;
}else{
    $cities = $_POST['cities'];
if(!isset($_POST['categories'])){
    $categories = null;
}else if(!is_int((int)$_POST['categories'])){
    $categories = null;
}else{
    $categories = $_POST['categories'];
if(!isset($_POST['conditions'])){
    $conditions = null;
}else if(!is int((int)$ POST['conditions'])){
```

```
$conditions = null;
}else{
    $conditions = $_POST['conditions'];
if(strlen($_POST['curr']) > 4){
   $curr = null;
}else{
    $curr = $_POST['curr'];
if(!is_int((int)$_POST['price'])){
   $price = null;
}else{
    $price = $_POST['price'];
$gift = (int)$_POST['gift'];
if(isset($_POST['search'])){
   $search = $_POST['search'];
}else{
    $search = "";
if(isset($_POST['limit'])){
   $limit = $_POST['limit'];
}else{
    $limit = 0;
$list = file("../config/currency_list.txt");
foreach($list as $e){
    if(explode("=",$e)[0] == "USD")
        $qouta_usd = trim(explode("=",$e)[1]);
    else if(explode("=",$e)[0] == "EUR")
        $qouta_eur = trim(explode("=",$e)[1]);
```

```
switch($curr){
    case "USD":{
        $price = $price * (float)$qouta_usd;break;
    };
    case "EUR":{
        $price = $price * (float)$qouta_eur;break;
    };
if($_POST['sort'] == 1) $sort = "stars DESC";
else $sort = "stars ASC ";
$arr = FilterPost($cities,$categories,$conditions,$limit,
$sort,$search,$price,$qouta_usd,$qouta_eur,$gift);
//$arr = FilerPrice($arr,$price,$qouta_usd,$qouta_eur,$gift);
http_response_code(200);
echo json_encode($arr);
```

GET SUBCATEGORY

```
<?php
session_start();
header('Content-Type: application/json');
if(!isset($_SESSION['user']) || !isset($_GET['id'])){
    http_response_code(401);
    exit;
}

require_once("../config/config.php");
    require_once("connection.php");
    require_once("function.php");

    *id = $_GET['id'];

    $res = GetSubCategory($id);
    echo json_encode($res);
}
</pre>
```

```
<?php session_start();</pre>
header('Content-Type: application/json; charset=utf-8');
if(!isset($_SESSION['user'])){
    http_response_code(400);
    exit;
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if(!isset($_GET['limit'])){
    http_response_code(400);
    exit;
/*if(!is_numeric($_GET['id'])){
    http_response_code(400);
$limit = $_GET['limit'];
$id_user = $_SESSION['user']->id;
$res = UsersPostForId($id_user,$limit);
foreach($res as $el){
    $price = GetPriceForPost($el->post_id);
    $currency = false;
    $active = false;
    $promotions = GetPromotionsForId($id user,$el->post id);
    $days_left = false;
    if($price == null ){
        $price = false;
    }else{
        $currency = GetCurrencyForPrice($price->id_currency);
```

```
$price = $price->price;
    }
    if($promotions == null){
        $promotions = false;
    }
    if($promotions != false){
        $date = new DateTime($promotions->date_end);
        $timestamp = $date->getTimestamp();
        $active = $timestamp > time();
        if($active){
            $days_left = $timestamp - time();
            $days_left = $days_left / 60 / 60 / 24;
            $days_left = floor($days_left);
        }
    $el->d_master_category = GetCategoryForId($el->id_parrent);
    $el->d_price = $price;
    $el->description = addslashes($el->description);
    $el->d_currency = $currency;
    $el->d_promotions = $promotions;
    $el->d_active = $active;
    $el->d_days_left = $days_left;
echo json_encode($res);
```

INSERT FAVORITE

```
<?php session_start();</pre>
header('Content-Type: application/json; charset=utf-8');
if(!isset($_SESSION['user'])){
    http response code(400);
    echo json_encode("You must be loged in to save post in favorites!!!");
    exit;
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if(!isset($_POST['id'])){
    http_response_code(400);
    exit;
$id_post = (int)$_POST['id'];
$id_user = $_SESSION['user']->id;
$res = InsertDeleteFavorites($id_post,$id_user);
if($res){
    http_response_code(200);
    echo json_encode($res);
}else{
    http_response_code(500);
    echo json_encode($res);
```

```
session_start();
header('Content-Type: application/json; charset=utf-8');
if(!isset($_SESSION['user'])){
    http_response_code(400);
    echo json_encode("You must be loged in!!!");
    exit;
require_once("../config/config.php");
require once("connection.php");
require_once("function.php");
$text = $_POST['text'];
$stars = $_POST['stars'];
stars = (int)stars;
if($stars > 5 || $stars < 0){
    http_response_code(400);
$text = addslashes($text);
$id_whom = (int)$_POST['id'];
$id_user = $_SESSION['user']->id;
if($id_whom == $id_user){
    echo json_encode("You cannot give yourself a review !!!");
    http_response_code(400);
    exit;
}
$ver = VerificationLike($id_user,$id_whom);
if($ver >= 1){
    echo json encode("You cannot give two ratings on the same seller!!!");
```

```
http_response_code(400);
    exit;
}

$res = InsertLike($id_user,$id_whom,$text,$stars);

if($res){
    http_response_code(204);
    echo json_encode($res);
}else http_response_code(500);

?>
```

INSERT POST

```
<?php session_start();</pre>
if(!isset($_SESSION['user'])){
    header("Location: ../index.php");
    exit;
require_once("../config/config.php");
 require_once("connection.php");
require_once("function.php");
if($_SERVER['REQUEST_METHOD'] != "POST" || !isset($_POST['submit'])){
    header("Location: ../index.php");
    exit;
$title = $_POST['title'];
$desc = $_POST['desc'];
if($title == "" || $title == null || $desc == "" || $desc ==null){
    $_SESSION['error']="Description and title are required field";
    header("Location: ../index.php?page=add-ads");
    exit;
if(!isset($_POST['promotions'])){
    header("Location: ../index.php?page=add-ads");
    exit;
if(!isset($_POST['youtube'])){
    $youtube = null;
}else{
    $youtube = $_POST['youtube'];
$state = $_POST['state'];
$price_status = $_POST['price-status'];
if(isset($ POST['currency'])){
```

```
$currency = $_POST['currency'];
    $price = floatval($_POST['price']);
    if($price < 0){</pre>
        $price = null;
}else{
    $currency = null;
    $price = null;
$delivery = $_POST['delivery'];
$category = $_POST['category'];
$subcategory = $_POST['subcategory'];
if($subcategory == 0) $subcategory = $category;
$promotion = $_POST['promotions'];
if($_FILES['pic']['name'][0] != ""){
    for($i=0;$i<Count($_FILES['pic']['name']); $i++){</pre>
        $tmp = $_FILES['pic']['tmp_name'][$i];
        $size = $_FILES['pic']['size'][$i];
        $name = $_FILES['pic']['name'][$i];
        if($size > 8388608){
            $_SESSION['error']="The image must not be larger than 8MB !";
            header("Location: ../index.php?page=add-ads");
            http_response_code(400);
            exit;
        }
```

```
$type = $_FILES['pic']['type'][$i];
        $ext = explode("/",$type)[1];
        if($ext != "jpeg" && $ext != "png" && $ext != "jpg"){
            $_SESSION['error']="The image must be png or jpeg format!";
            header("Location: ../index.php?page=add-ads");
            http response code(400);
            exit;
        $new_path = "user-image/".time().rand().".".$ext;
        list($wid, $ht) = getimagesize($tmp);
        $new_width = 1000;
        $quota = $wid / $new_width;
        $new_height = $ht / $quota;
        switch($ext){
            case "jpeg":{
                $source = imagecreatefromjpeg($tmp);break;
            };
            case "png":{
                $source = imagecreatefrompng($tmp);
            };
        $blank = imagecreatetruecolor($new_width, $new_height);
        imagecopyresampled($blank, $source, 0, 0, 0, 0, $new_width, $new_height,
$wid, $ht);
        switch($ext){
            case "jpeg":{
               imagejpeg($blank,"../".$new_path);
```

```
};
            case "png":{
                imagepng($blank,"../".$new_path);
            };
        if($i==0){
            list($wid, $ht) = getimagesize($tmp);
            $new_width = 200;
            $quota = $wid / $new_width;
            $new_height = $ht / $quota;
            switch($ext){
                case "jpeg":{
                    $source = imagecreatefromjpeg($tmp);
                    break;
                };
                case "png":{
                    $source = imagecreatefrompng($tmp);
                };
            }
            $min_pic_path = "user-image/min-".time().".".$ext;
            $blank = imagecreatetruecolor($new_width, $new_height);
            imagecopyresampled($blank, $source, 0, 0, 0, 0, $new_width,
$new_height, $wid, $ht);
            switch($ext){
                case "jpeg":{
                    imagejpeg($blank,"../".$min_pic_path);
                };
                case "png":{
```

```
imagepng($blank,"../".$min_pic_path);
                };
            }
            $id post =
InsertPost($title,$desc,$state,$price_status,$delivery,$subcategory,$new_path,$mi
n_pic_path,$promotion,$youtube);
            if($id_post == false){
                header("Location: ../index.php?page=add-ads");
                $_SESSION['error'] = "Somethings go wrong!";
                exit;
            InsertPrice($id_post,$price,$currency);
        }
        if($id_post == false){
                header("Location: ../index.php?page=add-ads");
                $_SESSION['error'] = "Somethings go wrong!";
                exit;
        }
        InsertImage($id_post, $new_path,$name);
    }
}else{
    $new_path= null;
    $min_src = null;
   $res
   InsertPost($title,$desc,$state,$price_status,$delivery,$subcategory,$new_path,
$min src,$promotion,$youtube);
```

```
if($res == false){
    header("Location: ../index.php?page=add-ads");
    exit;
 }else{
    $id_post = $res;
    $new_path = "user-image/empty.png";
     $name = "empty photo products";
     InsertImage($id_post, $new_path,$name);
     InsertPrice($id_post,$price,$currency);
 }
header("Location: ../index.php?page=my-ads");
```

```
<?php session_start();</pre>
if(isset($_SESSION['user'])){
    header("Location: index.php");
    exit;
require once("../config/config.php");
 require_once("connection.php");
require_once("function.php");
if($_SERVER['REQUEST_METHOD'] != "POST" || !isset($_POST['submit'])){
    header("../Location: index.php");
    exit;
if(!isset($_POST['email']) ||!isset($_POST['password'])){
    header("Location: ../index.php?page=login");
    $_SESSION['error'] = "Incorect password or email!";
    exit;
$email = trim($_POST['email']);
$password = trim($_POST['password']);
pregEmail = "/^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/i";
$regPass = "/^(?=.*?[a-z])(?=.*?[0-9])(?=.*?[?!@$%^\.&*-]).{8,}$/i";
if(!preg_match($regEmail,$email) | !preg_match($regPass,$password)){
    header("Location: ../index.php?page=login");
    $_SESSION['error'] = "Incorect format for password or email!";
    exit;
    $arr = file($_SERVER['DOCUMENT_ROOT']."/log/wrong-login.txt");
    $current_ip = $_SERVER['REMOTE_ADDR'];
    $res = 0;
    \frac{1}{100} $limit = time() - 60*5;
```

```
foreach($arr as $a){
        $ip_adress = explode("/",$a)[1];
        $ip adress =explode("=",$ip adress)[1];
        $date = explode("/",$a)[2];
        $date = explode("=",$date)[1];
        if($ip adress == $current ip && $date > $limit){
            $res++;
    }
    if($res > 3){
        $link =
"https://classimaxx.000webhostapp.com/models/verification.php?id=".DeactivateAcco
unt($email);
       $res = SendMail("WARRING somebody can login in your
account", $email, "You", "markodasic70@gmail.com", "Marko Dasic", "somebody can login
in your account. Your account temporarily blocked. Click below link to
reactivated account.",$link);
        $ SESSION['error'] ="You have entered the wrong data many times, you must
reverification on your email";
        header("Location: ../index.php?page=login");
        exit;
    }
$user = LogIn($email, $password);
if($user){
    $_SESSION['user'] = $user;
    WriteLogForLogin($user->id,$user->full name,$user->email);
    header("Location: ../index.php");
```

```
}else{
    WriteLogForWrongLogin($email);
    $_SESSION['error'] = "Incorect password or email!";
    header("Location: ../index.php?page=login");
}
```

LOGOUT

```
<?php
    session_start();

    header("Location: ../index.php?page=home");

    if(isset($_SESSION['user'])){
        unset($_SESSION['user']);
    }

?>
```

REGISTRATION

```
<?php session_start();</pre>
if(isset($_SESSION['user'])){
   header("Location: ../index.php");
   exit;
require_once("../config/config.php");
require_once("connection.php");
require_once("function.php");
if($_SERVER['REQUEST_METHOD'] != "POST" || !isset($_POST['submit'])){
   header("Location: ../index.php");
   exit;
if(!isset($_POST['first-name']) || !isset($_POST['first-name'])
 !isset($_POST['last-name']) ||!isset($_POST['email']) ||!isset($_POST['city'])
 !isset($_POST['adress']) | !isset($_POST['password']) | |
!isset($_POST['agree'])){
   header("Location: ../index.php?page=registration");
   $_SESSION['registration-error'] = "Data is incomplete !";
   exit;
if($_POST['agree']!="on"){
```

```
header("Location: ../index.php?page=registration");
    $_SESSION['registration-error'] = "Data is incomplete !";
    exit;
$regName = '/^([a-zA-Z]{2,}(\s[a-zA-Z]{2,})?)$/i';
$regAdress = '/^([a-zA-Z0-9]{2,}(\s[a-zA-Z0-9]{1,})*)$/i';
pregeneral = \frac{(.-)?}{w+}*@/w+([.-]?/w+)*(..w{2,3})+$/i';
$regPass = '/^(?=.*?[a-z])(?=.*?[0-9])(?=.*?[?!@$%^\.&*-]).{8,}$/i';
$regPhone = '/^(\+\d{1,2}\s?)?1?\-?\.?\s?\(?\d{3}\)?[\s.-]?\d{3}[\s.-]?\d{4}$/i';
if(!preg_match($regPhone,$_POST['phone']) || !preg_match($regName,$_POST['first-
name']) | !preg_match($regName,$_POST['last-name']) | |
!preg match($regEmail,$ POST['email']) ||
!preg_match($regAdress,$_POST['adress']) ||
!preg_match($regPass,$_POST['password']) ){
    header("Location: ../index.php?page=registration");
    $_SESSION['registration-error'] = "Registration field. Incorrect data
format";
    exit;
$src = "user-image/ghost.png";
if(isset($_FILES['image'])){
    $tmp = $_POST['path'];
    $old_path = $_POST['path'];
    $new_tmp = "../$old_path";
    $name = $ FILES['image']['name'];
    $size = $_FILES['image']['size'];
    $type = $_FILES['image']['type'];
    if($size > 8388608){
        header("Location: ../index.php?page=registration");
        $_SESSION['registration-error'] = "Registration field. The image must not
be larger than 8MB ! ";
        exit;
    }
    $ext = explode("/",$type)[1];
    if($ext != "jpeg" && $ext != "jpg" && $ext != "png"){
        header("Location: ../index.php?page=registration");
```

```
$_SESSION['registration-error'] = "Registration field. The image
extension must not be jpg or png ! ";
       exit;
    list($wid, $ht) = getimagesize($new_tmp);
    $new_width = 200;
    $quota = $wid / $new_width;
   $new_height = $ht / $quota;
  /* switch($ext){
       case "png":{*/
            $source = imagecreatefrompng($new_tmp);
   $blank = imagecreatetruecolor($new_width, $new_height);
    imagecopyresampled($blank, $source, 0, 0, 0, 0, $new_width, $new_height,
$wid, $ht);
    $src = $tmp;
    switch($ext){
        case "jpeg":{
            imagejpeg($blank,$new_tmp);
           imagedestroy($blank);break;
```

```
};
        case "png":{
            imagepng($blank,$new tmp);
            imagedestroy($blank);
        };
$name = trim($_POST['first-name'])." ".trim($_POST['last-name']);
$phone = trim($_POST['phone']);
$email = $ POST['email'];
$adress = $_POST['adress'];
$city = $_POST['city'];
$date = $_POST['year']."-".$_POST['month']."-".$_POST['day'];
$password = $_POST['password'];
$res = Registration($name,$email,$city,$adress,$date,$password,$src,$phone);
if($res['activation_link'] == null){
    $_SESSION['registration-error'] = "Email alreay exist! ";
    header("Location: ../index.php?page=registration");
    exit;
}else{
   // InsertAndSendVerification($user->id,$user->email);
   $link =
"https://classimaxx.000webhostapp.com/models/verification.php?id=".$res['activati
on_link'];
   $subject = "Verification Email.";
   $to_email = $email;
   $to fullname = $name;
   $from_email = "markodasic70@gmail.com";
```

```
$from_fullname = "Marko Dasic";
   $text = "Please click link below, to verificate your email adress and activate
your account. ";
    $res =
SednMail($subject,$to_email,$to_fullname,$from_email,$from_fullname,$text,$link);
    if($res){
            $_SESSION['notification'] = "You must confirm your registration with
your email";
    }else{
            $_SESSION['notification'] = "Problem with send email!";
    }
    header("Location: ../index.php?page=home");
    exit;
   $res = mail("markodasic70@gmail.com","Naslov","HEllo world");
   var_dump($res);
```

```
header('Content-Type: application/json; charset=utf-8');
session_start();
require_once("../config/config.php");
 require_once("connection.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
    http_response_code(401);
    exit:
if(!isset($_POST['prepaid'])){
    http_response_code(400);
    exit;
$prepaid = (float)$_POST['prepaid'];
$id = $_SESSION['user']->id;
$exist = GetPrepaidRequest($id);
if($exist){
   http_response_code(401);
    echo json_encode("You have already sent request");
   exit;
try{
$f = fopen("../config/request_prepaid.txt","a+");
$str = "id=".$id."/prepaid=".$prepaid."/send=".date("Y-m-d")."\n";
fwrite($f,$str);
fclose($f);
    http_response_code(204);
    echo json_encode("Request are sent successfully");
```

```
exit;
}
catch(Exception $e){
   http_response_code(500);
   echo json_encode("Somethings go wrong");
   exit;
}
```

```
<?php session_start();</pre>
if(!isset($_GET['id'])){
    $_SESSION['notification'] = "Activation account field. Wrong activation
link.";
    header("Location: ../index.php");
    exit;
$id = $ GET['id'];
if(!is_numeric($id)){
        $_SESSION['notification'] = "Activation account field. Wrong activation
link.";
    header("Location: ../index.php");
    exit;
require_once("../config/config.php");
 require_once("connection.php");
require once("function.php");
$res = ActivateAccount($id);
if($res){
    $_SESSION['notification'] = "Activation account success. Now you can log
    header("Location: ../index.php");
    exit;
}else{
       $_SESSION['notification'] = "Activation account field. Wrong activation
link.";
    header("Location: ../index.php");
    exit;
}
```

MODELS / ADMIN

ALLOW REQUEST

```
session_start();
header('Content-Type: application/json; charset=utf-8');
require_once("../../config/config.php");
require_once("../connection.php");
require_once("../function.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
   http_response_code(401);
   exit;
if($_SESSION['user']->role != "admin"){
   http_response_code(401);
   exit;
if(!isset($_POST['prepaid']) || !isset($_POST['id'])){
    http_response_code(400);
$prepaid = (float)$_POST['prepaid'];
$id_user = (int)$_POST['id'];
$res = AllowPrepaidRequest($id_user,$prepaid);
if($res){
    http_response_code(204);
    echo json_encode("Successful!");
}else http_response_code(500);
```

```
session_start();
header('Content-Type: application/json; charset=utf-8');
require_once("../../config/config.php");
require_once("../connection.php");
require_once("../function.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
    http_response_code(401);
    exit;
if($_SESSION['user']->role != "admin"){
   http_response_code(401);
   exit;
if(!isset($_POST['id']) || !isset($_POST['active'])){
    http_response_code(400);
    exit;
$id_user = (int)$_POST['id'];
$active = (int)$_POST['active'];
$message['text'] = BanReban($id_user,$active);
http_response_code(200);
echo json_encode($message);
```

DELETE REQUEST

```
session_start();
header('Content-Type: application/json; charset=utf-8');
require_once("../../config/config.php");
require_once("../connection.php");
require_once("../function.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
    http_response_code(401);
    exit;
if($_SESSION['user']->role != "admin"){
    http_response_code(401);
    exit;
$id_user = (int)$_POST['id'];
DeletePrepaidRequest($id_user);
http_response_code(204);
echo json_encode("Request are denciled");
```

```
function GetAllRequest($limit){
    $arr = file($_SERVER['DOCUMENT_ROOT']."/config/request_prepaid.txt");
    $res = [];
   for($i = $limit; $i < 20; $i++){</pre>
        if(isset($arr[$i])){
            $arr[$i] = trim($arr[$i]);
            $row = explode("/",$arr[$i]);
            $id = explode("=",$row[0])[1];
            $send = explode("=",$row[2])[1];
            $prepaid = explode("=",$row[1])[1];
            $x = [
                    "id" => $id,
                    "prepaid" => $prepaid,
                    "send" => $send
                ];
            array_push($res,$x);
        }
   return $res;
function DeletePrepaidRequest($id_user){
    $arr = file($ SERVER['DOCUMENT ROOT']."/config/request prepaid.txt");
    $str = "";
    for($i = 0; $i < count($arr); $i++){</pre>
            $row = explode("/",$arr[$i]);
            $id = explode("=",$row[0])[1];
            if($id != $id user){
```

```
$str .= $arr[$i];
            }
    }
    $f = fopen($_SERVER['DOCUMENT_ROOT']."/config/request_prepaid.txt", "w");
    fwrite($f,$str);
    fclose($f);
function AllowPrepaidRequest($id_user,$prepaid){
    global $conn;
    DeletePrepaidRequest($id user);
    $q1 = "SELECT prepaid FROM prepaids WHERE id_user = $id_user ORDER BY
date_created DESC LIMIT 0,1";
    $current_p = $conn->query($q1)->fetch();
    if(isset($current_p->prepaid)){
        $prepaid += $current_p->prepaid;
    }
    $q = "INSERT INTO prepaids (id_user,prepaid) VALUES(:id_user,:prepaid)";
    $stm = $conn->prepare($q);
    $stm->bindParam(":id_user",$id_user);
    $stm->bindParam(":prepaid",$prepaid);
    return $stm->execute();
function GetAllUsers(){
    global $conn;
```

```
$arr['users'] = $conn->query("SELECT * FROM users JOIN roles ON id_role =
role_id WHERE date_deleted IS NULL")->fetchAll();
    $arr['num'] = $conn->query("SELECT COUNT(*) as num FROM users WHERE
date deleted IS NULL")->fetch()->num;
    return $arr;
function BanReban($id_user,$active){
    global $conn ;
    if($active == 0){
        $q = "UPDATE users SET active = 1 WHERE id = $id user";
        $message = "User are reban.";
    }else{
        $q = "UPDATE users SET active = 0 WHERE id = $id_user";
        $message = "User are ban.";
    }
    $conn->query($q);
    return $message;
function UpdatePromotion($id,$duration,$price){
   global $conn;
    $q = "UPDATE promotions SET day_duration = :day_duration, price = :price
WHERE id = :id";
    $stm = $conn->prepare($q);
    $stm->bindParam(":day_duration",$duration);
    $stm->bindParam(":price",$price);
    $stm->bindParam(":id",$id);
   return $stm->execute();
```

```
function GetLog24H(){
                       $rows = file($_SERVER['DOCUMENT_ROOT']."/log/log.txt");
                       res = [];
                       \frac{1}{100} = \frac{1}{100} - \frac{1}{100} = \frac{1}
                        foreach($rows as $el){
                                              $el = trim($el);
                                             $row = explode("/",$el)[2];
                                              $date = explode("=",$row)[1];
                                              if($date > $limit){
                                                                     array_push($res,$el);
                                              }
                        return $res;
function GetLogStatistic(){
                       $rows = file($_SERVER['DOCUMENT_ROOT']."/config/pages.txt");
                       $statistic = [];
                       $counting = [];
                       foreach($rows as $i => $el){
                                              $el = trim($el);
                                              $page = explode("=",$el)[1];
                                              $statistic[$i] = [
                                                                     "page" => $page,
                                                                     "count" => 0,
                                                                     "percent" => 0
                                              ];
                                              $counting[$i] = [
                                                                     "page" => $page,
                                                                     "count" => 0
                                              ];
```

```
}
$logs = file($_SERVER['DOCUMENT_ROOT']."/log/log.txt");
$sum_rows = floatval(count($logs));
$logs24 = GetLog24H();
foreach($logs as $i => $el){
    $el = trim($el);
    $p = explode("/",$el)[3];
    $p = explode("=",$p)[1];
    for($i = 0; $i < count($statistic); $i ++ ){</pre>
        if($p == $statistic[$i]['page']){
            $statistic[$i]['count'] += 1;
    }
}
foreach($logs24 as $t => $el){
    $el = trim($el);
    $p = explode("/",$el)[3];
    $p = explode("=",$p)[1];
    for($i = 0; $i < count($counting); $i ++ ){</pre>
        if($p == $counting[$i]['page']){
            $counting[$i]['count'] += 1;
```

```
for($i = 0; $i < count($statistic); $i ++ ){</pre>
        $coun = floatval($statistic[$i]['count']);
        $percent = $coun / $sum_rows * 100;
        $statistic[$i]['percent'] = $percent;
    }
    return [
           "statistics" => $statistic,
           "counting" => $counting
    ];
function GetNumLogin24H(){
    $rows = file($_SERVER['DOCUMENT_ROOT']."/log/login.txt");
    \frac{1}{100} = time() - 60*60*24;
    $res= [];
    foreach($rows as $row){
        $row = trim($row);
        $date = explode("/",$row)[3];
        $date = explode("=",$date)[1];
        if($date > $limit){
            array_push($res,$row);
        }
    }
    return $res;
```

GET PREPAID REQUEST

```
session_start();
header('Content-Type: application/json; charset=utf-8');
require_once("../../config/config.php");
require_once("../connection.php");
require_once("../function.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
    http_response_code(401);
    exit;
if($_SESSION['user']->role != "admin"){
    http_response_code(401);
    exit;
$limit = (int)$_GET['limit'];
$arr = GetAllRequest($limit);
for($i =0; $i < count($arr); $i++){</pre>
    $x = GetUserForId($arr[$i]['id']);
    $x->prepaid = $arr[$i]['prepaid'];
    $x->send = $arr[$i]['send'];
    \frac{\sin[\$i] = \$x}{\sin[\$i]}
http_response_code(200);
echo json_encode($arr);
```

UPDATE PROMOTION

```
session_start();
header('Content-Type: application/json; charset=utf-8');
require_once("../../config/config.php");
require_once("../connection.php");
 require_once("../function.php");
require_once("function.php");
if(!isset($_SESSION['user'])){
    http_response_code(401);
    exit;
if($_SESSION['user']->role != "admin"){
    http_response_code(401);
    exit;
if(!isset($ POST['duration']) || !isset($ POST['id']) ||
!isset($_POST['price'])){
    http_response_code(400);
    exit;
$id =(int)$_POST['id'];
$duration =(int)$_POST['duration'];
$price =(float)$_POST['price'];
if($price < 100 || $duration > 100 || $duration < 1){</pre>
    http_response_code(400);
    echo json_encode("Wrong params!");
    exit;
$res = UpdatePromotion($id,$duration,$price);
if($res){
    http_response_code(203);
    echo json_encode("Successful");
}else http_response_code(500);
```

FXP AUTHOR

```
header("Content-type: application/vnd.ms-word");
   header("Content-Disposition:attachment;Filename=Markodasic110/20author.doc");
$word = '
           <thead>
               <b>CLASSIMAX</b>
               </thead>
           >
                   Classimax je najveća online zajednica za kupovinu i prodaju u
Srbiji, sa preko 2.5 miliona
                   registrovanih korisnika i 760 hiljada poseta svakog dana.
Spajamo one koji žele nešto da prodaju,
                    sa onima koji žele to da kupe. Pored pojedinaca, na
Classimax-u uspešno prodaje i veliki broj malih
                    i srednjih domaćih biznisa. Prvi oglas na Classimax je
postavljen u februaru 2008. godine. Danas ih se dnevno objavi
                    preko 60 hiljada. Sa preko 4.3 miliona aktivnih oglasa u
svakom trenutku, na KupujemProdajem možete pronaći praktično
                     sve! KupujemProdajem je u vlasništvu firme: Quable B.V.
Plesmanlaan 84, 2497CB Hag, Holandija Registracioni broj: 27302667
                    info Pitanja nam možete postaviti korišćenjem forme u
donjem desnom uglu svake stranice portala. Korisne informacije i
                   novosti o platformi možete pratiti na KP Blogu. Ime i logo
KupujemProdajem su zaštićeni žig firme Quable B.V.
                   ';
echo $word;
```

```
require_once("../../config/config.php");
require once("../connection.php");
require_once("../admin/function.php");
require_once("../function.php");
session start();
if(!isset($_SESSION['user'])){
   http_response_code(401);
   exit;
}else{
    if($_SESSION['user']->role != 'admin'){
        http_response_code(401);
        exit;
    }
$res = GetAllUsers();
$users = $res['users'];
    header("Content-Disposition: attachment; filename=users.xls");
    header("Content-Type: application/x-msexcel");
    header('Content-Type: application/vnd.ms-excel');
    header('Expires: 0');
    header('Cache-Control: must-revalidate, post-check=0, pre-check=0');
    header("Pragma: no-cache");
    $export_string = "Id\tName\tNumber-post\tDate-created\n";
    foreach($users as $el) {
        $export_string .= $el->id . "\t" . $el->full_name . "\t" .
GetNumPost($el->id) . "\t" . $el->date created
       ."\n";
    echo $export_string;
```

CONFIG

.ENV

```
SERVER_NAME=localhost

DATABASE=id19494558_classimax

USERNAME=id19494558_root

PASSWORD=~oPM0UWVqfirs1&Q
```

CONFIG.php

```
$arr = file($_SERVER['DOCUMENT_ROOT']."/config/.env");
$arr[0] = explode("=",$arr[0])[1];
$arr[1] = explode("=",$arr[1])[1];
$arr[2] = explode("=",$arr[2])[1];
$arr[3] = explode("=",$arr[3])[1];

define("SERVER_NAME",trim($arr[0]));
define("DATABASE_NAME",trim($arr[1]));
define("USERNAME",trim($arr[2]));
define("PASSWORD",trim($arr[3]));
}>
```

CURRENCY_LIST.txt

```
USD=115
EUR=117
```

PAGES.txt

```
All ads (category.php)=category.php

Home (home.php)=home.php

Dashboard (dashboard/...php)=dashboar.php

Author (autgor.php)=author.php

Sigle ads (single.php)=single.php

Log in (login.php)=login.php

Registration (registration.php)=registration.php
```

REQUEST_PREPAID.txt

id=23/prepaid=8000/send=2022-09-01

JAVASCRIPT & CSS

Sav ostali eksterni javaScript i css kod je preuzet sa interneta

TEKSTUALNI FAJLOVI

LOG.txt

```
id user=Ghost/ip adress=51.222.253.19/date=1662045889/page=login.php/action=Login
id user=14/ip adress=178.148.253.217/date=1662046093/page=category.php/action=Bro
wsing all ads on site
id user=14/ip adress=178.148.253.217/date=1662046095/page=dashboar.php/action=Bro
wsing my ads
id user=14/ip adress=178.148.253.217/date=1662046096/page=home.php/action=None
id user=14/ip adress=178.148.253.217/date=1662046097/page=home.php/action=None
id_user=14/ip_adress=178.148.253.217/date=1662046099/page=dashboar.php/action=Bro
wsing my ads
id user=14/ip adress=178.148.253.217/date=1662046119/page=dashboar.php/action=Bro
wsing my ads
id user=Ghost/ip adress=34.146.20.183/date=1662046304/page=home.php/action=None
id user=Ghost/ip adress=34.146.20.183/date=1662046305/page=home.php/action=None
id user=Ghost/ip adress=34.146.20.183/date=1662046305/page=home.php/action=None
id_user=Ghost/ip_adress=34.124.170.228/date=1662046312/page=home.php/action=None
id user=Ghost/ip adress=34.124.170.228/date=1662046313/page=home.php/action=None
id_user=Ghost/ip_adress=34.124.170.228/date=1662046314/page=home.php/action=None
id_user=Ghost/ip_adress=164.68.96.236/date=1662046326/page=home.php/action=None
id user=Ghost/ip adress=51.222.253.10/date=1662046488/page=single.php/action=Brow
sing single ads
id user=14/ip adress=178.148.253.217/date=1662046807/page=home.php/action=None
id user=Ghost/ip adress=46.4.33.48/date=1662046880/page=home.php/action=None
id_user=Ghost/ip_adress=51.222.253.7/date=1662046984/page=single.php/action=Brows
ing single ads
id user=Ghost/ip_adress=178.148.253.217/date=1662047068/page=login.php/action=Log
in
id_user=Ghost/ip_adress=178.148.253.217/date=1662047070/page=registration.php/act
ion=Registration
id_user=Ghost/ip_adress=51.222.253.14/date=1662047563/page=single.php/action=Brow
sing single ads
```

LOGIN.txt

name=Marko

Dasic/email=markodasic70@gmail.com/id_user=14/date=1662050669/ip_adress=178.148.2 53.217

WRONG-LOGIN.txt

email=markodasic70@gmail.com/ip_adress=178.148.253.217/date=1662045496

Marko Dašić 110/20 Visoka ICT PRAKTIKUM PHP SAJT