Title

D. Zack Garza

Table of Contents

Contents

Table o	able of Contents				
Prologi		3			
0.1	References	3			
0.2	Notation	3			
0.3	Summary of Important Concepts	4			
0.4	Useful Examples	5			
	0.4.1 Varieties	5			
	0.4.2 Presheaves / Sheaves	5			
0.5	The Algebra-Geometry Dictionary	5			

Table of Contents

Prologue





 $\bullet \ \ Gathmann's \ Algebraic \ Geometry \ notes [@Andreas Gathmann 515].$



• If a property P is said to hold **locally**, this means that for every point p there is a neighborhood $U_p \ni p$ such that P holds on U_p .

Notation	Definition
$ \overline{k[\mathbf{x}] = k[x_1, \dots, x_n]} k(\mathbf{x}) = k(x_1, \dots, x_n) $	Polynomial ring in n indeterminates Rational function field in n indeterminates
$\mathcal{U} \rightrightarrows X$	An open cover $\mathcal{U} = \left\{ U_j \mid j \in J \right\}$ The diagonal $\left\{ (x, x) \mid x \in X \right\} \subseteq X \times X$
Δ_X $\mathbb{A}^n_{/k}$	Affine n -space
$\mathbb{P}^n_{/k}$	$\mathbb{A}^n_{/k} := \left\{ \mathbf{a} = [a_1, \cdots, a_n] \mid a_j \in k \right\}$ Projective <i>n</i> -space
/ n	

|
$$\PP^n_{k} \leq x$$
 | \$\PP^n_{k} \da \qty{k^n\smz}/x\sim \lambda x\$ \ | \$= \ts{f(\vector x) = p(\vector x)/q(\vector x), \sim \}

$$V(J), V_a(J) \qquad \qquad \text{Variety associated to an ideal } J \leq k[x_1, \cdots, x_n]$$

$$:= \left\{ \mathbf{x} \in \mathbb{A}^n \ \middle| \ f(\mathbf{x}) = 0, \, \forall f \in J \right\}$$

Fruit	Advantages
Bananas	built-in wrapper bright color
Oranges	cures scurvy tasty

0.2 Notation 3

0.3 Summary of Important Concepts



- What is an affine variety?
- What is the coordinate ring of an affine variety?
- What are the constructions $V(\cdot)$ and $I(\cdot)$?
- What is the Nullstellensatz?
- What are the definitions and some examples of:
 - The Zariski topology?
 - Irreducibility?
 - Connectedness?
 - Dimension?
- What is the definition of a presheaf?
 - What are some examples and counterexamples?
- What is the definition of sheaf?
 - What are some examples?
 - What are some presheaves that are not sheaves?
- What is the definition of \mathcal{O}_X , the sheaf of regular functions?
 - How does one compute \mathcal{O}_X for X = D(f) a distinguished open?
- What is a morphism between two affine varieties?
- What is the definition of separatedness?
 - What are some examples of spaces that are and are not separated?
- What is a projective space?
- What is a projective variety?
- What is the projective coordinate ring?
- How does one take the closure of an affine variety X in projective space?
- What is completeness?
 - What are some examples and counterexamples of complete spaces?

0.4 Useful Examples



0.4.1 Varieties

- $V(xy-1) \subseteq \mathbb{A}^2$ a hyperbola
- V(x) a coordinate axis
- V(x-p) a point.

0.4.2 Presheaves / Sheaves

- $C^{\infty}(\cdot, \mathbb{R})$, a sheaf of smooth functions
- $C^0(\cdot,\mathbb{R})$, a sheaf of continuous functions
- $\mathcal{O}_X(\cdot)$, the sheaf of regular functions on X
- $\underline{\mathbb{R}}(\cdot)$, the constant sheaf associated to \mathbb{R} (locally constant real-valued functions)
- $\operatorname{Hol}(\cdot,\mathbb{C})$, a sheaf of holomorphic functions
- K_p the skyscraper sheaf:

$$K_p(U) \coloneqq \begin{cases} k & p \in U \\ 0 & \text{else.} \end{cases}$$

0.5 The Algebra-Geometry Dictionary



Let $k = \bar{k}$, we're setting up correspondences

Algebra	Geometry
$\frac{1}{k[x_1,\cdots,x_n]}$	$\mathbb{A}^n_{/k}$
Maximal ideals $\mathfrak{m} = x_1 - p_1, \cdots, x_n - p_n$	Points $[a_1, \cdots, a_n]$
Radical ideals $J = \sqrt{J} \le k[x_1, \cdots, x_n]$	V(J) the zero locus
Prime ideals $\mathfrak{p} \in \operatorname{Spec}(k[x_1, \cdots, x_n])$	Irreducible subsets
I(S) the ideal of a set	$S \subseteq \mathbb{A}^n$ a subset
I + J	$V(I) \cap V(J)$
$\sqrt{I(V) + I(W)}$	$V \cap W$
$I \cap J, IJ$	$V(I) \cup V(J)$
$I(V) \cap I(W), \sqrt{I(V)I(W)}$	$V \cup W$
I(V):I(W)	$\overline{V\setminus W}$
$k[x_1,\cdots,x_n]/I(X)$	A(X) (Functions on X)
A(X) a domain	X is irreducible
A(X) indecomposable	X is connected
Krull dimension n (chaints of primes)	Topological dimension n (chains of irreducibles)