## **Title**

#### D. Zack Garza

Tuesday 29<sup>th</sup> September, 2020

### **Contents**

1 Tuesday, September 29

1

# 1 | Tuesday, September 29

**Exercise 1.1** (?).

Show that the 3 natural coordinate charts on  $\mathbb{CP}^2$  given by e.g.  $\varphi_{U_0}([z_0:z_1:z_2])=\left[\frac{z_1}{z_0},\frac{z_2}{z_0}\right]$  yield a smooth atlas.

Exercise 1.2 (?). Consider the map

$$\pi: \mathbb{CP}^2 \to \mathbb{R}^2$$

$$[z_0: z_1: z_2] \mapsto \left[ \frac{|z|_1^2}{|z|_0^2 + |z|_1^2 + |z|_2^2}, \frac{|z|_2^2}{|z|_0^2 + |z|_1^2 + |z|_2^2} \right].$$

Show that  $\pi$  is smooth and  $\operatorname{im} \pi = \{p_1, p_2 \geq 0, p_1 + p_2 \leq 1\}.$ 




Figure 1: O

#### Exercise 1.3 (?).

Show that

- If  $[p_1, p_2] \in T^{\circ}$  is in the interior of the above triangle, then  $\pi^{-1}(p_1, p_2) \cong S^1 \times S^1$  is diffeomorphic. phic to a torus.
- If the point is on an edge, the fiber is diffeomorphic to S<sup>1</sup>,
  If the point is on a vertex, the fiber is diffeomorphic to a single point.