

Homework 6

D. Zack Garza

October 23, 2019

Contents

| | | |
|----------|--------------------------|----------|
| 1 | Homework Problems | 1 |
| 1.1 | Problem 1 | 1 |
| 1.2 | Problem 2 | 1 |
| 1.3 | Problem 3 | 2 |
| 1.4 | Problem 4 | 2 |
| 1.5 | Problem 5 | 2 |
| 1.6 | Problem 6 | 2 |
| 2 | Qual Problems | 2 |
| 2.1 | Problem 1 | 2 |
| 2.2 | Problem 2 | 2 |
| 2.3 | Problem 3 | 2 |

1 Homework Problems

1.1 Problem 1

Todo

1.2 Problem 2

We can note that since f has 4 roots, the Galois group G of its splitting field will be a subgroup of S_4 . Moreover, G must be a *transitive subgroup* of S_4 , i.e. the action of G on the roots of f should be transitive. This reduces the possibilities to $G = S^4, A^4, D^4, \mathbb{Z}_4, \mathbb{Z}_2^2$.

Since f has exactly 2 real roots and thus a pair of roots that are complex conjugates, the automorphism given by complex conjugation is an element of G . But this corresponds to a 2-cycle $\tau = (ab)$, and we can then make the following conclusions:

- Not A_4 : A_4 contains only even cycles, and τ is odd.
- Not Z_4 : This subgroup is generated by a single 4-cycle σ , which up to conjugacy is (1234) , and σ^n is not a 2-cycle for any n .
- Not \mathbb{Z}_2^2 : In order to be transitive, this subgroup must be $\{e, (12)(34), (13)(24), (14)(23)\}$, which does not contain τ .

The only remaining possibilities are S^4 and D^4 . \square

1.3 Problem 3

1.4 Problem 4

1.5 Problem 5

1.6 Problem 6

2 Qual Problems

2.1 Problem 1

2.2 Problem 2

2.3 Problem 3