Team notebook

HSG-DiagonalBottle

August 15, 2026

Contents

1 Algorithms

1.1 Hash

```
// Recommended to #define int ll here.
struct Hash {
   Hash() {}
   const int BASE = 53;
   vi pr = {1000000000 + 7, 998244353, 4518541637,
        7385466377};
   int mod;
   int n;
   vi hash, pw;
   Hash(int p, string s) {
      n = s.size();

      mod = pr[p];
      s = "@" + s;

      pw.resize(n + 1);
      hash.resize(n + 1);
      pw[0] = 1;
      for(int i = 1; i <= n; i++) pw[i] = (pw[i - 1] *
           BASE) % mod;
```

```
        for(int i = 1; i <= n; i++) hash[i] = ((hash[i -
            1] * BASE) + (s[i] - 'a' + 1)) % mod;
    }

    int get(int l, int r) {
        return (hash[r] - hash[l - 1] * pw[r - l + 1] +
            mod * mod) % mod;
    }
};
```

1.2 Mo's algorithm on trees

```
/**
problems:
    - https://codeforces.com/gym/101161 problem E
*/
void flat(vector<vector<edge>> &g, vector<int> &a,
    vector<int> &le, vector<int> &ri, vector<int> &cost,
    int node, int pi, int &ts, int w) {

  cost[node] = w;
  le[node] = ts;
  a[ts] = node;
  ts++;
  for (auto e : g[node]) {
    if (e.to == pi) continue;
    flat(g, a, le, ri, cost, e.to, node, ts, e.w);
  }
  ri[node] = ts;
  a[ts] = node;
  ts++;
}

/**
 * Case when the cost is in the edges.
 * */
void compute_queries(vector<vector<edge>> &g) {
  // g is undirected
  int n = g.size();

  lca_tree.init(g, 0);

  vector<int> a(2 * n), le(n), ri(n), cost(n);
  // a: nodes in the flatten array
  // le: left id of the given node
  // ri: right id of the given node
  // cost: cost of the edge from the node to the parent

  int ts = 0; // timestamp
  flat(g, a, le, ri, cost, 0, -1, ts, 0);

  int q; cin >> q;
  vector<query> queries(q);
  for (int i = 0; i < q; i++) {
    int u, v;
    cin >> u >> v;
    u--; v--;
    int lca = lca_tree.query(u, v);
    if (le[u] > le[v])
      swap(u, v);
    queries[i].id = i;
    queries[i].lca = lca;
    queries[i].u = u;
    queries[i].v = v;
    if (lca == u) {
      queries[i].a = le[u] + 1;
      queries[i].b = le[v];
    } else {
      queries[i].a = ri[u];
      queries[i].b = le[v];
    }
  }
  solve_mo(queries, a, le, cost); // this is the usal
      algorithm
}
```

1.3 Mo's algorithm

```
const int MN = 5 * 100000 + 1;
const int SN = 708;

struct Query {
  int a, b, id;
  Query() {}
  Query(int x, int y, int i) : a(x), b(y), id(i) {}

  bool operator<(const Query &o) const {
    if (a / SN != o.a / SN) return a < o.a;
    return a / SN & 1 ? b < o.b : b > o.b;
  }
};

struct DS {
  DS() : {}

  void Insert(int x) {}

  void Erase(int x) {}

  long long Query() {}
};

Query s[MN];
int ans[MN];
DS active;

int main() {
  int n;
  cin >> n;
  vector<int> a(n);
  for (auto &i : a) cin >> i;

  int q;
  cin >> q;
  for (int i = 0; i < q; ++i) {
    int b, e;
    cin >> b >> e;
    b--;
    e--;
    s[i] = Query(b, e, i);
  }

  sort(s, s + q);

  int i = 0;
  int j = -1;
  for (int k = 0; k < (int)q; ++k) {
    int L = s[k].a;
    int R = s[k].b;

    while (j < R) active.Insert(a[++j]);
    while (j > R) active.Erase(a[j--]);
    while (i < L) active.Erase(a[i++]);
    while (i > L) active.Insert(a[--i]);

    ans[s[k].id] = active.Query();
  }

  for (int i = 0; i < q; ++i) {
    cout << ans[i] << endl;
  }

  return 0;
};
```

2 DP Optimizations

2.1 LineContainer

```
struct LineContainer
{
    struct line{
        ll a, b;
        mutable ll p;
        bool operator < (const line& o) const {
            if(o.a == INF && o.b == INF) return p < o.p;
            return a < o.a;
        }
    };
    multiset<line> lc;
    ll div(ll a, ll b){
        return a / b - ((a ^ b) < 0 && a % b);
    }
    bool phe(multiset<line>::iterator x,
         multiset<line>::iterator y){
        if(y == lc.end()){
            x->p = INF;
            return 0;
        }
        if(x->a == y->a){
            if(x->b >= y->b) x->p = INF;
            else x->p = -INF;
            return x->p >= y->p;
        }
        x->p = div(x->b - y->b, y->a - x->a);
        return x->p >= y->p;
```

```
    }
    void add(ll a, ll b){
        auto x = lc.insert({a, b, 0});
        auto y = next(x);
        while(phe(x, y)) y = lc.erase(y);
        if((y = x) != lc.begin() && phe(--x, y))
            phe(x, y = lc.erase(y));
        while((y = x) != lc.begin() && (--x)->p >= y->p)
            phe(x, y = lc.erase(y));
    }
    ll qr(ll x){
        assert(!lc.empty());
        line l = *lc.lower_bound({INF, INF, x});
        return l.a * x + l.b;
    }
};
```

2.2 convex hull trick

```
struct line {
  long long m, b;
  line (long long a, long long c) : m(a), b(c) {}
  long long eval(long long x) {
    return m * x + b;
  }
};

long double inter(line a, line b) {
  long double den = a.m - b.m;
  long double num = b.b - a.b;
  return num / den;
}

/**
 *  min m_i * x_j + b_i, for all i.
 *    x_j <= x_{j + 1}
 *    m_i >= m_{j + 1}
 * */
struct ordered_cht {
  vector<line> ch;
  int idx; // id of last "best" in query
  ordered_cht() {
    idx = 0;
  }

  void insert_line(long long m, long long b) {
    line cur(m, b);
    // new line's slope is less than all the previous
    while (ch.size() > 1 &&
       (inter(cur, ch[ch.size() - 2]) >= inter(cur,
            ch[ch.size() - 1]))) {
      // f(x) is better in interval [inter(ch.back(),
           cur), inf)
      ch.pop_back();
    }

    ch.push_back(cur);
  }
  long long eval(long long x) { // minimum
    // current x is greater than all the previous x,
    // if that is not the case we can make binary search.
    idx = min<int>(idx, ch.size() - 1);
    while (idx + 1 < (int)ch.size() && ch[idx +
         1].eval(x) <= ch[idx].eval(x))
      idx++;

    return ch[idx].eval(x);
  }
};
```

2.3 divide and conquer

```
/**
 * recurrence:
 *   dp[k][i] = min dp[k-1][j] + c[i][j - 1], for all j
      > i;
 *
 * "comp" computes dp[k][i] for all i in O(n log n) (k
     is fixed)
 * */

void comp(int l, int r, int le, int re) {
  if (l > r) return;

  int mid = (l + r) >> 1;

  int best = max(mid + 1, le);
  dp[cur][mid] = dp[cur ^ 1][best] + cost(mid, best - 1);
  for (int i = best; i <= re; i++) {
    if (dp[cur][mid] > dp[cur ^ 1][i] + cost(mid, i - 1))
        {
      best = i;
      dp[cur][mid] = dp[cur ^ 1][i] + cost(mid, i - 1);
    }
  }

  comp(l, mid - 1, le, best);
  comp(mid + 1, r, best, re);
}
```

2.4 dp on trees

```
/**
 * This trick is very useful when doing DP on trees,
     basically, you can save
 * the answer for each node as if it was the root of the
     tree. Partial results
 * are also stored in order to query subtrees (taking
     the root and exclude some
 * child).

 * */
```

```
struct edge {
  int to, p_id;
  edge (int a, int b) : to(a), p_id(b) {}
};

struct state {
  bool seen;
  long long missing;
  long long total;
  vector<long long> partial;

  state() { clear(); }

  void clear() {
    seen = false;
    missing = 0;
    total = 0;
    partial.clear();
  }
};

void add_edge(int u, int v) {
  int id_u_v = g[u].size();
  int id_v_u = g[v].size();
  g[u].emplace_back(v, id_v_u); // id of the parent in
       the child's list (g[v][id] -> u)
  g[v].emplace_back(u, id_u_v); // id of the parent in
       the child's list (g[u][id] -> v)
}


int go(int node, int id_parent) {

  state &s = dp[node];

  if (!s.seen) {
    int ans = 1;
    s.partial.assign(g[node].size(), 0); // create the
         list of partial results.
    for (int i = 0; i < int(g[node].size()); i++) {
      int to = g[node][i].to;
      int pid = g[node][i].p_id;
      if (i != id_parent) {
        int tmp = go(to, pid);
        ans += tmp;
        s.partial[i] = tmp;
      }
    }

    s.missing = id_parent;
    s.total = ans;
    s.seen = true;

    return ans;
  } else {

    if (s.missing == id_parent) { // the same id_parent
         than before, so we can not complete the results
         yet
      return s.total;
    }
```

```
    if (s.missing != -1) { // only one missing and is
         different of 'id_parent'
      int tmp = go(g[node][s.missing].to,
           g[node][s.missing].p_id);
      s.partial[s.missing] = tmp;
      s.total += tmp;
      s.missing = -1;
    }

    int extra = (id_parent == -1) ? 0 :
         s.partial[id_parent];
    return s.total - extra;
  }
}
```

3 Data structures

3.1 Centroid

```
const int maxn = 1e5 + 10;
int n, q;
vector<int> adj[maxn];
int dep[maxn], del[maxn], sz[maxn], binlift[maxn][20];
int paric[maxn];
vector<int> mintor(maxn, INF);

void predfs(int a, int par){
    sz[a] = 1;
    for(auto &elm: adj[a]){
        if(del[elm] || elm == par)continue;
        predfs(elm, a);
        sz[a] += sz[elm];
    }
}
int findcent(int a, int par, int root){
    for(auto &elm: adj[a]){
        if(elm == par || del[elm])continue;
        if(sz[elm] > sz[root]/2)return findcent(elm, a,
             root);
    }
    return a;
}
void decom(int a, int par){
    predfs(a, -1);
    int cent = findcent(a, -1, a);
    del[cent] = 1;
    paric[cent] = par;
    for(auto &elm: adj[cent]){
        if(del[elm])continue;
        decom(elm, cent);
    }
}
void ope1(int a){
    int b = a;
    while(b != -1){
        mintor[b] = min(mintor[b], getdist(a, b));
        b = paric[b];
    }
}
int ope2(int a){
    int b = a;
    int ans = INF;
    while(b != -1){
        ans = min(ans, getdist(a, b) + mintor[b]);
        b = paric[b];
    }
    return ans;
}
```

3.2 ChairmanTree

```
class Chairman_Tree
{
private:
    struct node{
        int l, r;
        int val;
        node(){
            l = 0;
            r = 0;
            val = 0;
        }
    };
    int n;
    vector<node> tree;
    int cntnode = 0;
    int build(int l, int r){
        int id = ++cntnode;
        if(l == r)return id;
        int mid = (l + r) >> 1;
        tree[id].l = build(l, mid);
        tree[id].r = build(mid+1, r);
        return id;
    }
    int Point_Update(int cur, int l, int r, int pos){
        int id = ++cntnode;
        tree[id] = tree[cur];
        if(l == r){
            tree[id].val++;
            return id;
        }
        int mid = (l + r) >> 1;
        if(pos <= mid){
            tree[id].l = Point_Update(tree[cur].l, l, mid,
                 pos);
        }
        else{
            tree[id].r = Point_Update(tree[cur].r, mid +
                 1, r, pos);
        }
        tree[id].val = tree[tree[id].l].val +
             tree[tree[id].r].val;
        return id;
    }
    int get(int id, int l, int r, int lo, int hi){
        if(l > hi || r < lo)return 0;
        else if(l >= lo && r <= hi){
            return tree[id].val;
        }
        int mid = (l + r) >> 1;
        return get(tree[id].l, l, mid, lo, hi) +
             get(tree[id].r, mid + 1, r, lo, hi);
    }
public:
    int init(int len){
        n = len;
        tree.assign(20 * n, node());
        return build(1, n);
    }
    int Point_Update(int root, int pos){
        return Point_Update(root, 1, n, pos);
    }
    int get(int root, int l, int r){
        return get(root, 1, n, l, r);
    }
};
```

3.3 Fenwick 2D Offline

```
struct OfflineFenwickTree2D {
    int n;
    vector<vi> vals;
    vector<vi> bit;

    int id(vector<int> &v, int x) {
        return lower_bound(v.begin(), v.end(), x) -
             v.begin() + 1;
    }

    OfflineFenwickTree2D(int n): n(n), vals(n + 1), bit(n
         + 1) {}

    void fakeUse(int x, int y) {
        for(; x <= n; x += x & (-x)) {
            vals[x].push_back(y);
        }
    }

    void init() {
        for(int i = 1; i <= n; i++) {
            sort(vals[i].begin(), vals[i].end());
            vals[i].erase(unique(vals[i].begin(),
                 vals[i].end()), vals[i].end());
            bit[i].resize(vals[i].size() + 5);
        }
    }

    void upd(int x, int y, int w) {
        for(; x <= n; x += x & (-x)) {
            for(int i = id(vals[x], y); i < bit[x].size();
                 i += i & (-i)) {
                bit[x][i] = max(bit[x][i], w);
            }
        }
    }
```

```
    int query(int x, int y) {
        int res = 0;
        for(; x > 0; x -= x & (-x)) {
            for(int i = id(vals[x], y); i > 0; i -= i &
                 (-i)) {
                res = max(res, bit[x][i]);
            }
        }
        return res;
    }
};
```

3.4 HLD

```
void predfs(int a, int par){
    sz[a] = 1;
    for(auto &elm: adj[a]){
        if(elm == par)continue;
        dep[elm] = dep[a] + 1;
        predfs(elm, a);
        sz[a] += sz[elm];
        if(sz[elm] > sz[big[a]])big[a] = elm;
    }
}
void hld(int a, int par, int root){
    tin[a] = ++id;
    chain[a] = cur;
    parr[a] = par;
    head[a] = root;
    if(big[a])hld(big[a], a, root);
    for(auto &elm: adj[a]){
        if(elm == par || elm == big[a])continue;
        cur++;
        hld(elm, a, elm);
    }
}
int lca(int a, int b){
    while(chain[a] != chain[b]){
        if(chain[a] < chain[b])swap(a, b);
        a = parr[head[a]];
    }
    if(dep[a] > dep[b])swap(a, b);
    return a;
}
void ope(int a, int b){
    int c = lca(a, b);
    while(chain[a] != chain[c]){
        st.upd(tin[head[a]], tin[a]);
        a = parr[head[a]];
    }
    while(chain[b] != chain[c]){
        st.upd(tin[head[b]], tin[b]);
        b = parr[head[b]];
    }
    if(dep[a] > dep[b])swap(a, b);
    st.upd(tin[a], tin[b]);
}
```

3.5 PerFen

```
struct PerFen
{
    int n, time;
    vector<vector<pair<int, int>>> bit;
    void init(int len){
        n = len;
        time = 0;
        bit.assign(len + 1, {{0, 0}});
    }
    int upd(int pos, int val){
        time++;
        for(; pos<=n; pos += pos & -pos){
            bit[pos].push_back({time, bit[pos].back().se +
                 val});
        }
        return time;
    }
    int qr(int pos, int tim){
        int ans = 0;
        for(; pos>0; pos -= pos & -pos){
            int id = upper_bound(alle(bit[pos]),
                 make_pair(tim, INF)) - bit[pos].begin() -
                 1;
            ans += bit[pos][id].se;
        }
        return ans;
    }
    int qr(int l, int r, int pos){
        if(l > r) return 0;
        return qr(r, pos) - qr(l - 1, pos);
    }
};
```

3.6 PerTrie

```
struct PerTrie{
    struct node{
        int cnt = 0;
        array<int, 2> child;
        node(){
            child.fill(-1);
        }
    };
    int id = 0;
    vector<node> tree;
    PerTrie(){
        tree.emplace_back();
    }
    int new_node(){
        ++id;
        if(id >= tree.size())tree.emplace_back();
        return id;
    }
    int add(int a, int prev){
        int cc = new_node();
        int cur = cc;
        tree[cur] = tree[prev];
        tree[cur].cnt++;
        for(int i=30; i>=0; --i){
            int val = (a >> i) & 1;
            int nxt = new_node();

            if(prev != -1 && tree[prev].child[val] != -1){
                tree[nxt] = tree[tree[prev].child[val]];
                prev = tree[prev].child[val];
            }
            else prev = -1;

            tree[cur].child[val] = nxt;
            cur = nxt;
            tree[cur].cnt++;
        }
        return cc;
    }
    int walk(int prev, int cur, int a){
        int ans = 0;
        for(int i=30; i>=0; --i){
            int val = 1 - ((a >> i) & 1);
            int num1 = (cur != -1 && tree[cur].child[val]
                 != -1) ? tree[tree[cur].child[val]].cnt :
                 0;
            int num2 = (prev != -1 &&
                 tree[prev].child[val] != -1) ?
                 tree[tree[prev].child[val]].cnt : 0;
            if(num1 - num2 > 0){
                ans |= (val << i);
                cur = (cur != -1) ? tree[cur].child[val] :
                     -1;
                prev = (prev != -1) ? tree[prev].child[val]
                     : -1;
            }
            else{
                ans |= ((1 - val) << i);
                cur = (cur != -1) ? tree[cur].child[1 -
                     val] : -1;
                prev = (prev != -1) ? tree[prev].child[1 -
                     val] : -1;
            }
        }
        return ans;
    }
};
```

3.7 STL order statistics tree

```
#include <ext/pb_ds/assoc_container.hpp>
#include <ext/pb_ds/tree_policy.hpp>
#include <bits/stdc++.h>

using namespace __gnu_pbds;
using namespace std;

typedef
tree<
  pair<int,int>,
```

```
  null_type,
  less<pair<int,int>>,
  rb_tree_tag,
  tree_order_statistics_node_update>
ordered_set;

main()
 {
    ios::sync_with_stdio(0);
    cin.tie(0);
    int n;
    int sz=0;
    cin>>n;
    vector<int> ans(n,0);

    ordered_set t;
    int x,y;
    for(int i=0;i<n;i++)
    {
        cin>>x>>y;
        ans[t.order_of_key({x,++sz})]++;
        t.insert({x,sz});
    }

    for(int i=0;i<n;i++)
        cout<<ans[i]<<'\n';
}

/***
Input
5
1 1
5 1
7 1
3 3
5 5

Output
1
2
1
1
0
***/
```

3.8 Sack

```
void pre_dfs(int a, int par){
    for(auto &sth: adj[a]){
        int elm = sth.first;
        int wei = sth.second;
        if(elm == par)continue;
        dep[elm] = dep[a] + 1;
        bitm[elm] = lat_bit(bitm[a], wei);
        pre_dfs(elm, a);
        sz[a] += sz[elm];
        if(bigchild[a] == -1 || sz[bigchild[a]] <
             sz[elm])bigchild[a] = elm;
    }
}

void calc(int a, int par, int root){
    for(auto &sth: adj[a]){
        int elm = sth.first;
        if(elm == par)continue;
        calc(elm, a, root);
    }

    int sth = bitm[a];
    if(besdep[sth] != -1){
        ans[root] = max(ans[root], besdep[sth] + dep[a] -
             2 * dep[root]);
    }
    for(int i=0; i<22; ++i){
        sth = lat_bit(bitm[a], i);
        if(besdep[sth] != -1){
            ans[root] = max(ans[root], besdep[sth] +
                 dep[a] - 2 * dep[root]);
        }
    }
}

void add(int a, int par, bool godown){
    if(besdep[bitm[a]] == -1)
        clearlist.push_back(bitm[a]);
    besdep[bitm[a]] = max(besdep[bitm[a]], dep[a]);

    if(!godown)return;
    for(auto &sth: adj[a]){
        int elm = sth.first;
        if(elm == par)continue;
        add(elm, a, 1);
    }
}
void cleardata(){
    for(auto &elm: clearlist){
        besdep[elm] = -1;
    }
    clearlist.clear();
}
void dfs(int a, int par){
    for(auto &sth: adj[a]){
        int elm = sth.first;
        if(elm == par || elm == bigchild[a])continue;
        dfs(elm, a);
        cleardata();
        ans[a] = max(ans[a], ans[elm]);
    }

    if(bigchild[a] != -1){
        dfs(bigchild[a], a);
        ans[a] = max(ans[a], ans[bigchild[a]]);
    }

    for(auto &sth: adj[a]){
        int elm = sth.first;
        if(elm == par || elm == bigchild[a])continue;
        calc(elm, a, a);
        add(elm, a, 1);
    }
    int root = a;
    int sth = bitm[a];
    if(besdep[sth] != -1){
        ans[root] = max(ans[root], besdep[sth] + dep[a] -
             2 * dep[root]);
    }
    for(int i=0; i<22; ++i){
        sth = lat_bit(bitm[a], i);
        if(besdep[sth] != -1){
            ans[root] = max(ans[root], besdep[sth] +
                 dep[a] - 2 * dep[root]);
        }
    }

    add(a, par, 0);
}
```

3.9 Seg2n

```
/**
 * Taken from: http://codeforces.com/blog/entry/18051
 * */

const int MN = 1e5; // limit for array size

struct seg_tree {
  int n; // array size
  int t[2 * MN];

  seg_tree(int _n) : n(_n) {}

  void clear() {
    memset(t, 0, sizeof t);
  }

  void build() { // build the tree
    for (int i = n - 1; i > 0; --i) t[i] = t[i<<1] +
         t[i<<1|1];
  }

  // Single modification, range query.
  void modify(int p, int value) { // set value at
       position p
    for (t[p += n] = value; p > 1; p >>= 1) t[p>>1] =
         t[p] + t[p^1];
  }

  int query(int l, int r) { // sum on interval [l, r)
    int res = 0;
    for (l += n, r += n; l < r; l >>= 1, r >>= 1) {
      if (l&1) res += t[l++];
      if (r&1) res += t[--r];
    }
    return res;
  }
};

// Range modification, single query.
```

```
void modify(int l, int r, int value) {
  for (l += n, r += n; l < r; l >>= 1, r >>= 1) {
    if (l&1) t[l++] += value;
    if (r&1) t[--r] += value;
  }
}

int query(int p) {
  int res = 0;
  for (p += n; p > 0; p >>= 1) res += t[p];
  return res;
}

/**
 * If at some point after modifications we need to
      inspect all the
 * elements in the array, we can push all the
      modifications to the
 * leaves using the following code. After that we can
      just traverse
 * elements starting with index n. This way we reduce
      the complexity
 * from O(n log(n)) to O(n) similarly to using build
      instead of n modifications.
 * */

void push() {
  for (int i = 1; i < n; ++i) {
    t[i<<1] += t[i];
    t[i<<1|1] += t[i];
    t[i] = 0;
  }
}

// Non commutative combiner functions.

void modify(int p, const S& value) {
  for (t[p += n] = value; p >>= 1; ) t[p] =
       combine(t[p<<1], t[p<<1|1]);
}

S query(int l, int r) {
  S resl, resr;
  for (l += n, r += n; l < r; l >>= 1, r >>= 1) {
    if (l&1) resl = combine(resl, t[l++]);
    if (r&1) resr = combine(t[--r], resr);
  }
  return combine(resl, resr);
}
```

4 Geometry

4.1 checkin hull

```
bool checkin_hull(Point k, const std::vector<Point>
     &hull) {
    if (hull.size() == 2) {
        if (is_collinear(k, hull[0], hull[1])) {
            return (k.x >= std::min(hull[0].x, hull[1].x)
                 && k.x <= std::max(hull[0].x, hull[1].x)
                 &&
                  k.y >= std::min(hull[0].y, hull[1].y) &&
                       k.y <= std::max(hull[0].y,
                       hull[1].y));
        }
        return false;
    }

    int l = 2, r = hull.size() - 1, ans = -1;
    while (l <= r) {
        int mid = (l + r) >> 1;
        // is_cw here returns <= 0
        if (is_cw(hull[0], hull[mid], k)) {
            ans = mid;
            r = mid - 1;
        } else {
            l = mid + 1;
        }
    }

    if (ans == -1) return false;

    return (area_triangle(hull[0], hull[ans], hull[ans -
         1]) ==
    area_triangle(hull[0], hull[ans - 1], k) +
    area_triangle(hull[ans - 1], hull[ans], k) +
    area_triangle(hull[ans], hull[0], k));
}
```

4.2 convex hull

```
// is_cw here returns cross_product <= 0, NOT strictly <
     0
std::vector<Point> getHull(std::vector<Point> &p) {
    int n = p.size();
    sort(p.begin(), p.end());

    std::vector<Point> hull;
    for (int i = 0; i < n; ++i) {
        while (hull.size() >= 2 && is_cw(hull[hull.size()
             - 2], hull.back(), p[i])) {
            hull.pop_back();
        }
        hull.push_back(p[i]);
    }
    for (int i = n - 2, lower_sz = hull.size(); i >= 0;
         --i) {
        while (hull.size() > lower_sz &&
               is_cw(hull[hull.size() - 2], hull.back(),
               p[i])) {
            hull.pop_back();
        }
        hull.push_back(p[i]);
    }
    if (hull.size() > 1) hull.pop_back();
    return hull;
}
```

4.3 geo

```
struct Point {
    int x, y;
    Point() {
        x = 0;
        y = 0;
    }
    Point(int _x, int _y) : x(_x), y(_y) {}
    Point operator - (const Point &o) const {
        return Point(x - o.x, y - o.y);
    }
    Point operator + (const Point &o) const {
        return Point(x + o.x, y + o.y);
    }
    bool operator < (const Point &o) const {
        if (x != o.x) return x < o.x;
        return y < o.y;
    }
    bool operator == (const Point &o) const {
        return (x == o.x && y == o.y);
    }
};

struct Line {
    long long A, B, C;
    Line() {
        A = 0;
        B = 0;
        C = 0;
    }
    Line(Point x, Point y) {
        // u = y - x
        // p = (-u.y, u.x) || p = (A, B)
        A = x.y - y.y;
        B = y.x - x.x;
        C = x.y * y.x - x.x * y.y;
    }
};

int cross_product(Point u, Point v) {
    return u.x * v.y - u.y * v.x;
}

int dot_product(Point u, Point v) {
    return u.x * v.x + u.y * v.y;
}

// 2 x Sabc = |ab x ac|
int area_triangle(Point a, Point b, Point c) {
    Point ab = b - a;
    Point ac = c - a;
    return abs(cross_product(ab, ac));
}

bool is_ccw(Point a, Point b, Point c) {
    Point ab = b - a;
    Point ac = c - a;
    return cross_product(ab, ac) > 0;
    // ccw: val > 0
    // cw: val < 0
```

```
    // collinear: val = 0
}

int angle_type(Point a, Point b, Point c) {
    // checking angle type of bac
    Point ab = b - a;
    Point ac = c - a;
    int x = dot_product(ab, ac);
    // obtuse
    if (x < 0) return 0;
    // right
    if (x == 0) return 1;
    // acute
    if (x > 0) return 2;
}
```

4.4 maximum triangle area

```
for (int i = 0; i < hull.size(); ++i) {
    int k = i + 1;
    for (int j = i + 2; j < hull.size(); ++j) {
        while (k + 1 < j && area_triangle(hull[i],
             hull[j], hull[k]) <= area_triangle(hull[i],
             hull[j], hull[k + 1])) {
            ++k;
        }
        ans = std::max(ans, area_triangle(hull[i],
             hull[j], hull[k]));
    }
}
ans /= 2;
```

4.5 minkowski sum

```
std::vector<Point> minkowskiSum(std::vector<Point> a,
     std::vector<Point> b) {
    rotate(begin(a), min_element(begin(a), end(a)),
         end(a));
    rotate(begin(b), min_element(begin(b), end(b)),
         end(b));

    int n = a.size(), m = b.size();
    std::vector<Point> h(n + m + 1); h[0] = a[0] + b[0];
    int t = 1;

    for (int i = 0, j = 0; i < n || j < m; ) {
        if (i == n) j++;
        else if (j == m) i++;
        else {
            Point pa = a[(i + 1) % n] - a[i], pb = b[(j +
                 1) % m] - b[j];
            int cr = cross_product(pa, pb);
            if (cr >= 0) i++;
            if (cr <= 0) j++;
        }
        h[t++] = (a[i % n] + b[j % m]);
    }

    return std::vector<Point>(h.begin(), h.begin() + t -
         (t >= 2 && h[0] == h[t - 1]));
}
```

4.6 triangles

Let a, b, c be length of the three sides of a triangle.

$$p = (a + b + c) * 0.5$$

The inradius is defined by:

$$iR = \sqrt{\frac{(p-a)(p-b)(p-c)}{p}}$$

The radius of its circumcircle is given by the formula:

$$cR = \frac{abc}{\sqrt{(a+b+c)(a+b-c)(a+c-b)(b+c-a)}}$$

5 Graphs

5.1 2ECC

```
int timer; // Time of entry in node
int scc;  // Number of strongly connected components
int id[MAX_N];
int low[MAX_N]; // Lowest ID in node's subtree in DFS
     tree
vector<int> neighbors[MAX_N];
vector<int> two_edge_components[MAX_N];
stack<int> st; // Keeps track of the path in our DFS

void dfs(int node, int parent = -1) {
      id[node] = low[node] = ++timer;
      st.push(node);
      bool multiple_edges = false;

      for (int child : neighbors[node]) {
            if (child == parent && !multiple_edges) {
                  multiple_edges = true;
                  continue;
            }
            if (!id[child]) {
                  dfs(child, node);
                  low[node] = min(low[node],
                       low[child]);
            } else {
                  low[node] = min(low[node], id[child]);
            }
      }

      if (low[node] == id[node]) {
            while (st.top() != node) {
                  two_edge_components[scc].push_back(st.top());
                  st.pop();
            }
            two_edge_components[scc++].push_back(st.top());
            st.pop();
      }
}
```

5.2 BCTree

```
const int maxn = 2e5 + 10;
int tin[maxn], low[maxn], sz[maxn];
vector<int> adj[maxn], bcadj[maxn], st;
int id = 0, cc = 0, ccsz = 0, ans = 0, n, m;

void dfs(int a, int par){
    tin[a] = low[a] = ++id;
    ccsz++;
    st.push_back(a);
    for(auto &elm: adj[a]){
        if(elm == par)continue;
        if(tin[elm]){
            low[a] = min(low[a], tin[elm]);
            continue;
        }
        dfs(elm, a);
        low[a] = min(low[a], low[elm]);

        if(low[elm] >= tin[a]){
            cc++;
            bcadj[a].push_back(cc);
            bcadj[cc].push_back(a);
            // cout << cc << '\n';
            while(bcadj[cc].empty() || bcadj[cc].back() !=
                 elm){
                bcadj[cc].push_back(st.back());
                bcadj[st.back()].push_back(cc);
                st.pop_back();
            }
        }
    }
}
```

5.3 Dinic

```
// O(m * min(n ^ (2 / 3), m ^ (1 / 2)) neu moi c = 1
// O(m * n * n)
struct Dinic
{
    struct edge{
        int x, y;
        ll c, f;
        edge(int a = 0, int b = 0, ll z = 0, ll u = 0){
```

```
        x = a;
        y = b;
        c = z;
        f = u;
    }
};

int n, s, t;
vector<int> d, pt;
vector<edge> e;
vector<vector<int>> adj;

void init(int len, int a, int b){
    s = a;
    t = b;
    n = len;
    adj.assign(n + 1, vector<int> ());
    d.assign(n + 1, 0);
    pt.assign(n + 1, 0);
    e.clear();
}
void adde(int a, int b, ll c){
    adj[a].push_back(e.size());
    e.push_back(edge(a, b, c, 0));
    adj[b].push_back(e.size());
    e.push_back(edge(b, a, 0, 0));
}
int bfs(){
    for(int i=1; i<=n; ++i) d[i] = 0;
    deque<int> bfs;
    bfs.push_back(s);
    d[s] = 1;
    while(!bfs.empty()){
        int x = bfs.front();
        bfs.pop_front();
        for(auto &id: adj[x]){
            edge& elm = e[id];
            int y = elm.y;
            if(d[y] != 0 || elm.c == elm.f) continue;
            d[y] = d[x] + 1;
            bfs.push_back(y);
        }
    }
    return d[t];
}
ll dfs(int a, ll val){
    if(a == t || val == 0) return val;
    for(; pt[a] < adj[a].size(); pt[a]++){
        int id = adj[a][pt[a]];
        int b = e[id].y;

        if(d[b] != d[a] + 1) continue;
        if(e[id].c == e[id].f) continue;

        ll nxt = dfs(b, min(val, e[id].c - e[id].f));
        if(nxt == 0) continue;
        e[id].f += nxt;
        e[id ^ 1].f -= nxt;
        return nxt;
    }
    return 0;
}
ll maxflow(){
    ll ans = 0;
    while(bfs()){
        for(int i=1; i<=n; ++i) pt[i] = 0;
        while(ll val = dfs(s, INF)) ans += val;
    }
    return ans;
}
};
```

5.4 Edmonds-Karp

```
// Fat-Path Edmonds-Karp
// O(m * m * log(n) * log(maxflow))
void find_path(){
    for(int i=1; i<=n; ++i) trace[i] = 0;
    vector<ll> max_cap(n + 1, 0);

    priority_queue<pair<ll, int>> pq;
    pq.push({INF, s});
    max_cap[s] = INF;
    trace[s] = -1;

    while(!pq.empty()){
        auto [cap, x] = pq.top();
        pq.pop();
        if(x == t) break;
        if(cap < max_cap[x]) continue;
        for(auto &elm: adj[x]){
            ll residual = c[x][elm] - f[x][elm];
            if(residual == 0) continue;
            ll new_cap = min(cap, residual);
            if(new_cap > max_cap[elm]){
                max_cap[elm] = new_cap;
                trace[elm] = x;
                pq.push({new_cap, elm});
            }
        }
    }
}
void updans(){
    if(trace[t] == 0) return;
    int x = t;
    ll minn = INF;
    while(x != s){
        minn = min(minn, c[trace[x]][x] - f[trace[x]][x]);
        x = trace[x];
    }
    ans += minn;
    x = t;
    while(x != s){
        f[trace[x]][x] += minn;
        f[x][trace[x]] -= minn;
        x = trace[x];
    }
}
void solve(){
    ans = 0;
    while(1){
        find_path();
        if(!trace[t]) break;
        updans();
    }
    cout << ans << '\n';
}
```

5.5 JointBridge

```
const int maxn = 1e4 + 10;
int n, m;
vector<int> adj[maxn];
int tin[maxn], tout[maxn], low[maxn];
int id = 0;
int cntj = 0, cntb = 0;
void dfs(int a, int par){
    id++;
    tin[a] = id;
    low[a] = id;
    bool ok = 0;
    int child = 0;
    for(auto &elm: adj[a]){
        if(elm == par)continue;
        if(tin[elm] == 0){
            child++;
            dfs(elm, a);
            low[a] = min(low[a], low[elm]);

            if(low[elm] == tin[elm])cntb++;

            ok |= (par != -1 && (low[elm] >= tin[a]));
        }
        else low[a] = min(low[a], tin[elm]);
    }
    ok |= (par == -1 && child > 1);
    if(ok) cntj++;
    tout[a] = id;
}
```

5.6 MinCostFlow

```
struct MinCostFlow
{
    struct edge
    {
        int x, y;
        ll c, f, w;
    };
    int n, s, t;
    vector<edge> e;
    vector<int> trace;
    vector<vector<int>> adj;
    vector<ll> pi, dist;
    bool havneg = 0;

    void init(int a, int b, int c){
```

```
    n = a;
    s = b;
    t = c;
    havneg = 0;
    adj.assign(n + 1, vector<int> ());
    pi.assign(n + 1, 0);
    trace.assign(n + 1, 0);
    dist.assign(n + 1, 0);
    e.clear();
}
void adde(int x, int y, int c, int w){
    adj[x].push_back(e.size());
    e.push_back({x, y, c, 0, w});
    adj[y].push_back(e.size());
    e.push_back({y, x, 0, 0, -w});
    havneg |= (w < 0);
}
void setpi(){
    for(int i=1; i<=n; ++i) pi[i] = INF;
    pi[s] = 0;
    for(int i=1; i<=n; ++i){
        bool upd = 0;
        for(auto &elm: e){
            if(elm.c == elm.f) continue;
            if(pi[elm.x] == INF) continue;
            if(pi[elm.y] > pi[elm.x] + elm.w){
                pi[elm.y] = pi[elm.x] + elm.w;
                upd = 1;
            }
        }
        if(!upd) break;
        assert(i != n);
    }
}
void dijkstra(){
    for(int i=1; i<=n; ++i) dist[i] = INF;
    for(int i=1; i<=n; ++i) trace[i] = -1;
    priority_queue<pair<ll, int>, vector<pair<ll,
         int>>, greater<>> pq;
    dist[s] = 0;
    pq.push({0, s});
    while(!pq.empty()){
        int x = pq.top().se;
        ll d = pq.top().fi;
        pq.pop();
        if(d > dist[x]) continue;
        for(auto &id: adj[x]){
            edge &elm = e[id];
            if(elm.c == elm.f) continue;

            ll wei = elm.w + pi[elm.x] - pi[elm.y];
            if(dist[elm.y] > dist[elm.x] + wei){
                dist[elm.y] = dist[elm.x] + wei;
                trace[elm.y] = id;
                pq.push({dist[elm.y], elm.y});
            }
        }
    }
}
pair<ll, ll> mcflow(ll lim){//{mincost, fl} with fl
     <= lim
    if(havneg) setpi();
    pair<ll, ll> ans = {0, 0};
    while(lim){
        dijkstra();
        if(trace[t] == -1) break;
        ll f = lim;

        int y = t;
        while(y != s){
            int id = trace[y];
            f = min(f, e[id].c - e[id].f);
            y = e[id].x;
        }
        y = t;
        while(y != s){
            int id = trace[y];
            ans.fi += e[id].w * f;
            e[id].f += f;
            e[id ^ 1].f -= f;
            y = e[id].x;
        }
        ans.se += f;
        lim -= f;
        for(int i=1; i<=n; ++i) pi[i] = min(pi[i] +
             dist[i], INF);
    }
    return ans;
  }
};
```

5.7 MinMeanCycle

```
/*
 Finds the min mean cycle (sum(w[e]) / cntedge), if you
      need the max mean cycle
 just add all the edges with negative cost and print ans
      * -1
 O(N * M)
 */
const long long INF = 4e18;

struct Edge {
    int to;
    long long w;
};

double karp(vector<vector<Edge>> g) {
    int n = g.size();

    // Super source
    g.push_back({});
    for (int i = 0; i < n; i++)
        if (!g[i].empty())
            g[n].push_back({i, 0});
    n++;

    vector<vector<long long>> dp(n + 1, vector<long
         long>(n, INF));
    dp[0][n - 1] = 0;

    // dp[k][v] = shortest path to v using exactly k edges
    for (int k = 1; k <= n; k++)
        for (int u = 0; u < n; u++)
            if (dp[k - 1][u] != INF)
                for (auto [v, w] : g[u])
                    dp[k][v] = min(dp[k][v], dp[k - 1][u] +
                         w);

    double ans = 1e100;
    bool hasCycle = false;

    for (int v = 0; v < n - 1; v++) {
        if (dp[n][v] == INF) continue;
        hasCycle = true;

        double cur = -1e100;
        for (int k = 0; k < n; k++)
            if (dp[k][v] != INF)
                cur = max(cur, (double)(dp[n][v] -
                     dp[k][v]) / (n - k));

        ans = min(ans, cur);
    }

    if (!hasCycle) return
         numeric_limits<double>::infinity();
    return ans;
}
```

5.8 SCC

```
const int maxn = 1e5 + 10;
int n, m, cc = 0, id = 0;
vector<int> adj[maxn], scadj[maxn];
int del[maxn], tin[maxn], low[maxn], num[maxn],
     incom[maxn];
ll comsum[maxn], dp[maxn];
vector<int> st;
void dfs(int a){
    tin[a] = low[a] = ++id;
    st.push_back(a);
    for(auto &elm: adj[a]){
        if(del[elm])continue;
        if(tin[elm]){
            low[a] = min(low[a], tin[elm]);
            continue;
        }
        dfs(elm);
        low[a] = min(low[a], low[elm]);
    }
    if(low[a] == tin[a]){
        cc++;
        while(!del[a]){
            del[st.back()] = 1;
            incom[st.back()] = cc;
            comsum[cc] += num[st.back()];
            st.pop_back();
        }
    }
```

```
}
```

5.9 minimum path cover in DAG

Given a directed acyclic graph $G = (V, E)$, we are to find the minimum number of vertex-disjoint paths to cover each vertex in V.
We can construct a bipartite graph $G' = (Vout \cup Vin, E')$ from G, where :

$$Vout = \{v \in V : v \ has \ positive \ out - degree\}$$

$$Vin = \{v \in V : v \ has \ positive \ in - degree\}$$

$$E' = \{(u, v) \in Vout \times Vin : (u, v) \in E\}$$

Then it can be shown, via König's theorem, that G' has a matching of size m if and only if there exists $n - m$ vertex-disjoint paths that cover each vertex in G, where n is the number of vertices in G and m is the maximum cardinality bipartite mathching in G'.
Therefore, the problem can be solved by finding the maximum cardinality matching in G' instead.
NOTE: If the paths are note necesarily disjoints, find the transitive closure and solve the problem for disjoint paths.

5.10 two sat (with kosaraju)

```
/**
 *  Given a set of clauses (a1 v a2)^(a2 v ¬a3)....
 *  this algorithm find a solution to it set of clauses.
 *  test:
      http://lightoj.com/volume_showproblem.php?problem=1251
 **/

#include<bits/stdc++.h>
using namespace std;
#define MAX 100000
#define endl '\n'

vector<int> G[MAX];
vector<int> GT[MAX];
vector<int> Ftime;
vector<vector<int> > SCC;
bool visited[MAX];
int n;


void dfs1(int n){
  visited[n] = 1;

  for (int i = 0; i < G[n].size(); ++i) {
    int curr = G[n][i];
    if (visited[curr]) continue;
    dfs1(curr);
  }

  Ftime.push_back(n);
}

void dfs2(int n, vector<int> &scc) {
  visited[n] = 1;
  scc.push_back(n);

  for (int i = 0;i < GT[n].size(); ++i) {
    int curr = GT[n][i];
    if (visited[curr]) continue;
    dfs2(curr, scc);
  }
}


void kosaraju() {
  memset(visited, 0, sizeof visited);

  for (int i = 0; i < 2 * n ; ++i) {
    if (!visited[i]) dfs1(i);
  }

  memset(visited, 0, sizeof visited);
  for (int i = Ftime.size() - 1; i >= 0; i--) {
    if (visited[Ftime[i]]) continue;
    vector<int> _scc;
    dfs2(Ftime[i],_scc);
    SCC.push_back(_scc);
  }
}

/**
 * After having the SCC, we must traverse each scc, if
       in one SCC are -b y b, there is not a solution.
 * Otherwise we build a solution, making the first
       "node" that we find truth and its complement false.
 **/


bool two_sat(vector<int> &val) {
  kosaraju();
  for (int i = 0; i < SCC.size(); ++i) {
    vector<bool> tmpvisited(2 * n, false);
    for (int j = 0; j < SCC[i].size(); ++j) {
      if (tmpvisited[SCC[i][j] ^ 1]) return 0;
      if (val[SCC[i][j]] != -1) continue;
      else {
        val[SCC[i][j]] = 0;
        val[SCC[i][j] ^ 1] = 1;
      }
      tmpvisited[SCC[i][j]] = 1;
    }
  }
  return 1;
}

// Example of use

int main() {
  int m, u, v, nc = 0, t; cin >> t;
  // n = "nodes" number, m = clauses number

  while (t--) {
    cin >> m >> n;
    Ftime.clear();
    SCC.clear();
    for (int i = 0; i < 2 * n; ++i) {
      G[i].clear();
      GT[i].clear();
    }

    // (a1 v a2) = (¬a1 -> a2) = (¬a2 -> a1)
    for (int i = 0; i < m ; ++i) {
      cin >> u >> v;
      int t1 = abs(u) - 1;
      int t2 = abs(v) - 1;
      int p = t1 * 2 + ((u < 0)? 1 : 0);
      int q = t2 * 2 + ((v < 0)? 1 : 0);
      G[p ^ 1].push_back(q);
      G[q ^ 1].push_back(p);
      GT[p].push_back(q ^ 1);
      GT[q].push_back(p ^ 1);
    }

    vector<int> val(2 * n, -1);
    cout << "Case " << ++nc <<": ";
    if (two_sat(val)) {
      cout << "Yes" << endl;
      vector<int> sol;
      for (int i = 0; i < 2 * n; ++i)
        if (i % 2 == 0 and val[i] == 1)
          sol.push_back(i / 2 + 1);
      cout << sol.size() ;

      for (int i = 0; i < sol.size(); ++i) {
        cout << " " << sol[i];
      }
      cout << endl;
    } else {
      cout << "No" << endl;
    }
  }
  return 0;
}
```

6 Math

6.1 Lucas theorem

For non-negative integers m and n and a prime p, the following congruence relation holds: :

$$\binom{m}{n} \equiv \prod_{i=0}^{k} \binom{m_i}{n_i} \pmod{p},$$

where :

$$m = m_k p^k + m_{k-1} p^{k-1} + \cdots + m_1 p + m_0,$$

and :

$$n = n_k p^k + n_{k-1} p^{k-1} + \cdots + n_1 p + n_0$$

are the base p expansions of m and n respectively. This uses the convention that $\binom{m}{n} = 0$ if $m \leq n$.

6.2 cumulative sum of divisors

```
/**
SOD(n) = sum of actual divisors, CSOD(n) = sod(1) +
     sod(2) + ... + sod(n)
*/

long long csod(long long n) {
  long long ans = 0;
  for (long long i = 2; i * i <= n; ++i) {
    long long j = n / i;
    ans += (i + j) * (j - i + 1) / 2;
    ans += i * (j - i);
  }
  return ans;
}
```

6.3 fibonacci properties

Let A, B and n be integer numbers.

$$k = A - B \tag{1}$$

$$F_A F_B = F_{k+1} F_A^2 + F_k F_A F_{A-1} \tag{2}$$

$$\sum_{i=0}^{n} F_i^2 = F_{n+1} F_n \tag{3}$$

$ev(n) =$ returns 1 if n is even.

$$\sum_{i=0}^{n} F_i F_{i+1} = F_{n+1}^2 - ev(n) \tag{4}$$

$$\sum_{i=0}^{n} F_i F_{i-1} = \sum_{i=0}^{n-1} F_i F_{i+1} \tag{5}$$

6.4 sigma function

the sigma function is defined as:

$$\sigma_x(n) = \sum_{d|n} d^x$$

when $x = 0$ is called the divisor function, that counts the number of positive divisors of n.
Now, we are interested in find

$$\sum_{d|n} \sigma_0(d)$$

if n is written as prime factorization:

$$n = \prod_{i=1}^{k} P_i^{e_k}$$

we can demonstrate that:

$$\sum_{d|n} \sigma_0(d) = \prod_{i=1}^{k} g(e_k + 1)$$

where $g(x)$ is the sum of the first x positive numbers:

$$g(x) = (x * (x+1))/2$$

6.5 system of equations

```
const double EPS = 1e-9;
const int INF = 2; // it doesn't actually have to be
     infinity or a big number

int gauss (vector < vector<double> > a, vector<double> &
     ans) {
   int n = (int) a.size();
   int m = (int) a[0].size() - 1;

   vector<int> where (m, -1);
   for (int col=0, row=0; col<m && row<n; ++col) {
      int sel = row;
      for (int i=row; i<n; ++i)
         if (abs (a[i][col]) > abs (a[sel][col]))
            sel = i;
      if (abs (a[sel][col]) < EPS)
         continue;
      for (int i=col; i<=m; ++i)
         swap (a[sel][i], a[row][i]);
      where[col] = row;

      for (int i=0; i<n; ++i)
         if (i != row) {
            double c = a[i][col] / a[row][col];
            for (int j=col; j<=m; ++j)
               a[i][j] -= a[row][j] * c;
         }
      ++row;
   }

   ans.assign (m, 0);
   for (int i=0; i<m; ++i)
      if (where[i] != -1)
         ans[i] = a[where[i]][m] / a[where[i]][i];
   for (int i=0; i<n; ++i) {
      double sum = 0;
      for (int j=0; j<m; ++j)
         sum += ans[j] * a[i][j];
      if (abs (sum - a[i][m]) > EPS)
         return 0;
   }

   for (int i=0; i<m; ++i)
      if (where[i] == -1)
         return INF;
   return 1;
}
```

7 Matrix

7.1 MaxMul

```
struct Matrix {
   int n, m;
   vector<vi> d;
   void init(vector<vi> v) {
      d = v;
      n = v.size();
      m = v[0].size();
   }

   void I(int n) {
      vector<vi> v(n, vi(n, 0));
      for(int i = 0; i < n; i++) v[i][i] = 1;
      init(v);
   }

   Matrix operator*(Matrix &other) {
      Matrix res;
      res.n = n;
      res.m = other.m;
      res.d.resize(n, vi(m, 0));
      for(int i = 0; i < res.n; i++) {
         for(int j = 0; j < res.m; j++) {
            for(int k = 0; k < other.n; k++) {
               res.d[i][j] += d[i][k] * other.d[k][j];
               res.d[i][j] %= MOD;
            }
         }
```

```
        }
        return res;
    }

    Matrix operator^(int k) {
        assert(n == m);
        Matrix res; res.I(n);
        Matrix cur; cur.init(d);
        while(k > 0) {
            if(k & 1) res = res * cur;
            cur = cur * cur;
            k >>= 1;
        }
        return res;
    }
};
```

8 Misc

8.1 dates and bit

```
//
// Time - Leap years
//

// A[i] has the accumulated number of days from months
     previous to i
const int A[13] = { 0, 0, 31, 59, 90, 120, 151, 181,
     212, 243, 273, 304, 334 };
// same as A, but for a leap year
const int B[13] = { 0, 0, 31, 60, 91, 121, 152, 182,
     213, 244, 274, 305, 335 };
// returns number of leap years up to, and including, y
int leap_years(int y) { return y / 4 - y / 100 + y /
     400; }
bool is_leap(int y) { return y % 400 == 0 || (y % 4 == 0
     && y % 100 != 0); }
// number of days in blocks of years
const int p400 = 400*365 + leap_years(400);
const int p100 = 100*365 + leap_years(100);
const int p4 = 4*365 + 1;
const int p1 = 365;
int date_to_days(int d, int m, int y)
{
  return (y - 1) * 365 + leap_years(y - 1) + (is_leap(y)
       ? B[m] : A[m]) + d;
}
void days_to_date(int days, int &d, int &m, int &y)
{
  bool top100; // are we in the top 100 years of a 400
       block?
  bool top4;  // are we in the top 4 years of a 100 block?
  bool top1;  // are we in the top year of a 4 block?

  y = 1;
  top100 = top4 = top1 = false;

  y += ((days-1) / p400) * 400;
  d = (days-1) % p400 + 1;

  if (d > p100*3) top100 = true, d -= 3*p100, y += 300;
  else y += ((d-1) / p100) * 100, d = (d-1) % p100 + 1;

  if (d > p4*24) top4 = true, d -= 24*p4, y += 24*4;
  else y += ((d-1) / p4) * 4, d = (d-1) % p4 + 1;

  if (d > p1*3) top1 = true, d -= p1*3, y += 3;
  else y += (d-1) / p1, d = (d-1) % p1 + 1;

  const int *ac = top1 && (!top4 || top100) ? B : A;
  for (m = 1; m < 12; ++m) if (d <= ac[m + 1]) break;
  d -= ac[m];
}

// Bit manipulation
/*
 * n | (1 << x) sets the x-th bit
 * n ^ (1 << x) flips the x-th bit
 * n & ~(1 << x) clears the x-th bit
*/
bool is_set(unsigned int number, int x) {
    return (number >> x) & 1;
}

bool isDivisibleByPowerOf2(int n, int k) {
    int powerOf2 = 1 << k;
    return (n & (powerOf2 - 1)) == 0;
}

bool isPowerOfTwo(unsigned int n) {
    return n && !(n & (n - 1));
}
```

9 Number theory

9.1 Factorizer

```
typedef long long ll;
typedef unsigned long long ull;

struct Factorizer
{
    ull mul_mod(ull a, ull b, ull m){
        ull res = 0;
        a %= m;
        while(b > 0){
            if(b & 1) res = (res + a) % m;
            a = (a + a) % m;
            b >>= 1;
        }
        return res;
    }
    ull modpow(ull base, ull exp, ull mod){
        ull res = 1;
        base %= mod;
        while(exp > 0){
            if(exp & 1) res = mul_mod(res, base, mod);
            base = mul_mod(base, base, mod);
            exp >>= 1;
        }
        return res;
    }
    bool is_prime(ull n){
        if(n < 2) return false;
        if(n == 2 || n == 3) return true;
        if(n % 2 == 0) return false;
        ull d = n - 1;
        int s = 0;
        while((d & 1) == 0){
            d >>= 1;
            s++;
        }
        static const ull bases[] = {2, 3, 5, 7, 11, 13,
             17, 19, 23, 29, 31, 37};
        for(ull a : bases){
            if(n <= a) break;
            ull x = modpow(a, d, n);
            if(x == 1 || x == n - 1) continue;
            bool composite = true;
            for(int r = 1; r < s; r++){
                x = mul_mod(x, x, n);
                if(x == n - 1){
                    composite = false;
                    break;
                }
            }
            if(composite) return false;
        }
        return true;
    }
    ull pollard_rho(ull n){
        if(n % 2 == 0) return 2;
        if(is_prime(n)) return n;
        ull x = 2, y = 2, d = 1, c = 1;
        auto f = [&](ull x, ull n, ull c){
            return (mul_mod(x, x, n) + c) % n;
        };
        while(d == 1){
            x = f(x, n, c);
            y = f(f(y, n, c), n, c);
            ull diff = (x > y) ? (x - y) : (y - x);
            d = gcd(diff, n);
            if(d == n){
                x = rand() % (n - 2) + 2;
                y = x;
                c = rand() % (n - 1) + 1;
                d = 1;
            }
        }
        return d;
    }
    void factorize_helper(ull n, vector<ull>& primes){
        if(n <= 1) return;
        if(is_prime(n)){
            primes.push_back(n);
            return;
        }
        ull divisor = pollard_rho(n);
```

```
        factorize_helper(divisor, primes);
        factorize_helper(n / divisor, primes);
    }
    vector<pair<ll, int>> get_factors(ll n){
        vector<ull> primes;
        factorize_helper(n, primes);
        sort(alle(primes));
        vector<pair<ll, int>> factors;
        for(ull p : primes){
            if(!factors.empty() && factors.back().fi ==
                 (ll)p){
                factors.back().se++;
            } else {
                factors.push_back({(ll)p, 1});
            }
        }
        return factors;
    }
};

// Usage: Factorizer fact; vector<pair<ll, int>>
     fact.get_factors(n)
```

9.2 crt

```
/**
 * Chinese remainder theorem.
 * Find z such that z % x[i] = a[i] for all i.
 * */
long long crt(vector<long long> &a, vector<long long>
     &x) {
  long long z = 0;
  long long n = 1;
  for (int i = 0; i < x.size(); ++i)
    n *= x[i];

  for (int i = 0; i < a.size(); ++i) {
    long long tmp = (a[i] * (n / x[i])) % n;
    tmp = (tmp * mod_inv(n / x[i], x[i])) % n;
    z = (z + tmp) % n;
  }

  return (z + n) % n;
}
```

9.3 diophantine equations

```
long long gcd(long long a, long long b, long long &x,
     long long &y) {
  if (a == 0) {
    x = 0;
    y = 1;
    return b;
  }
  long long x1, y1;
  long long d = gcd(b % a, a, x1, y1);
  x = y1 - (b / a) * x1;
  y = x1;
  return d;
}

bool find_any_solution(long long a, long long b, long
     long c, long long &x0,
    long long &y0, long long &g) {
  g = gcd(abs(a), abs(b), x0, y0);
  if (c % g) {
    return false;
  }

  x0 *= c / g;
  y0 *= c / g;
  if (a < 0) x0 = -x0;
  if (b < 0) y0 = -y0;
  return true;
}

void shift_solution(long long &x, long long &y, long
     long a, long long b,
    long long cnt) {
  x += cnt * b;
  y -= cnt * a;
}

long long find_all_solutions(long long a, long long b,
     long long c,
    long long minx, long long maxx, long long miny,
    long long maxy) {
  long long x, y, g;
  if (!find_any_solution(a, b, c, x, y, g)) return 0;
  a /= g;
  b /= g;

  long long sign_a = a > 0 ? +1 : -1;
  long long sign_b = b > 0 ? +1 : -1;

  shift_solution(x, y, a, b, (minx - x) / b);
  if (x < minx) shift_solution(x, y, a, b, sign_b);
  if (x > maxx) return 0;
  long long lx1 = x;

  shift_solution(x, y, a, b, (maxx - x) / b);
  if (x > maxx) shift_solution(x, y, a, b, -sign_b);
  long long rx1 = x;

  shift_solution(x, y, a, b, -(miny - y) / a);
  if (y < miny) shift_solution(x, y, a, b, -sign_a);
  if (y > maxy) return 0;
  long long lx2 = x;

  shift_solution(x, y, a, b, -(maxy - y) / a);
  if (y > maxy) shift_solution(x, y, a, b, sign_a);
  long long rx2 = x;

  if (lx2 > rx2) swap(lx2, rx2);
  long long lx = max(lx1, lx2);
  long long rx = min(rx1, rx2);

  if (lx > rx) return 0;
  return (rx - lx) / abs(b) + 1;
}
```

9.4 discrete logarithm

```
// Computes x which a ^ x = b mod n.

long long d_log(long long a, long long b, long long n) {
  long long m = ceil(sqrt(n));
  long long aj = 1;
  map<long long, long long> M;
  for (int i = 0; i < m; ++i) {
    if (!M.count(aj))
      M[aj] = i;
    aj = (aj * a) % n;
  }

  long long coef = mod_pow(a, n - 2, n);
  coef = mod_pow(coef, m, n);
  // coef = a ^ (-m)
  long long gamma = b;
  for (int i = 0; i < m; ++i) {
    if (M.count(gamma)) {
      return i * m + M[gamma];
    } else {
      gamma = (gamma * coef) % n;
    }
  }
  return -1;
}
```

9.5 ext euclidean

```
void ext_euclid(long long a, long long b, long long &x,
     long long &y, long long &g) {
  x = 0, y = 1, g = b;
  long long m, n, q, r;
  for (long long u = 1, v = 0; a != 0; g = a, a = r) {
    q = g / a, r = g % a;
    m = x - u * q, n = y - v * q;
    x = u, y = v, u = m, v = n;
  }
}
```

9.6 highest exponent factorial

```
/*
 * Largest k so that n! is divisible by p^k
 * If k is prime then use algorithim below
 * If not, we have k = k = k_1^{p_1} \cdot \ldots \cdot
     k_m^{p_m}
```

```
 * Then the answer will be min(highest_exponent(k_i, n)
     / p_i) with i = 1...m
*/
int highest_exponent(int p, const int &n){
  int ans = 0;
  int t = p;
  while(t <= n){
    ans += n/t;
    t*=p;
  }
  return ans;
}
```

9.7 miller rabin

```
const int rounds = 20;

// checks whether a is a witness that n is not prime, 1
    < a < n
bool witness(long long a, long long n) {
  // check as in Miller Rabin Primality Test described
  long long u = n - 1;
  int t = 0;
  while (u % 2 == 0) {
    t++;
    u >>= 1;
  }
  long long next = mod_pow(a, u, n);
  if (next == 1) return false;
  long long last;
  for (int i = 0; i < t; ++i) {
    last = next;
    next = mod_mul(last, last, n);
    if (next == 1) {
      return last != n - 1;
    }
  }
  return next != 1;
}


// Checks if a number is prime with prob 1 - 1 / (2 ^ it)
// D(miller_rabin(99999999999999997LL) == 1);
// D(miller_rabin(9999999999971LL) == 1);
// D(miller_rabin(7907) == 1);
bool miller_rabin(long long n, int it = rounds) {
  if (n <= 1) return false;
  if (n == 2) return true;
  if (n % 2 == 0) return false;
  for (int i = 0; i < it; ++i) {
    long long a = rand() % (n - 1) + 1;
    if (witness(a, n)) {
      return false;
    }
  }
  return true;
}
```

9.8 mod inv

```
long long mod_inv(long long n, long long m) {
  long long x, y, gcd;
  ext_euclid(n, m, x, y, gcd);
  if (gcd != 1)
    return 0;
  return (x + m) % m;
}
```

9.9 totient sieve

```
  for (int i = 1; i < MN; i++)
    phi[i] = i;

  for (int i = 1; i < MN; i++)
    if (!sieve[i]) // is prime
      for (int j = i; j < MN; j += i)
        phi[j] -= phi[j] / i;
```

9.10 totient

```
long long totient(long long n) {
  if (n == 1) return 0;
  long long ans = n;
  for (int i = 0; primes[i] * primes[i] <= n; ++i) {
    if ((n % primes[i]) == 0) {
      while ((n % primes[i]) == 0) n /= primes[i];
      ans -= ans / primes[i];
    }
  }
  if (n > 1) {
    ans -= ans / n;
  }
  return ans;
}
```

10 Strings

10.1 KMP

```
// pi[i] = max(k = 0...i, s[0...k - 1] = s[i - (k -
    1)...i])
vector<int> prefix_function(string s) {
    int n = (int)s.length();
    vector<int> pi(n);
    for (int i = 1; i < n; i++) {
        int j = pi[i - 1];
        while (j > 0 && s[i] != s[j])
            j = pi[j - 1];
        if (s[i] == s[j])
            j++;
        pi[i] = j;
    }
    return pi;
}
```

10.2 ZFunc

```
vector<int> z_function(string s) {
    int n = s.length();
    vector<int> z(n);
    for (int i = 1, l = 0, r = 0; i < n; ++i) {
        if (i <= r) z[i] = min(r - i + 1, z[i - l]);
        while (i + z[i] < n && s[z[i]] == s[i + z[i]])
            ++z[i];
        if (i + z[i] - 1 > r) {
            l = i;
            r = i + z[i] - 1;
        }
    }
    return z;
}
/*
 * alfalfa
 * 0 0 0 4 0 0 1
 * z[0] = 0, z[i] = max(k : s[0..k] = s[i...i + k - 1])
*/
```

10.3 manacher

```
/*
 * Longest palindrome substring in O(n)
*/
vector<int> manacher_odd(string s) {
    int n = s.size();
    s = "$" + s + "^";
    vector<int> p(n + 2);
    int l = 1, r = 1;
    for(int i = 1; i <= n; i++) {
        p[i] = max(0, min(r - i, p[l + (r - i)]));
        while(s[i - p[i]] == s[i + p[i]]) {
            p[i]++;
        }
        if(i + p[i] > r) {
            l = i - p[i], r = i + p[i];
        }
    }
    return vector<int>(begin(p) + 1, end(p) - 1);
}
vector<int> manacher(string s) {
    string t;
    for(auto c: s) {
        t += string("#") + c;
    }
    auto res = manacher_odd(t + "#");
    return vector<int>(begin(res) + 1, end(res) - 1);
```

```
}
```

10.4 minimal string rotation

```
// Lexicographically minimal string rotation
int lmsr() {
  string s;
  cin >> s;
  int n = s.size();
  s += s;
  vector<int> f(s.size(), -1);
  int k = 0;
  for (int j = 1; j < 2 * n; ++j) {
    int i = f[j - k - 1];
    while (i != -1 && s[j] != s[k + i + 1]) {
      if (s[j] < s[k + i + 1])
        k = j - i - 1;
      i = f[i];
    }
    if (i == -1 && s[j] != s[k + i + 1]) {
      if (s[j] < s[k + i + 1]) {
        k = j;
      }
      f[j - k] = -1;
    } else {
      f[j - k] = i + 1;
    }
  }
  return k;
}
```

10.5 suffix array

```
/**
 * O (n log^2 (n))
 * See
      http://web.stanford.edu/class/cs97si/suffix-array.pdf
      for reference
 * */

struct entry{
  int a, b, p;
  entry(){}
  entry(int x, int y, int z): a(x), b(y), p(z){}
  bool operator < (const entry &o) const {
    return (a == o.a) ? (b == o.b) ? ( p < o.p) : (b <
         o.b) : (a < o.a);
  }
};

struct SuffixArray{
  const int N;
  string s;
  vector<vector<int> > P;
  vector<entry> M;

  SuffixArray(const string &s) : N(s.length()) , s(s),
       P(1, vector<int> (N, 0)), M(N) {
    for (int i = 0; i < N; ++i)
      P[0][i] = (int) s[i];

    for (int skip = 1, level = 1; skip < N; skip *= 2,
         level++) {
      P.push_back(vector<int>(N, 0));
      for (int i = 0 ; i < N; ++i) {
        int next = ((i + skip) < N) ? P[level - 1][i +
             skip] : -10000;
        M[i] = entry(P[level - 1][i], next, i);
      }
      sort(M.begin(), M.end());
      for (int i = 0; i < N; ++i)
        P[level][M[i].p] = (i > 0 and M[i].a == M[i - 1].a
             and M[i].b == M[i - 1].b) ? P[level][M[i -
             1].p] : i;
    }
  }

  vector<int> getSuffixArray(){
    vector<int> &rank = P.back();
    vector<pair<int, int> > inv(rank.size());
    for (int i = 0; i < rank.size(); ++i)
      inv[i] = make_pair(rank[i], i);
    sort(inv.begin(), inv.end());
    vector<int> sa(rank.size());
    for (int i = 0; i < rank.size(); ++i)
      sa[i] = inv[i].second;
    return sa;
  }

  // returns the length of the longest common prefix of
       s[i...L-1] and s[j...L-1]
  int lcp(int i, int j) {
    int len = 0;
    if (i == j) return N - i;
    for (int k = P.size() - 1; k >= 0 && i < N && j < N;
         --k) {
      if (P[k][i] == P[k][j]) {
        i += 1 << k;
        j += 1 << k;
        len += 1 << k;
      }
    }
    return len;
  }
};
```

11 X - Extra Math

11.1 equations

$$ax^2 + bx + c = 0 \Rightarrow x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

The extremum is given by $x = -b/2a$.

$$\begin{aligned} ax + by &= e \\ cx + dy &= f \end{aligned} \Rightarrow \begin{aligned} x &= \frac{ed - bf}{ad - bc} \\ y &= \frac{af - ec}{ad - bc} \end{aligned}$$

In general, given an equation $Ax = b$, the solution to a variable x_i is given by

$$x_i = \frac{\det A_i'}{\det A}$$

where A_i' is A with the i'th column replaced by b.

11.2 Trigonometry and Triangles

$$\sin(v + w) = \sin v \cos w + \cos v \sin w$$
$$cos(v + w) = \cos v \cos w - \sin v \sin w$$
$$\tan(v + w) = \frac{\tan v + \tan w}{1 - \tan v \tan w}$$
$$\sin v + \sin w = 2 \sin \frac{v + w}{2} \cos \frac{v - w}{2}$$
$$\cos v + \cos w = 2 \cos \frac{v + w}{2} \cos \frac{v - w}{2}$$
$$(V + W) \tan(v - w)/2 = (V - W) \tan(v + w)/2$$

where V, W are lengths of sides opposite angles v, w.

$$a \cos x + b \sin x = r \cos(x - \phi)$$
$$a \sin x + b \cos x = r \sin(x + \phi)$$

where $r = \sqrt{a^2 + b^2}$, $\phi = \text{atan2}(b, a)$.

Side lengths: a, b, c

Semiperimeter: $p = \frac{a + b + c}{2}$

Area: $A = \sqrt{p(p - a)(p - b)(p - c)}$

Circumradius: $R = \frac{abc}{4A}$

Inradius: $r = \frac{A}{p}$

Length of median (divides triangle into two equal-area triangles): $m_a = \frac{1}{2}\sqrt{2b^2 + 2c^2 - a^2}$

Length of bisector (divides angles in two):

$$s_a = \sqrt{bc\left[1 - \left(\frac{a}{b + c}\right)^2\right]}$$

Law of sines: $\frac{\sin \alpha}{a} = \frac{\sin \beta}{b} = \frac{\sin \gamma}{c} = \frac{1}{2R}$

Law of cosines: $a^2 = b^2 + c^2 - 2bc \cos \alpha$

Law of tangents: $\frac{a + b}{a - b} = \frac{\tan \frac{\alpha + \beta}{2}}{\tan \frac{\alpha - \beta}{2}}$

11.3 Quadrilaterals

With side lengths a, b, c, d, diagonals e, f, diagonals angle θ, area A and magic flux $F = b^2 + d^2 - a^2 - c^2$:

$$4A = 2ef \cdot \sin\theta = F \tan\theta = \sqrt{4e^2f^2 - F^2}$$

For cyclic quadrilaterals the sum of opposite angles is $180°$, $ef = ac + bd$, and $A = \sqrt{(p-a)(p-b)(p-c)(p-d)}$.

11.4 Spherical coordinates

$$\begin{array}{cc} x = r\sin\theta\cos\phi & r = \sqrt{x^2+y^2+z^2} \\ y = r\sin\theta\sin\phi & \theta = \operatorname{acos}(z/\sqrt{x^2+y^2+z^2}) \\ z = r\cos\theta & \phi = \operatorname{atan2}(y,x) \end{array}$$

11.5 Sums and (Geometric) series

$$c^a + c^{a+1} + \cdots + c^b = \frac{c^{b+1} - c^a}{c-1}, c \neq 1$$

$$1 + 2 + 3 + \cdots + n = \frac{n(n+1)}{2}$$

$$1^2 + 2^2 + 3^2 + \cdots + n^2 = \frac{n(2n+1)(n+1)}{6}$$

$$1^3 + 2^3 + 3^3 + \cdots + n^3 = \frac{n^2(n+1)^2}{4}$$

$$1^4 + 2^4 + 3^4 + \cdots + n^4 = \frac{n(n+1)(2n+1)(3n^2+3n-1)}{30}$$

$$e^x = 1 + x + \frac{x^2}{2!} + \frac{x^3}{3!} + \ldots, (-\infty < x < \infty)$$

$$\ln(1+x) = x - \frac{x^2}{2} + \frac{x^3}{3} - \frac{x^4}{4} + \ldots, (-1 < x \leq 1)$$

$$\sqrt{1+x} = 1 + \frac{x}{2} - \frac{x^2}{8} + \frac{2x^3}{32} - \frac{5x^4}{128} + \ldots, (-1 \leq x \leq 1)$$

$$\sin x = x - \frac{x^3}{3!} + \frac{x^5}{5!} - \frac{x^7}{7!} + \ldots, (-\infty < x < \infty)$$

$$\cos x = 1 - \frac{x^2}{2!} + \frac{x^4}{4!} - \frac{x^6}{6!} + \ldots, (-\infty < x < \infty)$$

$$r \neq 1$$

$$a + ar + ar^2 + ar^3 + \cdots + ar^{n-1} = \sum_{k=0}^{n-1} ar^k = a\left(\frac{1-r^n}{1-r}\right)$$

11.6 Combinatorics

Binomial coefficients

$$\binom{n}{k} = \frac{n!}{k!(n-k)!}, \quad \binom{n}{0} = \binom{n}{n} = 1$$

$$\binom{n}{k} = \binom{n-1}{k-1} + \binom{n-1}{k} \quad \text{(Pascal's rule)}$$

$$\binom{n}{k} = \binom{n}{n-k}$$

$$\sum_{k=0}^{n} \binom{n}{k} = 2^n, \quad \sum_{k=0}^{n} (-1)^k \binom{n}{k} = 0$$

$$\sum_{k=0}^{n} k\binom{n}{k} = n2^{n-1}, \quad \sum_{k=0}^{n} k^2\binom{n}{k} = n(n+1)2^{n-2}$$

$$\binom{r}{k} = \frac{r(r-1)\ldots(r-k+1)}{k!}$$

Binomial theorem

$$(x+y)^n = \sum_{k=0}^{n} \binom{n}{k} x^{n-k}y^k$$

$$(1+x)^r = \sum_{k=0}^{\infty} \binom{r}{k} x^k, \quad |x| < 1$$

Counting formulas

$$P(n,k) = \frac{n!}{(n-k)!} \quad \text{(permutations of } k \text{ from } n\text{)}$$

$$C(n,k) = \binom{n}{k} \quad \text{(combinations)}$$

Combinations with repetition: $\binom{n+k-1}{k}$

Number of subsets of n elements: 2^n

Number of ways to divide n items into r groups of size

$$n_1, \ldots, n_r : \frac{n!}{n_1!n_2!\ldots n_r!}$$

Inclusion–Exclusion

$$|\cup_{i=1}^{n} A_i| = \sum_{k=1}^{n} (-1)^{k+1} \sum_{1 \leq i_1 < \cdots < i_k \leq n} |A_{i_1} \cap \cdots \cap A_{i_k}|$$

Stirling / Bell / Catalan

$$S(n,k) = kS(n-1,k) + S(n-1,k-1)$$

(Stirling 2nd kind: partitions of n items into k non-empty sets)

$$B_n = \sum_{k=0}^{n} S(n,k) \quad \text{(Bell number)}$$

$$C_n = \frac{1}{n+1}\binom{2n}{n} = \binom{2n}{n} - \binom{2n}{n+1}$$

$$C_0 = 1,\ C_{n+1} = \sum_{i=0}^{n} C_i C_{n-i}$$

$$C_n = \frac{(2n)!}{n!(n+1)!}$$

Multinomial theorem

$$(x_1 + x_2 + \cdots + x_m)^n = \sum_{k_1+\cdots+k_m=n} \frac{n!}{k_1!k_2!\ldots k_m!} x_1^{k_1} x_2^{k_2} \ldots x_m^{k_m}$$

Other useful sums

$$\sum_{k=0}^{n} \binom{r+k}{k} = \binom{r+n+1}{n},$$

$$\sum_{k=0}^{n} (-1)^k \binom{r}{k} = (-1)^n \binom{r-1}{n}$$

$$\sum_{k=0}^{n} \binom{a}{k}\binom{b}{n-k} = \binom{a+b}{n} \quad \text{(Vandermonde's identity)}$$

$$\sum_{k=0}^{n} k\binom{r+k}{k} = (n+1)\binom{r+n+1}{n-1}$$

11.7 matrices

Linear recurrences / Companion matrix

Consider the linear recurrence

$$f_n = \sum_{i=1}^{k} c_i\, f_{n-i}, \qquad n \geq k,$$

with initial values $f_0, \ldots, f_{k-1}$. Define the $k \times k$ companion matrix T and the $k \times 1$ column vector F_m by

$$T = \begin{pmatrix} 0 & 1 & 0 & \cdots & 0 \\ 0 & 0 & 1 & \cdots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & 0 & \cdots & 1 \\ c_k & c_{k-1} & c_{k-2} & \cdots & c_1 \end{pmatrix}, \qquad F_m = \begin{pmatrix} f_m \\ f_{m+1} \\ \vdots \\ f_{m+k-1} \end{pmatrix}.$$

11.8 vectors

A vector in R^2 is

$$\vec{a} = (a_x, a_y), \quad |\vec{a}| = \sqrt{a_x^2 + a_y^2}, \quad \hat{a} = \frac{\vec{a}}{|\vec{a}|}.$$

Basic Operations

$$\vec{a} \pm \vec{b} = (a_x \pm b_x,\ a_y \pm b_y), \qquad k\vec{a} = (ka_x,\ ka_y)$$

Dot Product

$$\vec{a} \cdot \vec{b} = a_x b_x + a_y b_y = |\vec{a}||\vec{b}| \cos\theta$$

$$\text{proj}_{\vec{b}}(\vec{a}) = \frac{\vec{a} \cdot \vec{b}}{|\vec{b}|^2}\vec{b}, \qquad \vec{a} \cdot \vec{b} = 0 \Rightarrow \text{orthogonal}.$$

2D Cross Product (Scalar Form)

$$\text{cross2D}(\vec{a}, \vec{b}) = a_x b_y - a_y b_x$$

$$|\text{cross2D}(\vec{a}, \vec{b})| = |\vec{a}||\vec{b}| \sin\theta$$

This scalar represents the signed area of the parallelogram formed by $\vec{a}$ and $\vec{b}$.

Areas

$$A_{\text{parallelogram}} = |\text{cross2D}(\vec{a}, \vec{b})|,$$

$$A_{\text{triangle}} = \frac{1}{2}|\text{cross2D}(\vec{a}, \vec{b})|$$

$$A_{\text{polygon}} = \frac{1}{2}\left|\sum_{i=0}^{n-1}(x_i y_{i+1} - y_i x_{i+1})\right|, \quad p_n = p_0.$$

Centroid of a Polygon

$$C_x = \frac{1}{6A}\sum(x_i + x_{i+1})(x_i y_{i+1} - x_{i+1} y_i),$$

$$C_y = \frac{1}{6A}\sum(y_i + y_{i+1})(x_i y_{i+1} - x_{i+1} y_i)$$

Angle and Rotation

Angle between two vectors:

$$\cos\theta = \frac{\vec{a} \cdot \vec{b}}{|\vec{a}||\vec{b}|},$$

$$\text{angle}(\vec{a}, \vec{b}) = \text{atan2}(\text{cross2D}(\vec{a}, \vec{b}),\ \text{dot2D}(\vec{a}, \vec{b}))$$

Rotation of a vector by θ:

$$R_\theta(x, y) = (x\cos\theta - y\sin\theta,\ x\sin\theta + y\cos\theta)$$

Rotation about point $P = (p_x, p_y)$:

$$A' = P + R_\theta(A - P)$$

Lines and Intersections

Equation of a line through points A, B:

$$\vec{r}(t) = \vec{A} + t(\vec{B} - \vec{A})$$

Intersection of lines:

$$\vec{L_1} : \vec{r} = \vec{A} + t\vec{v}, \qquad \vec{L_2} : \vec{r} = \vec{B} + s\vec{w}$$

Then

$$t = \frac{\text{cross2D}(B - A,\ \vec{w})}{\text{cross2D}(\vec{v},\ \vec{w})}$$

Distances

Distance from point P to line AB:

$$d = \frac{|\text{cross2D}(\vec{AP},\ \vec{AB})|}{|\vec{AB}|}$$

Projections and Reflections (2D)

Projection of $\vec{a}$ onto unit direction $\hat{b}$:

$$\vec{a}_\parallel = (\vec{a} \cdot \hat{b})\hat{b}$$

Perpendicular component:

$$\vec{a}_\perp = \vec{a} - \vec{a}_\parallel$$

Reflection of $\vec{a}$ about unit normal $\hat{n}$:

$$\vec{a'} = \vec{a} - 2(\vec{a} \cdot \hat{n})\hat{n}$$

Projection of $\vec{a}$ onto line with normal $\hat{n}$:

$$\vec{a'} = \vec{a} - (\vec{a} \cdot \hat{n})\hat{n}$$

12 Z - Templates

12.1 stress

```cpp
#include <bits/stdc++.h>
using namespace std;
const string NAME = "template";
const int NTEST = 100;

static mt19937_64
     rng(chrono::steady_clock::now().time_since_epoch().count());
#define rando(l, r) uniform_int_distribution<int> (l,
     r)(rng)

void sinh(){
   ofstream fout("inp.txt");
   fout << rando(1, 8) << '\n';
   fout.close();
}

int main()
{
   srand(time(NULL));
   for (int iTest = 1; iTest <= NTEST; iTest++)
   {
      sinh();

      // Change to "./" for Linux
      system((NAME + ".exe").c_str());
      system((NAME + "_trau.exe").c_str());

      // Use diff instead of fc for Linux
      if (system(("fc " + NAME + ".out " + NAME +
           ".ans").c_str()) != 0)
      {
         cout << "Test " << iTest << ": WRONG!\n";
         return 0;
      }
      cout << "Test " << iTest << ": CORRECT!\n";
   }
   cout << "Cubu\n";
   return 0;
}
```