

Equence Email
API Guide Version 2.4.2

Email API

Overview **4**

Send Email API Details **4**

Request Details 4

API Endpoint: https://api.eqnc.in/apggw/v1/email/send 4

Curl: (Request) 4

Header 6

JSON 6

Response 7

Send Bulk Email API Details **8**

Request Details 8

API Endpoint: https://api.eqnc.in/apggw/v1/email/batch/send 8

Curl: (Request) 8

Content-Type should be Multipart form data 8

JSON 8

Response 9

Template API **10**

Request Details 10

API Endpoint: https://api.eqnc.in/apggw/v1/email/batch/create-template 10

Curl: (Request) 10

Header 10

JSON 10

Response 11

Reports API **12**

Request Details 12

API Endpoint: https://api.eqnc.in/apggw/v1/reports/reportApi 12

Curl: (Request) 12

Header 12

Query Params 12

Response 12

Send Email to Multiple Recipients API Details **14**

API Endpoint 14

Curl: (Request): 14

Header 15

JSON 15
Response: 16

Overview

This comprehensive guide details the procedure for seamlessly integrating email functionalities into your application. It offers step-by-step instructions on creating email templates, dispatching emails, and accessing detailed reports for comprehensive analysis.

Base URL: https://api.eqnc.in/apggw/v1/email/

Send Email API Details

Request Details

API Endpoint: https://api.eqnc.in/apggw/v1/email/send

Curl: (Request)

```
curl --location 'https://api.eqnc.in/apggw/v1/email/send' \
--header 'x-apikey: [APIKEY]' \
--header 'Content-Type: application/json' \
--data-raw '{
  "from": "xyz@sender.com",
   “senderName”: “sender name”,
  "templateId": 264,
  "to": [
    {
      "email": "reciever1@example.com",
      "dynamicSubject": {
        "name": "John"
      },
      "dynamicHTMLBody": {
        "name": "John",
        "company": "ABC Corporation",
        "contact": "+123456789"
      }
    },
    {
      "email": "reciever2@example.com ",
      "dynamicSubject": {
```

```
            "name": "John"
          },
          "dynamicHTMLBody": {
            "name": "John",
            "company": "ABC Corporation",
            "contact": "+123456789"
          }
        }
    ],
    "subject": "Test {{name}} for new swift version on PPD",
    "trackOpens": true,
    "trackLinks":false,

    "htmlBody": "<!DOCTYPE html><html lang=\"en\"><head><meta charset=\"utf-8\"><title>Error</title></head><body><a href=https://www.jcdev1.com>click me</a><pre>Cannot POST /core/v2/swift-template/create-swift-batch</pre></body><p>this is test message for name has been dynamic {{name}} with company {{company}} and contact no {{contact}}</html>",
    "globalDynamicSubject":{"percent":"30%","name": "user"},
    "globalDynamicHTMLBody":{ "name":"john","company":"jpl","contact":"abc"},
    "replyTo": "reply@example.com",
    "attachments": [
        {
        "filename": "testfile74.txt",
        "content":
"dGVuYW50IDo9IGN0eC5Mb2NhbHMoInN1YmRvbWFpblVSTCIpLihzdHJpbmcpDQoJdG9waWNOYW1lIDo9IHRlbmFudCArICItIiArICJwcm9jZXNzLXJlcSINCg0KCWlmIHRlbmFudCA9PSAiIiB7DQoJCXJldHVybiByZXNwb25zZSwgZXJyb3JzLk5ldygidGVuYW50IG5vdCAgZm91bmQiKQ0KCX0=",
        "contentType": "image/txt"
        }
    ],
"emailType":"otp"
}'
```

Header

Parameter Name	Mandatory/Optional	Description	Possible Values
x-apikey	Mandatory	Your API key obtained from the portal	Your-API-Key
Content-Type	Mandatory	application/json	application/json

JSON

Parameter Name	Mandatory/Optional	Description	Possible Values
from	Mandatory	Sender Email Address	Valid Email address
senderName	Optional	Sender Display Name	Text
templateId	Optional	Template Id you received from create template api	number
to	Mandatory	Recipeint Email Address	Array of Object
to.email	Mandatory	Recipient Email Address	Valid Email address
to.dynamicSubject	Optional	Personalization variable for Subject line	Json Object
to.dynamicHTMLBody	Optional	Personalization variable for Email Body	Json Object
subject	Mandatory	Text (upto 255 characters)	Text
trackOpens	Optional	If you want to track then send true otherwise false.	Boolean
trackLinks	Optional	If you want to track then send true otherwise false.	Boolean
htmlBody	Mandatory	Valid HTML	HTML

globalDynamicSubject	Optional	Common Personalization variable for Subject line	Json Object
globalDynamicHTMLBody	Optional	Common Personalization variable for Email Body	Json Object
replyTo	Optional	ReplyTo Address	Valid Email address
attachments	Optional	Attachment file you wish to add to your campaign	File
attachments .filename	Mandatory	File name	String
attachments .content	Mandatory	BASE64 Encoded String	BASE64 Encoded String
attachments .contentType	Mandatory	Type of content	String
emailType	**Optional**	Type of Email	otp/transactional

Response


```
{
   "statusCode": 200,
  "message": "Mail sent successfully",
   "data": {
      "submittedTime": "2024-02-23 13:14:43",
      "transactionID": "624515d5-8653-4af1-869d-763166cebff9"
   }
}
```

Send Bulk Email API Details

Request Details

API Endpoint: https://api.eqnc.in/apggw/v1/email/batch/send

Curl: (Request)

```
curl --location 'https://api.eqnc.in/apggw/v1/email/batch/send' \

--header 'x-apikey: [API-KEY]' \

--form 'body={"from": "info@domain.com","to": [{"email": "rcpt@gmail.com","dynamicSubject": {"name": "recipient"},"dynamicHTMLBody": {"Username": "John","otp": "8376"},"attachmentFilenames": ["filename.txt"]}],"templateId": 1,"subject": "hello","senderName": "sender name","trackLinks": true,"trackOpens": true,"globalDynamicSubject": {"hello": "world"},"globalDynamicHtmlBody": {"hello": "world"},"replyTo": "rcpt2@gmail.com"}' \

--form 'zipFile=@"/home/user/Downloads/test.zip"'
```

Content-Type should be Multipart form data

Parameter Name	Mandatory/Optional	Description	Possible Values
zipFile	Optional	File Attachments of users	.zip file
Body	Mandatory	Body of request containing the from, to, personalizations, template Id and other parameters	.json file (Should be a valid json file only)

JSON

Parameter Name	Mandatory/Optional	Description	Possible Values
from	Mandatory	Sender Email Address	Valid Email address
to	Mandatory	Recipeint Email Address	Array of Object
to.email	Mandatory	Recipient Email Address	Valid Email address
to.dynamicSubject	Optional	Personalization variable for Subject line	Json Object

to.dynamicHTMLBody	Optional	Personalization variable for Email Body	Json Object
to.attachmentFilenames	Optional	Filename to which the name corresponds in the zip file	String
subject	Optional	Text (upto 255 characters)	Text
senderName	Optional	Text (Upto 255 characters)	Text
templateId	Mandatory	Template Id you received from create template api	Number
trackOpens	Optional	If you want to track then send true otherwise false.	Boolean
trackLinks	Optional	If you want to track then send true otherwise false.	Boolean
globalDynamicSubject	Optional	Common Personalization variable for Subject line	Json Object
globalDynamicHTMLBody	Optional	Common Personalization variable for Email Body	Json Object
replyTo	Optional	ReplyTo Address	Valid Email address

Response


```
{
  "statusCode": 200,
 "message": "Mail sent successfully",
  "data": {
       "submittedTime": "2024-02-23 13:14:43",
       "transactionID": "624515d5-8653-4af1-869d-763166cebff9"
  }}
```

Template API

Request Details

API Endpoint: https://api.eqnc.in/apggw/v1/email/batch/create-template

Curl: (Request)

```
curl --location --request POST 'https://api.eqnc.in/apggw/v1/email/batch/create-template' \
--header 'Content-Type: application/json' \
--header 'x-apikey: [APIKEY]' \
--data-raw '{
   "name":"New Template",
   "subject":"Hello",
   "html_body":"<html><body><header>Hello</header></body></html>"
}'
```

Header

Parameter Name	Mandatory/Optional	Description	Possible Values
x-apikey	Mandatory	Your API key obtained from the portal	Your-API-Key
Content-Type	Mandatory	application/json	application/json

JSON

Parameter Name	Mandatory/Optional	Description	Possible Values
name	Mandatory	Template Name	Text
subject	Optional	Email Subject	Strings
html_body	Mandatory	Valid HTML	HTML

Response


```
{
   "statusCode": 200,
  "message": "Success",
   "data": {
      " templateId ": 4
   }
}
```

Reports API

Request Details

API Endpoint: https://api.eqnc.in/apggw/v1/reports/reportApi

Curl: (Request)

```
curl --location 'https://api.eqnc.in/apggw/v1/reports/reportApi?sdatefrom=2024-02-27T18:30:00.000Z&sdateto=2024-03-29T18:30:00.000Z' \
--header 'x-apikey: [API-KEY]'
```

Header

Parameter Name	Mandatory/Optional	Description	Possible Values
x-apikey	Mandatory	Your API key obtained from the portal	Your-API-Key

Query Params

Parameter Name	Mandatory/Optional	Description	Possible Values
sdatefrom	Mandatory	Report from Date	Datetime in ISO format
sdateto	Mandatory	Report till Date To	Datetime in ISO format

Response


```
{
  "statusCode": 200,
 "message": "success",
  "data": {
    "Total": 16,
    " Sent ": 16,
    "Delivered": 12,
```

```
        "HardBounce": 4,
        "SoftBounce": 0,
        "WithOpenTracking": 16,
        "WithLinkTracking": 16,
        "UniqueLinksClicked": 4,
        "UniqueOpens": 5,
        "Rejected": 0,
        "InQueue": 0
    }
}
```

Send Email to Multiple Recipients API Details

API Endpoint: https://api.eqnc.in/apggw/v1/email/multircpt/send

Curl: (Request):

```
curl --location 'https://api.eqnc.in/apggw/v1/email/multircpt/send' \
--header 'x-apikey: [APIKEY]' \
--header 'Content-Type: application/json' \
--data-raw '{
  "from": "test@sender.com",
  "to": [
    "user1@example.com",
    "user2@example.com",
    "user3@example.com",
    "user4@example.com"
  ],
  "cc": [
    "user5@example.com",
    "user6@example.com",
    "user7@example.com"
  ],
  "bcc": [
    "user1@example.com",
    "user8@example.com",
    "user9@example.com"
  ],
  "subject": "This is test subject for {{name}}",
  "subjectPersonalization": {
    "name": "PPD"
  },
  "htmlBody": "<html><body><div>Hello {{name}}</div></body></html>",
  "bodyPersonalization": {
```

```
    "name": "John"
  },
  "replyTo": "userid@sender.com",
  "senderName": "user name",
  "attachments": [
    {
      "filename": "image612.jpg",
      "content":
"dGVuYW50IDo9IGN0eC5Mb2NhbHMoInN1YmRvbWFpblVSTCIpLihzdHJpbmcpDQoJdG9waWNOYW1
lIDo9IHRlbmFudCArICItIiArICJwcm9jZXNzLXJlcSINCg0KCWlmIHRlbmFudCA9PSAiIiB7DQoJCXJldHVybiB
yZXNwb25zZSwgZXJyb3JzLk5ldygidGVuYW50IG5vdCAgZm91bmQiKQ0KCX0="
    }
  ]
}'
```

Header

Parameter Name	Mandatory/Optional	Description	Possible Values
x-apikey	Mandatory	Your API key obtained from the portal	Your-API-Key
Content-Type	Mandatory	application/json	application/json

JSON

Parameter Name	Mandatory/Optional	Description	Possible Values
from	Mandatory	Sender Email Address	Valid Email address
to	Mandatory	Recipeint Email Address	Array of Object
cc	Optional	Recipient Email Addresses for “cc” field	Array of strings (of email addresses)
bcc	Optional	Recipient Email Addresses for “bcc” field	Array of strings (of email addresses)

subject	Mandatory	Text for subject line	String
subjectPersonalization	Optional	Common Personalization variable for Subject line	JSON Object
htmlBody	Mandatory	Valid HTML	String (HTML)
bodyPersonalization	Optional	Common Personalization variable for Email Body	JSON Object
replyTo	Optional	Reply To email address	Valid Email address
senderName	Optional	Sender Name	String
attachments	Optional	Attachment files you wish to add	Array of objects
attachments.filename	Optional	File name	string
attachments.content	Optional	BASE64 Encoded String of the file	BASE64 Encoded String

Response:


```
{
  "statusCode": 200,
  "message": "Mail sent successfully",
  "data": {
    "submittedTime": "2024-02-23 13:14:43",
    "transactionID": "624515d5-8653-4af1-869d-763166cebff9"
  }
}
```