Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Djordje Nikolic

135/17

https://dzondraskateboards.000webhostapp.com

19.3.2019.

# Table of Contents


UVOD ..... 4

Korisceni programski jezici ..... 4

Opis funkcionalnosti ..... 4

Template ..... 4

Korisceni CSS ..... 5

ORGANIZACIJA ..... 5

Sitemapp ..... 5

Stranice ..... 6

Index.php ..... 6

KODOVI ..... 9

Index.php ..... 9

admin.php ..... 11

author.php ..... 13

footer.php ..... 17

konekcija.php ..... 19

korisnik.php ..... 20

log.php ..... 25

Logout.php ..... 29

meni.php ..... 29

Neautorizovani.php ..... 32

Registration.php ..... 35

User.php ..... 41

Style.css ..... 45

Main.js ..... 53

contact.js ..... 54

multislider.js ..... 55

brisanjeUsers.php ..... 70

brisanjeVesti.php ..... 70

ChangeUsers.php ..... 71
dodavanjeVesti.php ..... 73
setVesti.php ..... 77
Robots.txt ..... 81
UploadVesti.php ..... 81

# UVOD

## Korisceni programski jezici

Za izradu sajta korišćeni su sledeći programski i markup jezici: HTML, CSS3, Java Script, JQuery, AJAX,PHP, JSON i framework Bootstrap , multislider.js. Sajt je urađen u visual studio code-u.

## Opis funkcionalnosti

-Slajder sa dinamicki ucitanim vestima iz baze

-Najnovijia vest se automatski generise

-Dinamicki ispis menija

-Omoguceno filtriranje, sortiranje vesti

-Klikom na vest se ona prikazuje detaljnije (GET metoda)

-Serverska validacija svih forma na sajtu regularnim izrazima

-Admin panel (Administrator moze da dodaje, menja , brise vesti I da manipulise korisnickim nalozima)

-Autorizovani korisnici imaju mogucnost boljeg pregleda vesti I mogucnost ocenjivanja autora

## Template

Template nije koriscen iz drugih izvora, vec je samostalno pisan (Bootstrap).

## Korisceni CSS

Eksterni css: Bootstrap css fajlovi

# ORGANIZACIJA

## Sitemapp

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
   <url>
      <loc>https://dzondraskateboards.000webhostapp.com/index.php</loc>
      <lastmod>2019-3-13</lastmod>
      <changefreq>daily</changefreq>
      <priority>1</priority>
   </url>
   <url>
      <loc>https://dzondraskateboards.000webhostapp.com/log.php</loc>
      <lastmod>22019-3-20</lastmod>
      <changefreq>monthly</changefreq>
      <priority>0.4</priority>
   </url>
   <url>
      <loc>https://dzondraskateboards.000webhostapp.com/registration.php</loc>
      <lastmod>2019-3-20</lastmod>
      <changefreq>monthly</changefreq>
      <priority>0.4</priority>
   </url>
</urlset>
```

# Stranice

## Index.php



Na ovoj stranici se nalaze sledece funkcionalnosti:

-Slajder sa vestima koje bira admin

-Najnovija vest

-Index stranica se menja u zavisnosti od uloge ulogovanog korisnika:

*autorizovani



*admin


Home
About Us
Documentation
dzondraa
Log out
About author
Contact us
Add news
Upload news
Change users
Upload news
Heading
Example input
Short description
Another input
Long description
Category
World news
Date:
mm/dd/yyyy
Generate on home page?
Image:
Choose File
No file chosen
UPLOAD

Home
About Us
About author
Contact us
Log in
Registration
Documentation
Facebook
Youtube
Twitter
Sitemap
E-mail
Your message:
Contact us!
SEND
Powered by 000webhost

# KODOVI

## Index.php

```
<?php

   session_start();

?>

<!doctype html>

<html lang="en">

  <head>

    <meta charset="utf-8">

    <meta name="description" content="Find perfect skateboard for you!">

    <meta name="keywords" content="skate, skateboarding, skateboards "/>

    <meta name="author" content="Đorđe Nikolić 135/17">

    <meta property="og:title" content="Dzondra skateboards" />

    <meta property="og:type" content="article" />
```

```
    <meta property="og:url" content="index.html" />

    <meta property="og:image" content="images/icon.jpg" />

    <meta property="og:description" content="Find perfect skateboard for you!" />

    <meta property="og:site_name" content="Dzondra skateboards" />

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

    <link rel="stylesheet" href="css/style.css" type="text/css">

    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
integrity="sha384-fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

    <title>Dzondra NEWS</title>

  </head>

  <body>

      <?php


      include "meni.php";

      if(isset($_SESSION['uloga']) && $_SESSION['uloga'] == 2){

        include "admin.php";

      }

      else if(isset($_SESSION['uloga']) && $_SESSION['uloga'] == 1){

        include "korisnik.php";

      }

      else{

        include "neautorizovani.php";
```

```
    }
    ?>

  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>
  <script src="https://ajax.aspnetcdn.com/ajax/jQuery/jquery-3.3.1.min.js"></script>
  <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>
  <?php
  if(!isset($_SESSION['uloga'])){
    echo '<script src="js/multislider.js"></script>
        <script src="js/main.js"></script>
    ';
  }
  include "footer.php";
  ?>
</body>
</html>
```

## admin.php

```
<div class="container">
```

```
   <div class="row">
      <div class="col-lg-12">
         <a class="btn btn-primary" href="index.php?admin=dodajVest" role="button">Add news</a>
         <a class="btn btn-primary" href="index.php?admin=uploadVest" role="button">Upload news</a>
         <a class="btn btn-primary" href="index.php?admin=changeUsers" role="button">Change
users</a>
   </div>
   <div class="row">
    <div class="col-lg-12">
    <?php
   if(isset($_GET['admin'])){
   switch($_GET['admin']){
      case "uploadVest" : require "admin/uploadVesti.php"; break;
      case "dodajVest": require "admin/dodavanjeVesti.php"; break;
      case "setVesti": require "admin/setVesti.php"; break;
      case "changeUsers": require "admin/changeUsers.php"; break;



   }
}

    ?>
    </div>

   </div>
</div>
```

```
</div>
```

### author.php

```
<?php
   session_start();
   if(!isset($_SESSION['uloga'])){
      echo "
      <script>alert('You must be logged in!')</script>
      <script>window.location='log.php'</script>
      ";
   }
?>
<!doctype html>
<html lang="en">
 <head>
   <meta charset="utf-8">
   <meta name="description" content="Find perfect skateboard for you!">
   <meta name="keywords" content="skate, skateboarding, skateboards "/>
   <meta name="author" content="Đorđe Nikolić 135/17">
   <meta property="og:title" content="Dzondra skateboards" />
   <meta property="og:type" content="article" />
   <meta property="og:url" content="index.html" />
   <meta property="og:image" content="images/icon.jpg" />
   <meta property="og:description" content="Find perfect skateboard for you!" />
   <meta property="og:site_name" content="Dzondra skateboards" />
   <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
   <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

   <link rel="stylesheet" href="css/style.css" type="text/css">

   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
integrity="sha384-fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

   <title>Pocetna</title>

 </head>

 <body>

    <?php

    include "meni.php";

    $kor = $_SESSION['id_korisnika'];

    $upit = "select * from odgovori where id_korisnik = :korisnik";

    $upit1=$konekcija->prepare($upit);

    $upit1->bindParam(":korisnik" , $kor);

    $upit1->execute();

    $rezultat=$upit1->fetchAll();

    if(!$rezultat){

    ?>

    <form action="<?=$_SERVER['PHP_SELF']?>" method="post" class="at">

     <label>Rank author</label>

     1 <input type="radio" name="radio" value="1">

     2 <input type="radio" name="radio" value="2">

     3 <input type="radio" name="radio" value="3">

     4 <input type="radio" name="radio" value="4">
```

```
 5 <input type="radio" name="radio" value="5">
 <input type="submit" name="rank" class="btn btn-primary" value="RANK">
</form>
<?php
 if(isset($_POST['rank'])){
    if(isset($_POST['radio'])){
       $upit2 = "insert into odgovori(odgovori,id_korisnik) values(:radio,:kor)";
       $upit3=$konekcija->prepare($upit2);
       $upit3->bindParam(":kor" , $kor);
       $upit3->bindParam(":radio" , $_POST['radio']);
       $upit3->execute();
    }}

 }
    else{
       $upitbr = "select odgovori ,  count(*) as con from odgovori group by odgovori order by
odgovori";
       $upitbr1 = $konekcija->prepare($upitbr);
       $upitbr1->execute();
       $rezbr = $upitbr1->fetchAll();
       $upit = "select count(*) as br from odgovori";
       $upit1=$konekcija->prepare($upit);
       $upit1->bindParam(":korisnik" , $kor);
       $upit1->execute();
       $rezultat=$upit1->fetchAll();
       $ceoBr = (int)$rezultat[0]->br;
```

```
        echo "<div id='ati'><h1>Author</h1>";

        foreach($rezbr as $r){

           $posto = (int)$r->con/$ceoBr*100;

           echo "Mark ".$r->odgovori."<div class='progress'>

           <div class='progress-bar' role='progressbar' style='width: ".$posto."%;' aria-
valuenow='".$posto."' aria-valuemin='0' aria-valuemax='100'>".$posto."%</div>

        </div>";

        }

         echo "<a class='btn btn-primary' href='author.php' role='button' style='margin:10px'>See
results</a>'";




    }

    echo "<script>window.onload='author.php'</script>";

    ?>
```

```
  <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>

  <script src="https://ajax.aspnetcdn.com/ajax/jQuery/jquery-3.3.1.min.js"></script>
```

```
   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

   <?php

   if(!isset($_SESSION['uloga'])){

     echo '<script src="js/multislider.js"></script>

          <script src="js/main.js"></script>

     ';

   }

   ?>

</body>

</html>
```

## footer.php

```
<div class="container-fluid fotRow">

     <div class="row futer1" id="futer">

       <div class="col-lg-4">

          <div class="list-group fut" id="foot1">

             <?php

                $upit = "select * from meni";

                $upit1 = $konekcija->prepare($upit);

                $upit1->execute();

                $rez = $upit1->fetchAll();

                foreach($rez as $r){

                   echo "<a href='".$r->putanja."' class='list-group-item list-group-item-action'>".$r-
>naziv."</a>";

                }
```

```
            ?>
          </div>
      </div>
      <div class="col-lg-4">
        <div class="list-group fut">
          <a href="https://facebook.com" target="_blank" class="list-group-item list-group-item-action">Facebook</a>
          <a href="https://youtube.com" target="_blank" class="list-group-item list-group-item-action">Youtube</a>
          <a href="https://twitter.com" target="_blank" class="list-group-item list-group-item-action">Twitter</a>
          <a href="sitemap.xml" target="_blank" class="list-group-item list-group-item-action ">Sitemap</a>
          </div>
      </div>
      <div class="col-lg-4" id="cont">
       <form action="<?php $_SERVER['PHP_SELF']?>" class="fut" method="POST" id="formaKontakt" onsubmit="return contact()">
          <div class="form-group">
            <input class="form-control" type="text" name="email" id="mailcont" placeholder="E-mail">
            <label for="textarea">Your message:</label>
            <textarea name="text" class="form-control" id="text" rows="3" placeholder="Contact us!"></textarea>
            <input name="sub" class="form-control btn btn-primary" type="submit" value="SEND">
          </div>
       </form>
      </div>
    </div>
```

```
</div>
<script src="js/contact.js"></script>
<?php
if(isset($_POST['sub'])){
    $mail = $_POST['email'];
    $message = $_POST['text'];
    $text = str_replace("\n.", "\n..", $message);
    $to = "djordje.nikolic.135.17@ict.edu.rs";
    $subject = "Contact";
    $headers = "From: ".$mail."\r\n";
    @$bol = mail($to , $subject , $text, $mail);
    if($bol){
        echo "<script> alert('Message sent successful!') </script>";
    }else{
        echo "<script> alert('Error!') </script>";
    }
}
?>
```

## konekcija.php

```
<?php
$serverBaze = "localhost";
$username = "id8967369_dzondraa";
$password = "kakotikazes";
$bazaPodataka = "id8967369_baza_sajt";
try {
```

```
$konekcija = new PDO("mysql:host=$serverBaze;dbname=$bazaPodataka",
$username, $password);
// set the PDO error mode to exception
$konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
$konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);


}
catch(PDOException $e)
{
echo "Greska sa konekcijom: " . $e->getMessage();
}
?>
```

### korisnik.php

```
<div class="container-fluid">
  <div class="row">
    <div class="col-lg-2">
    <p>Category:</p>
      <div class="list-group">
      <a href="index.php?idKat=0" class="list-group-item list-group-item-action">All news</a>
      <?php

        $upit = "select * from kategorije_vesti";
        $upit2 = $konekcija->prepare($upit);
        $upit2->execute();
```

```
            $rezultat = $upit2->fetchAll();

            foreach($rezultat as $li){

                echo "<a href='index.php?idKat=".$li->ID."' class='list-group-item list-group-item-action'>".
$li->nazivKategorije ."</a>";

            }

          ?>


      </div>

      <p>Sort by date:</p>

       <div class="list-group">

         <a href="#" class="list-group-item list-group-item-action">Newest</a>

       </div>

      </div>

      <div class="col-lg-10 d-flex flex-wrap ">

      <?php

      if(isset($_GET['vestId'])){

       $bri = $_GET['vestId'];

       $quer = "select * from vesti v inner join slike_za_vesti s on v.id

       = s.vest_id where vest_id = $bri";

       $quer2 = $konekcija->prepare($quer);

       $quer2->execute();

       $reza = $quer2->fetchAll();

       $timestamp = strtotime(''.$reza[0]->datum.'');

       $dat = date($timestamp);

       $format = date('m/d/Y', $timestamp);

       echo "<div class='card carda'>
```

```
  <div class='card-body'>
    <h5 class='card-title'>".$reza[0]->naslov."</h5>
   <p class='card-text'>".$reza[0]->dugiOpis."</p>
   <p class='card-text'><small class='text-muted'>".$format."</small></p>
   </div>
  <img class='card-img-bottom' src='".$reza[0]->path."' alt='".$reza[0]->naslov."'>
</div>";
   }else{

 function upit($id , $order , $as){
 include "konekcija.php";
  if($id==0){
    $upitID = "select max(ID) as max from vesti";
 $upitID2 = $konekcija->prepare($upitID);
 $upitID2->execute();
 $rez = $upitID2->fetchAll();
 $broj = (int)$rez[0]->max;
 $upitPrva = "select * from vesti v inner join slike_za_vesti s on v.id
 = s.vest_id where vest_id = $broj";
 $upitPrva2 = $konekcija->prepare($upitPrva);
 $upitPrva2->execute();
 $rezi = $upitPrva2->fetchAll();
 $timestamp = strtotime(''.$rezi[0]->datum.'');
 $dat = date($timestamp);
 $format = date('m/d/Y', $timestamp);
```

```
echo"
<div class='card cardd'>
      <div class='card-body'>
       <h5 class='card-title'>".$rezi[0]->naslov."</h5>
       <p class='card-text'>".$rezi[0]->dugiOpis."</p>
       <p class='card-text'><small class='text-muted'>".$format."</small></p>
       </div>
      <img class='card-img-bottom' src='".$rezi[0]->path."' alt='".$rezi[0]->naslov."'>
  </div>";
  $upit = "select * from vesti inner join slike_za_vesti on vesti.ID = slike_za_vesti.vest_id";
 }else{
 if($order!=0 && $as!=0){
   $str = 'order by '.$order .''. $as.'';
}
else{
 $str = "";
}
$upit =  "select * from vesti inner join slike_za_vesti on vesti.ID = slike_za_vesti.vest_id where id_kategorija = $id". $str."";
 }
$upit2 = $konekcija->prepare($upit);
$upit2->execute();
$rez=$upit2->fetchAll();
return $rez;
var_dump($rez);
}
```

```
if(!isset($_GET['idKat'])){


   $_SESSION['idKat']=0;
   $poseban = "select * from vesti inner join slike_za_vesti on vesti.ID = slike_za_vesti.vest_id";
   $poseban2 = $konekcija->prepare($poseban);
   $poseban2->execute();
   $zaGen = $poseban2->fetchAll();
}else if(isset($_GET['idKat'])){
$idKat = $_GET['idKat'];
$_SESSION['idKat']=$idKat;
}
if(isset($_GET['order']) &&  isset($_GET['as'])){
   $zaGen = upit($_SESSION['idKat'] , $_GET['order'] , $_GET['as']);
}
else{
   $zaGen = upit($_SESSION['idKat'],0,0);
}


foreach($zaGen as $a){
$tmp = strtotime(''.$a->datum.'');
$dati = date($tmp);
$formi = date('m/d/Y', $dati);
   echo "<div class='card mojCard' style='width: 18rem;'>
   <img class='card-img-top' src='". $a->path ."' alt='".$a->naslov."'>
   <div class='card-body'>
```

```
            <h5 class='card-title'>".$a->naslov."</h5>
            <p class='card-text'>".$a->kratakOpis."</p>
            <p class='gray'>". $formi ."</p>
            <a href='index.php?vestId=".$a->vest_id."' class='btn btn-primary'>Read more</a>
          </div>
        </div>";
      }
    }


     ?>
     </div>
  </div>
</div>
```

## log.php

```
<?php
  session_start();
?>
<!doctype html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="description" content="Find perfect skateboard for you!">
  <meta name="keywords" content="skate, skateboarding, skateboards "/>
  <meta name="author" content="Đorđe Nikolić 135/17">
  <meta property="og:title" content="Dzondra skateboards" />
  <meta property="og:type" content="article" />
```

```
    <meta property="og:url" content="index.html" />

    <meta property="og:image" content="images/icon.jpg" />

    <meta property="og:description" content="Find perfect skateboard for you!" />

    <meta property="og:site_name" content="Dzondra skateboards" />

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

    <link rel="stylesheet" href="css/style.css" type="text/css">

    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
integrity="sha384-fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

    <title>Log in</title>

  </head>

  <body>

     <?php


     include "meni.php";

     ?>

        <div class="container">

       <div class="col-lg-12 text-center ha">

          <h1 class="display-2">Log in</h1>

        </div>

        <div class="container">

          <div class="row logi">

            <div class="col-lg-12">
```

```
        <form class="text-center" action="<?php echo $_SERVER['PHP_SELF']?>" method="POST"
onsubmit="">

          <div class="form-group">

            <label for="exampleInputEmail1">Username:</label>

            <input type="text" name="user" class="form-control" id="user" aria-
describedby="emailHelp" placeholder="Username">


          </div>

          <div class="form-group">

            <label for="exampleInputPassword1">Password:</label>

            <input type="password" name="pass" class="form-control" id="pass"
placeholder="Password">


          </div>


          <input name="sub" id="logbut" type="submit" value="Log In" class="btn btn-primary text-
center">

        </form>

        <?php

        include "konekcija.php";

           if(isset($_POST['sub'])){

              $user = $_POST['user'];

              $pass = md5($_POST['pass']);

              $upit = "SELECT * FROM korisnici WHERE username=:username AND
password=:password";

              $upit1 = $konekcija->prepare($upit);

              $upit1 -> bindParam(":username" , $user);
```

```
                $upit1 -> bindParam(":password" , $pass);
                $upit1->execute();
                $rezultat = $upit1->fetch();

                if($rezultat){
                   $_SESSION['uloga'] = $rezultat->id_uloga;
                   $_SESSION['korisnik'] = $user;
                   $_SESSION['id_korisnika'] = $rezultat->ID;
                   echo "<script> window.location =
'https://dzondraskateboards.000webhostapp.com/index.php'; </script>";
                }
                else{

                   echo "Pogresni podaci su prosledjeni!";
                }
              }

            ?>

          </div>

        </div>
      </div>

      </div>
```

```
    </div>



    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>

    <script src="https://ajax.aspnetcdn.com/ajax/jQuery/jquery-3.3.1.min.js"></script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

    <script src="js/main.js"></script>

</body>

</html>
```

## Logout.php

```
<?php

    session_start();

    session_destroy();

    header('Location:index.php');

?>
```

## meni.php

```
<?php

?>
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-primary">
  <a class="navbar-brand" href="#"></a>
  <button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false" aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <div class="collapse navbar-collapse" id="navbarNavDropdown">
  <ul class="navbar-nav">
    <?php
    include "konekcija.php";
    $nivo = 0;
    function struktura($roditelj , $nivo , $konekcija){
        $upit = "SELECT * FROM meni WHERE roditelj=:roditelj";
        $upit1 = $konekcija -> prepare($upit);
        $upit1->bindParam(":roditelj" , $roditelj);
        $upit1->execute();
        $rezultat = $upit1->fetchAll();
        if($upit1->rowCount() > 0){
            echo '<ul class="navbar-nav sf-menu">';
        }
        foreach($rezultat as $red){
            echo "<li><a href='".$red->putanja."' class='nav-link'>".$red->naziv."</a></li>";
            struktura( $red->ID, $nivo+1, $konekcija);

        }
```

```
    if($upit1->rowCount() > 0){
    echo "</ul>"; }
}

$upit = "SELECT * FROM meni WHERE roditelj=0";
$rez = $konekcija -> query($upit);
$rezultat = $rez->fetchAll();
foreach($rezultat as $vrednost){
  if($vrednost->naziv == "Log in" || $vrednost->naziv == "Registration"){
    if(isset($_SESSION['korisnik'])) continue;
  }
    echo "<li>
    <a class='nav-link' href='$vrednost->putanja'> $vrednost->naziv
    </a>";
    struktura($vrednost->ID , $nivo+1, $konekcija);

   echo "</li>";
}

if(isset($_SESSION['korisnik'])){
  $id2 = $_SESSION['id_korisnika'];
  echo "<li>
  <a class='nav-link' href='user.php?user=".$id2."'>".$_SESSION['korisnik']."
  </a></li>";
  echo "<li>
```

```
    <a class='nav-link' href='logout.php'> Log out
    </a></li>";
  }

  echo "<ul>";
   ?>
  </ul>
 </div>
</nav>
```

## Neautorizovani.php

```
<div class="container">
  <div class="row">
    <div class="jumbotron text-center" id="jumbo">
      <h1 class="display-4">Welcome to Dzondra INFO</h1>
       <p class="lead">Be informed about all happenings, or if you want, register for better expirience!</p>
        <hr class="my-4">
        <p>Click on the link below for registration!</p>
        <p class="lead">
        <a class="btn btn-primary btn-lg" href="registration.php" role="button">registration</a>
      </p>
    </div>
  </div>
  <div class="row text-center">
  <h2>Newest</h2>
  <div id="mixedSlider">
```

```
<div class="MS-content">
   <?php
   include "konekcija.php";
   $upit =  "select * from vesti v inner join slike_za_vesti s on v.id
   = s.vest_id where nova=1";
   $upit1 = $konekcija->prepare($upit);
   $upit1->execute();
   $rezultat = $upit1->fetchAll();

   foreach($rezultat as $vest){
      echo "<div class='item'>
      <div class='imgTitle'>
         <h2 class='blogTitle'>".$vest->naslov."</h2>
         <img src='".$vest->path."' alt='".$vest->naslov."'/>
      </div>
      <p>".$vest->kratakOpis."</p>
   </div>";
   }

    ?>

</div>
<div class="MS-controls">
      <button class="MS-left"><i class="fa fa-angle-left" aria-hidden="true"></i></button>
      <button class="MS-right"><i class="fa fa-angle-right" aria-hidden="true"></i></button>
```

```
      </div>
    </div>
</div>
<?php
$upitID = "select max(ID) as max from vesti where id_kategorija = 3";
$upitID2 = $konekcija->prepare($upitID);
$upitID2->execute();
$rez = $upitID2->fetchAll();
$broj = (int)$rez[0]->max;
$upitPrva = "select * from vesti v inner join slike_za_vesti s on v.id
= s.vest_id where vest_id = $broj";
$upitPrva2 = $konekcija->prepare($upitPrva);
$upitPrva2->execute();
$rezi = $upitPrva2->fetchAll();
$timestamp = strtotime(''.$rezi[0]->datum.'');
$dat = date($timestamp);
$format = date('m/d/Y', $timestamp);
echo"
<h2>Latest</h2>
<div class='card'>
      <div class='card-body'>
        <h5 class='card-title'>".$rezi[0]->naslov."</h5>
        <p class='card-text'>".$rezi[0]->dugiOpis."</p>
        <p class='card-text'><small class='text-muted'>".$format."</small></p>
        </div>
```

```
        <img class='card-img-bottom' src='".$rezi[0]->path."' alt='".$rezi[0]->naslov."'>
      </div>"
  ?>




  </div>


</div>
```

## Registration.php

```
<!doctype html>
<html lang="en">
 <head>
  <meta charset="utf-8">
  <meta name="description" content="Find perfect skateboard for you!">
  <meta name="keywords" content="skate, skateboarding, skateboards "/>
  <meta name="author" content="Đorđe Nikolić 135/17">
  <meta property="og:title" content="Dzondra skateboards" />
  <meta property="og:type" content="article" />
  <meta property="og:url" content="index.html" />
  <meta property="og:image" content="images/icon.jpg" />
  <meta property="og:description" content="Find perfect skateboard for you!" />
  <meta property="og:site_name" content="Dzondra skateboards" />
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
```

```
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

   <link rel="stylesheet" href="css/style.css" type="text/css">

   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
integrity="sha384-fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

   <title>Registration</title>

 </head>

 <body>

    <?php


    include "meni.php";

    ?>

         <div class="container">

      <div class="col-lg-12 text-center ha">

        <h1 class="display-2">Registration</h1>

       </div>

       <div class="container">

           <div class="row logi">

              <div class="col-lg-12">

                <form onsubmit="" method="POST" action="<?= $_SERVER['PHP_SELF'] ?>">

                  <div class="form-row">

                    <div class="form-group col-md-6">

                      <label for="fName">First Name</label>

                      <input type="text" name="fname" class="form-control" id="fName" placeholder="First
name">

                    </div>
```

```
                    <div class="form-group col-md-6">
                      <label for="lname">Last Name</label>
                      <input type="text" name="lname" class="form-control" id="lName" placeholder="Last name">
                    </div>
                  </div>
                  <div class="form-group">
                    <label for="user">Username</label>
                    <input type="text" name="user" class="form-control" id="user" placeholder="Username">
                  </div>
                  <div class="form-row">
                    <div class="form-group col-md-6">
                      <label for="pas1">Password</label>
                      <input type="password" name="pass" class="form-control" id="pass" placeholder="Password">
                    </div>
                    <div class="form-group col-md-6">
                      <label for="pas2">re-Password</label>
                      <input type="password" name="repass" class="form-control" id="pas2" placeholder="re-Password">
                    </div>
                  </div>

                  <div class="form-row">
                    <label for="mail">E-mail</label>
                    <input type="text" name="email" class="form-control" id="mail" placeholder="E-mail">
```

```
            </div>
            <input name="sub" id="logbut" type="submit" value="Registration" class="btn btn-primary
text-center">
          </form>

        </div>

<?php
include "konekcija.php";
  if(isset($_POST['sub'])){
    $user = $_POST['user'];
    $repass = $_POST['repass'];
    $email = $_POST['email'];
    $fname = $_POST['fname'];
    $lname = $_POST['lname'];
    $pas = $_POST['pass'];
    $pass = md5($_POST['pass']);
    $upit = "SELECT * FROM korisnici WHERE username=:username OR email=:email";
    $upit2 = $konekcija->prepare($upit);
    $upit2 -> bindParam(":username", $user);
    $upit2 -> bindParam(":email" , $email);
    $upit2 -> execute();
```

```
                $rezultat = $upit2->fetch();

                if(!$rezultat){

                    $regExPas = "/^[a-z0-9]{5,30}$/";

                    $regExfName = "/^[A-Z]{1}[a-z]{3,15}(\s[A-Z]{1}[a-z]{20})*$/";

                    $regExlName = "/^[A-Z]{1}[a-z]{3,15}(\s[A-Z]{1}[a-z]{20})*$/";

                    $regExUser = "/^[\w][\w\d]{2,14}$/";

                    if(preg_match($regExfName,$fname) + preg_match($regExlName,$lname) +
preg_match($regExPas,$pas)

                    + filter_var($regExfName, FILTER_VALIDATE_EMAIL)==4){


                  $insUpit = "INSERT INTO korisnici(ime,prezime,email,password,username)

                   VALUES(:fname , :lname, :email,:pass,:user)";

                  $insUpit2 = $konekcija->prepare($insUpit);

                  $insUpit2 -> bindParam(":user", $user);

                  $insUpit2 -> bindParam(":email" , $email);

                  $insUpit2 -> bindParam(":pass" , $pass);

                  $insUpit2 -> bindParam(":fname" , $fname);

                  $insUpit2 -> bindParam(":lname" , $lname);

                  $insUpit2 -> execute();


                  if($insUpit2){

                     echo "USPESNA REGISTRACIJA!";

                  }

                 }else{

                  echo "Nisu prosledjeni validni podaci!";

                }
```

```
                }
              }


            ?>


          </div>


         </div>
        </div>


        </div>




    </div>




    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>

    <script src="https://ajax.aspnetcdn.com/ajax/jQuery/jquery-3.3.1.min.js"></script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

    <script src="js/main.js"></script>
```

```
</body>

</html>
```

## User.php

```
<?php

  session_start();

?>


<!doctype html>

<html lang="en">

  <head>

    <meta charset="utf-8">

    <meta name="description" content="Find perfect skateboard for you!">

    <meta name="keywords" content="skate, skateboarding, skateboards "/>

    <meta name="author" content="Đorđe Nikolić 135/17">

    <meta property="og:title" content="Dzondra skateboards" />

    <meta property="og:type" content="article" />

    <meta property="og:url" content="index.html" />

    <meta property="og:image" content="images/icon.jpg" />

    <meta property="og:description" content="Find perfect skateboard for you!" />

    <meta property="og:site_name" content="Dzondra skateboards" />

    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/bootstrap.min.css" integrity="sha384-
ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
crossorigin="anonymous">

    <link rel="stylesheet" href="css/style.css" type="text/css">
```

```
   <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.2/css/all.css"
integrity="sha384-fnmOCqbTlWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

   <title>Pocetna</title>

  </head>

  <body>

     <?php

     include "meni.php";

     $idKorisnik = $_GET['user'];

     $upit = "select * from korisnici where ID = $idKorisnik";

     $upitPre = $konekcija->prepare($upit);

     $upitPre->execute();

     $rezultat = $upitPre->fetchAll();

     ?>

      <div class="container">

       <div class="col-lg-12 text-center ha">

          <h1 class="display-2">Change options</h1>

          <h2><?php echo $rezultat[0]->username ?></h2>

        </div>

        <div class="container">

            <div class="row logi">

               <div class="col-lg-12">

                 <form onsubmit="" method="POST" action="user.php?user=<?=$idKorisnik?>">

                   <div class="form-row">

                     <div class="form-group col-md-6">

                       <label for="fName">First Name</label>
```

```
                    <input type="text" value="<?php echo $rezultat[0]->ime ?>" name="fname"
class="form-control" id="fName" placeholder="First name">

                  </div>

                  <div class="form-group col-md-6">

                    <label for="lname">Last Name</label>

                    <input type="text" value="<?php echo $rezultat[0]->prezime ?>" name="lname"
class="form-control" id="lName" placeholder="Last name">

                  </div>

                </div>

                <div class="form-group">

                  <label for="user">Username</label>

                  <input type="text" value="<?php echo $rezultat[0]->username ?>" name="user"
class="form-control" id="user" placeholder="Username">

                </div>

                <div class="form-row">

                  <label for="mail">E-mail</label>

                  <input type="text" value="<?php echo $rezultat[0]->email ?>" name="email" class="form-
control" id="mail" placeholder="E-mail">



                </div>

                <input name="sub" id="logbut" type="submit" value="Save changes" class="btn btn-
primary text-center">

              </form>


            </div>
```

```
   <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

   <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"
integrity="sha384-UO2eT0CpHqdSJQ6hJty5KVphtPhzWj9WO1clHTMGa3JDZwrnQq4sF86dIHNDz0W1"
crossorigin="anonymous"></script>

   <script src="https://ajax.aspnetcdn.com/ajax/jQuery/jquery-3.3.1.min.js"></script>

   <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"
integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy6OrQ6VrjIEaFf/nJGzIxFDsf4x0xIM+B07jRM"
crossorigin="anonymous"></script>

   <?php

   if(!isset($_SESSION['uloga'])){

     echo '<script src="js/multislider.js"></script>

          <script src="js/main.js"></script>

     ';

   }

   ?>

</body>

</html>

<?php

   if(isset($_POST['sub'])){

      $user = $_POST['user'];

      $email = $_POST['email'];

      $fname = $_POST['fname'];

      $lname = $_POST['lname'];

      $upitU = "update korisnici set ime = :fname, prezime = :lname, username=:user,email = :email

      where ID = $idKorisnik";

      $upitU1 = $konekcija->prepare($upitU);
```

```
        $upitU1->bindParam(":lname" , $lname);
        $upitU1->bindParam(":fname" , $fname);
        $upitU1->bindParam(":user" , $user);
        $upitU1->bindParam(":email" , $email);
        $upitU1->execute();
        echo "<script> alert('Changes saved!')</script>";
        echo "<script> location.reload() </script>";
    }

?>
```

## Style.css

```
.navbar{
    color:white!important;
}

#mixedSlider {
    position: relative;
  }
  #mixedSlider .MS-content {
    white-space: nowrap;
    overflow: hidden;
    margin: 0 5%;
  }
  #mixedSlider .MS-content .item {
    display: inline-block;
    width: 33.3333%;
```

```
  position: relative;
  vertical-align: top;
  overflow: hidden;
  height: 100%;
  white-space: normal;
  padding: 0 10px;
}
@media (max-width: 991px) {
  #mixedSlider .MS-content .item {
    width: 50%;
  }
}
@media (max-width: 767px) {
  #mixedSlider .MS-content .item {
    width: 100%;
  }
}
#mixedSlider .MS-content .item .imgTitle {
  position: relative;
}
#mixedSlider .MS-content .item .imgTitle .blogTitle {
  margin: 0;
  text-align: left;
  letter-spacing: 2px;
  color: #252525;
```

```
  font-style: italic;
  position: absolute;
  background-color: rgba(255, 255, 255, 0.5);
  width: 100%;
  bottom: 0;
  font-weight: bold;
  padding: 0 0 2px 10px;
}
#mixedSlider .MS-content .item .imgTitle img {
  height: auto;
  width: 100%;
}
#mixedSlider .MS-content .item p {
  font-size: 16px;
  margin: 2px 10px 0 5px;
  text-indent: 15px;
}
#mixedSlider .MS-content .item a {
  float: right;
  margin: 0 20px 0 0;
  font-size: 16px;
  font-style: italic;
  color: rgba(173, 0, 0, 0.82);
  font-weight: bold;
  letter-spacing: 1px;
```

```
  transition: linear 0.1s;
}
#mixedSlider .MS-content .item a:hover {
  text-shadow: 0 0 1px grey;
}
#mixedSlider .MS-controls button {
  position: absolute;
  border: none;
  background-color: transparent;
  outline: 0;
  font-size: 50px;
  top: 95px;
  color: rgba(0, 0, 0, 0.4);
  transition: 0.15s linear;
}
#mixedSlider .MS-controls button:hover {
  color: rgba(0, 0, 0, 0.8);
}
@media (max-width: 992px) {
  #mixedSlider .MS-controls button {
    font-size: 30px;
  }
}
@media (max-width: 767px) {
  #mixedSlider .MS-controls button {
```

```
    font-size: 20px;
  }
}
#mixedSlider .MS-controls .MS-left {
  left: 0px;
}
@media (max-width: 767px) {
  #mixedSlider .MS-controls .MS-left {
    left: -10px;
  }
}
#mixedSlider .MS-controls .MS-right {
  right: 0px;
}
@media (max-width: 767px) {
  #mixedSlider .MS-controls .MS-right {
    right: -10px;
  }
}
#basicSlider { position: relative; }

#basicSlider .MS-content {
  white-space: nowrap;
  overflow: hidden;
  margin: 0 2%;
```

```
  height: 50px;
}

#basicSlider .MS-content .item {
  display: inline-block;
  width: 20%;
  position: relative;
  vertical-align: top;
  overflow: hidden;
  height: 100%;
  white-space: normal;
  line-height: 50px;
  vertical-align: middle;
}
@media (max-width: 991px) {

#basicSlider .MS-content .item { width: 25%; }
}
@media (max-width: 767px) {

#basicSlider .MS-content .item { width: 35%; }
}
@media (max-width: 500px) {

#basicSlider .MS-content .item { width: 50%; }
```

```
}

#basicSlider .MS-content .item a {
  line-height: 50px;
  vertical-align: middle;
}

#basicSlider .MS-controls button { position: absolute; }

#basicSlider .MS-controls .MS-left {
  top: 35px;
  left: 10px;
}

#basicSlider .MS-controls .MS-right {
  top: 35px;
  right: 10px;
}
#jumbo{
    width: 100%!important;
    background: url("../images/back.jpg");
    color: #fff;
    background-repeat: no-repeat;
    background-size: cover;
}
```

```
.mala{
  height: 70px;
}
.mojCard{
  margin: 10px!important;
}
.cardd{
  width: 50%;
}
.gray{
  color:gray;
  font-size: 13px;
}
.carda{
  width: 60%;
}
 .fotRow{
  margin-top:150px;
  background-color:rgb(145, 153, 165);

  box-sizing: border-box;
}
.fut a{
 background-color:rgb(145, 153, 165);
 color:#fff;
```

```
 border-color:#fff;
}
.fut{
  margin: 15px;
}
.crveno{
  border:1px solid red!important;
}
 }
.at{
  font-size: 20px;
  font-weight: bold;
  border:1px solid gray;
  color:gray;
}
#ati{
  width: 50%;
}
```

## Main.js

```
$('#basicSlider').multislider({
   continuous: true,
   duration: 2000
});
$('#mixedSlider').multislider({
```

```
    duration: 750,
    interval: 3000
});

$('.sf-menu').children().hide();
$('.sf-menu').parent().hover(function(){
    $(this).find("ul").children().stop(true,true)
    .slideDown();
} , function(){

    $(this).find("ul").children().stop(true,true)
    .slideUp();

});
```

## contact.js

```
function contact(){
    var mail = document.querySelector("#mailcont");
    var text = document.querySelector("#text");
    var regExMail = /^[a-z0-9-_\.]+[@][a-z0-9-_\.]+\.[a-z]+$/;
    let x = regExMail.test(mail.value);
    let y = text.value !== "";
     if(regExMail.test(mail.value)){
       console.log("OK JE");
       mail.classList.remove("crveno");
     }else {
       mail.classList.add("crveno");
```

```
    }
    if (text.value != "") {
      text.classList.remove("crveno");
    }else {
      text.classList.add("crveno");
    }
  console.log(x + y);
  if(x==true && y==true){ return true;}
  if(x==false || y==false){
     return false;
  }
  }
```

## multislider.js

```
/*
*   MultiSlider | MIT License
*
*   Copyright (c) 2017 Trevor Blackman
*   http://www.multislider.info
*
*/

(function($){

  // ==== BEGINS PLUGGIN ====
  $.fn.multislider = function(data, callback){
```

```
// ==== CACHE DOM ====
var $multislider = $(this);
var $msContent = $multislider.find('.MS-content');
var $msRight = $multislider.find('button.MS-right');
var $msLeft = $multislider.find('button.MS-left');
var $imgFirst = $msContent.find('.item:first');

// === DETERMINE ACTION ====
// string = method | object or nothing is to initialize
if(typeof data === 'string'){
   getStringArgs(data);
   return $multislider;
} else if (typeof data === 'object' || typeof data  ==='undefined'){
   init();
}

// ==== PLUGGIN VARIABLES ====
var $imgLast,
totalWidth,
numberVisibleSlides,
animateDistance,
animateSlideRight,
animateSlideLeft,
defaults,
```

```
    settings,
    animateDuration,
    autoSlideInterval;

    // = INITIALIZE =
    function init(){
       minifyContent();       // minify html
       createSettings();      // merge defaults and user provided options
       saveData();            // add data object to DOM el with reference to animation functions, allows for methods to reference at any time
       selectAnimations();    // choose default animation
    }


    // ==== EVENT HANDLERS ====
    $msRight.on('click', animateSlideLeft);
    $msLeft.on('click', animateSlideRight);
    $multislider.on('click','.MS-right, .MS-left', resetInterval);
    $(window).on('resize', findItemWidth);


    // ==== FUNCTIONS (for days...) ====
    // ================================

    function pauseAbove(){
       if (window.innerWidth > settings.pauseAbove){ $multislider.addClass('ms-PAUSE'); }
```

```
    $(window).on('resize',function(){
        if (window.innerWidth > settings.pauseAbove){
            $multislider.addClass('ms-PAUSE');
        } else {
            $multislider.removeClass('ms-PAUSE');
        }
    });
}

function pauseBelow(){
    if (window.innerWidth < settings.pauseBelow){ $multislider.addClass('ms-PAUSE'); }
    $(window).on('resize',function(){
        if (window.innerWidth < settings.pauseBelow){
            $multislider.addClass('ms-PAUSE');
        } else {
            $multislider.removeClass('ms-PAUSE');
        }
    });
}

// used if method is called after initialization
function getStringArgs(str){
    if (typeof $multislider.data(str) !== 'undefined'){
        $multislider.data(str)();
    } else {
```

```
            console.error("Multislider currently only accepts the following methods: next, prev, pause,
play");
        }
    }

    // saves data object to DOM element
    function saveData(){
        $multislider.data({
            "pause":function(){ $multislider.addClass('ms-PAUSE'); },
            "unPause":function(){ $multislider.removeClass('ms-PAUSE'); },
            "continuous":function(){ $multislider.removeClass('ms-PAUSE'); continuousLeft(); },
            "next":function(){ overRidePause(singleLeft); },
            "nextAll":function(){ overRidePause(allLeft); },
            "prev":function(){ overRidePause(singleRight); },
            "prevAll":function(){ overRidePause(allRight); },
            "settings":settings
        });
    }

    // used when calling 'next', 'prev' methods
    function overRidePause(animation){
        if ($multislider.hasClass('ms-PAUSE')){
            $multislider.removeClass('ms-PAUSE');
            animation();
            $multislider.addClass('ms-PAUSE');
        } else {
```

```
            animation();
        }
        resetInterval();
    }

    // CRITICAL for items to be perfectly side-by-side without floating them
    function minifyContent(){
        $msContent.contents().filter(function(){
            return (this.nodeType == 3 && !/\S/.test(this.nodeValue));
        }).remove();
    }

    // updated options with defaults, measure slide widths for animation calculations, carry out setting implementations
    function createSettings() {
        defaults = settings || {
                        continuous: false,          // endless scrolling with no pauses
                        slideAll: false,    // slide all visible slides, or just one at a time
                        // autoSlide: true,         // DEPRECATED
                        interval: 2000,             // time bewteen slide animation, 0 or 'false' prevents auto-sliding
                        duration: 500,      // duration of slide animation
                        hoverPause: true,           // pause slideshow on hover
            pauseAbove: null,   // pause above specified screen width
            pauseBelow: null    // pause below specified screen width
                    };
```

```
                settings = $.extend({},defaults,data);


        findItemWidth();

        animateDuration = settings.duration;


        if (settings.hoverPause){pauseHover();}

        // autoSlide is being depricated | Feb 2 2017

        if (settings.continuous !== true && settings.interval !== 0 && settings.interval !== false &&
settings.autoSlide !== false){autoSlide();}

        if (settings.pauseAbove !== null && typeof settings.pauseAbove === 'number'){ pauseAbove(); }

        if (settings.pauseBelow !== null && typeof settings.pauseBelow === 'number'){ pauseBelow(); }

    }


    // determine between single and multi-slide animations

    function selectAnimations () {

        if (settings.continuous){

            settings.autoSlide = false;

            continuousLeft();

        } else if (settings.slideAll){

            animateSlideRight = $multislider.data('prevAll');

            animateSlideLeft = $multislider.data('nextAll');

        } else {

            animateSlideRight = $multislider.data('prev');

            animateSlideLeft = $multislider.data('next');

        }
```

```
}

// measure slide width, for animation calculations
function findItemWidth(){
    reTargetSlides();
    animateDistance = $imgFirst.width();
    var left = parseInt($msContent.find('.item:first').css('padding-left'));
    var right = parseInt($msContent.find('.item:first').css('padding-right'));
    if (left !== 0){animateDistance += left;}
    if (right !== 0){animateDistance += right;}
}

// recursive auto-slide loop
function autoSlide() {
    autoSlideInterval = setInterval(function(){
        if (!$multislider.hasClass('ms-PAUSE')){
            animateSlideLeft();
        }
    }, settings.interval);
}

function resetInterval() {
    if (settings.interval !== 0 && settings.interval !== false && settings.continuous !== true){
        clearInterval(autoSlideInterval);
        autoSlide();
```

```
    }
}

// target first and last visible slides before each new animation
function reTargetSlides(){
    $imgFirst = $msContent.find('.item:first');
    $imgLast = $msContent.find('.item:last');
}

// prevent animation firing if multislider is currently animating
// all animations pass through this function, which emits events, and adds/removes animating class
function isItAnimating(callback){
                        if(!$multislider.hasClass('ms-animating') &&
      !$multislider.hasClass('ms-HOVER') &&
      !$multislider.hasClass('ms-PAUSE')){
          $multislider.trigger('ms.before.animate'); // event!
          $multislider.addClass('ms-animating');
          callback();    //callback is animation
                        }
                }

// update multislider at the end of each animation
function doneAnimating() {
                        if($multislider.hasClass('ms-animating')){
                                $multislider.removeClass('ms-animating');
```

```
        $multislider.trigger('ms.after.animate'); // event!
    }
                }

// logic for pausing and restarting the multislider on hover
function pauseHover() {
    // continuous scroll pause slightly different
    if(settings.continuous){
                                $msContent.on('mouseover',function(){
                                        doneAnimating();
                                        $msContent.children('.item:first').stop();
                                });
                                $msContent.on('mouseout',function(){
                                        continuousLeft();
                                });
                        } else {
    // regular animation pausing
        $msContent.on('mouseover',function(){
            $multislider.addClass('ms-HOVER');
        });
        $msContent.on('mouseout',function(){
            $multislider.removeClass('ms-HOVER');
        });
                        }
}
```

```
    // calculate remaining animation, if stopped mid-animation and resuming
    function midAnimateResume(){
      animateDuration = settings.duration;
      var currentMargin = parseFloat($msContent.find('.item:first').css("margin-left"));
      var percentageRemaining = 1-(currentMargin/-(animateDistance-1));
      animateDuration = percentageRemaining*animateDuration;
    }

    // determine how many slides need to be moved over, if slideAll is true
    function calcNumSlidesToMove(){
      totalWidth = $msContent.width();                                    // total width of .MS-content containing all visible slides
                  numberVisibleSlides = Math.floor(totalWidth/animateDistance);    // number of (visible) slides needed to be moved in each animation
    }


    // ==== ANIMATION FUNCTIONS ====
    // ============================
    function continuousLeft () {
      isItAnimating(function(){
        reTargetSlides();
        midAnimateResume();
        $imgFirst.animate(
          {marginLeft: -(animateDistance+1)},
```

```
        {
            duration: animateDuration,
            easing: "linear",
            complete: function(){
                $imgFirst.insertAfter($imgLast).removeAttr("style");
                doneAnimating();
                continuousLeft ();
            }
        }
    );
  });
}

function allLeft(){
  isItAnimating(function(){
    reTargetSlides();
    calcNumSlidesToMove();

    var $clonedItemSet = $msContent.children('.item').clone();
    var filteredClones = $clonedItemSet.splice(0, numberVisibleSlides);

    $msContent.append(filteredClones);

    $imgFirst.animate(
      {marginLeft: -totalWidth}, {
```

```
                duration: animateDuration,
                easing: "swing",
                complete: function(){
                   $($msContent.children('.item').splice(0,numberVisibleSlides)).remove();
                   doneAnimating();
                }
             }
          );
       });
    }

    function allRight() {
       isItAnimating(function(){
          reTargetSlides();
          calcNumSlidesToMove();

          var numberTotalSlides = $msContent.children('.item').length;
          var $clonedItemSet = $msContent.children('.item').clone();
          var filteredClones = $clonedItemSet.splice(numberTotalSlides-
numberVisibleSlides,numberTotalSlides);

          $($(filteredClones)[0]).css('margin-left',-totalWidth); // give clone array negative margin before
preppending
          $msContent.prepend(filteredClones);

          reTargetSlides();
```

```
            $imgFirst.animate(
              {
                marginLeft: 0
              }, {
                duration: animateDuration,
                easing: "swing",
                complete: function(){
                  numberTotalSlides = $msContent.find('.item').length;
                  $($msContent.find('.item').splice(numberTotalSlides-
numberVisibleSlides,numberTotalSlides)).remove();
                  $imgFirst.removeAttr('style');
                  doneAnimating();
                }
              }
            );
          });
        }

        function singleLeft(){
          isItAnimating(function(){
            reTargetSlides();
            $imgFirst.animate(
              {
                marginLeft: -animateDistance
              }, {
```

```
            duration: animateDuration,
            easing: "swing",
            complete: function(){
               $imgFirst.detach().removeAttr('style').appendTo($msContent);
               doneAnimating();
            }
         }
      );
   });
}

function singleRight(){
   isItAnimating(function(){
      reTargetSlides();
      $imgLast.css('margin-left',-animateDistance).prependTo($msContent);
      $imgLast.animate(
         {
            marginLeft: 0
         }, {
            duration: animateDuration,
            easing: "swing",
            complete: function(){
               $imgLast.removeAttr("style");
               doneAnimating();
            }
```

```
            }
          );
        });
    }
    return $multislider;
  }
})(jQuery);
```

## brisanjeUsers.php

```
<?php
include "../konekcija.php";
$id = $_GET['id'];
$upit = "delete from korisnici where ID=$id";
$upit1= $konekcija->prepare($upit);
$rez = $upit1->execute();
if($rez){
   echo "<script>alert('User deleted!')</script>";
   echo "<script>window.location='../index.php?admin=changeUsers'</script>";
}

?>
```

## brisanjeVesti.php

```
<?php
   session_start();
   include "../konekcija.php";
   $upit1 = "delete from slike_za_vesti where vest_id=:idBrisanje1";
   $preUpit2 = $konekcija->prepare($upit1);
```

```
    $preUpit2->bindParam(":idBrisanje1" , $idBrisanje);
    $rez = $preUpit2->execute();
    if($rez){
        $idBrisanje = $_GET['id'];
        $upit = "delete from vesti where ID=:idBrisanje";
        $preUpit = $konekcija->prepare($upit);
        $preUpit->bindParam(":idBrisanje" , $idBrisanje);
        $final = $preUpit->execute();
        if($final){
          echo "<script>alert('Deleted successful!')</script>";
        }
         else echo "<script>alert(`Couldn't delete news!`)</script>";
         header('Location:http://localhost/PHP_SAJT/index.php?admin=uploadVest');
    }
?>
```

### ChangeUsers.php

```
<table class="table table-bordered">
  <thead>
    <tr>
      <th scope="col">#</th>
      <th scope="col">Ime</th>
```

```
    <th scope="col">Prezime</th>
    <th scope="col">Username</th>
    <th scope="col">E-mail</th>
    <th scope="col">Uloga</th>
    <th scope="col">Change</th>
    <th scope="col">Remove</th>
   </tr>
  </thead>
  <tbody>
<?php
   $upit =  "select k.ID,k.ime,k.prezime,k.username,k.email,u.naziv from korisnici k inner join uloge u on
k.id_uloga
   = u.ID";
   $upit1 = $konekcija->prepare($upit);
   $upit1->execute();
   $rezultat = $upit1->fetchAll();
   foreach($rezultat as $us){
     echo "<tr>
     <td>".$us->ID."</td>
     <td>".$us->ime."</td>
     <td>".$us->prezime."</td>
     <td>".$us->username."</td>
     <td>".$us->email."</td>
     <td>".$us->naziv."</td>
     <td><a class='btn btn-info' href='user.php?user=".$us->ID."' role='button'>Change</a></td>
```

```
    <td><a class='btn btn-danger' href='admin/brisanjeUsers.php?id=".$us->ID."'
role='button'>Remove</a></td>

   </tr>";

  }

?>

 </tbody>

</table>
```

## dodavanjeVesti.php

```
        <h2>Upload news</h2>

        <form action="<?php $_SERVER['PHP_SELF'] ?>" method="post" enctype="multipart/form-data">

        <div class="form-group">

            <label for="formGroupExampleInput">Heading</label>

            <input type="text" name="naslov" class="form-control" id="formGroupExampleInput"
placeholder="Example input">

        </div>

        <div class="form-group">

            <label for="formGroupExampleInput2">Short description</label>

            <input type="text" name="kratakOpis" class="form-control" id="formGroupExampleInput2"
placeholder="Another input">

        </div>

        <div class="form-group">

            <label for="formGroupExampleInput2">Long description</label>

            <textarea name="dugiOpis" id="" cols="100" rows="10" class="form-control"></textarea>

        </div>

        <div class="form-group">

            <label for="formGroupExampleInput2">Category</label>

            <select name="kategorijaVesti" class="form-control">
```

```
            <option value="1">World news</option>
          </select>
        </div>
        <div class="form-group">
          <label for="inputAddress2">Date:</label>
          <input type="date" name="datum" class="form-control" id="datum">
        </div>
        <div class="form-group">
          <label for="inputAddress2">Generate on home page?</label>
          <input type="checkbox" name="generisanje" class="" id="nova">
        </div>
        <div class="form-group">
          <label for="inputAddress2">Image:</label>
          <input type="file" name="slika" id="slika">
        </div>
        <input type="submit" name="upload" class="form-control" value="UPLOAD">

      </form>

<?php
if(isset($_POST['upload'])){

  $uploadDir = "upload/";
  $naslov = $_POST['naslov'];
  $kratakOpis = $_POST['kratakOpis'];
```

```
$dugiOpis = $_POST['dugiOpis'];
$kategorijaVesti = $_POST['kategorijaVesti'];
$date = $_POST['datum'];
if(isset($_POST['generisanje'])){
   $generisanje = 1;
}
else{
   $generisanje = 0;
}
$upitVest = "insert into vesti(naslov,kratakOpis,dugiOpis,datum,id_kategorija,nova)
values(:naslov,:kratakOpis,:dugiOpis,:datum,:kategorijaVesti,:nova)";
$preUpitVest = $konekcija->prepare($upitVest);
$preUpitVest->bindParam(":naslov" , $naslov);
$preUpitVest->bindParam(":kratakOpis" , $kratakOpis);
$preUpitVest->bindParam(":dugiOpis" , $dugiOpis);
$preUpitVest->bindParam(":datum" , $date);
$preUpitVest->bindParam(":kategorijaVesti" , $kategorijaVesti);
$preUpitVest->bindParam(":nova" , $generisanje);
$preUpitVest->execute();
$straniSlika = $konekcija->lastInsertId();

#upload slike za vest
$fileName = $_FILES['slika']['name'];
$tmpName = $_FILES['slika']['tmp_name'];
$fileSize = $_FILES['slika']['size'];
```

```
$fileType = $_FILES['slika']['type'];

$staro = addslashes($fileName);

$upit = "INSERT INTO slike_za_vesti(staroIme,type,size,vest_id)

VALUES(:fileName,:fileType,:fileSize,:straniSlika)";

$upit2 = $konekcija->prepare($upit);

$upit2 -> bindParam(":fileName" , $fileName);

$upit2 -> bindParam(":fileType" , $fileType);

$upit2 -> bindParam(":fileSize" , $fileSize);

$upit2 -> bindParam(":straniSlika" , $straniSlika);

$upit2->execute();

$poslednjiId = $konekcija->lastInsertId();

$imeDelici = explode(".", $fileName);

$ekstenzija = end($imeDelici);

$novoImeFajla = $poslednjiId . "." . $ekstenzija;

$filePath = $uploadDir . $novoImeFajla;

$result = move_uploaded_file($tmpName, $filePath);

if (!$result) { echo "Error uploading file"; exit; }

else{

$fileName = addslashes($novoImeFajla);

$query = "UPDATE slike_za_vesti SET name ='$fileName', path = '$filePath' WHERE id = '$poslednjiId'";

$query2 = $konekcija->prepare($query);

 $konekcija->query($query);

echo "<br>File uploaded<br>";

}
```

```
}

?>
```

## setVesti.php

```
<?php

   $broj = (int)$_GET['id'];

   $upit = "select * from vesti v inner join slike_za_vesti s on v.id

   = s.vest_id where vest_id = $broj";

   $upit2 = $konekcija->prepare($upit);

   $upit2->execute();

   $rezultat = $upit2->fetchAll();

?>


<h2>Change news</h2>

        <form action="<?php $_SERVER['PHP_SELF'] ?>" method="post" enctype="multipart/form-data">

        <div class="form-group">

            <label for="formGroupExampleInput">Heading</label>

            <input type="text" value="<?php echo $rezultat[0]->naslov ?>" name="naslov" class="form-
control" id="formGroupExampleInput" placeholder="Example input">

        </div>

        <div class="form-group">

            <label for="formGroupExampleInput2">Short description</label>

            <input type="text" value='<?php echo $rezultat[0]->kratakOpis ?>' name="kratakOpis"
class="form-control" id="formGroupExampleInput2" placeholder="">

        </div>

        <div class="form-group">

            <label for="formGroupExampleInput2">Long description</label>
```

```
        <textarea name="dugiOpis" id="" cols="100" rows="10" class="form-control"> <?php echo $rezultat[0]->dugiOpis ?> </textarea>

      </div>

      <div class="form-group">

        <label for="formGroupExampleInput2">Category</label>

        <select name="kategorijaVesti" class="form-control">

          <option selected value="1">World news</option>

        </select>

      </div>

      <div class="form-group">

        <label for="inputAddress2">Date:</label>

        <input type="date" value="<?php echo $rezultat[0]->datum ?>" name="datum" class="form-control" id="datum">

      </div>

      <div class="form-group">

        <label for="inputAddress2">Generate on home page?</label>

        <input type="checkbox" <?php if($rezultat[0]->nova==1) echo 'checked'  ?> name="generisanje" class="" id="nova">

      </div>

      <div class="form-group">

        <span>Current:</span>

        <img class="mala" src="<?php echo $rezultat[0]->path ?>">

        <label for="inputAddress2">New image:</label>

        <input type="file" name="slika" id="slika" value="asd.jpg">

      </div>

      <input type="submit" name="upload" class="form-control" value="UPLOAD">
```

```
        </form>


<?php
if(isset($_POST['upload'])){


   $uploadDir = "upload/";
   $naslov = $_POST['naslov'];
   $kratakOpis = $_POST['kratakOpis'];
   $dugiOpis = $_POST['dugiOpis'];
   $kategorijaVesti = $_POST['kategorijaVesti'];
   var_dump($kategorijaVesti);
   $date = $_POST['datum'];
   if(isset($_POST['generisanje'])){
      $generisanje = 1;
   }
   else{
      $generisanje = 0;
   }
   $id = $_GET['id'];
   $upitVest = "update vesti set naslov = :naslov, kratakOpis = :kratakOpis,dugiOpis = :dugiOpis,
   datum = :datum, id_kategorija = :kategorijaVesti,nova = :nova where ID = $id";
   $preUpitVest = $konekcija->prepare($upitVest);
   $preUpitVest->bindParam(":naslov" , $naslov);
   $preUpitVest->bindParam(":kratakOpis" , $kratakOpis);
   $preUpitVest->bindParam(":dugiOpis" , $dugiOpis);
```

```
$preUpitVest->bindParam(":datum" , $date);
$preUpitVest->bindParam(":kategorijaVesti" , $kategorijaVesti);
$preUpitVest->bindParam(":nova" , $generisanje);
$preUpitVest->execute();
#upload slike za vest
if($_FILES['slika']['name']!=""){
   $fileName = $_FILES['slika']['name'];
   $tmpName = $_FILES['slika']['tmp_name'];
   $fileSize = $_FILES['slika']['size'];
   $fileType = $_FILES['slika']['type'];
   $staro = addslashes($fileName);
   $upit = "update slike_za_vesti set staroIme = :fileName ,
   type = :fileType,size = :fileSize where vest_id = $id";
   $upit2 = $konekcija->prepare($upit);
   $upit2 -> bindParam(":fileName" , $fileName);
   $upit2 -> bindParam(":fileType" , $fileType);
   $upit2 -> bindParam(":fileSize" , $fileSize);
   $upit2->execute();
   $upitZaIme = "select name as novoIme from slike_za_vesti where vest_id = $id";
   $upitZaIme1 = $konekcija->prepare($upitZaIme);
   $upitZaIme1->execute();
   $re = $upitZaIme1->fetchAll();
   #$imeDelici = explode(".", $fileName);
   #$ekstenzija = end($imeDelici);
   $novoImeFajla = $re[0]->novoIme;
```

```
        $filePath = $uploadDir . $novoImeFajla;
        $result = move_uploaded_file($tmpName, $filePath);
        if (!$result) { echo "Error uploading file"; exit; }

        if($rez){
            echo "File uploaded!";
        }

    }
    else{

    }

}
?>
```

### Robots.txt

```
User-agent: *
Disallow: /upload/
Disallow: /images/
Disallow: /log.html
Disallow: /author.html
Disallow: /regist.html
```

## UploadVesti.php

```
<table class="table table-bordered">
  <thead>
```

```
    <tr>
      <th scope="col">#</th>
      <th scope="col">Heading</th>
      <th scope="col">Short description</th>
      <th scope="col">Image</th>
      <th scope="col">Update</th>
      <th scope="col">Remove</th>
    </tr>
  </thead>
  <tbody>
<?php
    $upit =  "select * from vesti v inner join slike_za_vesti s on v.id
    = s.vest_id";

    $upit1 = $konekcija->prepare($upit);
    $upit1->execute();
    $rezultat = $upit1->fetchAll();
    foreach($rezultat as $vest){
      echo "<tr>
      <td>".$vest->vest_id."</td>
      <td>".$vest->naslov."</td>
      <td>".$vest->kratakOpis."</td>
      <td>".$vest->name."</td>
      <td><a class='btn btn-info' href='index.php?admin=setVesti&id=".$vest->vest_id."'
role='button'>Update</a></td>
```

```
      <td><a class='btn btn-danger' href='admin/brisanjeVesti.php?id=".$vest->vest_id."'
role='button'>Remove</a></td>

    </tr>";

   }

?>

  </tbody>

</table>
```