




Declaro por minha honra que este diagrama foi realizado apenas pelos elementos que constituem o grupo de projeto.
Diogo Zhan Pan Grupo 8

Form
- title: String
+ title(): String + entries(): Collection<Field<?>> + field(Key: String): Field<?> - add(Key: String, in: Field<?>): void + addBooleanField(Key: String, label: String): void + addStringField(Key: String, label: String): void + addRealField(Key: String, label: String): void + addIntegerField(Key: String, label: String): void + addOptionField(Key: String, label: String, options: String...): void - get(Key: String, type: String): Object + booleanField(Key: String): Boolean + stringField(Key: String): String + optionField(Key: String): String + realField(Key: String): Double + integerField(Key: String): Integer + parse(): Form + parse(clear: boolean): Form + clear(): void + confirm(prompt: String): Boolean + requestInteger(prompt: String): Integer + requestReal(prompt: String): Double + requestString(prompt: String): String + requestOption(prompt: String, options: String...): String

<<abstract>> Command Receiver Class!
- last: boolean - title: String #<<final>> receiver: Receiver
+ title <<final>> title(): String + isLast(): boolean + isValid(): boolean + addBooleanField(Key: String, prompt: String): void + addRealField(Key: String, prompt: String): void + addIntegerField(Key: String, prompt: String): void + addStringField(Key: String, prompt: String): void + addOptionField(Key: String, prompt: String, options: String...): void + booleanField(Key: String): Boolean + realField(Key: String): Double + integerField(Key: String): Integer + stringField(Key: String): String + optionField(Key: String): String + <<final>> performCommand(): void #<<abstract>> execute(): void

<<interface>> InteractionDriver
+ open(menu: Menu): void + fill(form: Form): void + render(title: String, text text: String): void + close(): void

Dialog
<pre> - <<final>> ACTION_CHANNEL : String = "ui" - <<final>> CHANNEL_SWING : String = "swing" - <<final>> CHANNEL_NEW_SWING : String = "new swing" - <<final>> CHANNEL_TEXT : String = "text" + open (menu: Menu) : void + fill (form: Form) : void + render (title: String, text: String) : void + close() : void </pre>

Display
<pre> - title: String = "" + add (toAdd: Object) : Display + add All (items: Collection<?>) : Display + addLine (toAdd: Object) : Display + addNewLine (toAdd: Object, force: boolean) : Display + <<final>> display() : void + <<final>> displayText() : void + popup (toPop: Object) : void + popup (toPop: Collection<?>) : void + clear() : void </pre>

CompositePrintStream
<pre> - error: boolean = false + <<final>> add (ps: PrintStream) : void </pre>

TextInteraction
<pre> - writeInput : boolean + close() : void + open (menu: Menu) : void + fill (form: Form) : void + render (title: String, text: String) : void - readString (prompt: String) : String - readInteger (prompt: String) : int </pre>

Type: Class
<pre> <<abstract>> Field - prompt: String - clear: boolean # value: Type + prompt() : String + set (value: Type) : void + value() : Type + clear() : void # dirty() : void + clearAll() : boolean + isReadOnly() : boolean + <<abstract>> parse (in: String) : boolean </pre>

FieldInteger
<pre> + parse (in: String) : boolean </pre>

FieldBoolean
<pre> - <<final>> BOOLEAN_WORD_YES : String = "sim" - <<final>> BOOLEAN_WORD_NO : String = "nao" - <<final>> BOOLEAN_CHAR_YES : char = 's' - <<final>> BOOLEAN_CHAR_NO : char = 'n' + parse (in: String) : boolean </pre>

Menu
<pre> - title: String + title() : String + size() : int + entry (n: int) : Command<?> + entries() : Command<?>[] + open() : void </pre>

DoOpenMenu
<pre> # <<final>> execute() : void </pre>

FieldNone
<pre> + parse (in: String) : boolean + isReadOnly() : boolean </pre>

FieldString
<pre> + parse (in: String) : boolean </pre>

FieldReal
<pre> + parse (in: String) : boolean </pre>

FieldOption
<pre> - options: String[] + parse (in: String) : boolean </pre>