

Enterprise Solution 2023

Nikita Vasilchuk - MPNE #19078 R&S
System Engineer
n.vasilchuk@elko.by

October 2023

About MAIPU

1993

30 years experience in data communication market

Staff

Over 1500 employees, near 50% are R&D professionals

Qualification

IISO9001, ISO14001, ISO27001 and ISO45001

Market

Over 60+ countries coverage

Vision

Becoming the world's leading data communication network solutions provider



International presence

Maipu has always been to meet customer needs as the guidance, to build a professional and efficient international sales&service system



Maipu Group HQ



Manufactory in Chengdu




R&D Center in Wuhan



HQ in Chengdu



Operation Center in
Beijing



elko.by

R&D Strength



2 R&D Centers in Chengdu & Wuhan



1600+ Patents Applications



300+ Registered Software Products



CMMI Maturity Level **5**



Router, Switch, Wi-Fi, Security, VoIP, IoT, Application

7 Product Lines

elko.by

STRUCTURE OF SALES DEPARTMENT

- Largest Networking Manufactory Base in Central & Western China
- 17, 000 Square Meters
- Annual Production Capacity if 2,000,000 Units



MAIPU Product Milestone

Transmission


1993→1999

1993: Multiplexer Modem-MP1000C
1997: DDN Modem-MP128
1998: DDN MUX-MP9400
1999: SDH/ATM MUX-MP9700

IP Access Network

2000→2007

2000: Access Router-MP2600
2003: Aggregation Router-MP3600
2005: Access Switch-S5000/S5100
2006: Aggregation Router-MP3700
2007: Aggregation Switch-S4126
2007: VoIP Access Gateway-VG800/VG2000



Data Center/SDN/Cloud

2018→2023

2018: 4G Router-MP1800X-40/40W/40E
2018: Access Router-MP1900X/2900X
2018: Aggregation Router-MP3900X
2018: Aggregation Router-MP7300X
2018: Campus Core Switch-S12800
2019: Aggregation Switch-S5820/5830
2019: Access Switch-S32/33/42/4330
2020: Campus Wi-Fi6-WNC6600+WA2600
2021: SDN Campus Solution 1.0
2021: Cloud Wi-Fi6 1.0 Solution
2021: 5G Module For MP1900X/MP2900X
2022: SDN Campus Solution 2.0
2022: Core VoIP Gateway-VG7000
2022: 10/25G DC Leaf Switch-NSS5830/5930
2022: 100G DC Spine Switch-NSS18500
2022: Cloud Wi-Fi6 2.0 Solution
2023: Campus Core Switch-NSS11500
2023: NBase-T Switch-NSS5812

IP Core Network

2009→2017

2008: Aggregation Router-MP3800
2009: Core Router-MP7200/7500E
2010: VoIP Gateway-VG6500/VG6000
2012: Core Switch-S6800
2013: 3G Router-MP1800
2014: Core Switch-S8900
2015: Campus Wi-Fi5-WNC6600+WA2600
2015: IP Phone-VEP300
2016: 4G IoT Gateway-STR800
2017: Campus Core Switch-S8900E
2017: VoIP Gateway-VG2000-S

Agenda

Agenda

- Data Center Switch Introduction
- Campus Switch Introduction
- MAIPU Switch Correspondence
- Wireless Product Line
- Router Product Line
- M2M Gateway Product Introduction
- Firewall Product Line
- VoIP Product Line
- Management Platform



Data Center Switch Introduction

MAIPU Data Center Switch Product Line Family

Core



NSS18500

Items	Features
Hardware	CLOS Architecture
High Availability	Redundant Design
High Performance	Maximum 288*100G Port
Rich DC Features	VxLAN/EVPN, RoCEv2, etc.
Full Management	Telemetry, Netconf
Target Market	Enterprise DC Spine Node

Aggregation



NSS5950

Items	Features
Hardware	1 RU
High Availability	Redundant Fan & Power
High Performance	Maximum 32*100G Port
Rich DC Features	VxLAN/EVPN, RoCEv2, etc.
Full Management	Telemetry, Netconf
Target Market	Enterprise DC Spine & Leaf Node

Access



NSS5930NSS5830

Items	Features
Hardware	1 RU
High Availability	Redundant Fan & Power
High Performance	Max. 48*25G+8*100G Port Max. 48*10G+8*100G Port
Rich DC Features	VxLAN/EVPN, RoCEv2, etc.
Full Management	Telemetry, Netconf
Target Market	Enterprise DC Leaf Node

2023.Q4 New Firmware Upgrade

- DCBX, IQCN, iNoF
- VxLAN+EVPN Multihoming
- M-LAG Features Enhancement
- MACSec Features
- Telecom/ISP Features Enhancement VPLS, VPWS, L2PT, CFM

Campus Switch Introduction

MAIPU Campus Switch Product Line Family

Campus Core



NSS11500

Positioning

Core Switch For SDN
Campus Network

Advantages

Full Redundant Hardware Design
High 1G/10G/40G Interface Density

MPLS VPN, VxLAN, Complete
L2/L3 Features, SDN Ready

Campus Distribution



NSS6600

Positioning

Distribution Switch For SDN
Campus Network

Advantages

Full Redundant Hardware Design
High 1G/10G/40G Interface Density

MPLS VPN, VxLAN, Complete
L2/L3 Features, SDN Ready

Campus Aggregation



NSS5810

Positioning

10 Gigabit Aggregation Switch
For SDN Campus Network

Advantages

MPLS VPN, VxLAN, Complete
L2/L3 Features, SDN Ready



NSS4330

Positioning

Gigabit Aggregation Switch For
SDN Campus Network

Advantages

MPLS VPN, VxLAN, Complete
L2/L3 Features, SDN Ready



NSS5812

Positioning

Gigabit Multi-Gigabit 10G Switch
For SDN Campus Network

Advantages

MPLS VPN, VxLAN, Complete
L2/L3 Features, SDN Ready



NSS3530

Positioning

Gigabit Aggregation Switch For
SDN Campus Network

Advantages

Complete L2 Features, Lite L3
Features, SDN Ready



NSS3330

MAIPU Campus Switch Product Line Family

Campus Aggregation




S4330

Positioning

Gigabit L3 Aggregation Switch and Gigabit L3 Access Switch For SDN Campus Network

Advantages

Complete L2 Features, Lite L3 Features, SDN Ready



S4230

Positioning

Gigabit L3 Aggregation Switch and Gigabit L3 Access Switch For SDN Campus Network

Advantages

Complete L2 Features, Lite L3 Features, SDN Ready

Campus Access



S3330

Positioning

Gigabit L3 Lite Access Switch For SDN Campus Network

Advantages

Complete L2 Features, Lite L3 Features, SDN Ready



S3230

MAIPU SWITCH CORRESPONDENCE

MAIPU vs Cisco

Maipu Enterprise Series



NSS11500 Series



NSS6600 Series



NSS5812 Series

NSS5810 Series



NSS4330 Series

S4330/S4230 Series



NSS3530 Series

NSS3330 Series



S3330 Series

S3230 Series

Maipu Data Center Series



NSS18500 Series



NSS5950 Series




NSS5930 Series



NSS5830 Series



NSS5830 Series



NSS5830 Series

Cisco Enterprise Series



Catalyst 9400 Series



Catalyst 9300 Series




Catalyst 9200 Series

Cisco Data Center Series



Nexus 9000 Series



Catalyst 9500 Series

MAIPU vs Aruba

Maipu Enterprise Series



NSS11500 Series



NSS6600 Series



NSS5812 Series

NSS5810 Series



NSS4330 Series

S4330/S4230 Series



NSS3530 Series

NSS3330 Series



S3330 Series

S3230 Series

Maipu Data Center Series



NSS18500 Series



NSS5950 Series



NSS5930 Series



NSS5830 Series



NSS5830 Series

Aruba Enterprise Series



CX 6400 Series



CX 6200 Series



CX 6100 Series



3810 Series



2930 Series

Aruba Data Center Series



CX 8400 Series



CX 8360 Series



CX 8325 Series



CX 6300 Series

MAIPU vs Huawei

Maipu Enterprise Series



NSS11500 Series



NSS6600 Series




NSS5812 Series

NSS5810 Series



NSS4330 Series



S4330/S4230 Series



NSS3530 Series



NSS3330 Series



S3330 Series



S3230 Series

Maipu Data Center Series



NSS18500 Series



NSS5950 Series




NSS5930 Series



NSS5830 Series



NSS5830 Series



NSS5830 Series

Huawei Enterprise Series



S12700 Series



S7700 Series



S6720 Series



S5720 Series



S5720S Series

Huawei Data Center Series



Cloud Engine 12800 Series



Cloud Engine 8800 Series



Cloud Engine 6800 Series



Cloud Engine 5800 Series


Wireless Product Line

WNC6600 Series Access Controller Product Line Family



Product Model	WNC6600-100-AC	WNC6600-200-AC	WNC6600-500-AC	WNC6600-1000-AC	WNC6600-2000-AC
Default AP No.	32	64	64	128	128
Max. AP No.	128	256	512	1024	2048
100/1000 Base-T	24*100M (8*PoE Out)	8 (8*PoE Out)	12	12	12
1G SFP	2*1 Combo (SFP+/RJ45)	2	12	12	12
10G SFP+	N/A	N/A	2	2	2
USB2.0 Port	1	1	1	1	1
Console Port	1	1	1	1	1
Power Supply	Fixed Single AC	Fixed Single AC	Dual Modular Power	Dual Modular Power	Dual Modular Power
Heigh	1RU	1RU	1RU	1RU	1RU

Software Virtual Controller



elko.by

WNC2600 Series Access Point Family

2023
Q2



2023
Q2



2023
Q2



New



Product Module	WA2600-830-PTE	WA2600-825-PE	WA2600-822-PE	WA2600-726-PTE	WA2600-821-PE	WA2600-815-PE
Mounting Mode	Ceiling Mount	Wall Mount	Ceiling Mount	Pole Mount	Ceiling Mount	Wall Mount
Throughput	5.4Gbps	3Gbps	3Gbps	1.8Gbps	1.8Gbps	1.8Gbps
Standard	802.11a/b/g/n/ac/ax	802.11a/b/g/n/ac/ax	802.11a/b/g/n/ac/ax	802.11a/b/g/n/ac/ax	802.11a/b/g/n/ac/ax	802.11a/b/g/n/ac/ax
Wireless Band	Triple Band (2.4G&5.2G&5.8G)	Dual Band (2.4G&5G)	Dual Band (2.4G&5G)	Dual Band (2.4G&5G)	Dual Band (2.4G&5G)	Dual Band (2.4G&5G)
Interfaces	1*2.5G RJ45 (PoE) 1*1G RJ45	1*1G RJ45 (PoE) 4*1G RJ45	1*1G RJ45 (PoE) 1*1G RJ45	1*1G RJ45 (PoE) 1*1G Combo (SFP+RJ45)	1*1G RJ45 (PoE) 1*1G RJ45	1*1G RJ45 (PoE) 14*1G RJ45
MIMO	3:2*2	2:2*2	2:2*2	2:2*2	2:2*2	2:2*2
PoE Input	Yes	Yes	Yes	Yes	Yes	Yes
12V DC Input	Yes	Yes	Yes	N/A	Yes	Yes

Router Product Line

MAIPU Enterprise Router Product Line Family

Core Router



MP7500X-04/10

Hardware

Redundant and Modular Hardware Design
1G/10G/40G, POS/CPOS/E1 Module

Positioning

Core Router For Enterprise Large-Size HQ

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN

Aggregation Router



MP7300X


Positioning
Medium-Sized
Enterprise HQ

Hardware

Modular Design
1G/10G/POS/CPOS/E1/V35 Module

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN



Positioning

Small-Sized
Enterprise HQ

Hardware

Modular Design
1G/POS/CPOS/E1/V35 Module

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN

Access Router



MP2900X

Positioning
Medium-Sized
Enterprise HQ

Hardware
Modular Design
1G/E1/V35/5G/4G
Module

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN



MP1900X

Positioning
Small-Sized
Enterprise Branch

Hardware
Modular Design
1G/E1/V35/5G/4G
Module

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN

Edge Router



MP1800X-50

Positioning
Small-Sized
Enterprise Office

Hardware
Fixed 5*Gigabit
WAN&LAN Ports

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN



MP1800X-40

Positioning
Small-Sized
Enterprise Mobile
Office

Hardware
Fixed Single/Dual 4G
LTE Modems

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN

MAIPU Enterprise Router Product Line Family

Aggregation Router



NSR7300X-X8

Hardware

Modular Design
1G/10G/POS/CPOS/E1

Positioning

Medium-Sized
Enterprise HQ

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN

Aggregation Router



NSR3900X-X4

Software

IPv4&IPv6 Dual Stack
Static/RIP/OSPF/BGP/ISIS
MPLS/IPSec/GRE/L2TPv3/VxLAN

Positioning

Small-Sized
Enterprise HQ

Hardware

Modular Design
1G/E1/LTE/5G
Module

M2M Gateway Product Introduction

Typical M2M Product Applications



CCTV



Banking



Charging Pile




Logistic Machine



More

Maipu M2M Product Line Family

IoT Controller



IOM Management

5G M2M Gateway



STR880-4S

4G M2M Gateway



STR800-4D

4G Outdoor Gateway



STR800-4SO

4G Industrial Gateway



STR800-2SR

Wired Gateway



STR800-4T



STR800-4S

Firewall Product Line

NEW MPSec MSG4000 Series Firewall



MPSec MSG4000-X1



MPSec MSG4000-G6



MPSec MSG4000-G2




MPSec MSG4000-G1



Item	MPSec MSG4000-X1	MPSec MSG4000-G6	MPSec MSG4000-G2	MPSec MSG4000-G1
Hardware Version	V5	V5	V4	V6
L2&L3 Firewall Throughput	22Gbps	15Gbps	8Gbps	2.6Gbps
Max.Concurrent (Million)	10M	4.2M	3M	1M
New Connection/Second	130K	130K	80K	16K
Recommend Users	5K-10K	3K-5K	1K-3K	500
Max. IPSec Tunnels	3000	2000	1500	200
Max. IPSec Throughput	5.5Gbps	3Gbps	1Gbps	472Mbps
Max. IPS Throughput	2.6Gbps	2.2Gbps	2Gbps	200Mbps
Max. IPS Throughput	4.3Gbps	3.5Gbps	3Gbps	360Mbps
Max. NAT Policy	4K	4K	4K	4K
Power Supply	Dual Power Slots	Dual Power Slots	Dual Fixed AC	Single Fixed AC
Default 1Gbps Interfaces	16*GET + 4*GEF	8*GET + 2*GEF	8*GET + 2*GEF	8*GET + 2*GEF Combo
Default 10Gbps Interfaces	4*10G SFP+	2*10G SFP+	2*10G SFP+	N/A
Expansion Slots	2	2	2	N/A

VoIP Product Line

VC8100 Soft Switch Platform



RFC3261 SIP2.0 Standard



Rich Value-Added Features



High SIP Registering Performance

High Performance

Max. 20K SIP Register Users
Max. 1.5K concurrent instant calls
Max. 300 Concurrent call record
Max. 300 concurrent teleconferencing
Max. 100 concurrent voice mailbox

Value-Added Service

License based: Voice Mail,
Voice recording, Voice
conference, Attendant
console, Voice monitoring


High Availability

1+1 Backup

Key Protocols

SIP2.0, RFC3261, G.711, G.722,
G.723.1, G.726, iLBC, GSM,
OPUS, DTMF, RFC2833, info
mode, T.38 Fax, VBD Fax

VoIP Media Gateway



VG7000

Voice E1

Max. 16*E1 Ports

FXS/FXO

Max. 576*FXS or 192*FXO

RFC3261 SIP2.0 Standard
4*1000M RJ45 Interface
High Density E1/FXS/FXO Ports



VG2000-32

Voice E1

1*E1 Port

RFC3261 SIP2.0 Standard
2*100M RJ45 Interface
1*Voice E1 Slot and 4*FXS/FXO Slots

FXS/FXO

Max. 32*FXS or 16*FXO Ports



VG2000-S

FXS

8/16/32/48/64/128 Ports

FAX

T38 Protocol

RFC3261 SIP2.0 Standard
2*100M RJ45 Interface
High Density FXS Ports

IP Phones



VEP320E

SIP

Coding

Max. 6 SIP Account G.711a/u, G.722, G.726, G.729ab, iLBC, OPUS



VEP620E

SIP

Coding

Max. 20 SIP Account G.711a/u, G.722, G.726, G.729ab, iLBC, OPUS



VEP620P


SIP

Coding

Max. 20 SIP Account G.711a/u, G.722, G.726, G.729ab, iLBC, OPUS

Management Platform

Matrix Center SNMP Management Platform



- ON-PREMISE DEPLOYMENT
- DEVICE MANAGEMENT
- TOPOLOGY MANAGEMENT
- ALARM MANAGEMENT
- ASSETS MANAGEMENT
- PERFORMANCE MANAGEMENT
- UPGRADE MANAGEMENT
- STATISTICS MANAGEMENT


■ ROUTER

■ SWITCH

■ WIRELESS

■ VOIP


BD-LAN SDN Campus Controller



- ON-PREMISE DEPLOYMENT
- ZERO TOUCH PROVISION
- SERVICE AUTO IMPLEMENTATION
- ONE-CLICK REPLACEMENT
- AUTO UPGRADE MANAGEMENT
- SECURE TERMINAL ACCESS
- FULL DIMENSION REPORT

■ SDN CAMPUS SWITCH

IoT M2M Cloud Platform




■ M2M 4G GATEWAY

■ M2M 5G GATEWAY

- CLOUD DEPLOYMENT
- MULTI-TENANT ARCHITECTURE
- DEVICE MANAGEMENT
- VPN MANAGEMENT
- CONFIGURATION MANAGEMENT
- ALARM MANAGEMENT
- UPGRADE MANAGEMENT
- STATISTICS MANAGEMENT

AAS Authentication Platform

Maipu network access system **Enterprise version**



- ON-PREMISE DEPLOYMENT
- RICH WEB AUTHENTICATION MODELS
- SELF-SERVICE PORTAL MANAGEMENT
- ADVERTISING
- GUEST ANALYSIS
- PUSH CONTENTS BY SCENARIOS
- ENTERPRISE SECURITY ACCESS
- AUTHENTICATION BINDING FUNCTION
- AUTHENTICATION AND AUTHORIZATION
- HIERARCHICAL AND DECENTRALIZED MANAGEMENT

Thank you!