Trackit tesztek

Execution Environment

Host name	User - DESKTOP-A20GIM6.home
Local OS	Windows 10 64bit
Katalon version	10.2.0.0
Browser	Chrome 136.0.7103.94
Device name	

Summary

ID	Test Suites/Trackit tesztek
Description	

Total	4		
Passed	0	**Failed**	3
Error	0	**Incomplete**	1
Skipped	0		
Start	14-05-2025 23:34:41	**End**	14-05-2025 23:35:09
Elapsed	28,411s		

#	ID	Description	Status
1	Test Cases/KanbanAndTodo/Feladat szerkesztése		FAILED
2	Test Cases/KanbanAndTodo/Feladat törlése		FAILED
3	Test Cases/KanbanAndTodo/Sikeres feladat felvétel		FAILED
4	Test Cases/login/hibás e-mailes bejelentkezési kísérlet		INCOMPLETE

Feladat szerkesztése

Information

ID	Test Cases/KanbanAndTodo/Feladat szerkesztése
Description	
Tag	

Start	14-05-2025 23:34:42	**End**	14-05-2025 23:34:54
Elapsed	12,551s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	6,535s	PASSED

Browser is opened with url: ''

Feladat szerkesztése

| #	Description	Elapsed	Status
2	navigateToUrl("http://localhost:4200/login")	5,157s	FAILED

Unable to navigate to 'http://localhost:4200/login' (Root cause: com.kms.katalon.core.
exception.StepFailedException: Unable to navigate to 'http://localhost:4200/login'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:117)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:43)
    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl
(WebUiBuiltInKeywords.groovy:185)
    at Feladat szerkesztése.run(Feladat szerkesztése:22)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:486)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:477)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:456)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:322)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:71)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:160)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
107)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
186)
    at TempTestSuite1747258473633.run(TempTestSuite1747258473633.groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.WebDriverException: unknown error: net::
ERR_CONNECTION_REFUSED
  (Session info: chrome=136.0.7103.94)
Build info: version: '4.28.1', revision: '73f5ad48a2'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version:
'17.0.14'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Command: [e5563ac0d059d422c023ade5f2edc6bd, get {url=http://localhost:4200/login}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
136.0.7103.94, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019...,
userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:51858}, networkConnectionEnabled: false, pageLoadStrategy:
normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51858/devtoo..., se:
cdpVersion: 136.0.7103.94, setWindowRect: true, strictFileInteractability: false, timeouts:
{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore,
webSocketUrl: ws://localhost:28940/sessio..., webauthn:extension:credBlob: true, webauthn:
extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf:
true, webauthn:virtualAuthenticators: true}

Feladat szerkesztése

#	Description	Elapsed	Status

	Session ID: e5563ac0d059d422c023ade5f2edc6bd
	        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
	        at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
	        at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
	        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:138)
	        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:50)
	        at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)
	        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216)
	        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)
	        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	        at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)
	        at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.to (RemoteWebDriver.java:1090)
	        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
	        at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)
	        at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)
	        at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda$createProxyFactory$3(WebDriverDecorator.java:405)
	        at net.bytebuddy.renamed.java.lang.Object$ByteBuddy$Jy9STAGU.to(Unknown Source)
	        at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:81)
	        at com.kms.katalon.core.webui.keyword.builtin. NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
	        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35)
	        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword. navigateToUrl(NavigateToUrlKeyword.groovy:83)
	        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)
	        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
	        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:185)
	        at Script1747246738412.run(Script1747246738412.groovy:22)
	        ... 15 more
	)		

Feladat szerkesztése

#	Description		Elapsed	Status

A webhely nem érhető el

A(z) **localhost** visszautasította a csatlakozást.

Próbálja ki a következőket:
- A kapcsolat ellenőrzése
- A proxy és a tűzfal ellenőrzése

ERR_CONNECTION_REFUSED

Újratöltés   Részletek

Feladat törlése

Information

ID	Test Cases/KanbanAndTodo/Feladat törlése
Description	
Tag	

Start	14-05-2025 23:34:54	**End**	14-05-2025 23:35:04
Elapsed	9,774s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	4,270s	PASSED

Browser is opened with url: ''

Feladat törlése

#	Description	Elapsed	Status
2	navigateToUrl("http://localhost:4200/login")	5,247s	FAILED

Unable to navigate to 'http://localhost:4200/login' (Root cause: com.kms.katalon.core.
exception.StepFailedException: Unable to navigate to 'http://localhost:4200/login'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:117)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:43)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.
navigateToUrl(NavigateToUrlKeyword.groovy:83)
        at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute
(NavigateToUrlKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl
(WebUiBuiltInKeywords.groovy:185)
        at Feladat törlése.run(Feladat törlése:22)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:486)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:477)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:456)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:322)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
186)
        at TempTestSuite1747258473633.run(TempTestSuite1747258473633.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.WebDriverException: unknown error: net::
ERR_CONNECTION_REFUSED
  (Session info: chrome=136.0.7103.94)
Build info: version: '4.28.1', revision: '73f5ad48a2'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version:
'17.0.14'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Command: [c1b6f63b60c02cd7dedeef59a5bedfc2, get {url=http://localhost:4200/login}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
136.0.7103.94, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019...,
userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:51894}, networkConnectionEnabled: false, pageLoadStrategy:
normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51894/devtoo..., se:
cdpVersion: 136.0.7103.94, setWindowRect: true, strictFileInteractability: false, timeouts:
{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore,
webSocketUrl: ws://localhost:2743/session..., webauthn:extension:credBlob: true, webauthn:
extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf:
true, webauthn:virtualAuthenticators: true}

Feladat törlése

#	Description	Elapsed	Status

	Session ID: c1b6f63b60c02cd7dedeef59a5bedfc2
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)
	    at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:313)
	    at org.openqa.selenium.remote.RemoteWebDriver$RemoteNavigation.to (RemoteWebDriver.java:1090)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
	    at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)
	    at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)
	    at org.openqa.selenium.support.decorators.WebDriverDecorator.lambda$createProxyFactory$3(WebDriverDecorator.java:405)
	    at net.bytebuddy.renamed.java.lang.Object$ByteBuddy$O5Ge8IMc.to(Unknown Source)
	    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword$_navigateToUrl_closure1.doCall(NavigateToUrlKeyword.groovy:81)
	    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword$_navigateToUrl_closure1.call(NavigateToUrlKeyword.groovy)
	    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35)
	    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.navigateToUrl(NavigateToUrlKeyword.groovy:83)
	    at com.kms.katalon.core.webui.keyword.builtin.NavigateToUrlKeyword.execute (NavigateToUrlKeyword.groovy:67)
	    at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.navigateToUrl (WebUiBuiltInKeywords.groovy:185)
	    at Script1747246727792.run(Script1747246727792.groovy:22)
	    ... 15 more
	)		

Feladat törlése

#	Description	Elapsed	Status

A webhely nem érhető el

A(z) **localhost** visszautasította a csatlakozást.

Próbálja ki a következőket:
- A kapcsolat ellenőrzése
- A proxy és a tűzfal ellenőrzése

ERR_CONNECTION_REFUSED

Újratöltés   Részletek

#	Description	Elapsed	Status

Sikeres feladat felvétel

Information

ID	Test Cases/KanbanAndTodo/Sikeres feladat felvétel
Description	
Tag	

Start	14-05-2025 23:35:04	**End**	14-05-2025 23:35:09
Elapsed	4,896s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	2,679s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("http://localhost:4200/login")	1,522s	PASSED
	Navigate to 'http://localhost:4200/login' successfully		

Sikeres feladat felvétel

#	Description	Elapsed	Status
3	setText(findTestObject("Object Repository/Page_TrackIt/input_Email_email"), "koni@gmail.com")	0,484s	FAILED

Unable to set text 'koni@gmail.com' of object 'Object
Repository/Page_TrackIt/input_Email_email' (Root cause: com.kms.katalon.core.exception.
StepFailedException: Unable to set text 'koni@gmail.com' of object 'Object
Repository/Page_TrackIt/input_Email_email'
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
(WebUIKeywordMain.groovy:117)
      at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:43)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:86)
      at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:39)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1056)
      at Sikeres feladat felvétel.run(Sikeres feladat felvétel:24)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
java:486)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.
java:477)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:456)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
java:322)
      at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
(CommonExecutor.java:71)
      at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
(TestSuiteExecutor.java:160)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
107)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
186)
      at TempTestSuite1747258473633.run(TempTestSuite1747258473633.groovy:35)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id
Build info: version: '4.28.1', revision: '73f5ad48a2'
System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version:
'17.0.14'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Command: [6ae3a8b9af8b5ffffc33f200c1edf015, findElements {using=xpath, value=//input
[@id='email']}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
136.0.7103.94, chrome: {chromedriverVersion: 135.0.7049.84 (6c019e560019...,
userDataDir: C:\Users\User\AppData\Local...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:51928}, networkConnectionEnabled: false, pageLoadStrategy:
normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51928/devtoo..., se:
cdpVersion: 136.0.7103.94, setWindowRect: true, strictFileInteractability: false, timeouts:
{implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: ignore,
webSocketUrl: ws://localhost:18882/sessio..., webauthn:extension:credBlob: true, webauthn:

#	Description	Elapsed	Status

extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: 6ae3a8b9af8b5ffffc33f200c1edf015
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45)
    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:138)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:50)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:215)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute (DriverCommandExecutor.java:216)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:174)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:545)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements (ElementLocation.java:182)
    at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation. java:103)
    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:381)
    at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:375)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at org.openqa.selenium.support.decorators.WebDriverDecorator.call (WebDriverDecorator.java:315)
    at org.openqa.selenium.support.decorators.DefaultDecorated.call (DefaultDecorated.java:48)
    at org.openqa.selenium.support.decorators.WebDriverDecorator. lambda$createProxyFactory$3(WebDriverDecorator.java:405)
    at org.openqa.selenium.remote.RemoteWebDriver$ByteBuddy$Esl7eEys. findElements(Unknown Source)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1063)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:954)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:936)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:931)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:927)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:759)
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1447)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.

Sikeres feladat felvétel

#	Description	Elapsed	Status
	SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:35) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:86) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1056) at Script1747246723230.run(Script1747246723230.groovy:24) ... 15 more)		

hibás e-mailes bejelentkezési kísérlet

Information

ID	Test Cases/login/hibás e-mailes bejelentkezési kísérlet
Description	
Tag	

Start	14-05-2025 23:35:09	**End**	14-05-2025 23:35:09
Elapsed	0,000s		
Status	INCOMPLETE		

Details

Test Cases/login/hibás e-mailes bejelentkezési kísérlet