Cucumber Report

Start : Feb 21, 9:31:41.100 AM

End : Feb 21, 9:32:25.673 AM

Duration : 44.573 s

Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 1
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 0

1	1	2

0 %	0 %	50 %

#	Feature Name	T	P	F	S	Duration
1	test	1	0	1	0	44.573 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	test	Title of your scenario	2	1	1	0	44.564 s

(F)- test

FAILED	DURATION - 44.573 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 9:31:41.100 AM // 9:32:25.673 AM /		Pass - 0	1	Pass - 1	2
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Title of your scenario

FAILED	DURATION - 44.564 s		Steps	
/ 9:31:41.109 AM // 9:32:25.673 AM /			Total - 2	
test			Pass - 1	2
			Fail - 1	
@tag @tag1			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given - Given Open the TXO App	PASSED	1.388 s
2	And - And Close the browser	FAILED	35.143 s
	AppName Intuit QuickBooks? Online * Not displayable characters are replaced by '?'. Thehave been cropped to fit in the available space.		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#a\-main2"} (Session info: chrome=109.0.5414.120) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/ no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'TEST-VM1', ip: '10.10.0.29', os.name: 'Windows Server 2016', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.120, chrome: {chromedriverVersion: 109.0.5414.74 (e7c5703604da..., userDataDir: C:\Program Files (x86)\scop...}, goog:chromeOptions: {debuggerAddress: localhost:64460}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration

	webauthn:virtualAuthenticators: true} Session ID: 9095bf0830355b1cb8a897af47a92ea4 *** Element info: {Using=id, value=a-main2}
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)
	    at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElementById(RemoteWebDriver.java:372)
	    at org.openqa.selenium.By$ById.findElement(By.java:188)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315)
	    at MainClass.MainClassMethod.close_the_browser(MainClassMethod.java:28)
	    at ?.Close the browser(file:///C:/Users/admin/Documents/Java%20workspace/TestScript/src/test/resoures/FeatureFile/Test.feature:9)
	* Not displayable characters are replaced by '?'.		

	AFTER - AppHooks.ApplicationHooks.tearDown(io.cucumber.java.Scenario) Title_of_your_scenario +	PASSED	0.742 s

(Step) AFTER - AppHooks.
ApplicationHooks.tearDown(io.cucumber.
java.Scenario)

(S) Title of your scenario

(F) test