UNLaM

Bootstrap

Programación Web I / Móvil I

Comisión Miércoles Noche

Dys. Alicia Rosenthal

Tec. Willian Dos Reis

Comisión Viernes Mañana

Ing. Gerardo Barbosa

Ing. Gabriel Panik

Frameworks CSS

Bootstrap

Spotify

Twitter

Lyft

StackShare

Materialize

The3ballsoft

GeoLytix

Avhana Health

Linkwok

Frameworks CSS

Foundation

Docker

HotelTonight

OpenTable

Accenture

Pure

Dev Branch

Hacktoolkit

Wizters

PodcastParty

Semantic UI

Snapchat

Create.It

imgn.us

Reviewable

Bootstrap

- Grilla Responsive
  12 columnas Mobile First

- Preprocesador Sass

- Flexbox

- Componentes: Slider, modales, carrouseles,

  dropdown, alertas, popover, spinners, toast,

  collapse, menues, etcs

Cómo empezar

Build fast, responsive sites with Bootstrap

Quickly design and customize responsive mobile-first sites with Bootstrap, the world's most popular front-end open source toolkit, featuring Sass variables and mixins, responsive grid system, extensive prebuilt components, and powerful JavaScript plugins.

Get started   Download

Currently v4.5.0

Contenedores

.container, establece un ancho máximo en cada breakpoint
.container-fluid, 100% en todos los breakpoints
.container-{breakpoint} , es 100% del ancho hasta ese breakpoint

	Extra small <576px	Small ≥576px	Medium ≥768px	Large ≥992px	Extra large ≥1200px
.container	100%	540px	720px	960px	1140px
.container-sm	100%	540px	720px	960px	1140px
.container-md	100%	100%	720px	960px	1140px
.container-lg	100%	100%	100%	960px	1140px
.container-xl	100%	100%	100%	100%	1140px
.container-fluid	100%	100%	100%	100%	100%

Columnas

SISTEMA DE REJILLA CON 12 COLUMNAS

COLUMNA

1 2 3 4 5 6 7 8 9 10 11 12

Columnas

1	1	1	1	1	1	1	1	1	1	1	1

2		2		2		2		2		2	

3			3			3			3		

4				4				4			

6						6					

4				8							

| 12 | | | | | | | | | | | |

Columnas

- **col-* ->** todos

- **col-xs-* ->** menores a 576px

- **col-sm-* ->** <= a 576px

- **col-md-* ->** <= a 768px

- **col-lg-* ->** <= a 992px

- **col-xl-* ->** <= a 1200px

Márgenes

- **m-***

- **mt-***

- **mb-***

- **ml-***

- **mr-***

Paddings

- **p-***

- **pt-***

- **pb-***

- **pl-***

- **pr-***

Textos

- .h1 – h6

- .display-1 – display-6

- text-center

- text-right

- text-left

Textos

- **h1** Bootstrap (2.5rem = 40px)

- **h2** Bootstrap (2rem = 32px)

- **h3** Bootstrap (1.75rem = 28px)

- **h4** Bootstrap (1.5rem = 24px)

- **h5** Bootstrap (1.25rem = 20px)

- **h6** Bootstrap (1rem = 16px)

Colores

.text-primary

.text-secondary

.text-success

.text-danger

.text-warning

.text-info

.text-light

.text-dark

.text-muted

Colores Background

.bg-primary

.bg-secondary

.bg-success

.bg-danger

.bg-warning

.bg-info

.bg-light

.bg-dark

.bg-muted

Imágenes y bordes

- **img-fluid**
- **rounded**
- **rounded-circle**
- **rounded-top**
- **rounded-bottom**
- **rounded-left**
- **rounded-right**
- **rounded-0**

Display

.d-{value} para xs
.d-{breakpoint}-{value} para sm, md, lg, y xl.

- **none**
- **inline**
- **inline-block**
- **block**
- **flex**

Button


```html
<button type="button" class="btn btn-primary">Primary</button>
<button type="button" class="btn btn-secondary">Secondary</button>
<button type="button" class="btn btn-success">Success</button>
<button type="button" class="btn btn-danger">Danger</button>
<button type="button" class="btn btn-warning">Warning</button>
<button type="button" class="btn btn-info">Info</button>
<button type="button" class="btn btn-light">Light</button>
<button type="button" class="btn btn-dark">Dark</button>

<button type="button" class="btn btn-link">Link</button>
```