

DepthVista

DepthVista Build Manual



Version 1.1

e-con Systems

11/10/2022

Disclaimer

e-con Systems reserves the right to edit/modify this document without any prior intimation of whatsoever.

Contents

| | |
|-----------------------------------|-----------|
| INTRODUCTION TO DEPTHVISTA | 3 |
| PREREQUISITES | 3 |
| DESCRIPTION | 3 |
| INSTALLING DEPTHVISTASDK | 5 |
| GETTING DEPTHVISTASDK | 5 |
| FROM .ZIP FILE FROM GITHUB | 5 |
| BY CLONING FROM GITHUB | 5 |
| INSTALLING DEPTHVISTASDK | 5 |
| INSTALLING DEPENDENCIES | 7 |
| BUILDING DEPTHVISTA | 8 |
| TROUBLESHOOTING | 10 |
| SUPPORT | 11 |

Introduction to DepthVista

The DepthVista application is a V4L2 application to view streaming from e-con Systems See3CAM_TOF_25CUG_CHLCC_H01R1 camera.

This document describes the step-by-step procedure to build DepthVista on the host PC.

Prerequisites

The prerequisites are as follows:

- DepthVista application source code.
- CMake (version 3.5 and above).
- DepthVistaSDK.
- libdc1394-25(For Ubuntu 20.04)

```
sudo apt-get install libdc1394-25
```

- libdc1394-22(For Ubuntu 18.04)

```
sudo apt-get install libdc1394-22
```

Description

DepthVista has USB interface controller with USB Type-C connector to interface with the host PC. It is a ready-to-manufacture camera board with all the necessary firmware built-in and is compatible with the UVC version 1.0 standard. You can integrate this camera into the products, and this helps to cut short the time-to-market.

DepthVista is a UVC compatible and will work with the standard drivers available with Windows and Linux OS. There is no need for any additional driver installation. So, video streaming through UVC is possible without any special drivers on OSes that have built-in support for UVC standards.

Table 1: DepthVista supported Format, Resolutions, and Frame Rates

| S.No | Format | Camera Mode | Resolution | Frame Rate (fps) USB 3.2 Gen 1 |
|------|--------|-------------|---------------------|-----------------------------------|
| 1 | UYVY | RGB Mode | 2.3MP (1920 x 1200) | 30 |
| | | | FHD (1920 x 1080) | 30 |

| | | | | |
|---|------------------------|---------------|------------------------|----|
| | | | HD (1280 x 720) | 60 |
| | | | VGA (640 x 480) | 60 |
| 2 | Y16 (RAW 12-bit) | TOF Mode | Depth (640 x 480) | 30 |
| | | | IR (640 x 480) | 30 |
| | | | Depth + IR (640 x 960) | 30 |
| 3 | | RGB-D Mode | 1280 x 600 (RGB-D) | 30 |
| | | | 1443 X 960 (RGB-D) | 30 |

TOF camera in DepthVista can be used in two depth modes as follows:

- **Far Mode:** Effective depth range is between 1000 mm to 6500 mm.
- **Near Mode:** Effective depth range is between 200 mm to 1200 mm.

The TOF camera controls of DepthVista are as follows:

- TOF Data Mode
- TOF Depth Range
- TOF Mask
- TOF Gain

The RGB camera controls of DepthVista are as follows:

- Brightness
- Contrast
- Saturation
- Gamma
- Gain
- Sharpness
- White Balance
- Exposure
- Power line frequency

Installing DepthVistaSDK

This section describes the installation of DepthVistaSDK which is essential for building DepthVista.

Getting DepthVistaSDK

DepthVista Source can be obtained by either of the following ways.

From .zip file from GitHub

- Download the DepthVista project as a .zip file
- Extract the downloaded package using the following command.

```
unzip <packageName.zip>
```

By cloning from GitHub

- Clone the repository using the following command

```
git clone https://github.com/econsystems/DepthVista.git
```

Installing DepthVistaSDK

- **<Extracted Directory or Cloned directory>\SDK\Linux\Ubuntu18.04\x64** will have a install.sh file.

Note: If you are using Ubuntu 20.04 install.sh file will be present in **<Extracted Directory>\SDK\Linux\Ubuntu20.04\x64**

- Open the folder containing **install.sh** file, in terminal.
- Run the following command to give executable permission for install.sh file

```
chmod +x install.sh
```

- Run the following command to install the DepthVistaSDK with the following command

```
sudo ./install.sh
```

- Once installation is success, you will get **“Installation DepthVistaSDK success”**.

```
Installing DepthVistaSDK with prefix ...  
Share done\  
Include done\  
Lib done\  
Installing DepthVistaSDK success.
```

Fig 1: Installation success screenshot.

Installing Dependencies

This section will discuss about installing the dependencies of DepthVista.

1. Installing Qt. Execute the following command to install Qt in Ubuntu 18.04.

```
sudo apt-get install qt5-default
```

2. Installing PCL. Execute the following command in terminal to install PCL and it's dependent third party libraries in Ubuntu 18.04.

```
sudo apt-get install libpcl-dev
```


Building DepthVista

This section will discuss about building DepthVista. Open the **Source** folder in terminal.


1. Make a new directory to place the cmake build files.

```
mkdir build  
cd build
```

2. Run Cmake.

```
cmake ..
```

Once the cmake is completed successfully, Configuration Done and Generation Done will appear in the terminal as shown below.




```
OSQL;vtkTestingRendering;vtkViewsCon  
-- Configuring done  
-- Generating done  
-- Build files have been written to:
```

Fig 2: Cmake result.

3. Run make to build the project

```
sudo make
```

Once build is successfully completed, you will get the following print in the terminal as shown below.



```
Scanning dependencies of target DepthVista_autogen  
[ 11%] Automatic MOC, UIC and RCC for target DepthVista  
[ 11%] Built target DepthVista_autogen  
Scanning dependencies of target DepthVista  
[ 33%] Building CXX object CMakeFiles/DepthVista.dir/cameraproperties.cpp.o  
[ 33%] Building CXX object CMakeFiles/DepthVista.dir/opengldisplay.cpp.o  
[ 44%] Building CXX object CMakeFiles/DepthVista.dir/main.cpp.o  
[ 55%] Building CXX object CMakeFiles/DepthVista.dir/mainwindow.cpp.o  
[ 66%] Building CXX object CMakeFiles/DepthVista.dir/openglpcl.cpp.o  
[ 77%] Building CXX object CMakeFiles/DepthVista.dir/DepthVista_autogen/mocs_compilation.cpp.o  
[ 88%] Building CXX object CMakeFiles/DepthVista.dir/DepthVista_autogen/EWIEGA46HW/qrc_images.cpp.o  
[100%] Linking CXX executable DepthVista  
[100%] Built target DepthVista
```

Fig 3: Make result.

4. Copy the **config.ini** present in **Source** directory file to the build folder. Use the following command

```
cp ../config.ini ./
```

5. Running DepthVista

```
sudo ./DepthVista
```

DepthVista Application will open

6. Follow the *DepthVista_Streaming_Application_User_Manual.pdf* provided in the package.

Troubleshooting

In this section, you can view the list of commonly occurring issues and their troubleshooting steps.

libDepthVistaSDK.so: file format not recognized; treating as a linker script.

The reason for the above error is due to extracting the .zip without using the **unzip command**. Use unzip command to extract the .zip file

```
unzip <packageName.zip>
```

Contact Us

If you need any support on DepthVista product, please contact us using the Live Chat option available on our website - <https://www.e-consystems.com/>

Creating a Ticket

If you need to create a ticket for any type of issue, please visit the ticketing page on our website - <https://www.e-consystems.com/create-ticket.asp>

RMA

To know about our Return Material Authorization (RMA) policy, please visit the RMA Policy page on our website - <https://www.e-consystems.com/RMA-Policy.asp>

General Product Warranty Terms

To know about our General Product Warranty Terms, please visit the General Warranty Terms page on our website - <https://www.e-consystems.com/warranty.asp>

Revision History

| Rev | Date | Description | Author |
|-----|------------------|--------------------------------|-----------------|
| 1.0 | 23 - May -2022 | Initial Draft | Camera Products |
| 1.1 | 10-November-2022 | Changed SDK installation steps | Camera Products |