

# Querying representation rights defined in the Business Registry

version 1.0 (16.08.2024)

- 1. Preface
  - 1.1. Use case description
  - 1.2. Pääsuke has a copy of the representation rights obtained from the Business Registry
  - 1.3. Representation rights from the Business Registry are used when describing new roles in Pääsuke
  - 1.4. Person identifiers synced from "Is valid" means that the business registry doesn't allow adding new persons with this role to the board, but there might be legal entities that have persons on the board with this role from earlier. "Is valid" means that the business registry doesn't allow adding new persons with this role to the board, but there might be legal entities that have persons on the board with this role from earlier in the Business Registry
- 2. What kind of role codes are pulled
  - 2.1. List of role codes returned by the Business Registry
  - 2.2. How these values are stored in Pääsuke
  - 2.3 Sole representation right - the right to represent the company alone
    - 2.3.1. How the flag "sole representation right" (ainuesindusõigus) is stored in Pääsuke
    - 2.3.2 Additional convenience role codes in Pääsuke for sole representation right
  - 2.4. Group representation right
    - 2.4.1. Who belongs to which group is not stored in Pääsuke
    - 2.4.2. Pääsuke keeps track of whether group representation rights are machine-readable.
- 3. Examples
  - 3.1. Practical examples when querying mandates from Pääsuke
    - 3.1.1. Obtaining a list of companies where the user has representation rights according to Business Registry
    - 3.1.2. Obtaining a list of companies where the user has sole representation rights (ainuesindusõigus) according to Business Registry
    - 3.1.3. Allowing anyone who has an authorization with specific role
    - 3.1.4. Allowing anyone who has sole representation right (ainuesindusõigus) and one of the roles
  - 3.2. Practical examples and comparison to the output of Business Registry query "esindus\_v2"
    - 3.2.1. Requesting the legal entities where an individual has the legal right to act as a representative
    - 3.2.2. Requesting the legal rights for an individual to represent a specific legal entity
      - 3.2.2.1. Person on the registry card has sole representation rights
      - 3.2.2.2. Person on the registry card does not have sole representation rights
    - 3.2.3. Example where an individual does not have exclusive representation rights and the machine-readable groups are not defined

## 1. Preface

### 1.1. Use case description

When integrating a self-service portal with Pääsuke, the initial step involves using Pääsuke to verify if an individual has the authorization to represent a legal entity. This means that for this most basic use case, there is no need to assign specific roles or create mandates. The integration process will solely rely on the representation rights specified for each legal entity in the Estonian Business Registry. This document provides guidance on how to retrieve this information from Pääsuke.

### 1.2. Pääsuke has a copy of the representation rights obtained from the Business Registry

Pääsuke maintains a synchronized copy of representation rights and authorizations, such as procurator, obtained from the Estonian Business Registry. It handles representation rights in the same manner as the authorizations created within Pääsuke.


After setting up this basic integration, there is the option to create new roles for the self-service and require end-users to authorize delegates from the Pääsuke user interface. The queries that are used to pull representation rights can then be adjusted to also return these mandates. However, extending the queries is not described here as this is outside the scope of this document.

### 1.3. Representation rights from the Business Registry are used when describing new roles in Pääsuke

When describing new roles, it's important to establish who is authorized to add or remove a mandate for that role. For instance, typically, only a person with exclusive representation rights can add a mandate on behalf of a legal entity. This document does not explain how to configure this for a role but rather gives an overview of the different types of representation rights that exist.

For more information on configuring roles, please refer to the document "Introduction to Pääsuke and configuring roles."

1.4. Person identifiers synced from "Is valid" means that the business registry doesn't allow adding new persons with this role to the board, but there might be legal entities that have persons on the board with this role from earlier. "Is valid" means that the business registry doesn't allow adding new persons with this role to the board, but there might be legal entities that have persons on the board with this role from earlier. In the Business Registry

 **Person identifiers in Pääsuke**

Pääsuke takes the person code and adds the country code "EE" in front of it. The result is "EE12345678" for legal persons and "EE12345678901" for natural persons.

## 2. What kind of role codes are pulled

### 2.1. List of role codes returned by the Business Registry

This is the list of representation codes (in August 2024) for authorized representation of a legal entity (seadusjärgne esindusõigus). The Estonian Business Registry may update this list over time.

code	Title in Estonian	Title in English	The delegate can be a legal person	The delegate can be a natural person	Excludes roles	Is valid*	Legal entity types (in Estonian) who can have persons on the board
code	Nimetus eesti keeles	Nimetus inglise keeles	Esindaja saab olla juriidiline isik	Esindaja saab olla füüsiline isik	Väljastab rollid	Kehtiv*	Lubatud õiguslikud vormid
AJPH	Ajutine pankrotihaldur likvideerija ülesannetes	The interim trustee in bankruptcy acting as a liquidator	FALSE	TRUE		TRUE	{AMETÜ,AS,EMÜ,ERAK,FA,FIL,KÜ,MPÜ,MTÜ,OÜ,SA,SCE,SE,TKR,TÜ,TÜH,UÜ}
ASES	Asutuse esindusõiguslik isik	Person with right to represent the agency	FALSE	TRUE		TRUE	{AVOIG,KOVAS,TRAS}
ERIH	Erirežiimihaldur	Special regime trustee	FALSE	TRUE		TRUE	{AS,OÜ,SCE,SE}
ESIS	Esindama õigustatud isik	Person delegated to represent the undertaking	FALSE	TRUE		FALSE	{EMÜ,TÜ,UÜ}
ESIS2	Esindama õigustatud isik	Person entitled to represent the undertaking	FALSE	TRUE		TRUE	{EMÜ,TÜ,UÜ}
ETTEV	Ettevõtja	Undertaking	FALSE	TRUE		FALSE	{FIE}
EUSOS	Esindama volitatud usaldusosanimik	A limited partner authorized to represent	TRUE	TRUE		FALSE	{UÜ}
EUSOS2	Esindama volitatud usaldusosanimik	A limited partner authorized to represent	TRUE	TRUE	{UOSAN}	TRUE	{UÜ}
FIE	Füüsilisest isikust ettevõtja	Sole trader	FALSE	TRUE		TRUE	{FIE}
HNKL	Haldusnõukogu liige	Member of administrative board	FALSE	TRUE		TRUE	{SE}
JPNKR	Järelevalveõiguslik pankrotihaldur	Trustee in bankruptcy with the right to supervise	FALSE	TRUE		TRUE	{AMETÜ,AS,EMÜ,ERAK,FIE,KÜ,MPÜ,MTÜ,OÜ,SA,SCE,SE,TKR,TÜ,TÜH,UÜ}
JUHA	juhatuse ainuliige	Sole member of the board	FALSE	TRUE		FALSE	{AS,OÜ,SCE,SE,TKR,TÜH}
JUHE	juhatuse esimees	Chairman of the board	FALSE	TRUE		FALSE	{AS,OÜ,SCE,SE,TKR,TÜH}
JUHJ	juhatuse liige (juhataja)	Management board member (director)	FALSE	TRUE		FALSE	{AS,OÜ,SCE,SE,TKR,TÜH}
JUHL	Juhatuse liige	Management board member	FALSE	TRUE	{VALIT}	TRUE	{AMETÜ,AS,EMÜ,ERAK,KÜ,MPÜ,MTÜ,OÜ,SA,SCE,SE,TKR,TÜH}
LIKV	Likvideerija	Liquidator	TRUE	TRUE		TRUE	{AMETÜ,AS,EMÜ,ERAK,FA,FIL,KÜ,MPÜ,MTÜ,OÜ,SA,SCE,SE,TKR,TÜ,TÜH,UÜ}
LIKVJ	Juhatuse liikmest likvideerija	The liquidators are the members of the management board	FALSE	TRUE		TRUE	{AS,OÜ,SCE,SE}
MORAH	Moratoriumihaldur	Trustee in moratorium	FALSE	TRUE		TRUE	{AS,SCE,SE,TKR,TÜH}
PANKR	Pankrotihaldur	Trustee in bankruptcy	FALSE	TRUE		TRUE	{AMETÜ,AS,EMÜ,ERAK,FIE,KÜ,MPÜ,MTÜ,OÜ,SA,SCE,SE,TKR,TÜ,TÜH,UÜ}
PROK**	Prokurist	Procurator	FALSE	TRUE		TRUE	{AS,EMÜ,FA,FIE,FIL,OÜ,SCE,SE,TKR,TÜ,TÜH,UÜ}

TOSAN	Täisosanik	General partner	TRUE	TRUE		TRUE	{EMÜ,TÜ,UÜ}
VALIT	Valitseja	Administrator	TRUE	FALSE	{JUHL}	TRUE	{KÜ}
VFILJ	Filiaali juhataja	Director of branch	FALSE	TRUE		TRUE	{FA,FIL}

- \* - "Is valid" means that the Business Registry doesn't allow adding new persons with this role to the board, but there might be legal entities that have persons on the board with this role from earlier.
- \*\* - "PROK" is not a representation right (seadusjärgne esindusõigus) but an authorization (volitus) that is marked on the company registry card. All the other roles besides "PROK" in the table are representation rights.

## 2.2. How these values are stored in Pääsuke

### Business Registry role codes prefix in Pääsuke

Pääsuke adds "BR\_REPRIGHT:" to the beginning of the role codes synchronized from the Business Registry.

For example, if the Business Registry indicates that someone holds the role of "MORAH" in a company, this information is stored as "BR\_REPRIGHT:MORAH" in Pääsuke.

## 2.3 Sole representation right - the right to represent the company alone

### 2.3.1. How the flag "sole representation right" (ainuesindusõigus) is stored in Pääsuke

For each role, the Business Registry maintains a flag indicating if the person has the sole representation right. Pääsuke retrieves that information from the Business Registry.

### Sole representation right stored in Pääsuke

If the person has the sole representation right (ainuesindusõigus) according to the Business Registry, then Pääsuke stores this information as a separate mandate with role code "BR\_REPRIGHT:SOLEREP".

If the person does not have sole representation rights, then a mandate with this additional role code, Pääsuke, is not created for that person.

### 2.3.2 Additional convenience role codes in Pääsuke for sole representation right

### Business registry role together with sole representation right

If a person has the representation right with the code "ROLEX" in the Business Registry and also has the sole representation right for the same legal entity, then Pääsuke adds an additional mandate with the role code "BR\_REPRIGHT:ROLEX\_SOLEREP".

For example, if a person has the role "FIE" as returned by the Business Registry and has sole representation rights, then this person has the following three mandates stored in Pääsuke:

- "BR\_REPRIGHT:FIE"
- "BR\_REPRIGHT:SOLEREP"
- "BR\_REPRIGHT:FIE\_SOLEREP"

## 2.4. Group representation right

### 2.4.1. Who belongs to which group is not stored in Pääsuke

Some Estonian companies have indicated in their articles of association that only a group of individuals can jointly represent the legal entity (known as "ühisesindusõigus"). Pääsuke does not retain information about these groups. If necessary, this information must be requested from the Business Registry.

### 2.4.2. Pääsuke keeps track of whether group representation rights are machine-readable.

### Sole representation right stored in Pääsuke

If the person has group representation rights (ühisesindusõigus) according to the Business Registry and this information is available in machine-readable format, then Pääsuke stores this information as a separate mandate with role code "BR\_REPRIGHT:GROUPREP".

## 3. Examples

## 3.1. Practical examples when querying mandates from Pääsuke

When requesting mandates and representation rights from Pääsuke, the first step is to determine which roles from the Business Registry are permitted. The examples below only consider the role codes stored in the business registry (ns = BR\_REPRIGHT).

### 3.1.1. Obtaining a list of companies where the user has representation rights according to Business Registry

Let's consider a scenario where we need to show a drop-down menu containing companies for which the user holds representation rights. After authenticating the user and obtaining their national identity number (we use EE37807290000 in our example), we can use a query to retrieve the list of companies for which the user has representation rights, based on the Business Registry:

```
curl --insecure \
-H "accept: application/json" \
-H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \
-H "X-Road-UserId: EE37807290000" \
-H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \
-X GET "https://security-server/rl/ee-dev/GOV/70006317/volitused/oraakel/delegates/EE37807290000/representees?ns=BR_REPRIGHT" | jq
```

### 3.1.2. Obtaining a list of companies where the user has sole representation rights (ainuesindusoigus) according to Business Registry

This time, we want to query legal entities where the person holds a representation right with the code "BR\_REPRIGHT:SOLEREP". Note that this time the query parameter is "role" and not "ns" as before.

```
curl --insecure \
-H "accept: application/json" \
-H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \
-H "X-Road-UserId: EE37807290000" \
-H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \
-X GET "https://security-server/rl/ee-dev/GOV/70006317/volitused/oraakel/delegates/EE37807290000/representees?role=BR_REPRIGHT%3ASOLEREP" | jq
```

The namespace parameter "ns" in the query is set to "BR\_REPRIGHT".

### 3.1.3. Allowing anyone who has an authorization with specific role

In this example, we are interested in legal entities where the user has one of the roles JUHL, PROK or FIE, regardless of whether the person has sole representation rights. In such cases, we would make the following query:

```
curl --insecure \
-H "accept: application/json" \
-H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \
-H "X-Road-UserId: EE37807290000" \
-H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \
-X GET "https://security-server/rl/ee-dev/GOV/70006317/volitused/oraakel/delegates/EE37807290000/representees?role=BR_REPRIGHT%3AJUHL&role=BR_REPRIGHT%3APROK&role=BR_REPRIGHT%3AFIE" | jq
```

The "role" parameter in the query is set to one of the following options: "BR\_REPRIGHT: JUHL", "BR\_REPRIGHT:PROK", or "BR\_REPRIGHT:FIE".

### 3.1.4. Allowing anyone who has sole representation right (ainuesindusõigus) and one of the roles

Here we are only interested in the list of companies where user has sole representation right and one of roles JUHL, PROK or FIE:

```
curl --insecure \
-H "accept: application/json" \
-H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \
-H "X-Road-UserId: EE50102030405" \
-H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \
-X GET "https://security-server/rl/ee-dev/GOV/70006317/volitused/oraakel/delegates/EE37807290000/representees?role=BR_REPRIGHT%3AJUHL_SOLEREP&role=BR_REPRIGHT%3APROK_SOLEREP&role=BR_REPRIGHT%3AFIE_SOLEREP" | jq
```

The "role" parameter in the query is set to one of the following options: "BR\_REPRIGHT: JUHL\_SOLEREP", "BR\_REPRIGHT:PROK\_SOLEREP", or "BR\_REPRIGHT:FIE\_SOLEREP".

## 3.2. Practical examples and comparison to the output of Business Registry query "esindus\_v2"

If you are familiar with the output of the Business Registry query "esindus\_v2," the following examples will show you how to make the same queries to Pääsuke. The examples will provide side-by-side comparisons of the queries that need to be sent to different systems and the output returned by these systems. Please note that the names and personal codes have been modified for privacy.

### 3.2.1. Requesting the legal entities where an individual has the legal right to act as a representative

If we have an individual and want to determine which legal entities this person can represent, we use their national identity number to perform the queries. The output will be a list of legal entities in which the person holds some form of role within the BR\_REPRIGHT namespace.

	Äriregister service "esindus_v2"	Pääsuke service "oraakel"
<b>Query</b>	<pre>&lt;prod:esindus_v2&gt;   &lt;prod:keha&gt;     &lt;prod:ariregister_valjundi_formaat&gt;xml&lt;   /prod:ariregister_valjundi_formaat&gt;     &lt;prod:fyysilise_isiku_kood&gt;50102030405&lt;   /prod:fyysilise_isiku_kood&gt;     &lt;prod:fyysilise_isiku_koodi_riik&gt;EST&lt;/prod: fyysilise_isiku_koodi_riik&gt;   &lt;/prod:keha&gt; &lt;/prod:esindus_v2&gt;</pre>	<pre>curl --insecure \ -H "accept: application/json" \ -H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \ -H "X-Road-UserId: EE50102030405" \ -H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \ -X GET "https://security-server/r1/ee-dev/GOV/70006317/volitused/oraakel /delegates/EE50102030405/representees?ns=BR_REPRIGHT"</pre>
<b>Response</b>	<p>Fragment of the response</p> <pre>&lt;ns1:ettevotjad&gt; &lt;ns1:item&gt;   &lt;ns1:ariregistri_kood&gt;12032555&lt;/ns1: ariregistri_kood&gt;   &lt;ns1:arinimi&gt;BBB OÜ&lt;/ns1:arinimi&gt;   &lt;ns1:staatus&gt;R&lt;/ns1:staatus&gt;   &lt;ns1:staatus_tekstina&gt;Registrisse kantud&lt;/ns1: staatus_tekstina&gt;   &lt;ns1:isikud&gt;     &lt;ns1:item&gt;       &lt;ns1:fyysilise_isiku_eesnimi&gt;Eesnimi&lt;/ns1: fyysilise_isiku_eesnimi&gt;       &lt;ns1:fyysilise_isiku_perenimi&gt;Perenimi&lt; /ns1:fyysilise_isiku_perenimi&gt;       &lt;ns1:fyysilise_isiku_kood&gt;50102030405&lt; /ns1:fyysilise_isiku_kood&gt;       &lt;ns1:isikukood_riik&gt;EST&lt;/ns1: isikukood_riik&gt;       &lt;ns1:isikukoodi_riik_tekstina&gt;Eesti&lt;/ns1: isikukoodi_riik_tekstina&gt;       &lt;ns1:fyysilise_isiku_roll&gt;JUHL&lt;/ns1: fyysilise_isiku_roll&gt;       &lt;ns1:fyysilise_isiku_roll_tekstina&gt;Juhatus liige&lt;/ns1:fyysilise_isiku_roll_tekstina&gt;       &lt;ns1:ainuesindusoigus_olemas&gt;JAH&lt;/ns1: ainuesindusoigus_olemas&gt;     &lt;/ns1:item&gt;   &lt;/ns1:isikud&gt;   &lt;ns1:esindusoiguse_eritingimused/&gt;   &lt;ns1:esindusoiguse_grupid/&gt;   &lt;ns1:oiguslik_vorm&gt;OÜ&lt;/ns1:oiguslik_vorm&gt;   &lt;ns1:oiguslik_vorm_tekstina&gt;Osaühing&lt;/ns1: oiguslik_vorm_tekstina&gt; &lt;/ns1:item&gt; &lt;ns1:item&gt;   &lt;ns1:ariregistri_kood&gt;80348555&lt;/ns1: ariregistri_kood&gt;   &lt;ns1:arinimi&gt;Tapa linn, Põllu tn 1 korteriühistu&lt; /ns1:arinimi&gt;   &lt;ns1:staatus&gt;R&lt;/ns1:staatus&gt;   &lt;ns1:staatus_tekstina&gt;Registrisse kantud&lt;/ns1: staatus_tekstina&gt;   &lt;ns1:isikud&gt;     &lt;ns1:item&gt;       &lt;ns1:fyysilise_isiku_eesnimi&gt;Eesnimi&lt;/ns1: fyysilise_isiku_eesnimi&gt;       &lt;ns1:fyysilise_isiku_perenimi&gt;Perenimi&lt;</pre>	<pre>[   {     "type": "LEGAL_PERSON",     "legalName": "BBB OÜ",     "identifier": "EE12032555"   },   {     "type": "LEGAL_PERSON",     "legalName": "Tapa linn, Põllu tn 1 korteriühistu",     "identifier": "EE80348555"   } ]</pre>

	<pre> /ns1:fyysilise_isiku_perenimi&gt;   &lt;ns1:fyysilise_isiku_kood&gt;50102030405&lt; /ns1:fyysilise_isiku_kood&gt;   &lt;ns1:isikukood_riik&gt;EST&lt;/ns1: isikukood_riik&gt;   &lt;ns1:isikukoodi_riik_tekstina&gt;Eesti&lt;/ns1: isikukoodi_riik_tekstina&gt;   &lt;ns1:fyysilise_isiku_roll&gt;JUHL&lt;/ns1: fyysilise_isiku_roll&gt;   &lt;ns1:fyysilise_isiku_roll_tekstina&gt;Juhatus liige&lt;/ns1:fyysilise_isiku_roll_tekstina&gt;   &lt;ns1:ainuesindusoigus_olemas&gt;JAH&lt;/ns1: ainuesindusoigus_olemas&gt; &lt;/ns1:item&gt; &lt;ns1:item&gt;   &lt;ns1:fyysilise_isiku_eesnimi&gt;Teine&lt;/ns1: fyysilise_isiku_eesnimi&gt;   &lt;ns1:fyysilise_isiku_perenimi&gt;Nimi&lt;/ns1: fyysilise_isiku_perenimi&gt;   &lt;ns1:fyysilise_isiku_kood&gt;38703046123&lt; /ns1:fyysilise_isiku_kood&gt;   &lt;ns1:isikukood_riik&gt;EST&lt;/ns1: isikukood_riik&gt;   &lt;ns1:isikukoodi_riik_tekstina&gt;Eesti&lt;/ns1: isikukoodi_riik_tekstina&gt;   &lt;ns1:fyysilise_isiku_roll&gt;JUHL&lt;/ns1: fyysilise_isiku_roll&gt;   &lt;ns1:fyysilise_isiku_roll_tekstina&gt;Juhatus liige&lt;/ns1:fyysilise_isiku_roll_tekstina&gt;   &lt;ns1:ainuesindusoigus_olemas&gt;JAH&lt;/ns1: ainuesindusoigus_olemas&gt; &lt;/ns1:item&gt; &lt;/ns1:isikud&gt; &lt;ns1:esindusoiguse_eritingimused/&gt; &lt;ns1:esindusoiguse_grupid/&gt; &lt;ns1:oiguslik_vorm&gt;KÜ&lt;/ns1:oiguslik_vorm&gt; &lt;ns1:oiguslik_vorm_tekstina&gt;Korteriühistu&lt;/ns1: oiguslik_vorm_tekstina&gt; &lt;/ns1:item&gt; &lt;/ns1:ettevotjad&gt; </pre>	
--	---	--

### 3.2.2. Requesting the legal rights for an individual to represent a specific legal entity

This example demonstrates how to request information using the legal entity code and by the national identity number of the person. Unlike previous examples, Pääsuke returns the list of individual rights.

#### 3.2.2.1. Person on the registry card has sole representation rights

	Äriregister service "esindus_v2"	Pääsuke service "oraakel"
Query	<pre> &lt;prod:esindus_v2&gt;   &lt;prod:keha&gt;     &lt;prod:ariregister_valjundi_formaat&gt;xml&lt;   /prod:ariregister_valjundi_formaat&gt;   &lt;prod:ariregistri_kood&gt;16211377&lt;/prod: ariregistri_kood&gt;   &lt;prod: fyysilise_isiku_kood&gt;37901020000&lt;/prod: fyysilise_isiku_kood&gt;   &lt;prod:fyysilise_isiku_koodi_riik&gt;EST&lt;   /prod:fyysilise_isiku_koodi_riik&gt;   &lt;/prod:keha&gt; &lt;/prod:esindus_v2&gt; </pre>	<pre> curl --insecure \ -H "accept: application/json" \ -H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \ -H "X-Road-UserId: EE50102030405" \ -H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \ -X GET "https://security-server/r1/ee-dev/GOV/70006317/volitused/oraakel /representees/EE16211377/delegates/EE37901020000/mandates? ns=BR_REPRIGHT"   jq </pre>
Response	<pre> Fragment of the response  &lt;ns1:ettevotjad&gt; &lt;ns1:item&gt;   &lt;ns1:ariregistri_kood&gt;16211377&lt; /ns1:ariregistri_kood&gt;   &lt;ns1:arinimi&gt;TextMagic AS&lt;/ns1: arinimi&gt;   &lt;ns1:staatus&gt;R&lt;/ns1:staatus&gt;   &lt;ns1:staatus_tekstina&gt;Registrisse kantud&lt;/ns1:staatus_tekstina&gt; </pre>	<pre> {   "representee": {     "type": "LEGAL_PERSON",     "legalName": "TextMagic AS",     "identifier": "EE16211377"   },   "delegate": {     "type": "NATURAL_PERSON",     "firstName": "Firstname", </pre>

<pre> &lt;ns1:isikud&gt;   &lt;ns1:item&gt;     &lt;ns1:       fyysilise_isiku_eesnimi&gt;Firstname&lt;/ns1:       fyysilise_isiku_eesnimi&gt;         &lt;ns1:           fyysilise_isiku_perenimi&gt;Surname&lt;/ns1:           fyysilise_isiku_perenimi&gt;             &lt;ns1:               fyysilise_isiku_kood&gt;37901020000&lt;/ns1:               fyysilise_isiku_kood&gt;                 &lt;ns1:isikukood_riik&gt;EST&lt;/ns1:                 isikukood_riik&gt;                   &lt;ns1:                     isikukoodi_riik_tekstina&gt;Eesti&lt;/ns1:                     isikukoodi_riik_tekstina&gt;                       &lt;ns1:fyysilise_isiku_roll&gt;JUHL&lt;                       /ns1:fyysilise_isiku_roll&gt;                         &lt;ns1:                           fyysilise_isiku_roll_tekstina&gt;Juhatuse liige&lt;/ns1:                           fyysilise_isiku_roll_tekstina&gt;                             &lt;ns1:ainuesindusoigus_olemas&gt;J                             AH&lt;/ns1:ainuesindusoigus_olemas&gt;                               &lt;/ns1:item&gt; </pre>	<pre> "surname": "Surname", "identifier": "EE37901020000" }, "mandates": [   {     "role": "BR_REPRIGHT:JUHL"   },   {     "role": "BR_REPRIGHT:JUHL_SOLEREP"   },   {     "role": "BR_REPRIGHT:SOLEREP"   } ] } </pre>
---	---

### 3.2.2.2. Person on the registry card does not have sole representation rights

	Ärregister esindus_v2	Pääsuke
Query	<pre> &lt;prod:esindus_v2&gt;   &lt;prod:keha&gt;     &lt;prod:ariregister_valjundi_formaat&gt;xml&lt;     /prod:ariregister_valjundi_formaat     &lt;prod:ariregistri_kood&gt;80119643&lt;/prod:     ariregistri_kood&gt;       &lt;prod:         fyysilise_isiku_kood&gt;49012310000&lt;/prod:         fyysilise_isiku_kood&gt;           &lt;prod:fyysilise_isiku_koodi_riik&gt;EST&lt;           /prod:fyysilise_isiku_koodi_riik&gt;             &lt;/prod:keha&gt;           &lt;/prod:esindus_v2&gt; </pre>	<pre> curl --insecure \ -H "accept: application/json" \ -H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \ -H "X-Road-UserId: EE50102030405" \ -H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \ -X GET "https://security-server/r1/ee-dev/GOV/70006317/volitused/oraakel /representees/EE80119643/delegates/EE49012310000/mandates? ns=BR_REPRIGHT" </pre>
Response	<p>Fragment of the response</p> <pre> &lt;ns1:ettevotjad&gt;   &lt;ns1:item&gt;     &lt;ns1:ariregistri_kood&gt;80119643&lt;/ns1:     ariregistri_kood&gt;       &lt;ns1:arinimi&gt;Eesti Noorsootöötajate       Kogu&lt;/ns1:arinimi&gt;         &lt;ns1:staatus&gt;R&lt;/ns1:staatus&gt;         &lt;ns1:staatus_tekstina&gt;Registrisse         kantud&lt;/ns1:staatus_tekstina&gt;           &lt;ns1:isikud&gt;             &lt;ns1:item&gt;               &lt;ns1:fyysilise_isiku_eesnimi&gt;First               Names&lt;/ns1:fyysilise_isiku_eesnimi&gt;                 &lt;ns1:                   fyysilise_isiku_perenimi&gt;Surname&lt;/ns1:                   fyysilise_isiku_perenimi&gt;                     &lt;ns1:                       fyysilise_isiku_kood&gt;49012310000&lt;/ns1:                       fyysilise_isiku_kood&gt;                         &lt;ns1:isikukood_riik&gt;EST&lt;/ns1:                         isikukood_riik&gt;                           &lt;ns1:                             isikukoodi_riik_tekstina&gt;Eesti&lt;/ns1:                             isikukoodi_riik_tekstina&gt;                               &lt;ns1:fyysilise_isiku_roll&gt;JUHL&lt;                               /ns1:fyysilise_isiku_roll&gt;                                 &lt;ns1:                                   fyysilise_isiku_roll_tekstina&gt;Juhatuse liige&lt;/ns1:                                   fyysilise_isiku_roll_tekstina&gt; </pre>	<pre> {   "representee": {     "type": "LEGAL_PERSON",     "legalName": "Eesti Noorsootöötajate Kogu",     "identifier": "EE80119643"   },   "delegate": {     "type": "NATURAL_PERSON",     "firstName": "First Names",     "surname": "Surname",     "identifier": "EE49012310000"   },   "mandates": [     {       "role": "BR_REPRIGHT:GROUPREP"     },     {       "role": "BR_REPRIGHT:JUHL"     }   ] } </pre>

	<pre> &lt;ns1:ainuesindusoigus_olemas&gt;EI &lt;/ns1:ainuesindusoigus_olemas&gt; &lt;/ns1:item&gt;  &lt;ns1:isikud&gt; &lt;ns1:esindusoiguse_eritingimused&gt; &lt;ns1:item&gt;   &lt;ns1:item&gt;....&lt;/ns1:item&gt; &lt;/ns1:item&gt; &lt;/ns1:esindusoiguse_eritingimused&gt; &lt;ns1:esindusoiguse_grupid&gt; &lt;ns1:grupp&gt;   &lt;ns1:grupi_nr&gt;1&lt;/ns1:grupi_nr&gt; &lt;ns1:item&gt;  ... person is listed here ...  &lt;/ns1:item&gt; &lt;/ns1:grupp&gt; </pre>
--	---

### 3.2.3. Example where an individual does not have exclusive representation rights and the machine-readable groups are not defined

The following procurist does not have sole representation rights. Furthermore, the representation groups are not available in a machine-readable format in the Business Registry, which is why "BR\_REPRIGHT:GROUPREP" is not returned.

	Äriregister esindus_v2 response	Pääsuke
Query	<pre> &lt;prod:esindus_v2&gt; &lt;prod:keha&gt;   &lt;prod:ariregister_valjundi_formaat&gt;xml&lt;/prod: ariregister_valjundi_formaat&gt;   &lt;prod:ariregistri_kood&gt;14986789&lt;/prod: ariregistri_kood&gt;   &lt;prod:fyysilise_isiku_kood&gt;364010200000&lt;/prod: fyysilise_isiku_kood&gt;   &lt;prod:fyysilise_isiku_koodi_riik&gt;EST&lt;/prod: fyysilise_isiku_koodi_riik&gt; &lt;/prod:keha&gt; &lt;/prod:esindus_v2&gt; </pre>	<pre> curl --insecure \ -H "accept: application/json" \ -H "X-Road-Client: ee-dev/GOV/70006317/riigiportaal-citizen" \ -H "X-Road-UserId: EE50102030405" \ -H "X-Road-Id: 08544bbd2f41473800309d16bd81c64c0f54193d84b53f8ad22aacdf5e" \ -X GET "https://security-server/r1/ee-dev/GOV/70006317/volitused /oraake/representees/EE14986789/delegates/EE364010200000 /mandates?ns=BR_REPRIGHT" </pre>
Response	<p>Fragment of the response</p> <pre> &lt;ns1:ettevotjad&gt;   &lt;ns1:item&gt;     &lt;ns1:ariregistri_kood&gt;14986789&lt;/ns1: ariregistri_kood&gt;     &lt;ns1:arinimi&gt;Huawei Technologies Eesti OÜ&lt; /ns1:arinimi&gt;     &lt;ns1:staatus&gt;R&lt;/ns1:staatus&gt;     &lt;ns1:staatus_tekstina&gt;Registrisse kantud&lt;/ns1: staatus_tekstina&gt;     &lt;ns1:isikud&gt;       &lt;ns1:item&gt;         &lt;ns1:fyysilise_isiku_eesnimi&gt;Eesnimi&lt;/ns1: fyysilise_isiku_eesnimi&gt;         &lt;ns1:fyysilise_isiku_perenimi&gt;Perenimi&lt; /ns1:fyysilise_isiku_perenimi&gt;         &lt;ns1:fyysilise_isiku_kood&gt;364010200000&lt; /ns1:fyysilise_isiku_kood&gt;         &lt;ns1:isikukood_riik&gt;EST&lt;/ns1: isikukood_riik&gt;         &lt;ns1:isikukoodi_riik_tekstina&gt;Eesti&lt;/ns1: isikukoodi_riik_tekstina&gt;         &lt;ns1:fyysilise_isiku_roll&gt;PROK&lt;/ns1: fyysilise_isiku_roll&gt;         &lt;ns1:fyysilise_isiku_roll_tekstina&gt;Prokurist&lt; /ns1:fyysilise_isiku_roll_tekstina&gt;         &lt;ns1:ainuesindusoigus_olemas&gt;EI&lt;/ns1: ainuesindusoigus_olemas&gt;       &lt;/ns1:item&gt;     &lt;/ns1:isikud&gt;     &lt;ns1:esindusoiguse_eritingimused&gt;     &lt;ns1:item&gt;       &lt;ns1:item&gt;Osaühingut esindavad kaks (2) </pre>	<pre> {   "representee": {     "type": "LEGAL_PERSON",     "legalName": "Huawei Technologies Eesti OÜ",     "identifier": "EE14986789"   },   "delegate": {     "type": "NATURAL_PERSON",     "firstName": "Eesnimi",     "surname": "Perenimi",     "identifier": "EE364010200000"   },   "mandates": [     {       "role": "BR_REPRIGHT:PROK"     }   ] } </pre>



	<div>juhatuse liiget ühiselt.&lt;/ns1:item&gt; &lt;/ns1:item&gt; &lt;ns1:item&gt; &lt;ns1:item&gt;Eesnimi Perenimi (isikukood364010200000) esindab äriühingut ühiselt koos juhatuse liikmega.&lt;/ns1:item&gt; &lt;/ns1:item&gt; &lt;/ns1:esindusoiguse_eritingimused&gt;</div>	
--	---	--