JALLA

Bulletin of the Finnish Expert Group on Hemiptera



Vol. 1. Helsinki 2015

ISSN 2342-8031

Check-list of Finnish Hemiptera

Anders Albrecht, Veikko Rinne, Guy Söderman and Keijo Mattila

Albrecht, A., Rinne, V., Söderman, G. & Mattila, K. Check-list of Finnish Hemiptera. — Jalla 1:1–29, 2015. The check-list is maintained by the members of the Finnish Expert Group and comprises all Hemiptera species recorded in Finland. The nomenclature follows Aukema & Rieger 1995, 1997, 1999, 2001, 2006 (Heteroptera), Söderman et al. 2009 (Fulgoromorpha et Cicadomorpha), Ossiannilsson 1992 (Psylloidea), Blackman & Eastop 2014 (Aphidoidea), Huldén 1986 & Gertsson 1987 (Aleyrodoidea), Gertsson 2005 (Coccoidea). Synonyms used in Finland have been listed. If a species only has been met with indoors or has been accidentally, or with purpose, introduced, the name has been marked by an asterisk following the description year. Taxonomically or otherwise unclear species have been marked with a question-mark before the name. *Muscaphis drepanosiphoides* (Börner) is listed as a good species. Species added since the latest check-list (Albrecht & al. 2008) are denoted by an asterisk (*) before the species name.

Authors' addresses: Anders Albrecht, Finnish Museum of Natural History; Veikko Rinne, Zoological Museum, University of Turku; Guy Söderman, Finnish Entomological Society and Keijo Mattila, Entomological Society of Tampere.

http://biolcoll.utu.fi/jalla/ — http://biolcoll.utu.fi/hemi/tyoryhma_eng.htm

HEMIPTERA STERNORRHYNCHA COCCOIDEA ORTHEZIIDAE

Orthezia Bosc dÁntic, 1784 urticae (Linnaeus, 1758) Arctorthezia Cockerell, 1902 cataphracta (Olafsen, 1772) Newsteadia Green, 1902 floccosa (De Geer, 1778)

MARGARODIDAE

Matsucoccus Cockerell, 1909 matsumurae (Kuwana, 1905) pini (Green, 1925)

PSEUDOCOCCIDAE

Atrococcus Goux, 1941
*cracens Williams, 1962
paludinus (Green, 1821)
Pseudococcus Westwood
adonidum (Linnaeus, 1767)
longispinus (Targioni, 1867)

Planococcus Ferris, 1950 *citri* (Risso, 1913)* vovae (Nassonov, 1908) Phenacoccus Cockerell, 1893 aceris (Signoret, 1875) hordei (Lindeman, 1886) graminis E. Reuter, 1904 *piceae* (Löw, 1883) Peliococcus Borchsenius, 1948 calluneti (Lindinger, 1912) Coccura Sulc, 1908 comari (Künow, 1880) Trionymus Berg, 1899 perrisi (Signoret, 1875) Rhizoecus Künchel d Herculais, 1878 cactitans (Hambleton, 1946)* Heliococcus Sulc bohemicus Sulc, 1912

hystrix auct. nec (Bärensprung, 1849)

KERMESIDAE

Kermes Boitard, 1828 quercus (Linnaeus, 1758)

ERIOCOCCIDAE

Gossyparia Signoret, 1875 spuria (Modeer, 1778) Acanthococcus Targioni, 1868 baldonensis (Rasina, 1966) timidus (Huldén, 1985) *uvaeursi (Linnaeus, 1758) Psaudocharmas Nitscha, 1895

Pseudochermes Nitsche, 1895 fraxini (Kaltenbach, 1860) Luzulaspis Ntargioni, 1868 luzulae (Dufour, 1864)

COCCIDAE

Eriopeltis Signoret, 1872 festucae (Boyer de Fonscolombe, 1834) lichtensteini Signoret, 1876 Pulvinaria Targioni, 1868 vitis (Linnaeus, 1758) betulae (Linnaeus, 1758) Coccus Linnaeus, 1758 hesperidum (Linnaeus, 1758)* Saissetia Deplanche, 1859 coffeae (Walker, 1852) hemisphaerica (Targioni, 1867) oleae (Bernhard, 1782) Parthenolecanium Sulc. 1908 corni (Bouché, 1844) Eulecanium Cockerell, 1893 douglasi (Sulc, 1894) franconium (Lindinger, 1908) tiliae (Linnaeus, 1758) Physokermes Targioni, 1868 piceae (Schrank, 1801) abietis auct. nec (Linnaeus, 1758)

hemicryphus (Dalman, 1825)

rapax (Comstock, 1881)*

DIASPIDIDAE Lepidosaphes Shimer, 1868 beckii (Newman, 1869)* citricola Packard, 1870 pinnaeformis auct. nec (Bouché, 1851) conchyformis (Gmelin, 1789)* ulmi (Linnaeus, 1758) Leucaspis Signoret, 1869 lowi (Colvèe, 1882) pini (Hartig, 1837) Chionaspis Signoret salicis (Linnaeus, 1758) Aulacaspis Cockerell, 1892 rosae (Bouché, 1834) Pinnaspis Cockerell, 1892 aspidistrae (Signoret, 1869)* Hemiberlesia Cockerell, 1897

Dynaspidiotus Thiem & Gerneck, 1934 hederae (Vallot, 1829)* Diaspidiotus Berlese, 1896 bavaricus Lidinger, 1912 ostreaeformis (Curtis, 1843) Aonidiella Berlese & Leonardi, 1895 aurantii (Maskell, 1878)*

ALEYRODOIDEA ALEYRODIDAE

Trialeurodes Cockerell, 1902 vaporariorum (Westwood, 1856)* Aleurolobus Quaintance & Baker, 1914 wunni (Ryberg, 1938) Asterobemisia Trehan, 1940 carpini (Koch, 1857) Bemisia Quaintance & Baker, 1914 rosae (Korobitsin, 1967) tabaci (Gennadius, 1889) * Aleurotuberculatus Takahashi, 1938 similis Takahashi, 1938 ssp. europaeus Zahradnik, 1962 Calluneyrodes Zahradnik, 1962 callunae (Ossiannilsson, 1947) Pealius Quaintance & Baker, 1914 quercus (Signoret, 1868) Aleurochiton Tullgren, 1907 aceris (Modeer, 1778) complanatus (Bärensprung, 1849) aceris (Geoffroy, 1762), trinomen Aleuroclava Singh, 1931 chittendeni (Laing, 1928) Aleyrodes Latreille, 1796 campanulae Saalas, 1942 lonicerae Walker, 1852 fragariae Walker, 1852 rubi Signoret, 1868 menthae Haupt, 1934

APHIDOIDEA ADELGIDAE ADELGINAE

proletella (Linnaeus, 1758)

Adelges Vallot, 1836 sg. Adelges s. str. lapponicus (Cholodkovsky, 1889) laricis Vallot, 1836 tardus (Dreyfus, 1888) sg. Sacciphantes Curtis, 1844 abietis (Linnaeus, 1758) viridis (Ratzeburg, 1843)

sg. *Aphrastasia* Börner, 1909 *pectinatae* (Cholodkovsky, 1888)

sg. *Gilletteella* Börner, 1930 *cooleyi* (Gillette, 1907)

PINEINAE

Pineus Shimer, 1869 cembrae (Cholodkovsky, 1888) pineoides (Cholodkovsky, 1907) pini (Macquart, 1819)

PHYLLOXERIDAE

Acanthochermes Kollar, 1848 quercus Kollar, 1848 Phylloxera Boyer de Fonscolombe, 1834 coccinea (von Heyden, 1837)

APHIDIDAE MINDARINAE

Mindarus Koch, 1857 abietinus Koch, 1857 obliquus (Cholodkovsky, 1896)

THELAXINAE

Thelaxes Westwood, 1840 dryophila (Schrank, 1801) Glyphina Koch, 1856 betulae (Linnaeus, 1758) jacutensis Mordvilko, 1931 schrankiana Börner, 1950 pseudoschrankiana Blackman, 1989

HORMAPHIDINAE CERATAPHIDINI

Cerataphis Lichtenstein, 1882 *orchidearum* (Westwood, 1879)*

HORMAPHIDINI

Hamamelistes Shimer, 1867 betulinus (Horváth, 1896) Hormaphis Osten-Sacken, 1861 betulae (Mordvilko, 1901)

ANOECIINAE

Anoecia Koch, 1857 corni (Fabricius, 1775) nemoralis Börner, 1950 vagans (Koch, 1856) zirnitsi Mordvilko, 1931

ERIOSOMATINAE ERIOSOMATINI

Eriosoma Leach, 1818 ulmi (Linnaeus, 1758) Colopha Monell, 1877 compressa (Koch, 1856) *Kaltenbachiella* Schouteden, 1906 *pallida* (Haliday, 1838) *Tetraneura* Hartig, 1841 *ulmi* (Linnaeus, 1758)

PEMPHIGINI

Pachypappa Koch, 1856 populi (Linnaeus, 1758) tremulae (Linnaeus, 1761) vesicalis Koch, 1856 warshavensis (Nasonov, 1894) Gootiella Tullgren, 1925 tremulae Tullgren, 1925 Pachypappella Baker, 1920 lactea (Tullgren, 1909) Prociphilus Koch, 1857 sg. Prociphilus s. str. bumeliae (Schrank, 1801) sg. Stagona Koch, 1857 pini (Burmeister, 1835) xylostei (deGeer, 1773) Thecabius Koch, 1857 sg. Thecabius s. str. affinis (Kaltenbach, 1843) sg. Parathecabius Börner, 1950 *lysimachiae Börner, 1916 Pemphigus Hartig, 1839 bursarius (Linnaeus, 1758) borealis Tullgren, 1909 fuscicornis (Koch, 1857) *immunis Buckton, 1896 *passeki Börner, 1952 populi Courchet, 1879 populinigrae (Schrank, 1801) saliciradicis (Börner, 1950) spyrothecae Passerini, 1856

FORDINI

Baizongia Rondani, 1848
pistaciae (Linnaeus, 1767)
Geoica Hart, 1894
setulosa (Passerini, 1860)
utricularia (Passerini, 1856)
eragrostidis (Passerini, 1860)
Paracletus von Heyden, 1837
cimiciformis von Heyden, 1837
Forda von Heyden, 1837
formicaria von Heyden, 1837
marginata Koch, 1857
Smynthurodes Westwood, 1849
betae Westwood, 1849
Melaphis Walsh, 1867
*rhois (Fitch, 1866)

DREPANOSIPHINAE

Drepanosiphum Koch, 1855

platanoidis (Schrank, 1801)

MYZOCALLIDINAE

CALAPHIDINI

Symydobius Mordvilko, 1894

oblongus (von Heyden, 1837)

Clethrobius Mordvilko, 1928

comes (Walker, 1848)

Euceraphis Walker, 1870

betulae (Koch, 1855)

punctipennis (Zetterstedt, 1828)

Callipterinella van der Goot, 1913

calliptera (Hartig, 1841)

minutissima (Stroyan, 1953)

tuberculata (von Heyden, 1837)

Calaphis Walsh, (1862) 1863

arctica Hille Ris Lambers, 1952

betulicola (Kaltenbach, 1843)

flava Mordvilko, 1928

Betulaphis Glendenning, 1926

brevipilosa Börner, 1940

pelei Hille Ris Lambers, 1952

quadrituberculata (Kaltenbach, 1843)

Monaphis Walker, 1870

antennata (Kaltenbach, 1843)

MYZOCALLIDINI

Myzocallis Passerini, 1860

sg. Myzocallis s. str.

coryli (Goeze, 1778)

sg. Agrioaphis Walker, 1870

myricae (Kaltenbach, 1843)

Tuberculatus Mordvilko, 1894

sg. Tuberculatus s. str.

querceus (Kaltenbach, 1843)

sg. Tuberculoides van der Goot, 1915

annulatus (Hartig, 1841)

Pterocallis Passerini, 1860

albidus Börner, 1940

alni (deGeer, 1773)

maculatus (von Heyden, 1837)

Tinocallis Matsumura, 1919

platani (Kaltenbach, 1843)

nevskyi Remaudière, Quednau & Heie, 1988

Eucallipterus Schouteden, 1906

tiliae (Linnaeus, 1758)

Therioaphis Walker, 1870

brachytricha Hille Ris Lambers & van den

Bosch, 1964

luteola (Börner, 1949)

riehmi (Börner, 1949)

subalba Börner, 1949

tenera (Aizenberg, 1956)

trifolii (Monell, 1882)

PHYLLAPHIDINAE

Phyllaphis Koch, 1856

fagi (Linnaeus, 1767)

SALTUSAPHIDINAE

Thripsaphis Gillette, 1917

sg. Thripsaphis s. str.

caespitosae Ossiannilsson, 1954

caricicola (Mordvilko, 1914)

sg. Trichocallis Börner, 1930

cyperi (Walker, 1848)

producta Gillette, 1917

caricis (Mordvilko, 1921)

verrucosa Gillette, 1917

sg. Larvaphis Ossiannilsson, 1953

brevicornis (Ossiannilsson, 1953)

Subsaltusaphis Quednau, 1953

aquatilis (Ossiannilsson, 1959)

flava (Hille Ris Lambers, 1939)

lambersi (Quednau, 1954)

pallida (Hille Ris Lambers, 1939)

picta (Hille Ris Lambers, 1939)

rossneri (Börner, 1940)

Saltusaphis Theobald, 1915

lasiocarpae (Ossiannilsson, 1953)

Iziphya Nevsky, 1929

austriaca Börner, 1950

bufo (Walker, 1848)

Juncobia Quednau, 1954

leegei (Börner, 1940)

CHAITOPHORINI

Periphyllus van der Hoeven, 1863

aceris (Linnaeus, 1761)

coracinus (Koch, 1854)

lyropictus (Kessler, 1886)

testudinaceus (Fernie, 1852)

Chaitophorus Koch, 1854

furcatus Quednau, 1987

lapponum Ossiannilsson, 1959

leucomelas Koch, 1854

nigricantis Pintera, 1987

populeti (Panzer, 1801)

populialbae (Boyer de Fonscolombe, 1841)

ramicola (Börner, 1949)

salicti (Schrank, 1801)

tremulae Koch, 1854

ATHEROIDINI

Laingia Theobald, 1922

psammae Theobald, 1922

Atheroides Haliday, 1839

hirtellus Haliday, 1839

serrulatus Haliday, 1839

Caricosipha Börner, 1939 *paniculatae Börner, 1939 Sipha Passerini, 1860 sg. Sipha s. str. glyceriae (Kaltenbach, 1843) littoralis (Walker, 1848) sg. Rungsia Mimeur, 1933 arenarii Mordvilko, 1921 elegans del Guercio, 1905 maydis Passerini, 1860 Chaetosiphella Hille Ris Lambers, 1939 berlesei (del Guercio, 1905)

APHIDINAE

APHIDINI Aphis Linnaeus, 1758 sg. Aphis s. str. acetosae Linnaeus, 1761 astragali Ossiannilsson, 1959 brohmeri Börner, 1952 brunellae Schouteden, 1903 chloris Koch, 1854 comari Prior & Stroyan, 1977 confusa Walker, 1849 coronillae Ferrari, 1872 craccae Linnaeus, 1758 craccivora Koch, 1854 ?cytisorum Hartig, 1841 ssp. sarothamni Franssen, 1928 etiolata Stroyan, 1952 euphorbiae Kaltenbach, 1843 fabae Scopoli, 1763 ssp. fabae Scopoli, 1763 ssp. cirsiiacanthoidis Scopoli, 1763 farinosa Gmelin, 1790 frangulae Kaltenbach, 1845 ssp. frangulae Kaltenbach, 1845 ssp. beccabungae Koch, 1855 galiiscabri Schrank, 1801 ?genistae Scopoli, 1763 gossypii Glover, 1877 hieracii Schrank, 1801 idaei van der Goot, 1912 janischi (Börner, 1940) klimeschi (Börner, 1950) korshunovi Ivanovskaja, 1971 pseudolysimachiae Heikinheimo, 1978 leontodontis (Börner, 1950) longirostrata Hille Ris Lambers, 1966 loti Kaltenbach, 1862 lotiradicis Stroyan, 1972

mammulata Ghimingham & Hille Ris Lambers, 1949 mirifica (Börner, 1950) molluginis (Börner, 1950)

nasturtii Kaltenbach, 1843 nepetae Kaltenbach, 1843 newtoni Theobald, 1927 pilosellae (Börner, 1952) plantaginis Goeze, 1778 podagrariae Schrank, 1801 polygonata (Nevsky, 1929) pomi deGeer, 1773 *praeterita Walker, 1849 pseudocomosa Stroyan, 1972 ruborum (Börner, 1932) rumicivora Heie, 1986 rumicis Linnaeus, 1758 salicariae Koch, 1855 sambuci Linnaeus, 1758 sanguisorbae Schrank, 1801 sedi Kaltenbach, 1843 selini (Börner, 1940) serpylli Koch, 1854 spiraephaga Müller, 1961 subnitida (Börner, 1940) taraxacicola (Börner, 1940) thalictri (Koch, 1854) tormentillae Passerini, 1879 triglochinis Theobald, 1926 tripolii Laing, 1920 ulmariae Schrank, 1801 umbrella (Börner, 1950) urticata Gmelin, 1790 uvaeursi Ossiannilsson, 1959 vaccinii (Börner, 1940) viburni Scopoli, 1763 violae Schouteden, 1900 sg. Bursaphis McVicar Baker, 1934 epilobiaria Theobald, 1927 epilobii Kaltenbach, 1843 grossulariae Kaltenbach, 1843 schneideri (Börner, 1940) sg. *Protaphis* Börner, 1952 erigerontis Holman, 1966 sg. *Toxopterina* Börner, 1940 vandergooti (Börner, 1939) Cryptosiphum Buckton, (1875) 1879 artemisiae Buckton, 1879 Hyalopterus Koch, 1854 pruni (Geoffroy, 1762) Rhopalosiphum Koch, 1854 insertum (Walker, 1849) maidis (Fitch, 1856) nymphaeae (Linnaeus, 1761) padi (Linnaeus, 1758) rufiabdominale (Sasaki, 1899)*

Melanaphis van der Goot, 1917

elizabethae (Ossiannilsson, 1967)

luzulella (Hille Ris Lambers, 1947)

Schizaphis Börner, 1931 sg. Schizaphis s. str. agrostis Hille Ris Lambers, 1947 borealis Tambs-Lyche, 1959 dubia Huculak, 1968 jaroslavi (Mordvilko, 1921) longicaudata Hille Ris Lambers, 1939 nigerrima (Hille Ris Lambers, 1931) phlei Orlob, 1961 arrhenatheri Pettersson, 1971 pilipes (Ossiannilsson, 1959) rufula (Walker, 1849) thunebergi Heie, 1986 sg. Paraschizaphis Hille Ris Lambers, 1947 caricis (Schouteden, 1906) scirpi (Passerini, 1874)

MACROSIPHINI Pterocomma Buckton, 1879 jacksoni Theobald, 1921 konoi Hori, 1939 populeum (Kaltenbach, 1843) rufipes (Hartig, 1841) salicis (Linnaeus, 1758) tremulae Börner, 1940 Plocamaphis Oestlund, 1922 amerinae (Hartig, 1841) flocculosa (Weed, 1891) Anuraphis del Guercio, 1907 farfarae (Koch, 1854) subterranea (Walker, 1852) *Nearctaphis* Shaposhnikov, 1950 vera (Shaposhnikov, 1964) Brachycaudus van der Goot, 1913 sg. Brachycaudus s. str.

helichrysi (Kaltenbach, 1843)
spiraeae Börner, 1932
sg. Acaudus van der Goot, 1913
aconiti (Mordvilko, 1928)
cardui (Linnaeus, 1758)
klugkisti (Börner, 1942)
linariae Stroyan, 1950
lychnidis (Linnaeus, 1758)
napelli (Schrank, 1801)
persicae (Passerini, 1860)
populi (del Guercio, 1911)
sg. Appelia Börner, 1930
tragopogonis (Kaltenbach, 1843)

sg. *Thuleaphis* Hille Ris Lambers, 1960 *rumexicolens* (Patch, 1917) *Dysaphis* Börner, 1931 sg. *Dysaphis* Börner, 1931

aizenbergi (Shaposhnikov, 1949) anthrisci Börner, 1950 centaureae (Börner, 1950) hirsutissima (Börner, 1940) newskyi (Börner, 1940) ossiannilssoni Stroyan, 1961 ranunculi (Kaltenbach, 1843)

tulipae (Boyer de Fonscolombe, 1841)*

sg. *Pomaphis* Börner, 1939

maritima (Hille Ris Lambers, 1955)

plantaginea (Passerini, 1860) sorbi (Kaltenbach, 1843) Ceruraphis Börner, 1926 eriophori (Walker, 1848)

Hayhurstia del Guercio, 1917 nec Mordvilko, 1921

atriplicis (Linnaeus, 1761) Brachycolus Buckton, 1879 cucubali (Passerini, 1863) stellariae (Hardy, 1850) Diuraphis Aizenberg, 1935

sg. *Diuraphis* s. str. *muehlei* (Börner, 1950)

sg. *Holcaphis* Hille Ris Lambers, 1939 *calamagrostis* (Ossiannilsson, 1959)

frequens (Walker, 1848)

Brevicoryne van der Goot, 1915 *brassicae* (Linnaeus, 1758)

Lipaphis Mordvilko, 1928 alliariae Müller, 1952 erysimi (Kaltenbach, 1843)

rossi Börner, 1939 ssp. conringiae Bozhko, 1961 turritella (Wahlgren, 1938) Hyadaphis Kirkaldy, 1904 coriandri (Das, 1918) foeniculi (Passerini, 1860) passerinii (del Guercio, 1911) polonica Szelegiewicz, 1959 Semiaphis van der Goot, 1913 anthrisci (Kaltenbach, 1843) nolitangere Aizenberg, 1954

pimpinellae (Kaltenbach, 1843) sphondylii (Koch, 1854) **Hydaphias** Börner, 1930 hofmanni Börner, 1950

mosana Hille Ris Lambers, 1956

Staegeriella Hille Ris Lambers, 1947

necopinata (Börner, 1939) Aspidaphis Gillette, 1917 adjuvans (Walker, 1848) Coloradoa Wilson, 1910 abrotani (Koch, 1854) absinthii (Lichtenstein, 1884 achilleae Hille Ris Lamber

absinthii (Lichtenstein, 1885) achilleae Hille Ris Lambers, 1939 artemisiae (del Guercio, 1913) campestrella Ossiannilsson, 1959 inodorella Ossiannilsson, 1959 rufomaculata (Wilson, 1908)* tanacetina (Walker, 1850) sg. Nectarosiphon Schouteden, 1901 Longicaudus van der Goot, 1913 ascalonicus Doncaster, 1946 * trirhodus (Walker, 1849) certus (Walker, 1849) Myzaphis van der Goot, 1913 *myosotidis (Börner, 1950) rosarum (Kaltenbach, 1843) nicotianae Blackman, 1987 Ericaphis Börner, 1939 persicae (Sulzer, 1776) latifrons (Börner, 1942) Tubaphis Hille Ris Lambers, 1947 Elatobium Mordvilko, 1914 ranunculina (Walker, 1852) abietinum (Walker, 1849) Rhopalomyzus Mordvilko, 1921 Liosomaphis Walker, 1868 sg. Rhopalomyzus s. str. berberidis (Kaltenbach, 1843) poae (Gillette, 1908) Cavariella del Guercio, 1911 sg. Judenkoa Hille Ris Lambers, 1946 sg. Cavariella s. str. lonicerae (Siebold, 1839) aegopodii (Scopoli, 1763) Rhopalosiphoninus Baker, 1920 archangelicae (Scopoli, 1763) sg. Rhopalosiphoninus s. str. cicutae (Koch, 1854) ribesinus (van der Goot, 1912) rutila Mamontova-Solukha, 1961 sg. *Myzosiphon* Hille Ris Lambers, 1946 intermedia Hille Ris Lambers, 1969 staphyleae (Koch, 1854) konoi Takahashi, 1939 ssp. tulipaellus (Theobald, 1916) pastinacae (Linnaeus, 1758) sg. Pseudorhopalosiphoninus Heinze, 1961 theobaldi (Gillette & Bragg, 1918) calthae (Koch, 1854) sg. Cavaraiellia Heinze, 1960 sg. Submegoura Hille Ris Lambers, 1953 aquatica (Gillette & Bragg, 1916) heikinheimoi (Börner, 1952) Ossiannilssonia Hille Ris Lambers, 1952 Nasonovia Mordvilko, 1914 oelandica Hille Ris Lambers, 1952 sg. Nasonovia s. str. Vesiculaphis del Guercio, 1911 compositellae Theobald, 1924 theobaldi Takahashi, 1930 ssp. nigra (Hille Ris Lambers, 1931) Trichosiphonaphis Takahashi, 1922 pilosellae (Börner, 1933) corticis (Aizenberg, 1935) ribisnigri (Mosley, 1841) sg. Kakimia Gillette & Palmer, 1928 Muscaphis Börner, 1933 sg. Aspidaphium Börner, 1939 vannesii Stenseth, 1968 cuspidata (Stroyan, 1955) sg. Ranakimia Heie, 1979 *escherichi (Börner, 1939) altaensis Stenseth, 1969 sg. Muscaphis s. str. Hyperomyzus Börner, 1933 drepanosiphoides (Börner, 1939) sg. Hyperomyzus s. str. Pseudacaudella Börner, 1950 lactucae (Linnaeus, 1758) rubida (Börner, 1939) lampsanae (Börner, 1932) Myzodium Börner, 1949 pallidus Hille Ris Lambers, 1935 modestum (Hottes, 1926) sg. *Hyperomyzella* Hille Ris Lambers, 1949 Decorosiphon Börner, 1939 rhinanthi (Schouteden, 1903) corynothrix Börner, 1939 sg. *Neonasonovia* Hille Ris Lambers, 1949 zirnitsi Hille Ris Lambers, 1952 Ovatus van der Goot, 1913 Impatientinum Mordvilko, 1914 crataegarius (Walker, 1850) Phorodon Passerini, 1860 asiaticum Nevsky, 1929 humuli (Schrank, 1801) balsamines (Kaltenbach, 1862) Myzus Passerini, 1860 Hyalopteroides Theobald, 1916 humilis (Walker, 1852) sg. Myzus s. str. alectorolophi Heinze, 1961 Chaetosiphon Mordvilko, 1914 borealis Ossiannilsson, 1959 potentillae (Walker, 1850) cerasi (F, 1775) tetrarhodum (Walker, 1849) lythri (Schrank, 1801) Cryptomyzus Oestlund, 1922 ornatus Laing, 1932 sg. Cryptomyzus s. str. padellus Hille Ris Lambers & Rogerson, 1946 galeopsidis (Kaltenbach, 1843) sg. Galiobium Börner, 1933 korschelti Börner, 1938 langei (Börner, 1933) ribis (Linnaeus, 1758)

sg. Ampullosiphon Heikinheimo, 1955 sg. *Metobion* Heikinheimo, 1990 stachydis (Heikinheimo, 1955) brevirostre (Heikinheimo, 1978) Capitophorus van der Goot, 1913 graminearum (Mordvilko, 1919) carduinus (Walker, 1850) Macrosiphum Passerini, 1860 hippophaes (Walker, 1852) cholodkovskyi (Mordvilko, 1909) horni Börner, 1931 daphnidis Börner, 1950 pakansus Hottes & Frison, 1931 dryopteridis (Holman, 1959) similis van der Goot, 1915 equiseti (Holman, 1961) Pleotrichophorus Börner, 1930 euphorbiae (Thomas, 1878) duponti Hille Ris Lambers, 1935 gei (Koch, 1855) glandulosus (Kaltenbach, 1846) hellebori Theobald & Walton, 1923 * persimilis Börner, 1950 lisae Heie, 1965 *Cryptaphis* Hille Ris Lambers, 1947 melampyri Mordvilko, 1919 poae (Hardy, 1850) nasonovi Mordvilko, 1918 Acyrthosiphon Mordvilko, 1914 rosae (Linnaeus, 1758) sg. Acyrthosiphon s. str. rubiarctici Heikinheimo, 1946 auctum (Walker, 1849) tinctum (Walker, 1849) boreale Hille Ris Lambers, 1952 trollii Börner, 1950 brachysiphon Hille Ris Lambers, 1952 weberi Börner, 1933 caraganae (Cholodkovsky, 1908) Corylobium Mordvilko, 1914 ignotum Mordvilko, 1914 avellanae (Schrank, 1801) knechteli (Börner, 1950) Illinoia Wilson, 1910 malvae (Mosley, 1841) azaleae (Mason, 1925) pisum (Harris, 1776) **Delphiniobum** Mordvilko, 1914 sg. Liporrhinus Börner, 1939 junackianum (Karsch, 1887) chelidonii (Kaltenbach, 1843) Macrosiphoniella del Guercio, 1911 **Microlophium** Mordvilko, 1914 sg. Macrosiphoniella s. str. abrotani (Walker, 1852) carnosum (Buckton, 1876) Anthracosiphon Hille Ris Lambers, 1947 absinthii (Linnaeus, 1758) hertae Hille Ris Lambers, 1947 artemisiae (Boyer de Fonscolombe, 1841) dimidiata Börner, 1942 Subacyrthosiphon Hille Ris Lambers, 1947 cryptobium Hille Ris Lambers, 1947 millefolii (deGeer, 1773) Linosiphon Börner, 1950 sanborni (Gillette, 1908)* galiophagum (Wimshurst, 1923) sejuncta (Walker, 1848) Aulacorthum Mordvilko, 1914 tanacetaria (Kaltenbach, 1843) *aegopodii Börner, 1939 tapuskae (Hottes & Frison, 1931) cylactis Börner, 1942 usquertensis Hille Ris Lambers, 1935 flavum Müller, 1958 sg. Asterobium Hille Ris Lambers, 1938 solani (Kaltenbach, 1843) asteris (Walker, 1849) speyeri Börner, 1939 sg. *Phalangomyzus* Börner, 1939 vaccinii Hille Ris Lambers, 1952 oblonga (Mordvilko, 1901) *Neomyzus* van der Goot, 1915 persequens (Walker, 1852) circumflexus (Buckton, 1876)*? Titanosiphon Nevsky, 1928 **Rhodobium** Hille Ris Lambers, 1947 artemisiae (Koch, 1855) porosum (Sanderson, 1900)* Uroleucon Mordvilko, 1914 **Metopolophium** Mordvilko, 1914 sg. Uroleucon s. str. dirhodum (Walker, 1849) achilleae (Koch, 1855) festucae (Theobald, 1917) cichorii (Koch, 1855) tenerum Hille Ris Lambers, 1947 cirsii (Linnaeus, 1758) Sitobion Mordvilko, 1914 cf. grossum (Hille Ris Lambers, 1939) sg. Sitobion s. str. hypochoeridis (Fabricius, 1779) inulicola (Hille Ris Lambers, 1939) avenae (Fabricius, 1775) fragariae (Walker, 1848) jaceicola (Hille Ris Lambers, 1939) paludum Müller, 1982 cf. leontodontis (Hille Ris Lambers, 1939) murale (Buckton, 1876) obscurum (Koch, 1855) pilosellae (Börner, 1933) sonchi (Linnaeus, 1767) tanaceti (Linnaeus, 1758) tussilaginis (Walker, 1850) sg. Uromelan Mordvilko, 1914 aeneum (Hille Ris Lambers, 1939) campanulae (Kaltenbach, 1843) jaceae (Linnaeus, 1758) nigrocampanulae (Theobald, 1928) rapunculoidis (Börner, 1939) riparium (Stroyan, 1955) simile (Hille Ris Lambers, 1935) solidaginis (Fabricius, 1779) taraxaci (Kaltenbach, 1843) sg. Lambersius Olive, 1965 erigeronense (Thomas, 1878) Metopeurum Mordvilko, 1914 fuscoviride Stroyan, 1950 Amphorophora Buckton, 1876 sg. Amphorophora s. str. ampullata Buckton, 1876 gei (Börner, 1939) idaei (Börner, 1939) rubi (Kaltenbach, 1843) sg. Galiaphis Ossiannilsson, 1954 annae (Ossiannilsson, 1954) Megoura Buckton, 1876 litoralis Müller, 1952 viciae Buckton, 1876 *Megourella* Hille Ris Lambers, 1949 purpurea Hille Ris Lambers, 1949 tribulis (Walker, 1849) Wahlgreniella Hille Ris Lambers, 1949 ossiannilssoni Hille Ris Lambers, 1949 vaccinii (Theobald, 1924) Neoamphorophora Mason, 1924

LACHNINAE LACHNINI

ledi (Wahlgren, 1938)

Lachnus Burmeister, 1835 roboris (Linnaeus, 1758) Tuberolachnus Mordvilko, 1909 salignus (Gmelin, 1790) Maculolachnus Gaumont, 1920 submacula (Walker, 1848)

STOMAPHIDINI

Stomaphis Walker, 1870 *quercus (Linnaeus, 1758)

TRAMINI

Protrama Baker, 1920 flavescens (Koch, 1856) ranunculi (del Guercio, 1909) Trama von Heyden, 1837 sg. Trama von Heyden, 1837 centaureae Börner, 1940 rara Mordvilko, 1908 troglodytes von Heyden, 1837 sg. Neotrama Baker, 1920 cf caudata del Guercio, 1909

CINARINI

Eulachnus del Guercio, 1909 agilis (Kaltenbach, 1843) brevipilosus Börner, 1940 rileyi (Williams, 1911) Schizolachnus Mordvilko, 1909 pineti (Fabricius, 1781) Cinara Curtis, 1835 sg. Cinara s. str. confinis (Koch, 1856) costata (Zetterstedt, 1828) cuneomaculata (del Guercio, 1909) hyperophila (Koch, 1855) laricis (Hartig, 1839) *nigritergi Mamontova, 2000 nuda Mordvilko, 1895 piceae (Panzer, 1801) piceicola (Cholodkovsky, 1896) viridescens (Cholodkovsky, 1896) pilicornis (Hartig, 1841) pilosa (Zetterstedt, 1840) maculata Gavrilova, 1972 pinea (Mordvilko, 1895) pini (Linnaeus, 1758) pinihabitans (Mordvilko, 1895) piniphila (Ratzeburg, 1844) pruinosa (Hartig, 1841) sg. Cupressobium Börner, 1940 cupressi (Buckton, 1881) juniperi (deGeer, 1773) smolandiae Danielsson & Carter, 1993

PSYLLOIDEA LIVIIDAE

Livia Latreille, 1805 sg. Livia s. str. junci Schrank, 1789 juncorum (Latreille, 1798) auct. sg. Diraphia Waga, 1842 crefeldensis (Mink, 1855)

APHALARIDAE

Strophingia Enderlein, 1914 ericae (Curtis, 1835)
Rhinocola Förster, 1848 aceris (Linnaeus, 1758)

Aphalara Förster, 1848 affinis (Zetterstedt, 1828) avicularis Ossiannilsson, 1981 borealis Heslop-Harrison, 1949 calthae (Linnaeus, 1761) crispicola Ossiannilsson, 1987 pauli Loginova, partim exilis (Weber & Mohr, 1804) freji Burckhardt & Lauterer, 1997 polygoni auct. nec Förster, 1848 longicaudata W. Wagner & Franz, 1961 maculipennis Löw, 1887 polygoni Förster, 1848 rumicicola Klimaszewski, 1966 ulicis Förster, 1848 pauli Loginova, partim Craspedolepta Enderlein, 1921 sg. Craspedolepta s. str. latior W. Wagner, 1944 malachitica (Dahlbom, 1851) pilosa (Oshanin, 1870) campestrella auct nec Ossiannilsson, 1987 sg. Magnaphalara Ramirez-Gomez, 1960 nebulosa (Zetterstedt, 1828) nervosa (Förster, 1848) sonchi (Förster, 1848) Neocraspedolepta Conci & Tamanini, 1986 subpunctata (Förster, 1848) Camarotoscena Haupt, 1935

PSYLLIDAE

speciosa (Flor, 1861)

sg. Cacopsylla s. str.

Psyllopsis Löw, 1879 discrepans (Flor, 1861) fraxini (Linnaeus, 1758) fraxinicola (Förster, 1848) Psylla Geoffroy, 1762 alni (Linnaeus, 1758) betulae (Linnaeus, 1758) betulaenanae Ossiannilsson, 1970 fusca (Zetterstedt, 1828) Asphagidella Enderlein, 1921 buxi (Linnaeus, 1758) Baeopelma Enderlein, 1926 foersteri (Flor, 1861) Chamaepsylla Ossiannilsson, 1970 hartigii (Flor, 1861) Cacopsylla Ossiannilsson, 1970

mali (Schmidberger, 1836) peregrina (Förster, 1848) sorbi (Linnaeus, 1767) ulmi (Förster, 1848) sg. *Thamnopsylla* Loginova, 1978 affinis (Löw, 1980) melanoneura (Förster, 1848) picta (Förster, 1848) costalis (Flor, 1861) pruni (Scopoli, 1763) pyricola (Förster, 1848) pyrisuga (Förster, 1848) rhamnicola (Scott, 1876) sg. *Hepatopsylla* Ossiannilsson, 1970 abdominalis (Meyer-Dür, 1871) ambigua (Förster, 1848) brunneipennis (Edwards, 1896) klapaleki Sulc, 1909 corcontum (Sulc, 1910) elegantula (Zetterstedt, 1838) hippophaes (Förster, 1848) ledi (Flor, 1861) moscovita (Andrianova, 1948) schaeferi (Vondrakcek, 1959) myrtilli (W. Wagner, 1947) nigrita (Zetterstedt, 1828) palmeni (Löw, 1878) parvipennis (Löw, 1877) propinqua (Schäfer, 1949) pulchra (Zetterstedt, 1838) pyri (Linnaeus, 1758) rhododendri (Puton, 1871) zaicevi (Sulc, 1915) sootryeni (Ossiannilsson, 1942) zetterstedti (Thomson, 1878)

TRIOZIDAE

Bactericera Puton, 1876 acutipennis (Zetterstedt, 1828) albiventris (Förster, 1848) bohemica (Sulc, 1913) calcarata (Schäfer, 1949) curvatinervis (Förster, 1848) femoralis (Förster, 1848) nigricornis (Förster, 1848) parastriola Conci, Ossiannilsson & Tamanini, 1988 reuteri (Sulc, 1913) salicivora (Reuter, 1876) striola (Flor, 1861) substriola Ossiannilsson, 1992 Trioza Förster, 1848 abdominalis Flor, 1861 agrophila Löw, 1888 alacris Flor, 1861

anthrisci Burkhardt, 1986

apicalis Förster, 1848
cerastii (Linnaeus, 1758)
chenopodii Reuter, 1876
obliqua Thomson, 1877
chrysanthemi Löw, 1878
cirsii Löw, 1881
dispar Löw, 1878
flavipennis Förster, 1848
galii Förster, 1848
remota Förster, 1848
rhamni (Schrank, 1801)
rotundata Flor, 1861
*tatrensis Klimaszewski, 1965
urticae (Linnaeus, 1758)
viridula (Zetterstedt, 1828)

FULGOROMORPHA CIXIIDAE

Cixius Latreille, 1804
sg. Cixius s. str.
nervosus (Linnaeus, 1758)
sg. Ceratocixius W. Wagner, 1939
cunicularius (Linnaeus, 1758)
sg. Paracixius W. Wagner, 1939
distinguendus Kirschbaum, 1868
sg. Acanthocixius W. Wagner, 1939
cambricus China, 1935
similis Kirschbaum, 1868
Pentastiridius Kirschbaum, 1868
leporinus (Linnaeus, 1761)

DELPHACIDAE KELISIINAE

Kelisia Fieber, 1866
confusa (Linnavuori, 1957)
guttula (Germar, 1818)
monoceros Ribaut, 1934
pallidula (Boheman, 1847)
praecox Haupt, 1935
ribauti W. Wagner, 1938
sabulicola W. Wagner, 1952
vittipennis (J. Sahlberg, 1868)
Anakelisia W. Wagner, 1963
perspicillata (Boheman, 1845)

STENOCRANINAE

Stenocranus Fieber, 1866 fuscovittatus (Stål, 1858) major (Kirschbaum, 1868) minutus (Fabricius, 1787)

DELPHACINAE

Delphacinus Fieber, 1866 mesomelas (Boheman, 1849) Eurysula Vilbaste, 1968 lurida (Fieber, 1866)

laevifrons J. Sahlberg, 1871 Eurybregma Scott, 1875 *nigrolineata (Scott, 1875) porcus (Emelianov, 1964) Stiroma Fieber, 1866 affinis Fieber, 1866 bicarinata (Herrich-Schäffer, 1835) Stiromoides Vilbaste, 1971 maculiceps (Horváth, 1903) Achorotile Fieber, 1866 albosignata (Dahlbom, 1845) longicornis (J. Sahlberg, 1871) Euconomelus Haupt, 1929 lepidus (Boheman, 1847) Conomelus Fieber, 1866 anceps (Germar, 1821) **Delphax** Fabricius, 1798 crassicornis (Panzer, 1796) pulchellus (Curtis, 1833) minki auct. nec Fieber, 1866 Euides Fieber, 1866 basilinea (Germar, 1821) speciosa Boheman, 1852 Chloriona Feiber, 1866 chinai Ossiannilsson, 1946 prasinula auct. nec Fieber, 1872 glaucescens Fieber, 1866 unicolor auct. nec Herrich-Schäffer, 1835 smaragdula (Stål, 1853) smaragdula J. Sahlberg, 1871 *stenoptera (Flor, 1861) *vasconica Ribaut, 1931 Megamelus Fieber, 1866 notula (Germar, 1830) brevifrons Reuter, 1880 Unkanodes Fennah, 1963 excisa (Melichar, 1898) Megadelphax W. Wagner, 1963 sordidula (Stål, 1853) Ditropsis W. Wagner, 1963 flavipes (Signoret, 1865) (unpubl.) Laodelphax Fennah, 1963 striatella (Fallén, 1826) Paraliburnia Jensen-Haarup, 1917 adela (Flor, 1861) clypealis (J. Sahlberg, 1871) Hyledelphax Vilbaste, 1968 elegantula (Boheman, 1847) Calligypona J. Sahlberg, 1871 revi (Fieber, 1866) albicollis J. Sahlberg, 1871 Delphacodes Fieber, 1866 capnodes (Scott, 1870)

venosus (Germar, 1830)

curtula (J. Sahlberg, 1871)

Gravesteiniella W. Wagner, 1963 boldi (Scott, 1870) Muellerianella W. Wagner, 1963 brevipennis (Boheman, 1847) extrusa (Scott, 1871) fairmairei (Perris, 1857) Muirodelphax W. Wagner, 1963 aubei (Perris, 1857) obsoleta (J. Sahlberg, 1871) Acanthodelphax LeQuesne, 1964 denticauda ((Boheman, 1847) spinosa ((Fieber, 1866) Nothodelphax Fennah, 1963 Tyrphodelphax W. Wagner, 1963 albocarinata (Stål, 1858) distincta (Flor, 1861) Dicranotropis Fieber, 1866 hamata (Boheman, 1847) Florodelphax Vilbaste, 1971 leptosoma (Flor, 1829) (unpubl.) paryphasma (Flor, 1861) lucticolor (J. Sahlberg, 1871) Kosswigianella W. Wagner, 1963 exigua (Boheman, 1847) Struebingianella W. Wagner, 1963 lugubrina (Boheman, 1847) Xanthodelphax W. Wagner, 1963 flaveola (Flor, 1861) straminea (Stål, 1858) xantha Vilbaste, 1965 Paradelphacodes W. Wagner, 1963 litoralis (Reuter, 1880) paludosua (Flor, 1861) Oncodelphax W. Wagner, 1963 pullula (Boheman, 1852) Criomorphus Curtis, 1833 albomarginatus (Curtis, 1833) borealis (J. Sahlberg, 1871) moestus (Boheman, 1847) Javesella Fennah, 1963 sg. Javesella s. str. alpina (J. Sahlberg, 1871) bottnica Huldén, 1974 discolor (Boheman, 1847) dubia (Kirschbaum, 1868) pargasensis (Reuter, 1880) forcipata (Boheman, 1847) obscurella (Boheman, 1847) pellucida (Fabricius, 1794) ?marginata (Fabricius, 1794) simillima (Linnavuori, 1948) nitidipennis auct. nec (Kirschbaum, 1856), partim

sg. Haffnerianella W. Wagner, 1963 stali (Metcalf, 1943)
Ribautodelphax W. Wagner, 1963 albostriata (Fieber, 1866) angulosa (Ribaut, 1953) collina (Boheman, 1847) pallens (Stål, 1854) vinealis Bieman, 1987
ACHILIDAE
Cixidia Fieber, 1866 confinis (Zetterstedt, 1838) lapponica (Zetterstedt, 1838)

CALISCELIDAE

Ommatidiotus Spinola, 1839 *dissimilis* (Fallén, 1806) *inconspicuus* Stål, 1863

CICADOMORPHA TIBICINIDAE

Cicadetta Kolenati, 1857 *montana* (Scopoli, 1772)

Aphrophora Germar, 1821

APHROPHORIDAE

alni (Fallén, 1805) pectoralis Matsumura, 1903 forneri Haupt, 1919 salicina auct. nec (Goeze, 1778) costalis Matsumura, 1903 salicina (Goeze, 1778) (unpubl) Lepyronia Amyot & Serville, 1843 coleoptrata (Linnaeus, 1758) Neophilaenus Haupt, 1935 exclamationis (Thunberg, 1784) dilutus (J. Sahlberg, 1871) lineatus (Linnaeus, 1758) aterrimus (J. Sahlberg, 1871) pulchellus (J. Sahlberg, 1871) minor (Kirschbaum, 1868) *pallidus Haupt, 1917 Peuceptyelus J. Sahlberg, 1871 coriaceus (Fallén, 1826) Philaenus Stål, 1864 spumarius (Linnaeus, 1758)

MEMBRACIDAE

Centrotus Fabricius, 1803 cornutus (Linnaeus, 1758)

ULOPIDAE

Ulopa Fallén, 1814 *reticulata* (Fabricius, 1794)

CICADELLIDAE MEGOPHTHALMINAE

Megophthalmus Curtis, 1833 scanicus (Fallén, 1806)

MACROPSINAE

Oncopsis Burmeister, 1838 alni (Schrank, 1801) appendiculata W. Wagner, 1944 avellanae Edwards, 1920 flavicollis (Linnaeus, 1761) planiscuta (Thomson, 1870) subangulata (J. Sahlberg, 1871) fortior W. Wagner, 1944 tristis (Zetterstedt, 1838) Pediopsis Burmeister, 1838 tiliae (Germar, 1831) Macropsis Lewis, 1834 cerea (Germar, 1837)

haupti auct. nec W. Wagner, 1941 flavida Vilbaste, 1980 (unpubl.) fuscinervis (Boheman, 1845) fuscula (Zetterstedt, 1828)

gravesteini W. Wagmer, 1953 (unpubl.) impura (Boheman, 1847) infuscata (J. Sahlberg, 1871)

cerea auct. nec Germar, 1837

*notata (Prohaska, 1923)

*ocellata Provancher, 1872

albae Wagner, 1950

*remanei Nickel, 1999

scutellata (Boheman, 1845)

Macropsidius Ribaut, 1952

sahlbergi (Flor, 1861)

Hephathus Ribaut, 1952

achilleae Mityaev, 1967

nanus auct. nec (Herrich-Schäffer, 1835)

AGALLIINAE

Agallia Curtis, 1833 brachyptera (Boheman, 1847) Anaceratagallia Zachvatkin, 1946 estonica Vilbaste, 1961 lithuanica Vilbaste, 1974 ribauti Ossiannilsson, 1938 venosa (Fourcroy, 1785)

IDIOCERINAE

Idiocerus Lewis, 1834 herrichii Kirschbaum, 1868 lituratus (Fallén, 1806) stigmaticalis Lewis, 1834 Acericerus Dlabola, 1974 heydenii (Kirschbaum, 1868) Metidiocerus Ossiannilsson, 1981 crassipes (J. Sahlberg, 1871) (unpubl.) elegans (Flor, 1861) Populicerus Dlabola, 1974 albicans (Kirschbaum, 1868) confusus (Flor, 1861) laminatus (Flor, 1861) nitidissimus (Herrich-Schäffer, 1835) fulgidus auct. nec (Fabricius, 1775) populi (linnaeus, 1761) Tremulicerus Dlabola, 1974 distinguendus (Kirschbaum, 1868) tremulae (Estlund, 1796) Stenidiocerus Ossiannilsson, 1981 poecilus (Herrich-Schäffer, 1835) Sahlbergotettix Zachvatkin, 1953 salicicola (Flor, 1861)

IASSINAE

Iassus Fabricius, 1803 lanio (Linnaeus, 1761) Batracomorphus Lewis, 1834 allionii (Turton, 1802) prasina (Fabricius, 1794) nec (Pallas, 1773)

DORYCEPHALINAE

Eupelix Germar, 1821 cuspidata (Fabricius, 1775)

APHRODINAE

Aphrodes Curtis, 1829 bicincta (Schrank, 1776) sensu Tishechkin makarovi Zachvatkin, 1948 sensu Ossiannilsson, 1981, partim diminuta Ribaut, 1952 sensu Tischechkin 1999 bicincta (Schrank, 1776) sensu Ossiannilsson 1981, partim centrorossica Zachvatkin, 1953 makarovi Zachvatkin, 1948 Planaphrodes Hamilton, 1975 bifasciata (Linnaeus, 1758) trifasciata (Fourcroy, 1785) laeva (Rey, 1891) nigrita (Kirschbaum, 1868) Anoscopus Kirschbaum, 1858 albifrons (Linnaeus, 1758) histrionicus (Fabricius, 1794) flavostriatus (Donovan, 1799)

Stroggylocephalus Flor, 1861

agrestis (Fallén, 1806)

livens (Zetterstedt, 1838)

CICADELLINAE

Evacanthus Lepeletier & Serville, 1825 acuminatus (Fabricius, 1794) interruptus (Linnaeus, 1758) Bathysmatophorus J. Sahlberg, 1871 reuteri J. Sahlberg, 1871 Cicadella Latreille, 1817 lasiocarpae Ossiannilsson, 1981 viridis (Linnaeus, 1758)

TYPHLOCYBINAE ALEBRINI

Alebra Fieber, 1872 albostriella (Fallén, 1826) neglecta W. Wagner, 1940 wahlbergi (Boheman, 1845)

DIKRANEURINI

Erythria Fieber, 1866 aureola (Fallén, 1826) Emelyanoviana Anufriev, 1970 mollicula (Boheman, 1845) Dikraneura Hardy, 1850 aridella (J. Sahlberg, 1871) variata Hardy, 1850 Micantulina Anufriev, 1970 micantula (Zetterstedt, 1838) pseudomicantula (Knight, 1966) Wagneriala Anufriev, 1970 minima (J. Sahlberg, 1871)

Igutettix Matsumura, 1932 Vilbasteana Anufriev, 1970 oculatus (Lindberg, 1929) maculosa (Vilbaste, 1968)

Forcipata DeLong & Caldwell, 1936 citrinella (Zetterstedt, 1828) forcipata (Flor, 1861) Notus Fieber, 1866 flavipennis (Zetterstedt, 1828) marginalis J. Sahlberg, 1871

TYPHLOCYBINI Empoasca Walsh, 1862 apicalis (Flor, 1861) kontkaneni (Ossiannilsson, 1949) ossiannilssoni (Nuorteva, 1948) pteridis (Dahlbom, 1850) solani (curtis, 1846) nom. dub. vitis (Göthe, 1875) flavescens (Flor, 1861) nec (Fabricius, 1794) Kybos Fieber, 1866 Empoasca partim

abstrusus Linnavuori, 1949

butleri Edwards, 1908

lindbergi Linnavuori, 1951 betulicola W. Wagner, 1955 *mucronatus (Ribaut, 1933) populi Edwards, 1908 rufescens (Melichar, 1896) smaragdula (Fallén, 1806) sordidulus Ossiannilsson, 1941 strigilifer Ossiannilsson, 1941 virgator Ribaut, 1932 volgensis (Vilbaste, 1961) Kyboasca Zachvatkin, 1953 bipunctata (Oshanin, 1871) *Chlorita* Fieber, 1872 sg. *Chlorita* s. str., 1872 paolii Ossiannilsson, 1939 viridula (Fallén, 1806) sg. Xerochlorita Zachvatkin, 1953 dumosa Ribaut, 1933 Fagocyba Dlabola, 1958 sg. Fagocyba s. str. cruenta (Herrich-Schäffer, 1838) douglasi (Edwards, 1878) sg. Dryocyba Vilbaste, 1968 carri (Edwards, 1914) Edwardsiana Zachvatkin, 1929 alnicola (Edwards, 1924) ampliata (W. Wagner, 1935) avellanae (Edwards, 1888) staminata (Ribaut, 1952) bergmani (Tullgren, 1916) candidula (Kirschbaum, 1868) crataegi (Douglas, 1876) australis (Froggatt, 1918) nec (Walsh, 1862) frustrator (Edwards, 1908) geometrica (Schrank, 1801) gratiosa (Boheman, 1852) ishidai (Matsumura, 1932) lanternae (W. Wagner, 1937) lethierryi (Edwards, 1881) menzbieri Zachvatkin, 1948 plebeja (Edwards, 1914) plurispinosa (W. Wagner, 1935)

lanternae auct. nec (W. Wagner, 1937) hippocastani auct. nec (Edwards, 1888), partim prunicola (Edwards, 1914) barbata (Ribaut, 1931) rosae (Linnaeus, 1758) salicicola (Edwards, 1885) sociabilis (Ossiannilsson, 1936) soror (Linnavuori, 1950) stehliki Lauterer, 1958

ulmiphagus Wilson & Claridge, 1999

tersa (Edwards, 1914)

hippocastani auct. nec (Edwards, 1888), partim Eupterycyba Dlabola, 1958 jucunda (Herrich-Schäffer, 1837) Linnavuoriana Dlbaola, 1958 decempunctata (Fallén, 1806) decemguttata (Fallén, 1826) intercedens (Linnavuori, 1949) sexmaculata (Hardy, 1850) sexpunctata (Fallén, 1826), primary homonym Ribautiana Zachvatkin, 1947 ulmi (Linnaeus, 1758) Typhlocyba Germar, 1833 quercus (Fabricius, 1777) Zonocyba Dlabola, 1958 bifasciata (Boheman, 1851) Eurhadina Haupt, 1929 concinna (Germar, 1831) kirschbaumi W. Wagner, 1937 pulchella (Fallén, 1806) ribauti W. Wagner, 1935 Eupteryx Curtis, 1833 atropunctata (Goetze, 1778) aurata (Linnaeus, 1758) calcarata Ossiannilsson, 1936 collina (Flor, 1861) alticola Ribaut, 1936 melissae auct. nec Curtis, 1836 cyclops Matsumura, 1906 urticae auct. nec (Fabricius, 1803) decemnotata Rey, 1891 notata Curtis, 1837 origani Zachvatkin, 1948 signatipennis (Boheman, 1847) tenella (Fallén, 1806) stachydearum (Hardy, 1850) urticae (Fabricius, 1803) vittata (Linnaeus, 1758) Wagneripteryx Dlabola, 1958 germari (Zetterstedt, 1838) Aguriahana Distant, 1918 pictilis (Stål, 1853) stellulata (Burmeister, 1841)

ERYTHRONEURINI

Alnetoidia Dlabola, 1958
alneti (Dahlbom, 1850)
Hauptidia Dworakowska, 1970
*distinguenda (Kirschbaum, 1868)
Zyginidia Haupt, 1929
pullula (Boheman, 1845)
scutellaris auct. nec (Herrich-Schäffer, 1835)

Zygina Fieber, 1866 Erythroneura partim sg. Zygina s. str. angusta Lethierry, 1874 flammigera (Fourcroy, 1785) nigritarsis Remane, 1959 ordinaria (Ribaut, 1936) rosea (Flor, 1861) rosincola (Cerutti, 1939) rubrovittata (Lethierry, 1869) ericetorum (J. Sahlberg, 1871) schneideri (Günthart, 1974) *suavis* (Rey, 1891) rhamnicola Horváth, 1903 tiliae (Fallén, 1806) sg. *Hypericella* Dworakowska, 1970 hyperici (Herrich-Schäffer, 1836) Arboridia Zachvatkin, 1946 parvula (Boheman, 1845)

DELTOCEPHALINAE GRYPOTINI

Grypotes Fieber, 1866 *puncticollis* (Herrich-Schäffer, 1834)

OPSINI

Circulifer Zachvatkin, 1953 haematoceps (Mulsant & Rey, 1855 Neoaliturus Distant, 1918 *fenestratus (Herrich-Schäffer, 1834)

MACROSTELINI

Balclutha Kirkaldy, 1900 arhenana Dlabola, 1967 boica W. Wagner, 1950 calamagrostis Ossiannilsson, 1961 punctata (Fabricius, 1775) lineolata (Horváth, 1904) rhenana W. Wagner, 1939 Corycephalus Puton, 1886 gyllenhalii (Fallén, 1826) Macrosteles Fieber, 1866 alpinus (Zetterstedt, 1828) fascifrons (Stål, 1858) cristatus (Ribaut, 1927) empetri (Ossiannilsson, 1935) fieberi (Edwards, 1889) frontalis (Scott, 1875) horvathi (W. Wagner, 1935) laevis (Ribaut, 1927) lividus (Edwards, 1894) nubilus (Ossiannilsson, 1936) mannerheimi (Kontkanen, 1937) oshanini Razvyazkina, 1957

ossiannilssoni Lindberg, 1953 quadripunctulatus (Kirschbaum, 1868) *sardus Ribaut, 1948 septemnotatus (Fallén, 1806) sexnotatus (Fallén, 1806) sordidipennis (Stål, 1858) sexnotata ssp. salina (Reuter, 1886) variatus (Fallén, 1806) viridigriseus (Edwards, 1924) Erotettix Haupt, 1929 cyane (Boheman, 1845)

Sonronius Dorst, 1937 dahlbomi (Zetterstedt, 1838) binotatus (J. Sahlberg, 1871) anderi (Ossiannilsson, 1948) Sagatus Ribaut, 1948 punctifrons (Fallén, 1826)

DELTOCEPHALINI

Deltocephalus Burmeister, 1838 pulicaris (Fallén, 1806) Endria Oman, 1949 nebulosa (Ball, 1900)

DORATURINI

Doratura J. Sahlberg, 1871 exilis (Horváth, 1903) homophyla (Flor, 1861) *impudica Horváth, 1897 stylata (Boheman, 1847)

EUSCELINI

Platymetopius Burmeister, 1838 undatus (De Geer, 1773) henribauti Dlabola, 1961 Idiodonus Ball, 1936 cruentatus (Panzer, 1799) Colladonus Ball, 1936 torneellus (Zetterstedt, 1828) Lamprotettix Ribaut, 1942 *nitidulus (Fabricius, 1787) Allygus Fieber, 1872 mixtus (Fabricius, 1794) Allygidius Ribaut, 1948 commutatus (Fieber, 1872) Graphocraerus Thomson, 1869 ventralis (Fallén, 1806) Hardva Edwards, 1922 tenuis (Germar, 1821) fulvopicta (J. Sahlberg, 1871) Rhopalopyx Ribaut, 1939 adumbrata (C. R. Sahlberg, 1842) preyssleri (Herrich-Schäffer, 1838)

vitripennis (Flor, 1861)

Paluda DeLong, 1936 flaveola (Boheman, 1845) Elymana DeLong, 1936 kozhevnikovi (Zachvatkin, 1938) ikumae auct. nec Matsumura, 1911 sulphurella (Zetterstedt, 1828) Cicadula Zetterstedt, 1838 sg. Cicadula s. str. albingensis W. Wagner, 1940 flori (J. Sahlberg, 1871) nigricornis (J. Sahlberg, 1871) persimilis (Edwards, 1920) quadrinotata (Fabricius, 1794) quinquenotata (Boheman, 1845) ribauti (Kontkanen, 1937) rubroflava Linnavuori, 1952 ?longiventris (J. Sahlberg, 1871) saturata (Edwards, 1915) sg. Cyperana DeLong, 1936 ciliata (Osborne, 1898) intermedia (Boheman, 1845) lunulifrons (J. Sahlberg, 1871) ornata (Melichar, 1900) ossiannilssoni Kontkanen, 1947 sg. *Henriana* Emelyanov, 1964 frontalis (Herrich-Schäffer, 1835) Speudotettix Ribaut, 1942 subfusculus (Fallén, 1806) Hesium Ribaut, 1942 domino (Reuter, 1880) biguttatum (Fallén, 1806) nec (Fabricius, 1781) falleni Metcalf, 1955 Thamnotettix Zetterstedt, 1838 confinis (Zetterstedt, 1828) prominulus (Reuter, 1880) Pithvotettix Ribaut, 1942 abietinus (Fallén, 1806) Perotettix Ribaut, 1942 orientalis (Anufriev, 1971) pictus (Lethierry, 1880) Colobotettix Ribaut, 1948 morbillosus (Melichar, 1896) Macustus Ribaut, 1942 grisescens (Zetterstedt, 1828) Handianus Ribaut, 1942 *flavovarius Herrich-Schaeffer 1835 Doliotettix Ribaut, 1942 lunulatus (Zetterstedt, 1838) pallens (Zetterstedt, 1828) nec (Gmelin, 1790)

Athysanus Burmeister, 1838 argentarius Metcalf, 1955 argentatus (Fabricius, 1794) nec (Olivier, 1790)

quadrum Boheman, 1845 *Parapotes* Emelyanov, 1964 Stictocoris Thomson, 1869 reticulatus (Horváth, 1897) picturatus (C. R. Sahlberg, 1842) Paralimnus Matsumura, 1902 lineatus (Fabricius, 1787) nec (Linnaeus, sg. Paralimnus s. str. 1758) phragmitis (Boheman, 1847) Scleroracus van Duzee, 1894 lugens Horvath, 1897 corniculus (Marshall, 1866) zachvatkini Emelyanov, 1964 intractibilis (Kontkanen, 1948) sg. Paragygrus Emelyanov, 1959 decumanus (Kontkanen, 1949) rotundiceps (Lethierry, 1885) striatulus (Fallén, 1806) nec (Fabricius, Metalimnus Ribaut, 1942 1794) formosus Boheman, 1845 identicus Tishechkin, 2003 obtusus (Emelyanov, 1966) plutonius sensu LeQuesne nec (Uhler, marmoratus (Flor, 1861) stali (J. Sahlberg, 1871) ?orichalceus (Thomson, 1869) steini (Fieber, 1869) russeolus (Fallén, 1826) Arocephalus Ribaut, 1946 striatulellus Edwards, 1894 sg. Arocephalus s. str. transversus (Fallén, 1826) languidus (Flor, 1861) haupti (Lindberg, 1924) Ophiolix Ribaut, 1942 paludosa (Boheman, 1845) sg. Ariellus Ribaut, 1952 *Limotettix* J. Sahlberg, 1871 punctum (Flor, 1861) atricapillus (Boheman, 1845) paucinervis (J. Sahlberg, 1871) ochrifrons Vilbaste, 1973 Psammotettix Haupt, 1929 sphagneticus Emelyanov, 1964 albomarginatus W. Wagner, 1941 striola (Fallén, 1806) alienus (Dahlbom, 1851) Laburrus Ribaut, 1942 cephalotes (Herrich-Schäffer, 1834) impictifrons (Boheman, 1852) confinis (Dahlbom, 1851) Euscelidius Ribaut, 1942 dubius Ossiannilsson, 1974 schenckii (Kirschbaum, 1858) excisus (Matsumura, 1906) Euscelis Brullé, 1832 frigidus (Boheman, 1845) lapponicus (Ossiannilsson, 1936) distinguendus (Kirschbaum, 1858) Ederranus Ribaut, 1942 nodosus (Ribaut, 1925) discolor (J. Sahlberg, 1871) pallidinervis (Dahlbom, 1851) nauta (J. Sahlberg, 1871) poecilus (Flor, 1861) sachalinensis (Matsumura, 1911) sabulicola (Curtis, 1837) lutea (C. R. Sahlberg, 1842) nec (Olivier, arenicola (J. Sahlberg, 1871) 1790) slovacus Dlabola, 1946 Streptanus Ribaut, 1942 Ebarrius Ribaut, 1947 aemulans (Kirschbaum, 1868) cognatus (Fieber, 1869) interstinctus auct. nec (Fieber, 1869) sahlbergi (Reuter, 1880) confinis (Reuter, 1880) Adarrus Ribaut, 1947 marginatus (Kirschbaum, 1858) multinotatus (Boheman, 1857) okaensis (Zachvatkin, 1948) Errastunus Ribaut, 1947 sordidus (Zetterstedt, 1828) ocellaris (Fallén, 1806) fraterculus (Reuter, 1880) Turrutus Ribaut, 1947 socialis (Flor, 1861) Mongolojassus Zachvatkin, 1953 **FIEBERIELLINI** Fieberiella Signoret, 1880 sibiricus (Horváth, 1901) *septentrionalis W. Wagner, 1963 bicuspidatus auct. nec (J. Sahlberg, 1871) Jassargus Zachvatkin, 1933 **JASSARGINI** sg. Arrailus Ribaut, 1952 Paramesus Fieber, 1866 alpinus (Then, 1896) obtusifrons (Stål, 1853) ssp. neglectus (Then, 1896) nervosus (Fallén, 1826) nec (Linnaeus, flori (Fieber, 1869)

1758)

oculatus (J. Sahlberg, 1871)

pseudocellaris auct. nec (Flor, 1861), falleni auct. nec (Fieber, 1869), partim sg. Savetus Ribaut, 1952 allobrogicus (Ribaut, 1936) pseudocellaris auct. nec (Flor, 1861), partim falleni auct. nec (Fieber, 1869), partim sursumflexus (Then, 1902) Pinumius Ribaut, 1947 areatus (Stål, 1858) Diplocolenus Ribaut, 1947 bohemanni (Zetterstedt, 1838) Verdanus Oman, 1949 abdominalis (Fabricius, 1803) limbatellus (Zetterstedt, 1828) Arthaldeus Ribaut, 1947 *arenarius Remane, 1960 pascuellus (Fallén, 1826) striifrons (Kirschbaum, 1868) Rosenus Oman, 1949 laciniatus (Then, 1896) cruciatus auct. nec (Osborne & Ball, 1898) abiskoensis (Lindberg, 1926) Sorhoanus Ribaut, 1947 assimilis (Fallén, 1806) *schmidti (Wagner 1939) xanthoneurus (Fieber, 1869) Lebradea Remane, 1959 flavovirens (Gillette & Baker, 1895) karafutonis (Matsumura, 1911) icarus Ossiannilsson, 1976 Cosmotettix Ribaut, 1942 sg. Cosmotettix s. str. caudatus (Flor, 1861) scriptifrons (J. Sahlberg, 1871) edwardsi (Lindberg, 1924) evanescens Ossiannilsson, 1976 panzeri (Flor, 1861) concaviceps (Lindberg, 1924) sg. Airosus Ribaut, 1952 costalis (Fallén, 1826) Calamotettix Emelyanov, 1964 taeniatus (Horváth, 1911) Boreotettix Lindberg, 1952 bidentatus DeLong & Davidson, 1935 serricauda (Kontkanen, 1949) Henschia Lethierry, 1892 collina (Boheman, 1850) lateralis (J. Sahlberg, 1871) Erzaleus Ribaut, 1952

metrius (Flor, 1861)

HETEROPTERA DIPSOCOROMORPHA CERATOCOMBIDAE

Ceratocombus Signoret, 1852 sg. Ceratocombus s. str. coleoptratus (Zetterstedt, 1819) sg. Xylonannus Reuter, 1891 brevipennis Poppius, 1910 lusaticus Jordan, 1943 jordani Linnavuori, 1951 corticalis Reuter, 1889

DIPSOCORIDAE

Cryptostemma Herrich-Schäffer, 1835 *pusillimum* (J. Sahlberg, 1870) *waltli* (Fieber, 1860)

NEPOMORPHA NEPIDAE NEPINAE

Nepa Linnaeus, 1758 cinerea Linnaeus, 1758 rubra Linnaeus, 1758

RANATRINAE

Ranatra Fabricius, 1790 linearis (Linnaeus, 1758)

CORIXIOIDEA CORIXIDAE MICRONECTINAE

Micronecta Kirkaldy, 1897 griseola Horváth, 1899 minutissima (Linnaeus, 1758) poweri (Douglas & Scott, 1869)

CYMATIAINAE

Cymatia Flor, 1860 bonsdorffi (C. R. Sahlberg, 1819) coleoptrata (Fabricius, 1777)

CORIXINAE GLAENOCORISINI

Glaenocorisa Thomson, 1869 propinqua (Fieber, 1860) cavifrons (Thomson, 1869)

CORIXINI

Arctocorisa Wallengren, 1894 carinata (C. R. Sahlberg, 1819) germari (Fieber, 1848) Callicorixa White, 1873 praeusta (Fieber, 1848) producta (Reuter, 1880) wollastoni (Douglas & Scott, 1865)

Corixa Geoffroy, 1762

dentipes Thomson, 1869 punctata (Illiger, 1807)

Hesperocorixa Kirkaldy, 1908

Sigara partim

castanea (Thomson, 1869)

linnaei (Fieber, 1848)

sahlbergi (Fieber, 1848)

Paracorixa Poisson, 1957

Callicorixa partim

concinna (Fieber, 1848)

Sigara Fabricius, 1775

sg. Sigara s. str.

distincta (Fieber, 1848)

falleni (Fieber, 1848)

fallenoidea (Hungerford, 1926)

fossarum (Leach, 1817)

lateralis (Leach, 1817)

longipalis (J. Sahlberg, 1878)

striata (Linnaeus, 1758)

sg. Microsigara Poisson, 1957

hellensii (C. R. Sahlberg, 1819)

sg. Pseudovermicorixa Jaczewski, 1962

nigrolineata (Fieber, 1848)

sg. Retrocorixa Walton, 1940

semistriata (Fieber, 1848)

limitata (Fieber, 1848)

sg. Vermicorixa Walton, 1940

lateralis (Leach, 1817)

NAUCOROIDEA APHELOCHEIRIDAE

Aphelocheirus Westwood, 1833

aestivalis (Fabricius, 1794)

NOTONECTOIDEA NOTONECTIDAE

Notonecta Linnaeus, 1758

glauca Linnaeus, 1758

lutea Müller, 1776

reuteri Hungerford, 1928

PLEIDAE

Plea Leach, 1817

*minutissima Leach, 1817

GERROMORPHA MESOVELIOIDEA MESOVELIIDAE

Mesovelia Mulsant & Rey, 1852 *furcata* Mulsant & Rey, 1852

HEBROIDEA HEBRIDAE

Hebrus Curtis, 1833 pusillus (Fallén, 1807) ruficeps Thomson, 1871

HYDROMETROIDEA HYDROMETRIDAE

Hydrometra Latreille, 1796 *gracilenta* Horváth, 1899

GERROIDEA VELIIDAE

MICROVELIINAE

Microvelia Westwood, 1834

buenoi Drake, 1920

umbricola Wróblewski

reticulata (Burmeister, 1835)

VELIINAE

Velia Latreille, 1804 *caprai Tamanini, 1947 saulii Tamanini, 1947

GERRIDAE

Aquarius Schellenberg, 1800

Gerris partim

najas (De Geer, 1773)

paludum (Fabricius, 1794)

Gerris Fabricius, 1794

sg. Gerris s. str.

argentatus Schummel, 1832

lacustris (Linnaeus, 1758)

odontogaster (Zetterstedt, 1828)

sphagnetorum Gaunitz, 1947

thoracicus Schummel, 1832

sg. Gerriselloides Hungerford & Matsuda,

1958

lateralis Schummel, 1832

Limnoporus Stål, 1868

Gerris partim

rufoscutellatus (Latreille, 1807)

LEPTOPODOMORPHA SALDOIDEA SALDIDAE

CHILOXANTHINAE

Chiloxanthus Reuter, 1891 *stellatus* (Curtis, 1835)

SALDINAE

Chartoscirta Stål, 1868 *cincta* (Herrich-Schaeffer, 1841) *elegantula* (Fallén, 1807)

Halosalda Reuter, 1912 lateralis (Fallén, 1807)

Macrosaldula Leston & Southwood, 1964

Saldula partim

scotica (Curtis, 1835)

Micracanthia Reuter, 1912

fennica (Reuter, 1884)

marginalis (Fallén, 1807)

Saldula Van Duzee, 1914

arenicola (Scholtz, 1847)

fucicola (J. Sahlberg, 1870)

opacula (Zetterstedt, 1839)

orthochila (Fieber, 1859)

pallipes (Fabricius, 1794)

palustris (Douglas, 1874)

pilosella (Thomson, 1871)

saltatoria (Linnaeus, 1758)

Salda Fabricius, 1803

littoralis (Linnaeus, 1758)

morio Zetterstedt, 1838

muelleri (Gmelin, 1790)

sahlbergi Reuter, 1875

Teloleuca Reuter, 1912

bifasciata (Thomson, 1871)

pellucens (Fabricius, 1779)

CIMICOMORPHA TINGOIDEA TINGIDAE

Acalypta Westwood, 1840

carinata (Panzer, 1806)

gracilis (Fieber, 1844)

marginata (Wolff, 1804)

nigrina (Fallén, 1807)

parvula (Fallén, 1807)

platycheila (Fieber, 1844)

Agramma Stephens, 1829

femorale Thomson, 1871

tropidopterum Flor, 1860

Catoplatus Spinola, 1837

fabricii (Stål, 1868)

Derephysia Spinola, 1837

foliacea (Fallén, 1807)

Dictyla Stål, 1874

convergens (Herrich-Schaeffer, 1835)

?echii (Schrank, 1782)

Galeatus Curtis, 1833

affinis (Herrich-Schaeffer, 1835)*

spinifrons (Fallén, 1807)

Kalama Puton, 1876

tricornis (Schrank, 1801)

Physatocheila Fieber, 1844

costata (Fabricius, 1794)

quadrimaculata Wolff, 1804

Stephanitis Stål, 1873

oberti (Kolenati, 1857)

pyri (Fabricius, 1775)

rhododendri Horváth, 1905

Tingis Fabricius, 1803

cardui (Linnaeus, 1758)

MIROIDEA MICROPHYSIDAE

Loricula Curtis, 1833

elegantula (Bärensprung, 1858)

pselaphiformis Curtis, 1833

Myrmedobia Bärensprung, 1857

coleoptrata (Fallén, 1807)

distinguenda Reuter, 1884

exilis (Fallén, 1807)

tenella Zetterstedt, 1828

MIRIDAE

BRYOCORINAE

BRYOCORINI

Bryocoris Fallén, 1829

pteridis (Fallén, 1807)

Monalocoris Dahlbom, 1851

filicis (Linnaeus, 1758)

DICYPHINI

Dicyphus Fieber, 1858

sg. *Brachyceroea* Fieber, 1898

globulifer (Fallén, 1829)

sg. Dicyphus s. str.

constrictus (Boheman, 1852)

*epilobii Reuter, 1883

*errans (Wolff, 1804)

pallicornis (Fieber, 1861)

Nesidiocoris Kirkaldy, 1902

*tenuis (Reuter, 1895)

Campylonerura Fieber, 1875

*virgula (Herrich-Schäffer, 1837)

Macrolophus Fieber, 1858

pygmaeus (Rambur, 1839)

nubilus auct. nec. (Herrich-Schaeffer,

1835)

melanotoma (A. Costa, 1853)*

Tupiocoris China & Carvalho, 1952

*rhododendri (Dolling, 1972)

DERAECORINAE CLIVINEMATINI

Bothynotus Fieber, 1864 pilosus (Boheman, 1852)

HYALOIDINI

Stethoconus Flor, 1860

cyrtopeltis (Flor, 1860)

DERAECORINI

Alloeotomus Fieber, 1858
germanicus Wagner, 1939
gothicus (Fallén, 1807)
Deraeocoris Kirschbaum, 1855
sg. Deraeocoris s.str.
*morio (Boheman, 1852)
*ruber (Linnaeus, 1758)
scutellaris (Fabricius, 1794)
sg.Camptobrochis Fieber, 1858
*lutescens (Schilling, 1837)
punctulatus (Fallén, 1807)

MIRINAE STENODEMINI

Myrmecoris Gorski, 1852 gracilis (R. F. Sahlberg, 1848) Pithanus Fieber, 1858 hrabei Stehlik, 1952 maerkelii (Herrich-Schaeffer, 1838) Acetropis Fieber, 1858 *gimmerthalii (Flor, 1860) Actinocoris Reuter, 1876 signatus Reuter, 1878

Leptopterna Fieber, 1858 dolabrata (Linnaeus, 1758) ferrugata (Fallén, 1807) Megaloceroea Fieber, 1858

megaloceroea Fieber, 1858 recticornis (Geoffroy, 1785) Notostira Fieber, 1878

elongata (Geoffroy, 1785) erratica (Linnaeus, 1758)

Stenodema Laporte de Castelnau, 1832 sg. *Stenodema* s. str.

holsatum (Fabricius, 1787) laevigatum (Linnaeus, 1758) virens (Linnaeus, 1767) sg. **Brachystira** Fieber, 1858

calcaratum (Fallén, 1807)

trispinosum Reuter, 1904

Teratocoris Fieber, 1858 antennatus (Boheman, 1852)

caricis Kirkaldy, 1909

elegans Woodroffe, 1967 paludum J. Sahlberg, 1870

saundersi Douglas & Scott, 1869

lineatus E. Wagner, 1952

viridis Douglas & Scott, 1867 Trigonotylus Fieber, 1858

caelestialium (Kirkaldy, 1902)

fuscitarsis Lammes, 1987 ruficornis (Geoffroy, 1785)

MIRINI

Pantilius Curtis, 1833
tunicatus (Fabricius, 1781)
Phytocoris Fallén, 1814
sg. Phytocoris s. str.
dimidiatus Kirschbaum, 1856
intricatus Flor, 1861
longipennis Flor, 1861
pini Kirschbaum, 1856
populi (Linnaeus, 1758)
reuteri Saunders, 1876
tiliae (Fabricius, 1776)
sg. Ktenocoris Wagner, 1954
insignis Reuter, 1876
ulmi (Linnaeus, 1758)

Megacoelum Fieber, 1858 *infusum* (Herrich-Schaeffer, 1837)

Adelphocoris Reuter, 1896 lineolatus (Goeze, 1778)

quadripunctatus (Fabricius, 1794) seticornis (Fabricius, 1775)

Calocoris Fieber, 1858

affinis (Herrich-Schaeffer, 1835) roseomaculatus (De Geer, 1773)

Closterotomus Fieber, 1858

Calocoris partim

biclavatus (Herrich-Schaeffer, 1835) fulvomaculatus (De Geer, 1773)

norwegicus (Gmelin, 1790)

Grypocoris Douglas & Scott, 1868

Calocoris partim sexguttatus (Fabricius, 1777)

Rhabdomiris E. Wagner, 1968

striatellus (Fabricius, 1794)

Miris Fabricius, 1794 *striatus* (Linnaeus, 1758)

Stenotus Jakovlev, 1877

binotatus (Fabricius, 1794)

Dichrooscytus Fieber, 1858

gustavi Josifov, 1981

intermedius Reuter, 1885

rufipennis (Fallén, 1807)

*sp. nov.

Lygocoris Reuter, 1875 sg. Lygocoris s. str.

nahulinus (Linnaeu

pabulinus (Linnaeus, 1761) rugicollis (Fallén, 1807)

sg. *Neolygus* Knight, 1917 *contaminatus* (Fallén, 1807)

viridis (Fallén, 1807)

Apolygus China, 1941

Lygocoris partim limbatus (Fallén, 1807)

lucorum (Meyer-Dür, 1843) rhamnicola (Reuter, 1885) spinolae (Meyer-Dür, 1841) Lygus Hahn, 1833 gemellatus (Herrich-Schaeffer, 1835) adspersus (Schilling, 1837) sensu Demchenko 2004 pratensis (Linnaeus, 1758) punctatus (Zetterstedt, 1838) rugulipennis Poppius, 1911 wagneri Remane, 1955 Orthops Fieber, 1858 basalis (Costa, 1853) campestris (Linnaeus, 1758) kalmii (Linnaeus, 1758) Pinalitus Kelton, 1955 Orthops partim cervinus (Herrich-Schaeffer, 1841) rubricatus (Fallén, 1807) Agnocoris Reuter, 1875 rubicundus (Fallén, 1807) Liocoris Fieber, 1858 tripustulatus (Fabricius, 1781) Camptozygum Reuter, 1896 aequale (Villers, 1789) pinastri (Fallén, 1896) Polymerus Hahn, 1831 sg. *Polymerus* s. str.

sg. *Polymerus* s. str.
nigrita (Fallén, 1807)
sg. *Poeciloscytus* Fieber, 1958
cognatus (Fieber, 1858)
lammesi Rinne, 1989
microphthalmus (Wagner, 1951)
palustris (Reuter, 1907)
tepastus Rinne, 1989
unifasciatus (Fabricius, 1794)
vulneratus (Panzer, 1806)

Charagochilus Fieber, 1858 gyllenhali (Fallén, 1807) Capsus Fabricius, 1803 ater (Linnaeus, 1758)

wagneri Remane, 1950

ORTHOTYLINAE HALTICINI

Halticus Hahn, 1829 apterus (Linnaeus, 1758) major Wagner, 1951 Strongylocoris Blanchard, 1840 leucocephalus (Linnaeus, 1758) niger (Herrich-Schaeffer, 1835) steganoides (J. Sahlberg, 1875) Pachytomella Reuter, 1891 parallela (Meyer-Dür, 1843) Orthocephalus Fieber, 1858 brevis (Panzer, 1798) saltator (Hahn, 1835) vittipennis (Herrich-Schaeffer, 1835) Euryopicoris Reuter, 1875 fennicus Wagner, 1954 nitidus (Meyer-Dür, 1843) Labops Burmeister, 1835 sahlbergii (Fallén, 1829) Myrmecophyes Fieber, 1879 alboornatus (Stål, 1858)

ORTHOTYLINI Malacocoris Fieber, 1858 chlorizans (Panzer, 1794) Reuteria Puton, 1875 *marqueti Puton, 1875 Orthotylus Fieber, 1858 sg. Orthotylus s. str. boreellus (Zetterstedt, 1828) flavinervis (Kirschbaum, 1856) marginalis Reuter, 1883 nassatus (Fabricius, 1787) prasinus (Fallén, 1826) tenellus (Fallén, 1807) virens (Fallén, 1807) viridinervis (Kirschbaum, 1856) sg. *Litocoris* Fieber, 1860 ericetorum (Fallén, 1807) sg. Melanotrichus Reuter, 1875 flavosparsus (C. R. Sahlberg, 1841) sg. *Pinocapsus* Southwood, 1953 fuscescens (Kirschbaum, 1856) sg. Pseudorthotylus Poppius, 1914 bilineatus (Fallén, 1807) Pseudoloxops Kirkaldy, 1905 coccineus (Meyer-Dür, 1843) Cyrtorhinus Fieber, 1858 caricis (Fallén, 1807) Fieberocapsus Carvalho & Southwood, 1955 flaveolus (Reuter, 1870)

Mecomma Fieber, 1858
sg. Mecomma s. str.
ambulans (Fallén, 1807)
sg. Globicellus Kiritshenko, 1951
dispar (Boheman, 1852)
Globiceps Lepeletier & Serville, 1825
flavomaculatus (Fabricius, 1794)
salicicola Reuter, 1880
Blepharidopterus Kolenati, 1845
angulatus (Fallén, 1807)
diaphanus (Kirschbaum, 1856)
Cyllecoris Hahn, 1834

histrionius (Linnaeus, 1767)

Dryophilocoris Reuter, 1875 flavoquadrimaculatus (De Geer, 1773)

PHYLINAE PILOPHORINI

Pilophorus Hahn, 1826 cinnamopterus (Kirschbaum, 1856) clavatus (Linnaeus, 1767) confusus (Kirschbaum, 1856) perplexus Douglas & Scott, 1875

HALLODAPINI

Cremnocephalus Fieber, 1861 albolineatus Reuter, 1875 Hallodapus Fieber, 1858 rufescens (Burmeister, 1835) Systellonotus Fieber, 1858 triguttatus (Linnaeus, 1767)

PHYLINI

Oncotylus Fieber, 1858 punctipes Reuter, 1875 Macrotylus Fieber, 1859 cruciatus (R. F. Sahlberg, 1848) Plagiognathus Fieber, 1858 arbustorum (Fabricius, 1794) chrysanthemi (Wolff, 1804) Europiella Reuter, 1909 Plagiognathus partim Poliopterus E. Wagner, 1949 albipennis (Fallén, 1829) artemisiae (Becker, 1864) albipennis auct. nec (Fallén, 1829), partim Parapsallus E. Wagner, 1952 Plagiognathus partim

vitellinus (Scholtz, 1847) Campylomma Reuter, 1878 verbasci (Meyer-Dür, 1843) Monosynamma Scott, 1864 bohemanni (Fallén, 1829) Chlamydatus Curtis, 1833 sg. Chlamydatus s. str. opacus (Zetterstedt, 1838) saltitans (Fallén, 1807) sg. Euattus Kerzhner, 1962 *drymophilus Vinokurov, 1982

pullus (Reuter, 1870) wilkinsoni (Douglas & Scott, 1866)

Salicarus Kerzhner, 1962 roseri (Herrich-Schaeffer, 1838) Sthenarus Fieber, 1858

rotermundi (Scholtz, 1847) Criocoris Fieber, 1858 crassicornis (Hahn, 1834)

pulicarius (Fallén, 1807)

quadrimaculatus (Fallén, 1807) Atractotomus Fieber, 1853 kolenatii (Flor, 1860) magnicornis (Fallén, 1807) mali (Meyer-Dür, 1843) morio J. Sahlberg, 1883 Psallus Fieber, 1858 sg. Psallus s. str. falleni Reuter, 1883 *flavellus Stichel, 1960 haematodes (Gmelin, 1790) alni (Fabricius, 1794) roseus (Fabricius, 1777), preocc.

lepidus Fieber, 1858 mollis (Mulsant & Rey, 1852)

masseei Woodroffe, 1957 salicis (Kirschbaum, 1856)

alnicola Douglas & Scott, 1871 scholtzi Fieber, 1861

varians (Herrich-Schaeffer, 1841)

sg. *Apocremnus* Fieber, 1858 aethiops (Zetterstedt, 1838) betuleti (Fallén, 1826)

graminicola (Zetterstedt, 1828)

*montanus Josifov, 1973 sg. Hylopsallus Wagner, 1952

perrisi (Mulsant & Rey, 1852) variabilis (Fallén, 1807) wagneri Ossiannilsson, 1953

sg. *Mesopsallus* Wagner, 1970 ambiguus (Fallén, 1807)

sg. *Phylidea* Reuter, 1899 quercus (Kirschbaum, 1856) sg. Pityopsallus Wagner, 1952

lapponicus Reuter, 1874 luridus Reuter, 1878 *piceae (Reuter, 1879) Compsidolon Reuter, 1899

salicellum (Herrich-Schaeffer, 1841)

Phoenicocoris Reuter, 1875 modestus (Meyer-Dür, 1843) obscurellus (Fallén, 1829) Orthonotus Stephens, 1829 rufifrons (Fallén, 1807)

limitatum Fieber, 1858 Tytthus Fieber, 1864 pubescens (Knight, 1931) pygmaeus (Zetterstedt, 1838) Plesiodema Reuter, 1875

Brachyarthrum Fieber, 1858

pinetellum (Zetterstedt, 1828) Phylus Hahn, 1831

coryli (Linnaeus, 1758) melanocephalus (Linnaeus, 1767) Megalocoleus Reuter, 1890 molliculus (Fallén, 1807) tanaceti (Fallén, 1807) pilosus (Schrank, 1801) Hoplomachus Fieber, 1858 thunbergii (Fallén, 1807) Placochilus Fieber, 1858 seladonicus (Fallén, 1807) Lopus Hahn, 1831 decolor (Fallén, 1807)

CIMICOIDEA NABIDAE

Himacerus Wolff, 1811 *Nabis* partim boops (Schiödte, 1870) *Nabis* Latreille, 1802 sg. Nabis s. str. brevis Scholtz, 1847 ericetorum Scholtz, 1847 ferus (Linnaeus, 1758) pseudoferus Remane, 1949 punctatus A. Costa, 1847 feroides remane, 1953 rugosus (Linnaeus, 1758) sg. Reduviolus Kirby, 1837 inscriptus (Kirby, 1837) sg. *Dolichonabis* Reuter, 1908 limbatus Dahlbom, 1851 sg. Limnonabis Kerzhner, 1968 lineatus Dahlbom, 1851 sg. Nabicula Kirby, 1837 flavomarginatus Scholtz, 1847

ANTHOCORIDAE ANTHOCORINAE ANTHOCORINI

Acompocoris Reuter, 1875 alpinus Reuter, 1875 pygmaeus (Fallén, 1807) Anthocoris Fallén, 1814 confusus Reuter, 1884 gallarumulmi (De Geer, 1773) limbatus Fieber, 1836 nemoralis (Fabricius, 1794) nemorum (Linnaeus, 1761) pilosus (Jakovlev, 1877) sibiricus Reuter, 1875 simulans Reuter, 1884 minki auct. mec Dohrn, 1860 Elatophilus Reuter, 1884 nigrellus (Zetterstedt, 1838) nigricornis (Zetterstedt, 1838) stigmatellus (Zetterstedt, 1838)

Temnostethus Fieber, 1860 gracilis Horváth, 1907 pusillus (Herrich-Schaeffer, 1835) Tetraphleps Fieber, 1860 aterrima (J. Sahlberg, 1878) bicuspis (Herrich-Schaeffer, 1835)

ORIINI

Orius Wolff, 1811
sg. Orius s. str.
laevigatus (Fieber, 1860)*
niger (Wolff, 1811)
compressicornis R. F. Sahlberg, 1848
sg. Dimorphella Reuter, 1884
agilis (Flor, 1860)
sg. Heterorius Wagner, 1952
horvathi (Reuter, 1884)
laticollis (Reuter, 1884)
majusculus (Reuter, 1879)
vicinus (Ribaut, 1923)

LYCTOCORIDAE LYCTOCORINI

Amphiareus Distant, 1904 obscuriceps (Poppius, 1909) Lyctocoris Hahn, 1836 campestris (Fabricius, 1794) nidicola Wagner, 1955

SCOLOPINI

Scoloposcelis Fieber, 1838 obscurella (Zetterstedt, 1838) pulchella (Zetterstedt, 1838)

XYLOCORINI

Xylocoris Dufour, 1831 sg. Xylocoris s. str. cursitans (Fallén, 1807) formicetorum (Boheman, 1844) parvulus (Reuter, 1871) sg. Proxylocoris Carayon, 1972 galactinus (Fieber, 1836) sg. Stictosynechia Reuter, 1884 lativentris (J. Sahlberg, 1870)

CIMICIDAE

Cimex Linnaeus, 1758 columbarius Jenyns, 1839 lectularius Linnaeus, 1758 Oeciacus Stål, 1873 hirundinis (Lamarck, 1816)

REDUVIIDAE CENTROCNEMIDINAE

Empicoris Wolff, 1811 culiciformis (De Geer, 1773) vagabundus (Linnaeus, 1758)

PHYMATINAE

Phymata Latreille, 1802 *crassipes* (Fabricius, 1775)

STENOPODAINAE

Pygolampis Germar, 1817 *bidentata* (Goeze, 1778)

HARPACTOCORINAE

Coranus Curtis, 1833
aethiops Jakovlev, 1893
subapterus auct. nec (De Geer, 1773),
partim
subapterus (De Geer, 1773)
Rhynocoris Hahn, 1833
annulatus (Linnaeus, 1758)

REDUVIINAE

Reduvius Fabricius, 1775 *personatus (Linnaeus, 1758)

ARADIDAE ANEURINAE

Aneurus Curtis, 1824 avenius (Dufour, 1833)

ARADINAE

Aradus Fabricius, 1803 angularis J. Sahlberg, 1886 annulicornis Fabricius, 1803 anisotomus Puton, 1879 aterrimus Fieber, 1864 betulae (Linnaeus, 1758) betulinus Fallén, 1829 bimaculatus Reuter, 1872 brevicollis Fallén, 1807 cinnamomeus (Panzer, 1794) corticalis (Linnaeus, 1758) crenaticollis R. F. Sahlberg, 1848 depressus (Fabricius, 1794) erosus Fallén, 1807 laeviusculus Reuter, 1875 lugubris Fallén, 1805 montandoni Reuter, 1885 obtectus Vásárhelyi, 1988 pictus auct. nec Bärensprung, 1859 signaticornis R. F. Sahlberg, 1848 truncatus Fieber, 1861 **LYGAEIDAE**

LYGAEINAE

Lygaeus Fabricius, 1794 equestris (Linnaeus, 1758)

ORSILLINAE NYSIINI

Nithecus Horváth, 1890 jacobaeae (Schilling, 1829) Nysius Dallas, 1852 ericae (Schilling, 1829) groenlandicus (Zetterstedt, 1840) helveticus (Herrich-Schaeffer, 1850) thymi (Wolff, 1804)

ORSILLINI

Ortholomus Stål, 1872 punctipennis (Herrich-Schaeffer, 1839)

ISCHNORHYNCINAE

Kleidocerys Stephens, 1829 *resedae* (Panzer, 1797)

CYMIDAE

Cymus Hahn, 1832 aurescens Distant, 1883 obliquus Horváth, 1888 claviculus (Fallén, 1807) glandicolor Hahn, 1832 melanocephalus Fieber, 1861

BLISSIDAE

Ischnodemus Fieber, 1836 *sabuleti* (Fallén, 1826)

GEOCORIDAE

Geocoris Fallén, 1814 ater (Fabricius, 1787) dispar (Waga, 1839) grylloides (Linnaeus, 1758) lapponicus Zetterstedt, 1838

ARTHENEIDAE

Chilacis Fieber, 1864 *typhae* (Perris, 1857)

HETEROGASTRIDAE

Heterogaster Schilling, 1829 *urticae* (Fabricius, 1775)

OXYCARENIDAE

Macroplax Fieber, 1860 preyssleri (Fieber, 1837) Oxycarenus Fieber, 1837 modestus (Fallén, 1829) lavaterae (Fabricius, 1787)* *Philomyrmex* R. F. Sahlberg, 1848 insignis R. F. Sahlberg, 1848 Tropidophlebia Kerzhner, 1964 costalis (Herrich-Schäffer, 1837)

RHYPAROCHROMIDAE RHYPAROCHROMINAE **ANTILLOCORINI**

Tropistethus Fieber, 1860 holosericeus (Scholtz, 1846)

DRYMINI

Drymus Fieber, 1860 pilicornis (Mulsant & Rev. 1852) brunneus (R. F. Sahlberg, 1848) ryei Douglas & Scott, 1865 sylvaticus (Fabricius, 1775) Eremocoris Fieber, 1860 abietis (Linnaeus, 1758) plebejus (Fallén, 1807) Gastrodes Westwood, 1840 abietum Bergroth, 1914 grossipes (De Geer, 1773) Lamproplax Douglas & Scott, 1868 picea (Flor, 1860) Scolopostethus Fieber, 1860 affinis (Schilling, 1829) decoratus (Hahn, 1833) pictus (Schilling, 1829) pilosus Reuter, 1874 thomsoni Reuter, 1874 Taphropeltus Stål, 1873 hamulatus (Thomson, 1870)

GONIANOTINI

Aphanus Laporte de Castelnau, 1832 rolandri (Linnaeus, 1758) Gonianotus Fieber, 1860 marginepunctatus (Wolff, 1804) *Macrodema* Fieber, 1860 micropterum (Curtis, 1836) Ischnocoris Fieber, 1860 angustulus (Boheman, 1852) Pionosomus Fieber, 1860 varius (Wolff, 1804) Pterotmetus Amyot & Audinet-Serville, 1843 staphyliniformis (Schilling, 1829)

arenarius (Linnaeus, 1758) desertus Seidenstücker, 1951

Trapezonotus Fieber, 1860

anorus (Flor, 1860)

MEGALONOTINI

Megalonotus Fieber, 1860 antennatus (Schilling, 1829)

chiragra (Fabricius, 1794) Sphragisticus Stål, 1872 nebulosus (Fallén, 1807)

RHYPAROCHROMINI

Graptopeltus Stål, 1872 lynceus (Fabricius, 1775) Peritrechus Fieber, 1860 angusticollis (R. F. Sahlberg, 1848) convivus (Stål, 1858) distinguendus (Flor, 1860) geniculatus (Hahn, 1832) nubilus (Fallén, 1807) Rhyparochromus Hahn, 1826 phoeniceus (Rossi, 1794) pini (Linnaeus, 1758)

MYODOCHINI

Ligyrocoris Stål, 1872 sylvestris (Linnaeus, 1758) Pachybrachius Hahn, 1826 fracticollis (Schilling, 1829) luridus Hahn, 1826

PLINTHISINAE PLINTHISINI

Plinthisus Stephens, 1829 brevipennis (Latreille, 1807) pusillus (Scholtz, 1847)

STYGNOCORINI

Acompus Fieber, 1860 rufipes (Wolff, 1804) Stygnocoris Douglas & Scott, 1865 cimbricus (Gredler, 1870) pygmaeus auct. nec (R. F. Sahlberg, 1848) fuligineus (Geoffroy, 1785) rusticus (Fallén, 1807) sabulosus (Schilling, 1829) pygmaeus (R. F. Sahlberg, 1848)

PIESMATIDAE

Parapiesma Pericart, 1974 Piesma partim quadratum (Fieber, 1844) salsolae (Becker, 1867) Piesma Lepeletier & Audinet-Serville, 1825 capitatum (Wolff, 1804) maculatum (Laporte, 1833)

BERYTIDAE BERYTINAE

Neides Latreille, 1804 tipularius (Linnaeus, 1758) Berytinus Kirkaldy, 1900 sg. Berytinus s. str. clavipes (Fabricius, 1775) minor (Herrich-Schaeffer, 1835) sg. Lizinus Mulsant & Rey, 1870 crassipes (Herrich-Schaeffer, 1835) signoreti (Fieber, 1859)

METACANTHINAE

Metatropis Fieber, 1859 rufescens (Herrich-Schaeffer, 1835) linnaeae (E. Wagner, 1950)

PYRRHOCORIDAE

Pyrrhocoris Fallén, 1814 apterus (Linnaeus, 1758)*

RHOPALIDAE RHOPALINAE RHOPALINI

Brachycarenus Fieber, 1860 tigrinus (Schilling, 1827) Corizus Fallén, 1814 hyoscyami (Linnaeus, 1758) Liorhyssus Stål, 1870 hyalinus (Fabricius, 1794) Rhopalus Schilling, 1827 maculatus (Fieber, 1836) distinctus (Signoret, 1859) conspersus auct. nec (Fieber, 1836) parumpunctatus (Schilling, 1827) subrufus (Gmelin, 1790) Stictopleurus Stål, 1872 abutilon (Rossi, 1790) crassicornis (Linnaeus, 1758) punctatonervosus (Goeze, 1778)

CHOROSOMATINI

Chorosoma Curtis, 1830 schillingii (Schummel, 1827) Myrmus Hahn, 1832 miriformis (Fallén, 1807)

ALYDIDAE

Alydus Fabricius, 1803 calcaratus (Linnaeus, 1758)

COREIDAE PSEUDOPHLOEINAE

Bathysolen Fieber, 1860 nubilus (Fallén, 1807) Coriomeris Westwood, 1842 denticulatus (Scopoli, 1763) scabricornis (Panzer, 1809) ssp. lapponicus Tshernova, 1978 Nemocoris R. F. Sahlberg, 1848 fallenii R. F. Sahlberg, 1848 Ulmicola Kirkaldy, 1909 spinipes (Fallén, 1829)

COREINAE

Coreus Fabricius, 1794 marginatus (Linnaeus, 1758) Spathocera Stein, 1860 dalmanii (Schilling, 1829)

CYDNIDAE

Adomerus Mulsant & Rey, 1866
biguttatus (Linnaeus, 1758)
Legnotus Schiödte, 1848
picipes (Fallén, 1807)
Ochetostethus Fieber, 1860
opacus (Scholtz, 1847)
nanus auct. nec (Herrich-Schäffer, 1834)
Sehirus Amyot & Audinet-Serville, 1843
luctuosus Mulsant & Rey, 1866
Tritomegas Amyot & Audinet-Serville, 1843
Sehirus partim
bicolor (Linnaeus, 1758)

THYREOCORIDAE

Thyreocoris Schrank, 1801 *scarabaeoides* (Linnaeus, 1758)

ACANTHOSOMATIDAE

Acanthosoma Curtis, 1824
haemorrhoidale (Linnaeus, 1758)
Cyphostethus Fieber, 1860
tristriatus (Fabricius, 1787)
Elasmostethus Fieber, 1860
brevis Lindberg, 1934
interstinctus (Linnaeus, 1758)
minor Horváth, 1899
Elasmucha Stål, 1864
ferrugata (Fabricius, 1787)
fieberi (Jakovlev, 1864)
grisea (Linnaeus, 1758)

SCUTELLERIDAE ODONTOTARSINAE

Phimodera Germar, 1839 *humeralis* (Dalman, 1823) *lapponica* (Zetterstedt, 1828)

ODONTOSCELINAE

Odontoscelis Laporte de Castelnau, 1833 *fuliginosa* (Linnaeus, 1761)

EURYGASTRINAE

Eurygaster Laporte de Castelnau, 1833 testudinaria (Geoffroy, 1785)

PENTATOMIDAE ASOPINAE

Jalla Hahn, 1832

dumosa (Linnaeus, 1758)

Pinthaeus Stål, 1868

*sanguinipes (Fabricius, 1781)

Picromerus Amyot & Audinet-Serville, 1843

bidens (Linnaeus, 1758)

Rhacognathus Fieber, 1860

punctatus (Linnaeus, 1758)

Troilus Stål, 1868

luridus (Fabricius, 1775)

Zicrona Amyot & Audinet-Serville, 1843

caerulea (Linnaeus, 1758)

PENTATOMINAE AELIINI

Aelia Fabricius, 1803

acuminata (Linnaeus, 1758)

klugii Hahn, 1831

*rostrata Boheman, 1852

Neottiglossa W. Kirby, 1837

pusilla (Gmelin, 1790)

CARPOCORINI

Carpocoris Kolenati, 1846

purpureipennis (De Geer, 1773)

Chlorochroa Stål, 1872

Pitedia Reuter, 1888

juniperina (Linnaeus, 1758)

pinicola (Mulsant, 1852)

Dolycoris Mulsant & Rey, 1866

baccarum (Linnaeus, 1758)

Peribalus Mulsant & Rey, 1866

Holcostethus Fieber, 1860 preocc.

strictus (Fabricius, 1804)

vernalis (Wolff,) auct.

Palomena Mulsant & Rey, 1866 *prasina* (Linnaeus, 1761)

EYSARCORINI

Eysarcoris Hahn, 1834

aeneus (Scopoli, 1763)

Stagonomus Gorski, 1852

bipunctatus (Linnaeus, 1758)

pusillus (Herrich-Schaeffer, 1830)

PENTATOMINI

Nezara Amyot & Audinet-Serville, 1843

viridula (Linnaus, 1758)*

Pentatoma Olivier, 1789

rufipes (Linnaeus, 1758)

SCIOCORINI

Sciocoris Fallén, 1829

sg. Aposciocoris Wagner, 1965

*homalonotus Fieber, 1851

microphthalmus Flor, 1860 umbrinus (Wolff, 1804)

sg. Sciocoris s. str.

cursitans (Fabricius, 1794)

STRACHIINI

Eurydema Laporte de Castelnau, 1833

oleraceum (Linnaeus, 1758)

ornatum (Linnaeus, 1758)

dominulum (Scopoli, 1763)

PODOPINAE GRAPHOSOMATINI

Graphosoma Laporte de Castelnau, 1833

lineatum (Linnaeus, 1758)

TARISINI

Dybowskyia Jakovlev, 1877 *reticulata* (Dallas, 1851)

References

Albrecht, A., Mattila, K., Rinne, V. & Söderman, G. 2008: Suomen nivelkärsäisten luettelo — Check-list of Finnish Hemiptera. – The Finnish Expert group on Hemiptera (http://biolcoll.utu.fi/hemi/tyoryhma/tyoryhma_eng.htm).

Aukema, B. & Rieger, C. (eds.). 1995: Catalogue of the Heteroptera of the Palaearctic Region, vol. 1. Enicocephalomorpha, Dipsocoromorpha, Nepomorpha, Gerromorpha and Leptopodomorpha. Amsterdam, The Netherlands Entomological Society, xxvi + 222 pp.

- 1996: Catalogue of the Heteroptera of the Palaearctic Region, vol. 2. Cimicomorpha I.
 Amsterdam, The Netherlands Entomological Society, xiv + 361 pp.
- 1999: Catalogue of the Heteroptera of the Palaearctic Region, vol. 3. Cimicomorpha II. Amsterdam, The Netherlands Entomological Society, xiv + 577 pp.

- 2001: Catalogue of the Heteroptera of the Palaearctic Region, vol. 4. Pentatomomorpha I. Amsterdam, The Netherlands Entomological Society, xiv + 346 pp.
- 2006: Catalogue of the Heteroptera of the Palaearctic Region, vol. 5. Pentatomomorpha II.
 Amsterdam, The Netherlands Entomological Society, xiii + 550 pp.
- Blackman, R. & Eastop, V. 2014: Aphids on the World's Plants. An online identification and iformation guide. http://www.aphidsonworldsplants.info/index.htm, as of December, 2014)
- Gertsson, C.-A. 1987: The Swedish whiteflies (Homoptera: Aleyrodidae). Entomologisk Tidskrift 108: 85–91.
- 2005: New species and new province-records of scale insects from Sweden (Hemiptera: Coccoidea) up to the year 2004. Entomologisk Tidskrift 126: 35–42.
- Huldén, L. 1986: The whiteflies (Homoptera, Aleyrodoidea) and their parasites in Finland. Notulae Entomologicae 66: 1–40.
- Ossiannilsson, F. 1992: The Psylloidea (Homoptera) of Fennoscandia and Denmark. Fauna Entomologica Scandinavica. 26: 346 pp. E. J. Brill, Leiden
- Söderman, G., Gillerfors, G. & Endrestöl, A. 2009: An annotated catalogue of the Auchenorrhyncha of Northern Europe (Insecta, Hemiptera: Fulgoromorpha et Cicadomorpha). Cicadina 10: 33–69.