

E2guardian mode	Implicit Proxy	Transparent Proxy	ICAP Server	
Feature			Squid Implicit Proxy	Squid Trans Proxy
Site e!e fi tering	"es	"es	"es	"es
# \$ % e!e fi tering	"es &	"es &	"es'	"es'
M() M to a o* +ontent fi tering for , ttps	"es	"es	"es'	"es'
-pp a o* . / o+0 (! ia #ser1-gent , eader)	"es	, ttp on "	"es'	, ttp on "
#r redire+tion	"es &	"es &	"es'	"es'
#r modifi+ation (enfor+e safesear+, et+)	"es &	"es &	"es'	"es'
2ass1t, roug, aut, enti+ation nt m3 digest et+ (re4uires upstream pro5")	"es	no	n. a	n. a
(21/ased aut, enti+ation (ident3 (21 range3 dns1aut, 3 room /ased)	"es	"es	"es	"es
2ro5" destination port /ased fi ter groups	"es	no	no	no
S4uid1/ased user aut, enti+ation	pass1 t, roug,	no	"es	no
#sername passed from S4uid	no	no	"es	no
#pstream 2ro5" (e6g6 S4uid) optiona	"es	"es	n. a	n. a
Content1+, e+0ing	"es &	"es &	"es'	"es'
7i e t"pe +, e+0ing	"es &	"es &	"es'	"es'
Virus s+anning	"es &	"es &	"es'	"es'
28S) s+anning	future&	future&	future'	future'
Sing e point of +onfiguration	"es	"es	no	no
& M() M must /e ena/ ed for t, is feature to *or0 *it, , ttps6 ' S4uid ss 1/ump must /e ena/ ed for t, is feature to *or0 *it, , ttps6				