E2Guardian V5 – Revised List Definition

Table of Contents

E2Guardian V5 – Revised List Definition	2
Introduction	2
List Definition	
Table 1 – List Types	, ,

E2Guardian V5 – Revised List Definition

Introduction

Version 5 has a completely revised model for defining and using lists. LisLf SN 258 Shashwes SN 1711 m 211gt LEg [

Categories are still defined within lists as before with the following syntax:-

#listcategory: "CATEGORY"

Time based lists are also honoured, although this method is depreciated and may be replaced by a more auditable method in a future version.

List Definition

List definition has the following format:

```
listtype = 'name=list_name, messageno=nnn,! logmessageno=lll,! anonlog=true,! site"ild=false,!path=path_to_list_file ,listdir=dir_path !'
```

where:

```
listtype is one of the t#pes in $able %&
```

Table 1 – List Types

fileextlist	List of file extensions	extensionin, urlin
iplist	List of IP and IP ranges	clientin
ipmaplist	Map of IP and IP ranges to data (normally filter group)	clientin
ipsitelist	List of IP and IP ranges of sites which are IP address	sitein, urlin, embeddedin, refererin
maplist	Map of key to data (e.g. user filter group)	userin
mimelist	List of mime types	mimein
regexpboollist	List of Regular Expressions (present/absent)	sitein, urlin, embeddedin, refererin, headerin
regexpreplacelist	List of Regular Expressions which modify target	fullurlin, headerin
searchlist	List of search words in ASCII order separated by '+'	searchin
sitelist	List of site domains	sitein, urlin, embeddedin, refererin, clientin
timelist	List of time bands	timein
urllist	List of URLs (site + url)	urlin, embeddedin, refererin

 $7 ee \ configs/e2 guardian \& configs/e2 guardian f\% \& conf \ for \ example \ entries \& for \ example \ example \ example \ entries \& for \ example \ examp$

Philip Pearce