

INTERNAL REFERENCE — NOT LINKED FROM NAV

## Design system reference for the E4LA site.

This page catalogs the **canonical visual system** defined in `style.css` — the one CLAUDE.md protects as "the existing visual identity": dark #07060D base, Manrope typography, gold/purple neon CTAs. Every example below renders with the real stylesheet, not a re-creation, so it stays accurate as the site evolves.

**Scope note:** `about.html`, and the `auth/portal` pages (`sign-in`, `sign-up`, `forgot-password`, `verify-email`, `portal`) currently run on two *different* token sets (`assets/css/about.css`, `auth.css` + `portal.css`) and Portal loads Inter instead of Manrope. This kit documents the canonical system only — see "Design drift found" below for details. Nothing in those files was changed to build this page.

### FOUNDATIONS

## Color

All colors are defined once as CSS custom properties in `style.css` (:root, lines 21–83). Use the variable, never the raw hex, in new rules.

### BACKGROUNDS

#### Hero

#07060D

-bg-hero

#### Dark


#08070E

-bg-dark

#### Dark 2

#0B0A14

-bg-dark2



**Light**  
#F9F7F4  
-bg-light



**Card**  
#FFFFFF  
-bg-card

## BRAND – GOLD



**Gold**  
#C8A84B  
-gold



**Gold Light**  
#DFC06E  
-gold-lt



**Gold Dark**  
#A8892C  
-gold-dk

## ACCENT – PURPLE



**Purple**  
#6D28D9  
-purple



**Purple Light**  
#7C3AED  
-purple-lt



**Purple Dark**  
#4C1D95  
-purple-dk

## SECONDARY ACCENTS (SERVICE ICON CHIPS)



**Indigo**  
#3730A3  
-indigo



**Teal**  
#0D9488  
-teal



**Blue**  
#2563EB  
-blue



**Green**  
#059669  
-green



**Amber**  
#D97706  
-amber

## GRADIENT STOPS (RESTRAINED USE ONLY – CTA BEAM, .GRAD-TEXT)



### Gradient Orange

#F97316

-g-orange



### Gradient Pink

#DB2777

-g-pink



### Gradient Purple

#7C3AED

-g-purple

## TEXT



### Primary (on dark)

#FFFFFF

color:#fff



### Ink (on light cards)

#0F0E18

-text-ink



### Dim (on dark)

rgba(255,255,255,.45)

-text-dim

## FOUNDATIONS

# Typography

Manrope only, loaded at weights 200–800, with system-ui/Arial fallback. Never introduce a second family for body or heading text.

## WEIGHTS

200 · Extralight

Elevation for Los Angeles

300 · Light

Elevation for Los Angeles

400 · Regular

Elevation for Los Angeles

500 · Medium

Elevation for Los Angeles

600 · Semibold

Elevation for Los Angeles

700 · Bold

## Elevation for Los Angeles

800 · Extrabold

## Elevation for Los Angeles

### RECURRING TEXT ROLES

.section-eyebrow

WHAT WE DO BEST

.section-heading

## End-to-end solutions for modern businesses.

.section-description

A focused 1:1 session to gain clarity, explore opportunities, and uncover the next best steps.

body text

Helping businesses define direction, identify opportunities, and build sustainable growth.

```
<p class="section-eyebrow">WHAT WE DO BEST</p> <h2 class="section-heading">End-to-end solutions  
for <span class="grad-text">modern businesses.</span></h2> <p class="section-  
description">Supporting copy goes here.</p>
```

### FOUNDATIONS

## Spacing, Radius & Shadow

An 11-step spacing scale (--s1--s11), five radii, and four restrained shadow levels. Pick from

these instead of ad hoc px values.


## SPACING SCALE

|      |      |                                                                                     |
|------|------|-------------------------------------------------------------------------------------|
| -s1  | 4px  |    |
| -s2  | 8px  |    |
| -s3  | 12px |    |
| -s4  | 16px |    |
| -s5  | 20px |    |
| -s6  | 24px |    |
| -s7  | 32px |    |
| -s8  | 40px |    |
| -s9  | 56px |  |
| -s10 | 72px |  |
| -s11 | 96px |  |

## RADIUS

|                                                                                                    |                                                                                                     |                                                                                                     |                                                                                                       |                                                                                                          |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| <br>-r-sm · 6px | <br>-r-md · 10px | <br>-r-lg · 14px | <br>-r-xl · 20px | <br>-r-pill · 100px |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|

SHADOW (MINIMAL USE – DARK THEME RELIES MOSTLY ON BORDERS/GLOW, NOT DROP SHADOW)




-shadow-xs



-shadow-sm



-shadow-md



-shadow-lg

## COMPONENTS

### Buttons & CTAs

The `.cta-neon` treatment (animated SVG shimmer border + palm badge, sized/built by `script.js`) always pairs with a base button class — `.btn-outline-white.cta-neon` or `.btn-outline-gold.cta-neon` — plus a gold/purple beam variant.

#### NEON CTA – GOLD BEAM



EXPLORE OUR SERVICES



BOOK SESSION

## NEON CTA – PURPLE BEAM



HOW WE WORK

## OUTLINE BUTTONS (NO NEON BEAM)

SIGN IN

LEARN MORE

## TEXT LINK WITH ARROW


VIEW ALL SERVICES  
→

Shown here in its base form (color + arrow, no pill). Inside `.sec-services` on the live Home page it additionally gets a pill background/border – wrapping it in that full section class to preview here caused the link to collapse to 0×0 (the section's own grid/layout rules take over), so this demo intentionally stays unwrapped rather than showing something broken.

## NAV CTA – SIGN IN

This one is live in the header at the very top of this page – the `.nav__cta--readmore` variant. It skips the palm badge (hidden) and beam entirely in favor of an animated fill-sweep on hover, and is styled centrally in `assets/css/nav.css` (the single source of truth for the header, shared by `index.html`, `services.html`, and `about.html`) rather than in `style.css`. Swaps to "My Account" when signed in, via `auth.js`.

## DISABLED STATE



The real "Book Session" button (`#js-book`, coaching calendar) starts disabled until a date is picked. Always demo the disabled state alongside the active one – it's easy to ship a CTA that only ever looks right when enabled.

## CLOSING CTA BAND

HOME – `.SCHEDULE-CARD__BTN`

SCHEDULE YOUR SESSION →

SERVICES – `.SVCD-CTA__BTN` (NEEDS `.SVCD-PAGE .SVCD-AFTER-SERVICES` ANCESTRY; THE SECTION IS HIDDEN BY DEFAULT AND ONLY REVEALED ONCE `BODY.IS-PAST-SERVICES` IS SET, AFTER THE VISITOR SCROLLS PAST THE PINNED SERVICE PANELS – ADDED HERE SO THE BUTTON ISN'T INVISIBLE OUT OF CONTEXT)

BOOK A STRATEGY CALL →


```
<a class="btn-outline-white cta-neon cta-neon-gold" href="..."> <svg class="cta-neon__beam" aria-hidden="true"> <rect class="cta-neon__beam-rect"> </rect> </svg> <span class="cta-neon__badge" aria-hidden="true">  </span> <span class="cta-neon__label">Button Text</span> </a> <!-- script.js measures the button on load/resize and builds the shimmer beam + badge size -->
```

Reuse this exact markup shape for any new CTA — the beam/badge JS in `script.js` (~line 340–500) expects `.cta-neon__beam`, `.cta-neon__badge`, and `.cta-neon__label` children in that order.

## COMPONENTS

### Service Card

`.svc-card` — white card, muted video icon (frozen on first frame, plays on hover/focus), title, description, and an arrow button. Idle cards auto-drift via per-card CSS custom properties; hover/focus freezes the tilt. Gated to `hover: hover + pointer: fine + min-width: 900px`, disabled under reduced motion.



#### STRATEGY & GROWTH

Helping  
businesses  
define  
direction,  
identify  
opportunities,  
and  
build  
sustainable  
growth.

**Icon color variants:** `svc-icon--purple`, `svc-icon--blue`, `svc-icon--green`, `svc-icon--amber`, `svc-icon--indigo` — one per service category, cycled in source order.

## COMPONENTS

### Section Header Pattern

The single most-repeated structural pattern on the site: eyebrow label → heading (optionally with a `.grad-text` highlighted span) → supporting description. Used identically across Services, Approach, Coaching, Why E4LA, and the closing CTA.

#### WHY E4LA

**Experience across disciplines.  
Insight that connects everything.**

A multidisciplinary team combining strategy, UX, brand, and AI — so nothing you build lives in a silo.

```
<p class="section-eyebrow">Label</p> <h2 class="section-heading">Heading with <span class="grad-text">a highlighted phrase</span></h2> <p class="section-description">Supporting copy, one to two sentences.</p>
```

## COMPONENTS

### Timeline Steps

`.tstep--1` through `.tstep--6` each carry a distinct border/glow color, auto-cycling on a timer (1100ms) via `script.js`, pausing when the tab is hidden and respecting reduced motion. Reused

for the Approach ("Discover → Elevate") and Coaching "how it works" timelines.

01

## DISCOVER

Understand  
the  
challenge

02

## INSIGHT

Uncover  
opportunities

03

## STRATEGIZE

Set  
measurable  
goals

04

## DESIGN

Build the  
experience

05

## EXECUTE

Launch with  
precision

06

## ELEVATE

Measure  
and improve

### COMPONENTS

## Icon System

One inline `<symbol>` library defined per page, referenced via `<use href="#i-...">`. No icon font, no emoji-as-icon. This is a subset — each page defines only the icons it uses.



i-arr



i-chev



i-target



i-search



i-cpu



i-clip



i-users



i-star



i-globe



i-zap



i-clock



i-palette

```
<svg aria-hidden="true"><use href="#i-arr"/></svg>
```

## COMPONENTS

### Form Input

The only form pattern in the canonical system today: the footer newsletter signup. Client-side only — no backend submission.

Enter your email

Go

## BEHAVIOR

### Motion & Interaction Principles

All interaction logic lives in `script.js` (plain script, not a module). `motion.js` is reserved for Motion-for-JS-driven work and today only targets `.auth-page`. Every pattern below respects `prefers-reduced-motion`.

- **Scroll reveal** — any `[data-r]` element (optionally staggered with `data-d="n"`) fades/slides in once via `IntersectionObserver`, adding an `.in` class.
- **Service card drift** — idle `.svc-card` elements auto-drift with a per-card sine-wave "personality"; hover/focus freezes the card flat. Desktop + fine-pointer only.
- **CTA neon beam** — `.cta-neon` buttons get a live-measured circular badge and a repeating SVG gradient beam (3 animated peaks via SMIL) recomputed on load/resize.
- **Timeline auto-cycle** — `.tstep` and coaching timeline steps advance on a timer, pausing on hidden tabs and reduced motion.

- **Pinned scroll** (services.html only) — `.svcd-pin` manually toggles fixed/absolute/flow positioning (not `position: sticky`, which breaks under this site's global `overflow-x: hidden`). Gated to `min-width: 640px + pointer: fine`; falls back to a plain stacked list otherwise.
- **Hero word scramble** — `#js-word` cycles a word list with a scramble/decode effect every 2s.

## FINDINGS

# Design Drift Found

While building this kit, three separate token sets turned up across the site. Documented here for visibility — none of these files were changed.

### Home / Services (canonical)



Manrope. Gold/purple neon CTAs. This is the system documented above.

`style.css`

### About page



Manrope + Instrument Serif. Violet/pink/orange gradient system, own `--bg`/`--panel` tokens. Does not load `style.css`.

`assets/css/about.css`

### Auth & Portal



Orange→pink→purple gradient system. Portal loads **Inter**, not Manrope — the only page on the site that does.

`auth.css, portal.css`

**Recommendation (not actioned):** when about/auth/portal are next touched, consider migrating them onto the canonical `style.css` token set — starting with Portal's font (Inter → Manrope) since that's the most visible brand inconsistency, a user could notice it in a single session.

## WORKING AGREEMENT

# Usage Guidelines

From this project's CLAUDE.md — restated here so this reference is self-contained.

- Vanilla HTML/CSS/JS only. No React, Tailwind, or shadcn — not even for one component.
- Reuse existing classes (`svc-card`, `cta-neon`, `tstep`, `grad-text`, `section-heading`, `data-r/data-d`) instead of inventing new ones.
- When adding classes to an element, keep every class already on it.
- `script.js` stays plain (non-module) and holds core interaction logic; `motion.js` is the only place for Motion-for-JS work, loaded as a module.
- Edit `style.css` section by section — it's an additive/override history of dated passes; add new scoped blocks rather than restructuring old ones.
- Don't redesign or make visible UI changes without explicit approval first.