



NOTES: (UNLESS OTHERWISE SPECIFIED)


1. SPECIFICATIONS AND DOCUMENTS:
- 1.1. FN 5 THRU 9 CONSTRUCTION SHALL BE IAW OH-SPEC-001, INDICATOR TYPE A, METHOD 1, USING THEIR RESPECTIVE PARTS LISTS.
- 1.2. FN 10 THRU 15 CONSTRUCTION SHALL BE IAW OH-SPEC-001, INDICATOR TYPE B, METHOD 1, USING THEIR RESPECTIVE PARTS LISTS.
- 1.3. ELECTRICAL CONNECTIONS SHALL BE IAW OH-INTERCONNECT.
2. ALL ITEMS NOT EXPLICITLY DEFINED IN THIS DRAWING ARE DEFINED BY THE MASTER CAD MODELS. ALL DIMENSIONS NOT DEFINED ON THIS DRAWING ARE CONTAINED WITHIN THE FOLLOWING MANUFACTURING FILES:
- 2.2. FLAT PARTS: <MATERIAL> <MATERIAL COLOR, IF APPLICABLE> <THICKNESS, IN DECIMAL INCHES> <PN> <DESCRIPTION> <REV> V<VERSION NUMBER OF MODEL>.SVG
- 2.3. FDM 3D PRINTED PARTS: FDM_<PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.3MF
- 2.4. RESIN 3D PRINTED PARTS: RESN_<PN>_<DESCRIPTION>_<REV>_V<VERSION # OF MODEL>.3MF
3. FINISHES:
- 3.1. FN 1 & 2 IAW FED-STD-595, FS37038, BLACK.




-1 ASSY



EXPLODED VIEW
(TYPICAL CONSTRUCTION
OF FN 5 THRU 9)



EXPLODED VIEW
(TYPICAL CONSTRUCTION
OF FN 10 THRU 15)



-1 ASSY

15	1	OH2A2A1A1-200FLP	ASSY, JETT SELECT INDICATOR, FLAPS	
14	1	OH2A2A1A1-200FUL	ASSY, JETT SELECT INDICATOR, FULL	
13	1	OH2A2A1A1-200HLF	ASSY, JETT SELECT INDICATOR, HALF	
12	1	OH2A2A1A1-200RT	ASSY, JETT SELECT INDICATOR, RIGHT	
11	1	OH2A2A1A1-200LT	ASSY, JETT SELECT INDICATOR, LEFT	
10	1	OH2A2A1A1-200NS	ASSY, JETT SELECT INDICATOR, NOSE	
9	1	OH2A2A1A1-100CTR	ASSY, JETT SELECT PUSHBUTTON, CTR	
8	1	OH2A2A1A1-100RI	ASSY, JETT SELECT PUSHBUTTON, RI	
7	1	OH2A2A1A1-100LO	ASSY, JETT SELECT PUSHBUTTON, LO	
6	1	OH2A2A1A1-100LI	ASSY, JETT SELECT PUSHBUTTON, LI	
5	1	OH2A2A1A1-100RO	ASSY, JETT SELECT PUSHBUTTON, RO	
4	3	94070A076	PHS, #2-56 X .1875, BRASS	BRS
3	1	OH2A2A1A1-32	PCB, JETT STATION SELECT	N/A
2	1	OH2A2A1A1-11A	SUBASSY, JETT SELECT MOUNTING PLATE	
1	1	OH2A2A1A1-10	JETT SELECT BODY	PETG


ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
------	-----	-------------	-------------	----------

UNLESS OTHERWISE SPECIFIED:		UOS INCH TOLERANCES ARE:	
DIMENSIONS ARE IN INCHES.		DECIMALS: ANGLES:	
DUAL DIMENSIONS ARE IN MILLIMETERS AND ENCLOSED IN SQUARE BRACKETS.		.X ± .1 .XX ± .03 .XXX ± .010	
INTERPRET DRAWING IAW ASME Y14.100-2017.		MACHINED ± .5° LOCATING ± .5° FORMED ± 2° CHAMFERS ± 5°	
INTERPRET DIM AND TOL IAW ASME Y14.5-2009.		DRILLED HOLE DIAMETERS:	
REMOVE ALL BURRS AND SHARP EDGES TO .05 MAX.		.0135 - .125: +.004/- .001	
DIMENSIONS APPLY BEFORE FINISH.		.126 - .250: +.005/- .001	
		.251 - .500: +.006/- .001	
		.501 - .750: +.008/- .001	
		.751 - 1.000: +.010/- .001	
		1.001 - 2.000: +.012/- .001	
DESIGNED	J. STEENSEN	04/14/2023	
CHECKED			
DRAWN	J. STEENSEN	04/14/2023	
SIZE	D	DWG NO	OH2A2A1A1-1
SCALE	2:1	DO NOT SCALE DWG	
REV	-		
SHEET 1/13			



TITLE
ASSY, PANEL, JETT SELECT

LOWER INSTRUMENT PANEL




2	3	93365A110	INSERT, 2-56, BRASS, FOR PLASTIC	BRS
1	1	OH2A2A1A1-11	JETT SELECT MOUNTING PLATE	PETG
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



OPEN HORNET
<https://www.OpenHornet.com>


SIZE	DWG NO	REV
D	OH2A2A1A1-11A	-
SCALE 1:1	SHEET 2/13	



5	1	OH2A2A1A1-16	JETT STATION SEL INDICATOR LEGEND DIFFUSER	ACRL
4	1	OH2A2A1A1-15	.55 SQ INDICATOR ACTUATOR	RESN
3	1	OH2A2A1A1-14	JETT STATION SEL LEGEND, TRIANGLE	ACRL
2	1	OH2A2A1A1-17	JETT STATION SEL LEGEND COVER, LI	ACRL
1	1	OH2A2A1A1-12	.55 SQ INDICATOR BEZEL	RESN
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	D	DWG NO	OH2A2A1A1-100LI	REV	-
SCALE	10:1			SHEET	3/13




5	1	OH2A2A1A1-16	JETT STATION SEL INDICATOR LEGEND DIFFUSER	ACRL
4	1	OH2A2A1A1-14	JETT STATION SEL LEGEND, TRIANGLE	ACRL
3	1	OH2A2A1A1-12	.55 SQ INDICATOR BEZEL	RESN
2	1	OH2A2A1A1-15	.55 SQ INDICATOR ACTUATOR	RESN
1	1	OH2A2A1A1-18	JETT STATION SEL LEGEND COVER, RI	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				





OPEN HORNET
<https://www.OpenHornet.com>


SIZE	DWG NO	REV
D	OH2A2A1A1-100RI	-
SCALE 10:1		SHEET 4/13



5	1	OH2A2A1A1-15	.55 SQ INDICATOR ACTUATOR	RESN
4	1	OH2A2A1A1-16	JETT STATION SEL INDICATOR LEGEND DIFFUSER	ACRL
3	1	OH2A2A1A1-14	JETT STATION SEL LEGEND, TRIANGLE	ACRL
2	1	OH2A2A1A1-12	.55 SQ INDICATOR BEZEL	RESN
1	1	OH2A2A1A1-19	JETT STATION SEL LEGEND COVER, LO	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				




SIZE	DWG NO	REV
D	OH2A2A1A1-100LO	-
SCALE 10:1	SHEET 5/13	



5	1	OH2A2A1A1-16	JETT STATION SEL INDICATOR LEGEND DIFFUSER	ACRL
4	1	OH2A2A1A1-15	.55 SQ INDICATOR ACTUATOR	RESN
3	1	OH2A2A1A1-14	JETT STATION SEL LEGEND, TRIANGLE	ACRL
2	1	OH2A2A1A1-13	JETT STATION SEL LEGEND COVER, RO	ACRL
1	1	OH2A2A1A1-12	.55 SQ INDICATOR BEZEL	RESN
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				




SIZE	DWG NO	REV
D	OH2A2A1A1-100RO	-
SCALE 10:1	SHEET 6/13	



5	1	OH2A2A1A1-16	JETT STATION SEL INDICATOR LEGEND DIFFUSER	ACRL
4	1	OH2A2A1A1-12	.55 SQ INDICATOR BEZEL	RESN
3	1	OH2A2A1A1-14	JETT STATION SEL LEGEND, TRIANGLE	ACRL
2	1	OH2A2A1A1-15	.55 SQ INDICATOR ACTUATOR	RESN
1	1	OH2A2A1A1-20	JETT STATION SEL LEGEND COVER, CTR	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				




SIZE	DWG NO	REV
D	OH2A2A1A1-100CTR	-
SCALE 10:1	SHEET 7/13	



5	1	OH2A2A1A1-25	JETT SELECT INDICATOR BEZEL	RESN
4	1	OH2A2A1A1-24	JETT SELECT INDICATOR STANDOFF	RESN
3	1	OH2A2A1A1-23	JETT SELECT INDICATOR LEGEND DIFFUSER	ACRL
2	1	OH2A2A1A1-22	JETT SELECT INDICATOR LEGEND, NOSE	ACRL
1	1	OH2A2A1A1-21	JETT SELECT INDICATOR LEGEND COVER	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				




SIZE	DWG NO	REV
D	OH2A2A1A1-200NS	-
SCALE 10:1		SHEET 8/13



5	1	OH2A2A1A1-25	JETT SELECT INDICATOR BEZEL	RESN
4	1	OH2A2A1A1-21	JETT SELECT INDICATOR LEGEND COVER	ACRL
3	1	OH2A2A1A1-23	JETT SELECT INDICATOR LEGEND DIFFUSER	ACRL
2	1	OH2A2A1A1-24	JETT SELECT INDICATOR STANDOFF	RESN
1	1	OH2A2A1A1-26	JETT SELECT INDICATOR LEGEND, LEFT	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH2A2A1A1-200LT	-
SCALE 10:1	SHEET 9/13	



5	1	OH2A2A1A1-21	JETT SELECT INDICATOR LEGEND COVER	ACRL
4	1	OH2A2A1A1-23	JETT SELECT INDICATOR LEGEND DIFFUSER	ACRL
3	1	OH2A2A1A1-25	JETT SELECT INDICATOR BEZEL	RESN
2	1	OH2A2A1A1-24	JETT SELECT INDICATOR STANDOFF	RESN
1	1	OH2A2A1A1-27	JETT SELECT INDICATOR LEGEND, RIGHT	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH2A2A1A1-200RT	-
SCALE 10:1		SHEET 10/13

D

C

B


A

D

C

B

A



5	1	OH2A2A1A1-21	JETT SELECT INDICATOR LEGEND COVER	ACRL
4	1	OH2A2A1A1-23	JETT SELECT INDICATOR LEGEND DIFFUSER	ACRL
3	1	OH2A2A1A1-25	JETT SELECT INDICATOR BEZEL	RESN
2	1	OH2A2A1A1-24	JETT SELECT INDICATOR STANDOFF	RESN
1	1	OH2A2A1A1-28	JETT SELECT INDICATOR LEGEND, HALF	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				





OPEN HORNET
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH2A2A1A1-200HLF	-
SCALE 10:1		SHEET 11/13

8

7

6

5

4

3

2

1

8

7

6


5

4

3

2

1




5	1	OH2A2A1A1-23	JETT SELECT INDICATOR LEGEND DIFFUSER	ACRL
4	1	OH2A2A1A1-21	JETT SELECT INDICATOR LEGEND COVER	ACRL
3	1	OH2A2A1A1-25	JETT SELECT INDICATOR BEZEL	RESN
2	1	OH2A2A1A1-24	JETT SELECT INDICATOR STANDOFF	RESN
1	1	OH2A2A1A1-29	JETT SELECT INDICATOR LEGEND, FULL	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				





OPEN HORNET
<https://www.OpenHornet.com>

SIZE	DWG NO	REV
D	OH2A2A1A1-200FUL	-
SCALE 10:1	SHEET 12/13	



5	1	OH2A2A1A1-23	JETT SELECT INDICATOR LEGEND DIFFUSER	ACRL
4	1	OH2A2A1A1-21	JETT SELECT INDICATOR LEGEND COVER	ACRL
3	1	OH2A2A1A1-25	JETT SELECT INDICATOR BEZEL	RESN
2	1	OH2A2A1A1-24	JETT SELECT INDICATOR STANDOFF	RESN
1	1	OH2A2A1A1-30	JETT SELECT INDICATOR LEGEND, FLAPS	ACRL
ITEM	QTY	PART NUMBER	DESCRIPTION	MATERIAL
PARTS LIST				



SIZE	DWG NO	REV
D	OH2A2A1A1-200FLP	-
SCALE 10:1	SHEET 13/13	