
DEMO ARXIV TEMPLATE

A PREPRINT

Michael J Mahoney 

Graduate Program in Environmental Science
State University of New York College of Environmental Science and Forestry
Syracuse, NY, 13210
fake_email@fakefake.com

Someone Else

Department of Sustainable Resources Management
State University of New York College of Environmental Science and Forestry
Syracuse, NY, 13210

October 1, 2026

ABSTRACT

This document is only a demo explaining how to use the template.

Keywords template • demo

1 Introduction

This is an example of how to use this template to render journal articles. This template is inspired by the arXiv articles template for rmarkdown, repurposed for the Quarto publishing system.

This quarto extension format supports PDF and HTML outputs. This template is primarily focused on generating acceptable $\text{\LaTeX}$ outputs from Quarto, but renders an acceptable HTML output using the standard Quarto options.

2 Quarto

Quarto enables you to weave together content and executable code into a finished document. To learn more about Quarto see <https://quarto.org>.

3 Running Code

When you click the **Render** button a document will be generated that includes both content and the output of embedded code. You can embed code like this:

```
1 + 1
```

```
2
```

This format hide chunks by default, but you can set echo option to `true` locally in the chunk:

4 Markdown Basics

This section of the template is adapted from [Quarto's documentation on Markdown basics](#).

4.1 Text Formatting

Table 1: A table.

GLM Analysis Results:

term	estimate	std.error	statistic	p.value
const	1.4671	0.0169	86.6170	0.0
Eth_B	1.2621	0.0197	64.1064	0.0
Sex_M	0.2051	0.0063	32.3999	0.0
Age_U15	0.2051	0.0063	32.3999	0.0
Lrn_SL	0.2051	0.0063	32.3999	0.0
Eth_B:Sex_M	0.0000	0.0000	NaN	NaN
Eth_B:Age_U15	0.0000	0.0000	NaN	NaN
Eth_B:Lrn_SL	0.0000	0.0000	NaN	NaN
Sex_M:Age_U15	0.2051	0.0063	32.3999	0.0
Sex_M:Lrn_SL	0.2051	0.0063	32.3999	0.0
Age_U15:Lrn_SL	0.2051	0.0063	32.3999	0.0

Markdown Syntax	Output
<i>*italics*</i> and **bold**	<i>italics</i> and bold
superscript ² / subscript ₂	superscript ² / subscript ₂
~~strikethrough~~	strikethrough
`verbatim code`	verbatim code

4.2 Headings

Markdown Syntax	Output
# Header 1	5 Header 1
## Header 2	5.1 Header 2
### Header 3	5.1.1 Header 3

5.2 Equations

Use \$ delimiters for inline math and \$\$ delimiters for display math. For example:

Markdown Syntax	Output
inline math: \$E = mc^2\$	inline math: $E = mc^2$
display math:	display math:
\$\$E = mc^2\$\$	$E = mc^2$

If assigned an ID, display math equations will be automatically numbered:

$$\frac{\partial C}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 C}{\partial C^2} + rS \frac{\partial C}{\partial S} = rC \quad (1)$$

5.3 Other Blocks

Markdown Syntax	Output
> Blockquote	Blockquote

Markdown Syntax	Output
Line Block	Line Block
Spaces and newlines	Spaces and newlines
are preserved	are preserved

5.4 Cross-references



Figure 1: A sunflower

Markdown Format	Output
<code>@fig-sunflower</code> is pretty.	Figure 1 is pretty.
<code>@tbl-glm</code> was created from code.	Table 1 was created from code.
<code>@sec-crf</code> is this section.	Section 5.4 is this section.
<code>@eq-black-scholes</code> is above.	Equation 1 is above.

See the [Quarto documentation on cross-references for more](#).

5.5 Citation Syntax

Quarto uses the standard Pandoc markdown representation for citations. Here are some examples:

Markdown Format	Output
Blah Blah [see @knuth1984, pp. 33–35; also @wickham2015, chap. 1]	Blah Blah see [1, pp. 33–35], also [2, Ch. 1]
Blah Blah [@knuth1984, pp. 33–35, 38–39 and passim]	Blah Blah [1, pp. 33–35, 38–39] and passim
Blah Blah [@wickham2015; @knuth1984]	Blah Blah [1], [2].
Wickham says blah [-@wickham2015]	Wickham says blah [2]

You can also write in-text citations, as follows:

Markdown Format	Output
<code>@knuth1984</code> says blah.	[1] says blah.
<code>@knuth1984 [p. 33]</code> says blah.	[1, p. 33] says blah.

See the [Pandoc Citations](#) documentation for additional information on citation syntax.

To provide a custom citation stylesheet, provide a path to a CSL file using the `cs1` metadata field in your document, for example:

```
---
title: "My Document"
bibliography: references.bib
cs1: nature.csl
---
```

References

- [1] D. E. Knuth, “Literate programming,” *The Computer Journal*, vol. 27, no. 2, pp. 97--111, 1984.
- [2] H. Wickham, *R packages*, 1st ed. O’Reilly Media, Inc., 2015.