A model of Asymmetric Replicated State Machines

Roland Kuhn@ Actyx

Daniela Marottoli @ UBA Hernán Melgratti @ UBA

Emilio Tuosto @ GSSI

School of Informatics, Leicester

October 22, 2021





Behavioural specs for the (existing) Actyx industrial platform to develop applications for factory automation

Behavioural specs for the (existing) Actyx industrial platform to develop applications for factory automation

With respect to the state-of-the-art, our models

- feature
 - pub-subscribe (instead of point-to-point)
 - (generalised) choices
 - arbitrary (and variable) number of instances

Behavioural specs for the (existing) Actyx industrial platform to develop applications for factory automation

With respect to the state-of-the-art, our models

- feature
 - pub-subscribe (instead of point-to-point)
 - (generalised) choices
 - arbitrary (and variable) number of instances
- trade consensus for availability

Behavioural specs for the (existing) Actyx industrial platform to develop applications for factory automation

With respect to the state-of-the-art, our models

- feature
 - pub-subscribe (instead of point-to-point)
 - (generalised) choices
 - arbitrary (and variable) number of instances
- trade consensus for availability
- focus on new properties (eventual-consistency) instead of "old" ones (eg. session fidelity)

Prelude –

[Factory automation]

Industrial scenarios




(courtesy of Actyx)

A highly collaborative environment

People + Real-time controllers + IT systems and networks:

- work divided among many autonomous production cells
- efficiency is determined by designing and controlling the flow of resource and information
- local failures must be tolerated for brief time periods

Industrial scenarios



(courtesy of Actyx)

Execution model

 $\mathsf{machine/operator/forklift/...} \; \mapsto \mathsf{Local} \; \mathsf{Twin} \; (\mathsf{state} \; \mathsf{machine})$

- twins are replicated where needed
- events have unique IDs and record facts (e.g. from sensors) or decisions
- state is computed from locally known log of events
- logs are replicated and merged

Challenges

Specify application-level protocols where decisions

don't require consensus

Challenges

Specify application-level protocols where decisions

- don't require consensus
- are based on stale local states

Challenges

Specify application-level protocols where decisions

- don't require consensus
- are based on stale local states
- yet, collaboration is successful