

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				


Total board thickness: 1.618mm




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	SM-001	0.025mm	4	
1	Top Layer		0.035mm		
	Dielectric 1	PP-007	0.076mm	4.2	
2	GND-1	CF-004	0.035mm		
	Dielectric 2	PP-007	0.076mm	4.2	
	Dielectric 3	PP-007	0.076mm	4.2	
3	Signal L1	CF-004	0.035mm		
	Core 1	Core-024	0.203mm	4.6	
4	GND-2	CF-004	0.035mm		
	Dielectric 4	PP-1080	0.075mm	4	
5	PWR-1	CF-004	0.035mm		
	Core 2	Core-024	0.203mm	4.6	
6	PWR-2	CF-004	0.035mm		
	Dielectric 5	PP-1080	0.075mm	4	
7	GND-3	CF-004	0.035mm		
	Core 3	Core-024	0.203mm	4.6	
8	Signal L2	CF-004	0.035mm		
	Dielectric 6	PP-007	0.076mm	4.2	
	Dielectric 7	PP-007	0.076mm	4.2	
9	GND-4	CF-004	0.035mm		
	Dielectric 8	PP-007	0.076mm	4.2	
10	Bottom Layer		0.035mm		
	Bottom Solder	SM-001	0.025mm	4	
	Bottom Overlay				
Total board thickness:			1.618mm		

