Thundercomm
AIOT ENABLER



2023-01-31 9:16:46 AM CST
Steven_cam.moorvision.com

Thundercomm TurboX C410/C610 LE1.0 Codeaurora Compiling Issue

Troubleshooting Guide

Rev. V1.0
Apr 14, 2023

DN: tc-A-231110

Revision History

Revision	Date	Author	Description
1.0	Apr 14, 2023	Xuemei Sun	Initial release.

Thundercomm Confidential
2025-01-31 9:16:46 AM CST
Stefan_ucam.moorvision.com

Copyright© 2023 Thundercomm Technology Co., Ltd. All rights reserved.

About This Document

- Illustrations in this documentation might look different from your product.
- Depending on the model, some optional accessories, features, and software programs might not be available on your device.
- Depending on the version of operating systems and programs, some user interface instructions might not be applicable to your device.
- Documentation content is subject to change without notice. Thundercomm makes constant improvements on the documentation of the products, including this guidebook.
- Function declarations, function names, type declarations, attributes, and code samples appear in a different format, for example, `cp armcc armcpp`.
- Code variables appear in angle brackets, for example, `<number>`.
- Button, tool, and key names appear in bold font, for example, click **Save** or press **Enter**.
- Commands to be entered appear in a different font; on the host computer use $ as shell prompt, while on the target device use # as shell prompt, for example,

```
$ adb devices
# logcat
```

- Part of the code that does not contain instructions appear in a different format, for example,

```
SUBSYSTEM=="usb", ATTR{idVendor}=="18d1", MODE="0777", GROUP="adm"
```

- Folders, path and files are formatted in italic, for example, *turbox_flash_flat.sh*.

Thundercomm Confidential
2025-01-31 9:16:46 AM CST
Stefan_ucam.moorvision.com

Copyright© 2023 Thundercomm Technology Co., Ltd. All rights reserved.

Table of Contents

Chapter 1. Introduction ..... **- 2 -**

Chapter 2. Troubleshooting ..... **- 3 -**

2.1. Redirect codeaurora to codelinaro ..... - 3 -

2.2. Modify bb file ..... - 3 -

2.3. Patches for C410_C610.LE.1.0.Post-CS1.r002008 ..... - 5 -

Appendix 1. Notices ..... **- 8 -**

Appendix 2. Trademarks ..... **- 10 -**

Thundercomm Confidential
2025-01-31 9:16:46 AM CST
Stefan_ucam.moorvision.com

Chapter 1. Introduction

Due to shut-down of the codeaurora site by Qualcomm, repositories were migrated to a new website and the branch names of some repositories even got changed. Consequently, compilation failures may occur to some earlier-released LE SDKs. This document focuses on troubleshooting of this issue.

Thundercomm Confidential
2025-01-31 9:16:46 AM CST
Stefan_ucam.moorvision.com

Chapter 2. Troubleshooting

This chapter describes steps for solving the compilation problem.

2.1. Redirect codeaurora to codelinaro

Add the following code to the *~/.gitconfig* file on your PC.

```
[url "https://git.codelinaro.org/clo/"]
          insteadOf = https://source.codeaurora.org/quic/
          insteadOf = git://source.codeaurora.org/quic/
          insteadOf = git://codeaurora.org/quic/
          insteadOf = http://source.codeaurora.org/quic/
```

2.2. Modify bb file

If the compilation error still exists even after you have redirected codeaurora to codelinaro, for example:

```
"ERROR: protobuf-3.3.0+gitAUTOINC+a6189acd18-r0 do_fetch: Fetcher failure for URL: 'git://source.codeaurora.org/quic/le/protobuf.git;protocol=git;branch=protobuf/master'. Unable to fetch URL from any source."
```

Follow the steps below to fix the error by modifying the bb files.

➲ **NOTE:** For C410_C610.LE1.0.Post-CS1.r002008, skip the following steps as its bb files have been already modified by Thundercomm and can be used directly.

Step 1. Go to https://git.codelinaro.org and search for the repository with error, e.g., “protobuf”, renamed as “CodeLinaro / le / protobuf” on the new website. Usually, the repository name is after “source.codeaurora.org/quic” strings.




Figure 2-1.Search Repository with Error

Step 2. Enter the repository and select **Repository → Branches**.




Figure 2-2. Select Repository Branches

Step 3. Enter the branch name in the search box. As shown in the figure below, the branch name is changed to "caf_migration/protobuf/master".




Figure 2-3. Branch Name Change

Thundercomm Confidential
2025-01-31 9:15:46 AM CST
Stefan_ucam.modorvision.com

Step 4. Modify the branch name in the bb file.

➲ **NOTE:** The bb file can be found in the compilation log.

Example:

Modify the “apps_proc/poky/meta-qti-bsp/recipes-devtools/protobuf/protobuf_3.3.0.bb” file.




Figure 2-4. Modify Branch Name

2.3. Patches for C410_C610.LE.1.0.Post-CS1.r002008

Refer to the following sub-sections for the specific patches.

2.3.1. patch for meta-qti-bsp

- **Path:** *apps_proc/poky/meta-qti-bsp*
- **Patch:**

```
diff --git a/recipes-android/mkdtimg/mkdtimg-native_git.bb b/recipes-android/mkd-
timg/mkdtimg-native_git.bb
index 640a2240..c1679907 100644
--- a/recipes-android/mkdtimg/mkdtimg-native_git.bb
+++ b/recipes-android/mkdtimg/mkdtimg-native_git.bb
@@ -13,7 +13,7 @@ DEPENDS += " dtc-native"

 PR = "r1"

-SRC_URI = "git://source.codeaurora.org/quic/la/platform/system/libufdt.git;proto-
col=https;destsuffix=system/libufdt;branch=keystone/p-keystone-qcom-release \
+SRC_URI = "git://source.codeaurora.org/quic/la/platform/system/libufdt.git;proto-
col=https;destsuffix=system/libufdt;branch=caf_migration/keystone/p-keystone-qcom-re-
lease \
            file://0001-libufdt-support-autoconf-compile.patch"
```

Thundercomm 2025-03-31 9:16:46 AM CST Stefan_ucom.mmorvision.com

```
 S = "${WORKDIR}/system/libufdt"
diff --git a/recipes-core/update-rc.d/update-rc.d_%.bbappend b/recipes-core/update-
rc.d/update-rc.d_%.bbappend
index 1a4657a0..461051a8 100644
--- a/recipes-core/update-rc.d/update-rc.d_%.bbappend
+++ b/recipes-core/update-rc.d/update-rc.d_%.bbappend
@@ -1,4 +1,4 @@
-SRC_URI = "${CAF_GIT}/platform/external/update-rc.d;protocol=git;branch=github/master
\
+SRC_URI = "${CAF_GIT}/platform/external/update-rc.d;protocol=git;branch=caf_migra-
tion/github/master \
           "

 PR = "r6"
diff --git a/recipes-devtools/bouncycastle/bouncycastle_git.bb b/recipes-dev-
tools/bouncycastle/bouncycastle_git.bb
index 5cd4f73a..babe0aff 100644
--- a/recipes-devtools/bouncycastle/bouncycastle_git.bb
+++ b/recipes-devtools/bouncycastle/bouncycastle_git.bb
@@ -36,7 +36,7 @@ S_VERITY="${WORKDIR}/verity"
 ######################################
 #  keys/certificates git repo
 ######################################
-SRC_URI +=  "git://source.codeaurora.org/quic/la/platform/build;protocol=git;no-
branch=1;rev=26bfd792b59eb163dfbc8602a931868fbb35bad4;destsuffix=security;subpath=tar-
get/product/security;name=security"
+SRC_URI +=  "git://source.codeaurora.org/quic/la/platform/build_repo;protocol=git;no-
branch=1;rev=26bfd792b59eb163dfbc8602a931868fbb35bad4;destsuffix=security;subpath=tar-
get/product/security;name=security"

 SRC_URI[security.md5sum] = "1ba8f1041c6f81834450aefc80e78ba8"
 SRC_URI[security.sha256sum] =
"2174c4c82d24ec91e94949a3d1eb4fac29cc657b3e35c662c3e80042576fb6b6"
diff --git a/recipes-devtools/prelink/prelink_git.bbappend b/recipes-devtools/pre-
link/prelink_git.bbappend
index d07b9386..5f17c19d 100644
--- a/recipes-devtools/prelink/prelink_git.bbappend
+++ b/recipes-devtools/prelink/prelink_git.bbappend
@@ -1,5 +1,5 @@
 FILESEXTRAPATHS_prepend := "${THISDIR}:"
-SRC_URI = "${CAF_GIT}/platform/external/prelink-cross;proto-
col=git;branch=yocto/cross_prelink \
+SRC_URI = "${CAF_GIT}/platform/external/prelink-cross;protocol=git;branch=caf_migra-
tion/yocto/cross_prelink \
            file://prelink.conf \
            file://prelink.cron.daily \
            file://prelink.default \
diff --git a/recipes-devtools/protobuf/protobuf_3.3.0.bb b/recipes-devtools/proto-
buf/protobuf_3.3.0.bb
index 3cb99212..c344160b 100644
--- a/recipes-devtools/protobuf/protobuf_3.3.0.bb
+++ b/recipes-devtools/protobuf/protobuf_3.3.0.bb
@@ -18,7 +18,7 @@ SRCREV = "a6189acd18b00611c1dc7042299ad75486f08a1a"

 PV = "3.3.0+git${SRCPV}"

-SRC_URI = "git://source.codeaurora.org/quic/le/protobuf.git;protocol=git;branch=proto-
buf/master"
+SRC_URI = "git://source.codeaurora.org/quic/le/protobuf.git;proto-
col=git;branch=caf_migration/protobuf/master"

 EXTRA_OECONF += " --with-protoc=echo"
```

- **Patch file:** *0001-fix-meta-qti-bsp-compile-error.patch*

  Run the following commands to apply the patch file.

```
cd apps_proc/poky/meta-qti-bsp
git am 0001-fix-meta-qti-bsp-compile-error.patch
```

2.3.2. patch for meta-qti-adk

- **Path:** *apps_proc/poky/meta-qti-adk*
- **Patch:**

```
diff --git a/recipes-support/jsoncpp/jsoncpp_1.7.7.bb b/recipes-sup-
port/jsoncpp/jsoncpp_1.7.7.bb
index 3e248f0..4d743cc 100644
--- a/recipes-support/jsoncpp/jsoncpp_1.7.7.bb
+++ b/recipes-support/jsoncpp/jsoncpp_1.7.7.bb
@@ -14,7 +14,7 @@ LIC_FILES_CHKSUM = "file://LI-
CENSE;md5=c56ee55c03a55f8105b969d8270632ce"
 # The revision of the recipe used to build the package.
 PR = "r0"

-SRC_URI = "git://source.codeaurora.org/quic/la/platform/external/jsoncpp;proto-
col=http;branch=android-external.lnx.2.0-rel"
+SRC_URI = "git://source.codeaurora.org/quic/la/platform/external/jsoncpp;proto-
col=http;branch=caf_migration/android-external.lnx.2.0-rel"

 #        90c81b9c9aef09ef4ffb8de1779301734336d897
 SRCREV = "90c81b9c9aef09ef4ffb8de1779301734336d897"
```

- **Patch file:** *0001-fix-meta-qti-adk-compile-error.patch*

  Run the following commands to apply the patch file.

```
cd apps_proc/poky/meta-qti-adk
git am 0001-fix-meta-qti-adk-compile-error.patch
```

2.3.3. patch for meta-qti-ml

- **Path:** *apps_proc/poky/meta-qti-ml*
- **Patch:**

```
diff --git a/recipes/libfmq/libfmq.bb b/recipes/libfmq/libfmq.bb
index e5952b0..d44f479 100644
--- a/recipes/libfmq/libfmq.bb
+++ b/recipes/libfmq/libfmq.bb
@@ -19,7 +19,7 @@ DEPENDS += "libcutils"

 SRCREV = "2172954aa2b2afd2de4f44b8fd25a1a1ac5f2d3e"

-SRC_URI = "git://source.codeaurora.org/quic/la/platform/system/libfmq.git;branch=ks-
aosp.lnx.2.0.r12-rel"
+SRC_URI = "git://source.codeaurora.org/quic/la/platform/sys-
tem/libfmq.git;branch=caf_migration/ks-aosp.lnx.2.0.r12-rel"
 SRC_URI += "file://0001-libfmq-Porting-to-Linux-Embedded.patch"

 S = "${WORKDIR}/git"
```

- **Patch file:** *0001-fix-meta-qti-ml-compile-error.patch*

  Run the following commands to apply the patch file.

```
cd apps_proc/poky/meta-qti-ml
git am 0001-fix-meta-qti-ml-compile-error.patch
```

Appendix 1. Notices

Thundercomm may have patents or pending patent programs covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries to service@thundercomm.com.

THUNDERCOMM PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions; therefore, this statement may not apply to you.

Changes are made periodically to the information herein; these changes will be incorporated in new editions of the publication. To provide better service, Thundercomm reserves the right to improve and/or modify the products and software programs described in the manuals, and the content of the manual, at any time without additional notice.

The software interface and function and hardware configuration described in the manuals included with your development board or system on module might not match exactly the actual configuration of that you have purchased. For the configuration of the product, refer to the related contract (if any) or product packing list, or consult the distributor for the product sales. Thundercomm may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

The products described in this document are not intended for use in implantation or other life support applications where malfunction may result in injury or death to persons. The information contained in this document does not affect or change Thundercomm product specifications or warranties. Nothing in this document shall operate as an express or implied license or indemnity under the intellectual property rights of Thundercomm or third parties. All information contained in this document was obtained in specific environments and is presented as an illustration. The result obtained in other operating environments may vary.

The information of this document should not be as any invitation for offer or any advice to the visitors. Please consult the professional comments from the sales consultant prior to do any actions of investment or purchase.

Thundercomm may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Any references in this publication to non-Thundercomm Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this Thundercomm product, and use of those Web sites is at your own risk. Thundercomm shall not be responsible for the content of the third party.

Any performance data contained herein was determined in a controlled environment. Therefore, the result obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

This document is copyrighted by Thundercomm and the property right of the date mentioned in this document, including but not limited trademarks, patents, copyrights, trade name etc. are not covered by any open-source license. Thundercomm may update this document at any time without notice.

Anyone doesn’t have the right to amend, reprint, republication, reproduce, transmit, distribute or any other way to use this document in business or public purpose without the prior written consent by Thundercomm.

E-mail messages sent to Thundercomm via the Internet are not guaranteed to be completely secure.Thundercomm shall not be liable for any loss incurred by the surfer when transmitting any information over the Internet or for any loss incurred by Thundercomm when sending any information over the Internet at

Thundercomm Confidential

your request.

Thundercomm has all rights under other relevant exemptions provided by laws and regulations, and Thundercomm's failure to claim or delay in claiming such rights shall not be deemed to be a waiver of such rights by Thundercomm.

Thundercomm reserves the right of final interpretation of this document.

Thundercomm Confidential
2025-01-31 9:16:46 AM CST
Stefan_ucam.moorvision.com

Appendix 2. Trademarks

Thundercomm, Thundercomm TurboX, TURBOX, Thundersoft turbox are trademarks of Thundercomm Corporation or its associate companies in China and/or other countries. Intel, Intel SpeedStep, Optane, and Thunderbolt are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. Microsoft, Windows, Direct3D, BitLocker, and Cortana are trademarks of the Microsoft group of companies. Mini DisplayPort (mDP), DisplayPort, and VESA are trademarks of the Video Electronics Standards Association. The terms HDMI and HDMI High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. Wi-Fi, Wi-Fi Alliance, WiGig, and Miracast are registered trademarks of Wi-Fi Alliance. USB-C is a registered trademark of USB Implementers Forum. All other trademarks are the property of their respective owners.

Thundercomm Confidential
2025-01-31 9:16:46 AM CST
Stefan_ucam.moorvision.com