


Radar Interface



Accelerometer




SPL06-001 Pressure Sensor




LED&Key




master control




Power input and switch




Serial communication automatic download




ULN2003 stepper motor drive circuit




3.3V step-down circuit




Optical Sensor




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		




Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		



Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		



Symbol	Count	Hole Size	Plated	Hole Type	Drill Layer Pair	Via/Pad	Pad Shape	Template	Description	Hole Tolerance (+)	Hole Tolerance (-)
✡	2	27.56mil (0.700mm)	PTH	Slot	Top Layer - Bottom Layer	Pad	Rounded	r120_180h70_140r60m130_190mx130_190p0			
○	2	27.56mil (0.700mm)	PTH	Slot	Top Layer - Bottom Layer	Pad	Rounded	(Mixed)			
□	5	19.69mil (0.500mm)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)			
▽	5	35.43mil (0.900mm)	PTH	Round	Top Layer - Bottom Layer	Pad	(Mixed)	(Mixed)			
⧈	8	7.87mil (0.200mm)	PTH	Round	Top Layer - Bottom Layer	Pad	Rounded	c30h20			
⊠	119	10.00mil (0.254mm)	PTH	Round	Top Layer - Bottom Layer	Via	Rounded	v51h25m0mx0			
	141 Total										

Slot definitions : **Routed Path Length** = Calculated from tool start centre position to tool end centre position.
Hole Length = Routed Path Length + Tool Size = Slot length as defined in the PCB layout

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.010mm	3.5	
1	Top Layer		0.036mm		
	Dielectric 1	FR-4	0.254mm	4.2	
2	GND		0.036mm		
	Dielectric 3		0.127mm	4.2	
3	POWER		0.036mm		
	Dielectric 2		0.254mm	4.2	
4	Bottom Layer		0.036mm		
	Bottom Solder	Solder Resist	0.010mm	3.5	
	Bottom Overlay				
Total board thickness:			0.798mm		

